

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NORTHUMBERLAND STRAIT – WEST							
1085	Tidnish River Entrance light buoy XA2	Off Tidnish Head. 46 00 54.2 064 02 17.5	Fl R 4s	Red, marked "XA2".	Seasonal. Chart:4406
1089	Tormentine Reefs light and bell buoy X5	E. of Indian Point. 46 06 34 063 41 04	Fl G 4s	Green, marked "X5".	Seasonal. Chart:4905
1090 H1308	Cape Tormentine Outer Wharf	On outer end of pier. 46 08 05.4 063 46 20	Iso R 2s	12.0	5	White square tower, white daymark, red vertical stripe. 10.1	Seasonal. Chart:4905
1091.5 H1316	Cape Tormentine Breakwater	At NE. end of breakwater. 46 08 02.8 063 46 11.8	Fl G 4s	5.5	4	Square skeleton tower, green and white square daymark with black square in centre. 3.6	Flash 1 s; eclipse 3 s. Seasonal. Chart:4905 Edn 06/10 (G10-087) Edn 10/11 Edn 04/12 (G12-025) Edn 11/22 (G22-115)
1094 H1313.1	Cape Tormentine Inner Wharf	46 08 00.5 063 46 27.7	Fl R 3s	6.3	6	Cylindrical mast. 3.8	Operates at night only. Seasonal. Chart:4905
1094.6 H1313	Cape Tormentine Fisherman's Wharf	On outer end of breakwater. 46 08 00.6 063 46 37.9	Fl G 4s	6.7	3	Pipe swing pole, green and white square daymark. 3.8	Operates at night only. Seasonal. Chart:4905 Edn 03/14 (G14-022)
1095.1	Cape Tormentine light buoy XD4	46 08 09 063 46 11.6	Fl R 4s	Red spar, marked "XD4".	Seasonal. Chart:4905
1096	Cape Tormentine light buoy XD5	46 07 58 063 46 25.5	Q G 1s	Green spar, marked "XD5".	Seasonal. Chart:4905
1097 H1319	Botsford Breakwater	On SE. corner of breakwater. 46 10 07.2 063 56 01.1	Fl R 4s	6.0	3	Pipe swing pole. 5.3	Flash 1 s; eclipse 3 s. Year round. Chart:4406 Edn 02/19 (G19-001) Edn 09/22 (G22-101)
1099.5 H1322	Little Cape Outer Breakwater	46 11 55.3 064 09 42.7	Fl R 4s	7.2	4	Square skeleton tower. 3.7	Operates at night only. Seasonal. Chart:4905
1100 H1323	Little Cape Breakwater	On SE. corner of breakwater. 46 11 56.9 064 09 45.3	Fl R 5s	10.6	10	Square skeleton tower. 10.0	Flash 1 s; eclipse 4 s. Operates at night only. Seasonal. Chart:4905
1100.5 H1324.4	Bas-Cap-Pelé Wharf	On end of wharf. 46 14 09 064 15 39	Fl R 3s	6.1	4	Square skeleton tower. 5.2	Flash 1 s; eclipse 2 s. Operates at night only. Seasonal. Chart:4905

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NORTHUMBERLAND STRAIT – WEST							
1101 H1324	Bas-Cap-Pelé Approach	S. of breakwater, on shore. 46 14 04.3 064 15 49.6	Fl W 5s	12.6	11	Square skeleton tower, red and white rectangular daymark. 6.9	Flash 0.5 s; eclipse 4.5 s. Seasonal. Chart:4905 Edn 03/12 (G12-011)
1102 H1325.1	Cape Bald	NW. corner of E. breakwater. 46 13 53.6 064 17 55.7	Fl G 3s	9.5	4	Square skeleton tower, green and white square daymark, black square in center. 8.3	Flash 1 s; eclipse 2 s. Operates at night only. Year round. Chart:4905 Edn 05/10 (G10-067)
1102.1	Harshman's Brook light buoy XJ4	46 14 03.5 064 17 58.8	Fl R 4s	Red spar, marked "XJ4".	Seasonal. Chart:4905 Edn 10/09 (G09-082) Edn 12/11 (G11-310) Edn 06/12 (G12-076)
1102.11	Harshman's Brook light buoy XJ5	46 14 02.7 064 17 57.3	Fl G 4s	Green spar, marked "XJ5".	Seasonal. Chart:4905 Edn 10/09 (G09-100) Edn 10/11 (G11-283)
1102.12	Harshman's Brook light buoy XJ6	46 13 59.3 064 17 57.1	Fl R 4s	Red spar, marked "XJ6".	Seasonal. Chart:N/A Edn 10/09 (G09-102) Edn 10/11 (G11-282) Edn 08/23 (G23-084)
1102.13	Harshman's Brook light buoy XJ7	46 13 59 064 17 55.6	Fl G 4s	Green spar, marked "XJ7".	Seasonal. Chart:4905 Edn 10/09 (G09-103) Edn 12/11 (G11-311) Edn 06/12 (G12-077)
1102.3	Robichaud light buoy XK2	46 14 00.7 064 22 42.7	Fl R 4s	Red spar, marked "XK2".	Seasonal. Chart:4905 Edn 06/19 (G19-033)
1102.5	Robichaud light buoy XK6	N. of wharf. 46 13 37.7 064 23 01.1	Q R 1s	Red, marked "XK6".	Seasonal. Chart:4905 Edn 06/19 (G19-034)
1103 H1326	Robichaud Wharf	On NW. corner of wharf. 46 13 29.6 064 23 02.8	Fl W 4s	6	Pipe swing pole, red and white rectangular daymark.	Flash 1 s; eclipse 3 s. Seasonal. Chart:4905 Edn 02/21 (G20-265)
1103.5	Robichaud Wharf Breakwater	Robichaud Harbour. 46 13 28.6 064 22 58.4	Fl R 4s	4	Pipe tower.	Flash 1 s; eclipse 3 s. Seasonal. Chart:4905 Edn 02/21 (G20-268)
1105	Shediac light buoy XN	On E. side of channel. 46 16 38.0 064 29 05.0	Mo(A) W 6s	Red and white vertical stripes, marked "XN".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 04/15 (G15-001) Edn 08/18 (G18-067) Edn 04/24 (G24-043)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NORTHUMBERLAND STRAIT – WEST							
1105.1	Shediac light buoy XN2	46 16 28.2 064 29 40.7	Fl R 4s	Red spar, marked "XN2".	Operates 24 h. Seasonal. Chart:4909 Edn 07/17 (G17-032) Edn 08/18 (G18-093)
1105.2	Shediac light buoy XN3	46 16 17.2 064 29 44.5	Fl G 4s	Green spar, marked "XN3".	Operates 24 h. Seasonal. Chart:4909 Edn 07/17 (G17-033) Edn 08/18 (G18-094)
1105.3	Shediac light buoy XN4	46 16 13.4 064 30 28.3	Fl R 4s	Red spar, marked "XN4".	Operates 24 h. Seasonal. Chart:4909 Edn 07/17 (G17-034)
1105.4	Shediac light buoy XN5	46 16 01.9 064 30 16.6	Fl G 4s	Green, marked "XN5".	Operates 24 h. Seasonal. Chart:4909 Edn 07/17 (G17-035)
1105.5	Shediac light buoy XN6	46 15 42.9 064 30 26.5	Fl R 4s	Red, marked "XN6".	Operates 24 h. Seasonal. Chart:4909 Edn 07/17 (G17-036)
1106	Shediac light buoy XN12	Shediac Harbour. 46 15 26.8 064 30 34.6	Q R 1s	Red, marked "XN12".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 04/15 (G15-001) Edn 07/17 (G17-037) Edn 07/21 (G21-048)
1109	Shediac light buoy XN18	On N. side of turn in channel. 46 15 23.2 064 31 23.6	Q R 1s	Red spar, marked "XN18".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 11/14 (G14-185) Edn 04/15 (G15-001) Edn 07/23 (G23-033)
1109.2	Shediac Harbour light buoy XN19	46 15 17.0 064 31 28.4	Q G 1s	Green spar, marked "XN19".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 04/15 (G15-001) Edn 07/17 (G17-038) Edn 07/23 (G23-034)
1109.4	Shediac Harbour light buoy XN20	At the entrance to harbour. 46 15 09.7 064 31 38.2	Fl R 4s	Red spar, marked "XN20".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 04/15 (G15-001) Edn 08/21 (G21-010)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NORTHUMBERLAND STRAIT – WEST

1109.6	Shediac Harbour light buoy XN21	46 15 03.5 064 31 32	Fl G 4s	Green spar, marked "XN21".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 04/15 (G15-001)
1109.8	Shediac Harbour light buoy XN22	46 14 55.9 064 31 43.9	Fl R 4s	Red spar, marked "XN22".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 10/14 (G14-186) Edn 11/14 (G14-186) Edn 04/15 (G15-001)
1109.81	Pointe-du-Chêne light buoy XP3	46 14 29.8 064 31 39.2	Q G 1s	Green, marked "XP3".	Operates 24 h. Seasonal. Chart:4909 Edn 07/17 (G17-041, 074) Edn 04/24 (G24-046)
1109.82	Shediac Harbour light buoy XN24	46 14 38.9 064 32 02.5	Fl R 4s	Red spar, marked "XN24".	Seasonal. Chart:4909 Edn 11/21 (G21-205)
1109.83	Shediac light buoy XN30	46 14 38.2 064 32 13.6	Q R 1s	Red, marked "XN30".	Operates 24 h. Seasonal. Chart:4909 Edn 07/17 (G17-039) Edn 11/21 (G21-198)
1110.5	Pointe-du-Chêne Wharf	On W. end of pier. 46 14 30.0 064 31 48.4	LFl Y 6s	7	Square skeleton tower, red rectangular daymark with white stripe. 5.1	Flash 2 s; eclipse 4 s. Seasonal. Chart:4909 Edn 11/17 (G17-114) Edn 10/23 (G23-142)
1111.1 H1329	Pointe-du-Chêne Breakwater	On outer end of breakwater. 46 14 29.2 064 31 40.4	Fl R 5s	6.0	4	Cylindrical mast, red triangular daymark. 3.5	Flash 1 s; eclipse 4 s. Seasonal. Chart:4909 Edn 04/12 (G12-019) Edn 09/16 (G16-121) Edn 10/23 (G23-143)
1111.2	Shediac Bay light buoy XN34	46 14 21.5 064 32 24	Fl R 4s	Red spar, marked "XN34".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 04/15 (G15-001)
1111.41	Shediac Bay light buoy XN37	46 14 03 064 32 41.5	Fl G 4s	Green spar, marked "XN37".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 04/15 (G15-001)
1111.45	Shediac Bay light buoy XN41	46 13 50 064 32 44.5	Fl G 4s	Green spar, marked "XN41".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 04/15 (G15-001)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NORTHUMBERLAND STRAIT – WEST							
1111.46	Shediac Bay light buoy XN42	46 13 51 064 32 46	Fl R 4s	Red spar, marked "XN42".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 04/15 (G15-001)
1111.48	Shediac Bay light buoy XN46	46 13 41.6 064 32 53.6	Q R 1s	Red spar, marked "XN46".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 04/15 (G15-001)
1111.5 H1334	Shediac Bay Yacht Club Breakwater	46 13 41.2 064 32 49.5	Fl G 5s	5.2	4	Pipe swing pole, green, white and black square daymarks. 3.7	Flash 1 s; eclipse 4 s. Seasonal. Chart:4909 Edn 08/11 (G11-227) Edn 10/23 (G23-144)
1112 H1348	Cap de Caissie Breakwater	On outer end of N. breakwater. 46 18 46.0 064 30 34.8	Fl R 4s	5.9	5	Square skeleton tower. 4.9	Flash 1 s; eclipse 3 s. Seasonal. Chart:4909 Edn 02/19 (G19-002)
1113.01	Cocagne Harbour Fairway light buoy XT	46 23 19.7 064 32 38.5	Mo(A) W 6s	Red and white vertical stripes, marked "XT".	Seasonal. Chart:4909 Edn 08/20 (G20-049) Edn 10/20 (G20-222)
1113.04	Cocagne light buoy XT4	46 22 28.4 064 34 09.0	Fl R 4s	Red, marked "XT4".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 07/11 (G11-163) Edn 08/20 (G20-038)
1113.14	Cocagne Harbour light buoy XT14	46 21 42.4 064 35 00.4	Fl R 4s	Red, marked "XT14".	Seasonal. Chart:N/A Edn 08/20 (G20-052)
1113.17	Cocagne Harbour light buoy XT17	46 21 17.0 064 35 13.4	Q G 1s	Green, marked "XT17".	Seasonal. Chart:N/A Edn 08/20 (G20-057)
1113.22	Cocagne River light buoy XT22	46 20 21.7 064 36 25.8	Fl R 4s	Red, marked "XT22".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 08/20 (G20-054)
1113.48	Cocagne River light buoy XT48	46 19 53.8 064 37 15.1	Q R 1s	Red spar, marked "XT48".	Seasonal. Chart:4909 Edn 08/20 (G20-115)
1114 H1352	Cap-de-Cocagne Wharf	On SW. corner of wharf extension. 46 21 15.5 064 34 33.0	Fl G 4s	4	Pipe swing pole, green- white-black square daymark. 4.0	Flash 1 s; eclipse 3 s. Seasonal. Chart:4909 Edn 08/18 (G18-098) Edn 11/20 (G20-248)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NORTHUMBERLAND STRAIT – WEST

1118.5 H1359	Cormierville	On SE. corner of wharf. 46 24 28.3 064 36 55.3	Fl R 3s	5.7	5	Pipe swing pole. 5.1	Flash 1 s; eclipse 2s. Seasonal. Chart:4909 Edn 06/21 (G21-016) Edn 11/22 (G22-112)
1119	Cormierville light buoy XU2	46 25 06.0 064 34 58.0	Q R 1s	Red, marked "XU2".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 04/15 (G15-001) Edn 06/21 (G21-017)
1119.1	The Bluff East Cardinal light buoy XVB	46 25 15.5 064 36 09.3	Q(3) W 10s	Black, yellow and black spar, marked "XVB".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 11/14 (G14-150)
1119.2	The Dune East Cardinal light buoy XVA	46 27 23.2 064 35 41.5	VQ(3) W 5s	Black, yellow and black spar, marked "XVA".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 11/14 (G14-151)
1119.3	Buctouche Harbour light buoy XV10	46 27 21.2 064 38 12	Q R 1s	Red, marked "XV10".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 11/14 (G14-158)
1119.5 H1360	St. Thomas-de- Kent	On NW. corner of wharf. 46 26 51.5 064 38 12.5	Fl G 4s	5.1	5	Square skeleton tower. 3.1	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal. Chart:4909
1119.64	Buctouche Harbour light buoy XV4	46 27 08.3 064 36 33.2	Q R 1s	Red, marked "XV4".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 11/14 (G14-152)
1119.65	Buctouche Harbour light buoy XV6	46 27 09.4 064 37 15.1	Fl R 4s	Red, marked "XV6".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 11/14 (G14-154) Edn 06/16 (G16-053) Edn 07/23 (G23-028)
1122 H1362	Buctouche Bar	On S. extremity of bar. 46 27 40.1 064 36 46.2	Fl W 4s	11.0	7	White square tower. 11.4	Flash 1 s; eclipse 3 s. Seasonal. Chart:4909
1125.17	Buctouche Harbour Light buoy XV16	46 27 56.6 064 39 05.9	Fl R 4s	Red, marked "XV16".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 07/15

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NORTHUMBERLAND STRAIT – WEST

1125.18	Buctouche Harbour light buoy XV20	46 28 19.9 064 39 36.5	Fl R 4s	Red, marked "XV20".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 11/14 (G14-165)
1125.19	Buctouche Harbour light buoy XV15	46 27 41.5 064 38 52.9	Fl G 4s	Green, marked "XV15".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 11/14 (G14-159)
1125.21	Buctouche Harbour light buoy XV19	46 28 05.7 064 39 24.4	Fl G 4s	Green, marked "XV19".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 07/15 Edn 12/23
1125.23	Buctouche Harbour light buoy XV23	46 28 34.0 064 40 03.0	Q G 1s	Green, marked "XV23".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 07/15
1125.24	Buctouche Harbour light buoy XV26	46 28 40 064 40 13.7	Fl R 4s	Red spar marked "XV26".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 10/14 (G14-089)
1125.25	Buctouche Harbour light buoy XV29	46 28 37.2 064 40 27.3	Q G 1s	Green spar marked "XV29".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 10/14 (G14-090)
1125.26	Buctouche Harbour light buoy XV32	46 28 32.9 064 40 54.4	Fl R 4s	Red spar, marked "XV32".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 10/14 (G14-145)
1125.27	Buctouche Harbour light buoy XV36	46 28 25.8 064 41 19	Fl R 4s	Red spar, marked "XV36".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 10/14 (G14-146)
1125.28	Buctouche Harbour light buoy XV37	46 28 24.2 064 41 18.2	Fl G 4s	Green spar, marked "XV37".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 10/14 (G14-147)
1125.29	Buctouche Harbour light buoy XV41	46 28 19.7 064 41 43	Fl G 4s	Green spar, marked "XV41".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 10/14 (G14-148)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NORTHUMBERLAND STRAIT – WEST							
1125.3	<i>Buctouche Harbour light buoy XV51</i>	46 28 26.7 064 42 32.2	Q G 1s	Green spar, marked "XV51".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 10/14 (G14-149)
1125.31	<i>Buctouche Harbour light buoy XV44</i>	46 28 16 064 42 06	Q R 1s	Red spar, marked "XV44".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 10/14 (G14-144)
1126 H1372	Saint-Edouard-de- Kent	On SW. corner of pierhead. 46 32 26 064 41 52.5	Fl R 5s	5.3	13	Square skeleton tower, red and white rectangular daymark. 4.1	Flash 0.2 s; eclipse 4.8 s. Seasonal. Chart:4905 Edn 11/10 (G10-184) Edn 10/11 (G11-277)
1126.1	<i>Saint-Édouard-de- Kent light buoy XW1</i>	<i>Near the wharf. 46 32 26.9 064 41 44.6</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "XW1".</i>	<i>Seasonal. Chart:4905 Edn 07/21 (G21-043) Edn 11/21 (G21-172)</i>
1126.2	<i>Saint-Édouard-de- Kent light buoy XW2</i>	<i>Near the wharf. 46 32 27.8 064 41 45.2</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "XW2".</i>	<i>Seasonal. Chart:4905 Edn 07/21 (G21-044) Edn 11/21 (G21-173)</i>
1127 H1374	Chockpish Breakwater	On N. breakwater. 46 34 59.0 064 43 07.5	Fl R 4s	5.7	3	Cylindrical mast. 3.2	Flash 1 s; eclipse 3 s. Seasonal. Chart:4905 Edn 06/11 (G11-152) Edn 03/18 (G18-010)
1127.2	Chockpish South Breakwater	On outermost end of south breakwater. 46 34 58.1 064 43 10.5	Fl G 4s	3	Pipe swing Pole, Green, White and Black square daymark. 3.0	Privately maintained. Seasonal. Operates at night only. Chart:4905 Edn 06/11 (G11-152) Edn 06/16 (G16-028)
1128 H1376	Richibucto Head	On headland. 46 40 11.3 064 42 42	Fl W 5s	18.1	14	White square tower, red upper portion. 10.5	Flash 0.5 s; eclipse 4.5 s. Year round. Chart:4909
1129 H1378	Richibucto Cape Breakwater	46 40 23.9 064 42 38.1	Fl R 4s	4.3	5	Cylindrical mast. 2.8	Flash 1 s; eclipse 3 s. Seasonal. Chart:4909 Edn 10/09 (G09-137) Edn 11/20 (G20-249)
1131	<i>Richibucto light and bell buoy Q</i>	<i>E. of Richibucto Beach. 46 43 30.2 064 44 27.7</i>	<i>Mo(A) W 6s</i>	<i>.....</i>	<i>.....</i>	<i>Red and white vertical stripes, marked "Q".</i>	<i>Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 04/15 (G15-001)</i>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NORTHUMBERLAND STRAIT – WEST							
1132	Richibucto Gully Entrance light buoy Q3	46 42 52.9 064 44 40.9	Q G 1s	Green, marked "Q3".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 06/11 (G11-126) Edn 06/12 (G12-100) Edn 04/15 (G15-001) Edn 06/16 (G16-048) Edn 10/20 (G20-157)
1133.1	Richibucto light buoy Q5	46 42 33.1 064 44 51.7	Fl G 4s	Green, marked "Q5".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 06/12 (G12-101) Edn 04/15 (G15-001) Edn 06/16 (G16-049) Edn 10/20 (G20-160)
1133.6	Richibucto Gully Outer light buoy Q10	46 42 25.1 064 45 10.0	Q R 1s	Red, marked "Q10".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 09/10 (G10-114) Edn 06/11 (G11-127) Edn 06/12 (G12-080) Edn 04/15 (G15-001) Edn 08/20 (G20-065, 154)
1134	Richibucto Gully Inner light buoy Q11	46 42 28.4 064 45 35.2	Q G 1s	Green, marked "Q11".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 04/15 (G15-001) Edn 09/15 (G15-106)
1135	Richibucto Gully Channel light buoy Q18	46 42 40.1 064 46 12.5	Fl R 4s	Red, marked "Q18".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 09/10 (G10-113) Edn 06/11 (G11-128) Edn 04/15 (G15-001) Edn 09/15 (G15-107)
1136	North Richibucto Beach Breakwater light buoy Q22	46 42 47.2 064 46 55.7	Q R 1s	Red, marked "Q22".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 06/13 (G13-019) Edn 04/15 (G15-001) Edn 09/15 (G15-109)
1136.1	North Richibucto Dune light buoy Q24	46 42 52.4 064 47 34.9	Fl R 4s	Red, marked "Q24".	Operates 24 h. Seasonal. Chart:4909 Edn 09/15 (G15-114) Edn 07/23 (G23-030)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NORTHUMBERLAND STRAIT – WEST							
Richibucto Harbour							
1142 H1394	North Richibucto Beach Inner Range	On shore behind breakwater. 46 42 57.5 064 47 58.9	Iso W 1s	8.1	6	Square skeleton tower, red daymark with white vertical stripe, and red rectangular daymark with white band. 6.3	Seasonal.
1143 H1394.1		042°09' 247.7m from front.	Iso W 4s	13.7	6	Square skeleton tower, red daymark, white vertical stripe. 9.3	Seasonal. Chart:4909 Edn 07/16 (G16-096, 097) Edn 12/16 (G16-127, 128)
1144	North Richibucto Beach light buoy Q25	S. of S. end of North Richibucto Beach. 46 42 50.6 064 48 00.2	Q G 1s	Green, marked "Q25".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 04/15 (G15-001) Edn 09/15 (G15-110)
1144.5	Richibucto Harbour light buoy Q28	46 42 31.3 064 48 38.5	Fl R 4s	Red, marked "Q28".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 09/14 (G14-050) Edn 04/15 (G15-001) Edn 09/21 (G21-142)
1145 H1400	South Richibucto Beach Inner range	On W. end of South Richibucto Beach. 46 42 29.5 064 48 02	Iso R 1s	7.7	13	Square skeleton tower, red daymark, white vertical stripe. 5.0	Visible in line of range. Seasonal.
1146 H1400.1		065°44' 296.2 m from front.	Iso R 4s	11.3	14	Square skeleton tower, red daymark, white vertical stripe. 9.6	Visible in line of range. Seasonal. Chart:4909 Edn 03/11 (G11-007) Edn 10/11 (G11-093) Edn 07/16 (G16-098, 099)
1147	Richibucto Harbour Outer light buoy Q32	46 42 15.1 064 49 00.9	Q R 1s	Red, marked "Q32".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 04/15 (G15-001) Edn 09/15 (G15-111) Edn 07/23 (G23-031)
1147.5	Richibucto Harbour light buoy Q34	46 42 04.4 064 49 26.8	Fl R 4s	Red, marked "Q34".	Operates 24 h. Seasonal. Chart:4909 Edn 11/21 (G21-178)
1148	Richibucto Harbour light buoy QA2	N. of Pagan Point. 46 41 51.8 064 50 15.5	Q R 1s	Red, marked "QA2".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 04/15 (G15-001) Edn 10/19 (G19-098)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NORTHUMBERLAND STRAIT – WEST							
1148.4	Richibucto Harbour Northwest Branch light buoy QA6	N. of McGuires Point. 46 42 04.2 064 51 05.5	Q R 1s	Red spar, marked "QA6".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 04/15 (G15-001) Edn 10/19 (G19-097)
1148.5	Richibucto Harbour Northwest Branch light buoy QA7	46 42 19.2 064 51 20.4	Q G 1s	Green spar, marked "QA7".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 04/15 (G15-001) Edn 11/21 (G21-145)
1149	Richibucto Northwest Branch light buoy QA8	46 42 17.8 064 51 41.1	Q R 1s	Red, marked "QA8".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 04/15 (G15-001) Edn 11/21 (G21-146)
1149.3	Pointe de Forgeron light buoy QA11	46 42 42.4 064 51 36.3	Q G 1s	Green spar, marked "QA11".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 04/15 (G15-001) Edn 08/20 (G20-087, 094)
1149.6	Richibucto Northwest Branch light buoy QA13	46 43 03.0 064 51 58.0	Q G 1s	Green spar, marked "QA13".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 04/15 (G15-001) Edn 08/20 (G20-088)
1150	Pagan Point light buoy Q38	46 41 33 064 50 37	Fl R 4s	Red, marked "Q38".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4909 Edn 04/15 (G15-001)
1150.1	Richibucto River light buoy Q39	46 41 19 064 50 56	Fl G 4s	Green spar, marked "Q39".	Seasonal. Operates 24 h. Chart:4909 Edn 09/15 (G15-100) Edn 10/15 (G15-101)
1150.11	Richibucto River light buoy Q42	46 41 05.9 064 51 18.8	Q R 1s	Red, marked "Q42".	Seasonal. Operates 24 h. Chart:4909 Edn 09/15 (G15-103)
1151 H1402	Richibucto Town Range	On E. side of Main Street. 46 40 48.5 064 51 45.1	Iso G 1s	15.3	13	Square skeleton tower, red daymark, white vertical stripe. 12.4	Visible in line of range. Operates 24 h. Seasonal.
1152 H1402.1		227°29' 287.4m from front.	Iso G 4s	22.7	11	Square skeleton tower, red daymark, white vertical stripe. 18.6	Visible in line of range. Operates 24 h. Seasonal. Chart:4909 Edn 12/16 (G16-129, 130)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NORTHUMBERLAND STRAIT – WEST							
1152.5	Richibucto Wharf Light	46 40 54.2 064 51 34.7	Fl G 4s	2	Pipe swing pole, green, white and black square daymark.	Flash 1 s; eclipse 3 s. Seasonal. Chart:N/A Edn 04/17 (G16-164)
1152.8	Blacklands Gully light buoy XX	46 46 24.2 064 50 15.7	Mo(A) W 6s	Spar, red and white vertical stripes, marked "XX".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1154	Goulet de Terre-noire light buoy XX4	46 46 05.6 064 50 49.7	Fl R 4s	Red, marked "XX4".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 10/11 (G11-270) Edn 10/19 (G19-099, 111) Edn 09/20 (G20-155) Edn 09/22 (G22-090)
1154.1	Kouchibouguacis River light buoy XX9	46 46 01.9 064 50 59.7	Fl G 4s	Green, marked "XX9".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 10/11 (G11-271) Edn 10/14 (G14-142) Edn 10/19 (G19-100, 111) Edn 10/20 (G20-158)
1154.2	Kouchibouguacis River light buoy XX19	46 45 58.6 064 51 34.9	Q G 1s	Green, marked "XX19".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 10/14 (G14-143) Edn 04/15 (G15-001) Edn 11/19 (G19-111) Edn 10/20 (G20-161) Edn 09/22 (G22-092)
1154.4	Goulet de Terre-noire light buoy XX14	46 46 00.6 064 51 30.8	Q R 1s	Red, marked "XX14".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 04/15 (G15-001) Edn 11/19 (G19-126) Edn 09/20 (G20-162) Edn 09/22 (G22-091) Edn 11/22 (G22-111)
1154.45	Goulet de Terre-Noire light buoy XX31	46 46 15.2 064 52 10.0	Fl G 4s	Green, marked "XX31".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 04/15 (G15-001) Edn 11/19 (G19-131) Edn 09/20 (G20-163)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NORTHUMBERLAND STRAIT – WEST

1154.5	Goulet de Terre- noire light buoy XX36	46 46 21.5 064 52 27.1	Q R 1s	Red, marked "XX36".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 04/15 (G15-001) Edn 11/19 (G19-127) Edn 09/22 (G22-094)
1154.6	Kouchibouguacis River light buoy XX37	46 47 00.5 064 53 07.6	Q G 1s	Green, marked "XX37".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 04/15 (G15-001) Edn 11/19 (G19-111, 130)
1154.8	Kouchibouguacis River light buoy XX39	46 46 45.8 064 54 00.7	Q G 1s	Green, marked "XX39".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 04/15 (G15-001) Edn 11/19 (G19-111, 128)
1154.85	Kouchibouguacis River light buoy XX41	46 46 31.0 064 54 19.4	Fl G 4s	Green, marked "XX41".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 04/15 (G15-001) Edn 11/19 (G19-111, 132)
1154.9	Kouchibouguacis River light buoy XX42	46 46 16.7 064 54 41.8	Q R 1s	Red, marked "XX42".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 04/15 (G15-001) Edn 11/19 (G19-111, 129)
1154.95	Kouchibouguacis River light buoy XX43	46 46 11.3 064 54 44.6	Fl G 4s	Green, marked "XX43".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 04/15 (G15-001) Edn 11/19 (G19-111, 133) Edn 09/22 (G22-089)
1157	Kouchibouguac Gully light buoy XY2	46 50 05.8 064 53 53.9	Fl R 4s	Red spar, marked "XY2".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 09/12 (G12-172) Edn 04/15 (G15-001) Edn 10/15 (G15-122) Edn 09/22 (G22-084)
1157.33	Kouchibouguac light buoy XY4	46 49 59.8 064 54 02.4	Fl R 4s	Red, marked "XY4".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 10/15 (G15-121) Edn 09/22 (G22-085)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NORTHUMBERLAND STRAIT – WEST							
1158.5	<i>Kouchibouguac Gully light buoy XY9</i>	46 49 57.7 064 54 00.0	Fl G 4s	Green, marked "XY9".	<i>Buoy may be repositioned due to shifting channel. Seasonal.</i> Chart:4906 Edn 09/12 (G12-170) Edn 04/15 (G15-001) Edn 10/15 (G15-123) Edn 09/22 (G22-086)
1158.6	<i>Kouchibouguac Gully light buoy XY17</i>	46 50 04.0 064 54 46.1	Fl G 4s	Green, marked "XY17".	<i>Buoy may be repositioned due to shifting channel. Seasonal.</i> Chart:N/A Edn 04/15 (G15-001) Edn 09/22 (G22-087)
1159	<i>Kouchibouguac Gully Inner light buoy XY21</i>	46 50 34.3 064 54 49.2	Q G 1s	Green, marked "XY21".	<i>Buoy may be repositioned due to shifting channel. Seasonal.</i> Chart:N/A Edn 12/14 (G12-212) Edn 04/15 (G15-001) Edn 11/22
1159.5 H1418.5	Pointe Sapin Outer Breakwater	SW. end of breakwater. 46 57 38.3 064 49 46.7	Fl W 4s	8	Square skeleton tower, red and white rectangular daymark.	Flash 0.1 s; eclipse 3.9 s. Seasonal. Chart:4906 Edn 11/12 (G09-031) Edn 10/13 (G13-141) Edn 02/14 (G14-018) Edn 01/21
1159.6	Pointe-Sapin Sector Light	46 57 47.3 064 49 49.9	F R W G	13 Square skeleton tower.	Red from 003°51'39" to 002°07'25" White from 005°51'39" to 003°51'39" Green from 023°51'39" to 005°51'39" Obstructed from 002°07'25" to 002°06'33". Seasonal. Operates 24 h. Chart:4906 Edn 01/14 (G13-164) Edn 04/14 (G14-023) Edn 10/14 (G14-016) Edn 05/15 (G15-022) Edn 08/15 (G15-093)
1161.2	Pointe-Sapin	On end of E. breakwater. 46 57 40.2 064 49 50.1	Fl R 4s	7.4	5	Square skeleton tower, red and white rectangular daymark. 6.6	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal. Chart:4906 Edn 11/12 (G09-032) Edn 10/13 (G13-123) Edn 02/14 (G14-017)
1161.5	<i>Sapin Ledge light buoy X25</i>	<i>Off Sapin Ledge. 46 58 24 064 44 38</i>	Fl G 4s	Green spar, marked "X25".	<i>Seasonal.</i> Chart:4906

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NORTHUMBERLAND STRAIT – WEST

1162	Point Escuminac light buoy X31	NE. of point. 47 07 09.0 064 47 05.6	Fl G 4s	Green spar, marked "X31".	Year round. Chart:4911 Edn 04/23 (G23-001)
1162.3	Point Sapin Western Breakwater light	On the end of Breakwater. 46 57 39.5 064 49 51.5	Fl G 4s	5	Square skeleton tower, green and white rectangular daymark.	Flash 1 s; eclipse 3 s. Seasonal. Operates at night only. Chart:4911 Edn 10/13 (G13-122) Edn 12/13 Edn 02/14 (G14-019) Edn 03/14 (G13-122)
1163 H1424	Point Escuminac	On point. 47 04 22.5 064 47 52.3	Fl W 3s	22.0	13	White hexagonal tower, red upper portion. 22.4	Flash 1 s; eclipse 2 s; Obscured from 110° to 120°. Year round. Horn - Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s. Chart:4911 Edn 08/13 (G13-098)
1165.8 H1430	Escuminac Breakwater	On outer end of middle breakwater. 47 04 57.3 064 53 14.6	LFl Y 6s	8.2	11	Square skeleton tower, red rectangular daymark with white band. 6.9	Flash 2 s; eclipse 4 s. Operates 24 h. Year round. Chart:4911 Edn 12/13 (G13-161) Edn 08/17 (G17-064) Edn 03/20 (G20-002)
1165.9	Escuminac Outer Breakwater	47 04 58.1 064 53 16.6	Fl G 4s	3	Pipe swing pole. 3	Fl 1s; Ec 3s. Seasonal. Chart:4911 Edn 12/13 (G13-174) Edn 02/14 (G13-174) Edn 03s/14 (G13-174)