

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

GASPÉ – CHALEUR BAY

Miramichi Bay and River

1169.1	Huckleberry Gully light buoy MN25	Off McLeans Cove. 47 04 17 064 57 07	Q G 1s	Green boat type, marked "MN25".	Seasonal. Chart:N/A
1169.2	Huckleberry Gully light buoy MN28	Off McLeans Cove. 47 04 06 064 57 12	Q R 1s	Red, marked "MN28".	Seasonal. Chart:4911
1170	Miramichi Bar light buoy M2	S. end of outer bar. 47 05 51.9 064 56 30.0	Q R 1s	Red spar, marked "M2".	Seasonal (in place year round). Chart:4911 Edn 03/17 (G17-007)
1170.5 H1440	Fox Island South range	SE. end of island. 47 05 14.5 064 58 42.0	Iso W 4s	8.7	11	Square skeleton tower, red daymark with white vertical stripe. 6.5	Visible in line of range. Operates 24 h. Year round.
1170.6 H1440.1		248°28' 214.6 m from front.	Iso W 4s	13.6	12	Square skeleton tower, red daymark with white vertical stripe. 12.6	Visible in line of range. Operates 24 h. Year round. Chart:4911 Edn 11/23 (G23-163, 164, 165, 166)
1170.7	The Lump light buoy M3	47 06 14.3 064 57 42.8	Fl G 4s	Green spar, marked "M3".	Seasonal (in place year round). Chart:N/A Edn 07/17 (G17-065)
1171	Miramichi Outer Bar light buoy M4	47 05 55.0 064 56 54.0	Fl R 4s	Red spar, marked "M4".	Seasonal (in place year round). Chart:N/A Edn 03/17 (G17-007) Edn 07/20 (G20-081)
1172	The Lump light buoy M5	47 06 21.4 064 57 56.3	Q G 1s	Green spar, marked "M5".	Seasonal (in place year round). Chart:4911 Edn 07/10 (G10-092) Edn 07/11 (G11-166) Edn 06/12 (G12-070) Edn 01/14 (G13-072) Edn 07/16 (G16-082) Edn 07/17 (G17-072) Edn 08/17 (G17-061) Edn 08/19 (G19-082) Edn 12/20 (G20-100) Edn 08/21 (G21-097) Edn 08/22 (G22-073) Edn 08/23 (G23-085)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1172.5	The Lump light buoy M6	47 06 23.7 064 58 10.2	Q R 1s	Red spar, marked "M6".	Seasonal (in place year round). Chart:4911 Edn 07/10 (G10-096) Edn 07/11 (G11-168) Edn 06/12 (G12-072) Edn 01/14 (G13-055) Edn 11/14 (G14-168) Edn 11/15 (G15-148) Edn 07/16 (G16-083) Edn 08/17 (G17-059) Edn 07/18 (G18-099) Edn 09/19 (G19-083) Edn 12/20 (G20-082, 099) Edn 08/21 (G21-098) Edn 08/22 (G22-074) Edn 08/23 (G23-086)
1172.51	The Lump light buoy M7	47 06 21.5 064 58 15.5	Fl G 4s	Green spar, marked "M7".	Seasonal (in place year round). Chart:N/A Edn 12/16 (G16-156) Edn 04/17 Edn 08/17 (G17-060) Edn 08/21 (G21-099) Edn 08/22 (G22-075) Edn 08/23 (G23-087)
1172.6	The Lump light buoy M8	47 06 34.1 064 58 25.3	Fl R 4s	Red spar, marked "M8".	Seasonal (in place year round). Chart:N/A Edn 11/14 (G14-169) Edn 11/15 (G15-135) Edn 07/20 (G20-083) Edn 08/21 (G21-100)
1173	The Swashway light buoy M10	47 06 55.4 064 58 40.5	Fl R 4s	Red, marked "M10".	Seasonal (in place year round). Chart:N/A Edn 07/10 (G10-097) Edn 07/11 (G11-169) Edn 01/14 (G13-055) Edn 11/14 (G14-171) Edn 08/21 (G21-101) Edn 08/22 (G22-076) Edn 08/23 (G23-088)
1173.01	The Swashway light buoy M12	47 07 20.7 064 59 01.6	Fl R 4s	Red, marked "M12".	Seasonal (in place year round). Chart:N/A Edn 07/10 (G10-098) Edn 07/11 (G11-170) Edn 07/13 (G13-069) Edn 11/14 (G14-173) Edn 08/21 (G21-102)
1173.5	Miramichi Bar light buoy M14	47 07 46.3 064 59 21.9	Fl R 4s	Red spar, marked "M14".	Seasonal (in place year round). Chart:N/A Edn 07/10 (G10-095) Edn 07/11 (G11-172) Edn 11/14 (G14-176) Edn 08/21 (G21-103)
1173.71	Miramichi Bar – Light buoy M15	47 08 08.7 064 59 50.2	Fl G 4s	Green spar, marked "M15".	Seasonal (in place year round). Chart:4911 Edn 11/14 (G14-177)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1173.72	Miramichi Bar light buoy M15/1	47 08 23.1 065 00 06.8	Q G 1s	Green spar, marked "M15/1".	Seasonal (in place year round). Chart:4911 Edn 07/15 Edn 08/19 (G19-085) Edn 08/22 (G22-077)
1173.8	Spit Shoal light buoy M15/3	47 08 32.1 065 00 24.7	Fl G 4s	Green spar, marked "M15/3".	Seasonal (in place year round). Chart:N/A Edn 06/12 (G12-075) Edn 11/14 (G14-179) Edn 09/19 (G19-088) Edn 08/20 (G20-084) Edn 08/23 (G23-089)
1173.81	Spit Shoal light buoy M16	47 08 29.3 065 00 02.4	Fl R 4s	Red spar, marked "M16".	Seasonal (in place year round). Chart:N/A Edn 10/09 (G09-124) Edn 11/14 (G14-178) Edn 08/19 (G19-084)
1173.91	Portage Island Channel Fairway light buoy ME	Miramichi Bar. 47 09 19.9 064 58 15.1	Mo(A) W 6s	Red and white vertical striped spar, marked "ME".	Seasonal. Chart:4911 Edn 09/19 (G19-089)
1174	Portage Island Channel light buoy ME4	E. edge, Miramichi Bar. 47 09 03.8 064 58 56.2	Fl R 4s	Red spar, marked "ME4".	Seasonal. Chart:4911 Edn 09/19 (G19-087)
1174.5	Portage Island Channel light buoy ME3	47 08 59.8 064 58 45.1	Fl G 4s	Green spar, marked "ME3".	Seasonal. Chart:4911 Edn 09/19 (G19-090)
1175	Portage Island Channel light buoy ME8	W. edge, Miramichi Bar. 47 08 48.1 064 59 25.0	Fl R 4s	Red spar, marked "ME8".	Seasonal. Chart:4911 Edn 09/19 (G19-086) Edn 08/20 (G20-142)
1179	Miramichi Bar light buoy M17	47 08 40.9 065 01 02.0	Fl G 4s	Green spar, marked "M17".	Seasonal (in place year round). Chart:4911 Edn 03/17 (G17-007) Edn 12/20 (G20-086) Edn 09/23 (G23-099)
1179.1	Portage Island Cautionary light buoy MHC	47 09 29.3 065 01 55.0	Fl Y 4s	Yellow spar, marked "MHC".	Seasonal. Chart:4911 Edn 09/19 (G19-091, 102)
1179.5	North Miramichi Bar light buoy M18	47 08 56.6 065 01 10.5	Q R 1s	Red spar, marked "M18".	Seasonal (in place year round). Chart:4911 Edn 11/20 (G20-097) Edn 08/23 (G23-100)
1180.5	Miramichi Bar light buoy M19	47 08 37.5 065 02 51.0	Fl G 4s	Green spar, marked "M19".	Seasonal (in place year round). Chart:4911 Edn 03/17 (G17-007) Edn 08/20 (G20-089) Edn 08/23 (G23-101)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1181	Horse Shoe Bar light buoy M21	47 08 31.7 065 03 18.6	Q G 1s	Green spar, marked "M21".	Seasonal (in place year round). Chart:4911 Edn 11/15 (G15-134) Edn 03/17 (G17-007) Edn 12/20 (G20-090) Edn 08/23 (G23-102)
1181.5	Horse Shoe Bar light buoy M21/3	47 08 04.5 065 03 58.0	Fl G 4s	Green spar, marked "M21/3".	Seasonal. Chart:4911 Edn 08/12 (G12-165) Edn 08/23 (G23-103)
1182	Horse Shoe Bar light buoy M22	47 08 29.4 065 03 29.3	Fl R 4s	Red spar, marked "M22".	Seasonal (in place year round). Chart:4911 Edn 11/15 (G15-133) Edn 03/17 (G17-007) Edn 08/23 (G23-104)
1182.5	Horse Shoe Bar light buoy M22/2	47 08 02.5 065 04 09.0	Fl R 4s	Red spar, marked "M22/2".	Seasonal (in place year round). Chart:4911 Edn 07/17 (G17-071) Edn 08/23 (G23-105)
1184.5	Horse Shoe Bar light buoy M24	47 07 39.0 065 04 42.5	Q R 1s	Red spar, marked "M24".	Seasonal (in place year round). Chart:4911 Edn 03/17 (G17-007)
1186	Horse Shoe Bar light buoy M26	47 07 20.5 065 05 37.5	Q R 1s	Red spar, marked "M26".	Seasonal (in place year round). Chart:4911 Edn 11/15 (G15-132) Edn 03/17 (G17-007) Edn 08/23 (G23-107)
1187 H1452	Grand Dune Outer range	47 06 48.3 065 02 35.6	Iso W 1s	8.5	14	Pier, red daymark, black vertical stripe. 8.0	Visible in line of range. Year round.
1187.1 H1452.1		102°11' 3499.8m from front.	Iso W 4s	32.5	17	Triangular skeleton tower, red daymark, black vertical stripe. 29.9	Visible in line of range. Year round. Chart:4911
1188	Grand Dune Flats light buoy M28	47 07 18.8 065 05 52.8	Q R 1s	Red spar, marked "M28".	Seasonal (in place year round). Chart:4911 Edn 03/17 (G17-007)
1189.2	Grand Dune Channel Middle light buoy M30	47 07 45.3 065 08 53.9	Fl R 4s	Red spar, marked "M30".	Seasonal (in place year round). Chart:4911 Edn 06/12 (G12-078) Edn 11/15 (G15-136) Edn 08/23 (G23-109)
1190	French River Point light buoy MP22	47 05 20 065 01 22.6	Fl R 4s	Red, marked "MP22".	Seasonal. Chart:4911

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1191	Bay du Vin Island Sector	On S. side of island opposite Point Gardiner. 47 05 20.7 065 06 06.8	F R W G	9.5	5 6.8	Triangular skeleton tower, red and white rectangular daymark. Red from 284° 30' through N. to 042°; white from 042° to 044°; green from 0441° to 049°. White sector indicates preferred channel. Operates at night only. Seasonal.
							Chart:4912
1192	Bay du Vin Outer light buoy MS1	47 02 57.7 065 09 09	Fl G	4s	Green, marked "MS1". Seasonal.
							Chart:4912
1193	Bay du Vin Inner light buoy MS9	47 02 52.5 065 08 33	Q G	1s	Green, marked "MS9". Seasonal.
							Chart:4912
1194	Bay du Vin Wharf light buoy MQ2	47 03 27 065 08 19	Fl R	4s	Red, marked "MQ2". Seasonal.
							Chart:4912
1195	Grand Dune range turning light buoy M31	47 08 09.0 065 11 52.7	Q G	1s	Green spar, marked "M31". Seasonal (in place year round).
							Chart:4912 Edn 03/17 (G17-007) Edn 08/17 (G17-055) Edn 08/18 (G18-110)
1195.5	Grand Dune range turning light buoy M33	47 08 03.7 065 12 19.2	Q G	1s	Green spar, marked "M33". Seasonal (in place year round).
							Chart:4912 Edn 03/17 (G17-007)
1196 H1472	Near shore on mainland. Grand Dune Flats range	47 08 25.4 065 13 38.3	F W	14.8	13	Triangular skeleton tower, red daymark with black vertical stripe. 14.1 Visible in line of range. Operates 24 h. Year round.
1197 H1472.1	282°04' 1211.3 m from front.		F W	26.4	14	Triangular skeleton tower, red daymark with black vertical stripe. 20.9 Visible in line of range. Operates 24 h. Year round.
							Chart:4912 Edn 12/23 (N23-172, 173)
1198	Grand Dune Flats North light buoy M34	47 07 47.6 065 12 48.7	Fl R	4s	Red spar, marked "M34". Seasonal (in place year round).
							Chart:4912 Edn 11/15 (G15-147) Edn 03/17 (G17-007)
1198.3	Grand Dune Flats South light buoy M35	47 07 17.0 065 13 28.8	Fl G	4s	Green spar, marked "M35". Seasonal (in place year round).
							Chart:4912 Edn 11/15 (G15-146) Edn 03/17 (G17-007)
1198.6	Robichaud Spit light buoy M36	47 06 52.9 065 14 12.9	Q R	1s	Red spar, marked "M36". Seasonal (in place year round).
							Chart:4912 Edn 03/17 (G17-007)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1198.8 H1477	Moody Point range	47 06 02.1 065 19 28.5	Iso Y 1s	10.3	13	Triangular skeleton tower, red daymark with black vertical stripe. 8.9	Visible in line of range. Year round.
1198.9 H1477.1		257°24' 1810.4 m from front.	Iso Y 4s	18.6	17	Triangular skeleton tower, red daymark, black vertical stripe. 13.9	Visible in line of range. Operates at night only. Year round. Chart:4912 Edn 03/11 (G11-013) Edn 12/21 (G21-244)
1199	<i>The Willows light buoy M37</i>	47 06 30.6 065 16 04.0	Q G 1s	<i>Green spar, marked "M37".</i>	<i>Seasonal (in place year round).</i> Chart:4912 Edn 11/15 (G15-145) Edn 03/17 (G17-007)
1200 H1478	Oak Channel range	47 04 19.9 065 19 10.5	Iso Y 2s	8.9	12	Triangular skeleton tower, red daymark, black vertical stripe. 6.9	Visible in line of range. Year round.
1201 H1478.1		223°13' 1200.0m from front.	Fl Y 3s	21.1	13	Triangular skeleton tower, red daymark, black vertical stripe. 16.9	Flash 1 s; eclipse 2 s. Visible in line of range. Year round. Chart:4912 Edn 12/16 (G16-149, 150)
1202	<i>Oak Channel light buoy M39</i>	47 05 45.6 065 17 09.3	Q G 1s	<i>Green spar, marked "M39".</i>	<i>Seasonal (in place year round).</i> Chart:4912 Edn 03/17 (G17-007)
1202.5 H1479	Oak Point range	47 06 48.9 065 16 30.0	Iso W 1s	8.5	8	Triangular skeleton tower, red daymark with black vertical stripe. 5.5	Visible in line of range. Year round.
1202.6 H1479.1		024°08' 1324.7 m from front.	Iso W 4s	17.1	11	Triangular skeleton tower, red daymark with black vertical stripe. 7.5	Visible in line of range. Year round. Chart:4912 Edn 01/11 (G10-227) Edn 03/11 (G11-015) Edn 12/16 (G16-155) Edn 12/21 (G21-249, 250)
1203	<i>Oak Channel South light buoy M40</i>	47 05 08.5 065 17 38.3	Q R 1s	<i>Red spar, marked "M40".</i>	<i>Seasonal (in place year round).</i> Chart:4912 Edn 12/15 (G15-141) Edn 03/17 (G17-007)
1203.1	<i>Oak Channel light buoy M44</i>	47 04 55.4 065 18 05.7	Fl R 4s	<i>Red spar, marked "M44".</i>	<i>Seasonal (in place year round).</i> Chart:4911 Edn 06/12 (G12-103) Edn 10/15 (G15-130) Edn 08/22 (G22-078) Edn 08/23 (G23-118)
1206	<i>Sheldrake Channel East light buoy M46</i>	47 04 44.8 065 18 51.0	Q R 1s	<i>Red spar, marked "M46".</i>	<i>Seasonal (in place year round).</i> Chart:4912 Edn 03/17 (G17-007)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1207 H1491	Grants Beach range	47 05 02.9 065 22 29.4	Iso R 1s	21.0	10	Triangular skeleton tower, red daymark, black vertical stripe. 12.9	Visible in line of range. Year round.
1208 H1491.1		278°03' 875.6m from front.	Iso R 4s	40.8	16	Triangular skeleton tower, red daymark, black vertical stripe. 23.9	Visible in line of range. Year round. Chart:4912 Edn 03/11 (G11-016) Edn 12/16 (G16-148)
1208.8 H1493	St. Andrews Bank range	47 04 14.6 065 25 08.0	Iso Y 2s	9.2	7	Triangular skeleton tower, red daymark with black vertical stripe. 4.9	Visible in line of range. Year round.
1208.9 H1493.1		247°53' 294.2 m from front.	Fl Y 3s	13.8	7	Triangular skeleton tower, red daymark, black vertical stripe. 5.9	Flash 1 s; eclipse 2 s. Visible in line of range. Year round. Chart:4912 Edn 12/16 (G16-143, 144) Edn 12/21 (G21-246)
1209	Sheldrake Channel West light buoy M51	47 04 56.7 065 21 47.3	Q G 1s	Green spar, marked "M51".	Seasonal (in place year round). Chart:N/A Edn 06/12 (G12-096) Edn 10/15 (G15-129) Edn 08/23 (G23-120)
1209.5 H1492	Lower Newcastle range	47 04 31.0 065 24 35.5	Iso W 1s	12.8	9	Triangular skeleton tower, red daymark, black vertical stripe. 5.9	Visible in line of range. Year round.
1209.6 H1492.1		256°15' 467.0m from front.	Iso W 4s	21.9	9	Triangular skeleton tower, red daymark, black vertical stripe. 5.9	Visible in line of range. Year round. Chart:4912 Edn 03/11 (G11-017) Edn 12/16 (G16-145, 146)
1209.7 H1494	Leggett Shoal range	On N. shore of river. 47 04 42.3 065 23 56.7	Iso R 1s	14.0	5	Pipe swing pole, red daymark with black vertical stripe.	Visible in line of range. Year round.
1209.8 H1494.1		043°27' 308.8 m from front.	Iso R 4s	21.4	7	Triangular skeleton tower, red daymark with black vertical stripe. 5.4	Visible in line of range. Year round. Chart:4912 Edn 01/11 (G10-228) Edn 03/11 (G11-018) Edn 12/16 (G16-152) Edn 12/21 (G21-247, 248)
1210	Gordon Point light buoy M53	47 04 41.4 065 23 27.6	Q G 1s	Green spar, marked "M53".	Seasonal (in place year round). Chart:4912 Edn 03/17 (G17-007)
1211	Leggett Shoal light buoy M55	47 04 28.1 065 24 13.2	Q G 1s	Green spar, marked "M55".	Seasonal (in place year round). Chart:4912 Edn 03/17 (G17-007)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1212	Leggett Shoal West light buoy M56	47 03 57.2 065 25 04.6	Q R 1s	Red spar, marked "M56".	Seasonal (in place year round). Chart:4912 Edn 10/15 (G15-126) Edn 03/17 (G17-007)
1212.5 H1496	Millbank range	47 03 21.8 065 27 34.0	Iso R 1s	16.1	9	Triangular skeleton tower, red daymark with black vertical stripe. 6.0	Visible in line of range. Year round.
1212.6 H1496.1		252°26' 305.6 m from front.	Iso R 4s	31.1	9	Triangular skeleton tower, red daymark, black vertical stripe. 12.0	Visible in line of range. Year round. Chart:4912 Edn 03/11 (G11-019) Edn 12/16 (G16-153, 154) Edn 12/21 (G21-245)
1213	Millbank light buoy M57	47 03 27.4 065 27 03.0	Q G 1s	Green spar, marked "M57".	Seasonal (in place year round). Chart:4912 Edn 03/17 (G17-007)
1214	Millbank Channel West light buoy M59	47 03 16.9 065 27 27.4	Q G 1s	Green spar, marked "M59".	Seasonal (in place year round). Chart:4912 Edn 03/17 (G17-007)
1215	Middle Island light buoy M61	47 02 59.2 065 27 47.4	Q G 1s	Green spar, marked "M61".	Seasonal (in place year round). Chart:4912 Edn 10/15 (G15-127) Edn 03/17 (G17-007)
1215.2	Chatham Wharf light buoy M62	47 02 13.3 065 28 07.0	Q R 1s	Red spar, marked "M62".	Seasonal (in place year round). Chart:4912 Edn 03/17 (G17-007) Edn 08/23 (G23-127)
1215.5 H1505	Chatham Bridge Pier North	On bridge pier, N. side of channel. 47 01 39.5 065 28 46.5	Iso R 2s	7.9	4	Square skeleton tower. 5.2	Operates at night only. Year round. Chart:4912
1215.6 H1505.2	Chatham Bridge Pier South	On bridge pier, S. side of channel. 47 01 35.4 065 28 41.6	Iso G 2s	7.8	4	Square skeleton tower. 5.2	Operates at night only. Year round. Chart:4912
1216	Wright Bank light buoy M64	47 01 11.5 065 29 31.5	Q R 1s	Red spar, marked "M64".	Seasonal (in place year round). Chart:4912 Edn 03/17 (G17-007)
1216.5	Wright Bank light buoy M66	47 00 58.0 065 30 56.5	Fl R 4s	Red spar, marked "M66".	Seasonal (in place year round). Chart:4912 Edn 03/17 (G17-007)
1217	Wright Bank light buoy M68	47 00 54.4 065 31 46.7	Fl R 4s	Red spar, marked "M68".	Seasonal (in place year round). Chart:4912 Edn 10/15 (G15-128) Edn 03/17 (G17-007) Edn 08/23 (G23-131)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1217.5	Newcastle Reach light buoy M67	47 00 51.1 065 31 49.9	Fl G 4s	Green spar, marked "M67".	Seasonal (in place year round). Chart:4912 Edn 11/15 (G15-143) Edn 03/17 (G17-007)
1220	Wright Bank West light buoy M69	47 00 55.1 065 32 28.0	Q G 1s	Green spar, marked "M69".	Seasonal (in place year round). Chart:4912 Edn 11/15 (G15-140) Edn 03/17 (G17-007)
1222	Newcastle North light buoy M71	47 00 29.8 065 33 33.3	Q G 1s	Green spar, marked "M71".	Seasonal (in place year round). Chart:4912 Edn 03/17 (G17-007)
1223	Newcastle North light buoy M73	47 00 16.1 065 33 39.5	Fl G 4s	Green spar, marked "M73".	Seasonal (in place year round). Chart:4912 Edn 11/15 (G15-139) Edn 03/17 (G17-007)
1224	Newcastle Wharf light buoy M75	47 00 03.2 065 33 28.7	Q G 1s	Green spar, marked "M75".	Seasonal (in place year round). Chart:4912 Edn 03/17 (G17-007)
1228	Burnt Church Wharf	On E. side of wharf. 47 11 24.9 065 08 07.3	Fl R 4s	7.0	4	Square skeleton tower. 6.6	Flash 1s; eclipse 3 s. Operates at night only. Seasonal. Chart:4912
1229	Neguac Wharf	Outer end of breakwater extension. 47 14 24.3 065 04 23.2	Fl R 4s	6.3	4	Cylindrical mast. 3.3	Operates at night only. Seasonal. Chart:4911
1229.2	Lower Neguac Breakwater Light	47 15 23.4 065 03 10.8	Fl R 4s	4	Pipe swing pole, red and white triangular daymark.	Flash 1 s; eclipse 3 s. Seasonal. Chart:4911 Edn 09/19 (G19-053)
1232	Hay Island light buoy MH31	E. of island. 47 14 08.5 065 03 23.2	Q G 1s	Green, marked "MH31".	Seasonal. Chart:4911 Edn 08/23 (G23-074)
1233	Gammon Point West Cardinal light buoy MK	Off point. 47 11 35.4 065 04 18.7	Q(9) W 15s	Yellow, black and yellow, marked "MK".	Seasonal. Chart:4911 Edn 08/23 (G23-061)
1234	Lower Portage Island light buoy MJ6	47 13 24.0 065 02 46.7	Fl R 4s	Red, marked "MJ6".	Seasonal. Chart:4911 Edn 08/23 (G23-075)
1234.4	Portage Gully light buoy MJ2	47 13 06.4 065 02 30.8	Q R 1s	Red, marked "MJ2".	Seasonal. Chart:4911 Edn 08/23 (G23-063)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1235	Portage Gully, North Side Channel Entrance bifurcation light buoy MJ	On N. side of gully. 47 12 21.0 065 02 16.6	Fl G 6s (2+1)	Green, red and green, marked "MJ".	Seasonal. Chart:4911 Edn 08/23 (G23-062)
1235.9	Portage Gully light buoy MH26	47 12 45.1 065 04 05.8	Fl R 4s	Red spar, marked "MH26".	Seasonal. Chart:4911 Edn 08/23 (G23-072)
1236	Portage Gully light buoy MH11	E. of N. point, Portage Island. 47 11 32.9 065 02 15.2	Fl G 4s	Green, marked "MH11".	Seasonal. Chart:4911 Edn 10/20 (G20-203) Edn 09/23 (G23-066)
1236.3	Portage Gully light buoy MH6	47 09 59.0 065 01 58.8	Q R 1s	Red, marked "MH6".	Seasonal. Chart:4911 Edn 09/23 (G23-023)
1236.5	Portage Gully light buoy MH3	47 09 56.2 065 01 03.1	Fl G 4s	Green, marked "MH3".	Seasonal. Chart:4911 Edn 09/23 (G23-025)
1236.6	Portage Gully light buoy MH2	47 10 38.8 065 00 19.7	Q R 1s	Red spar, marked "MH2".	Seasonal. Chart:4911
1237.99	Tabusintac light buoy TA1	47 18 29.4 064 55 42.7	Fl G 4s	Green spar, marked "TA1".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 09/14 (G14-124) Edn 08/15 (G15-072) Edn 07/21 (G21-050)
1238	Tabusintac light buoy TA2	47 17 22 064 55 13	Fl R 4s	Red, marked "TA2".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1238.05	Tabusintac light buoy TA2/2	47 18 32.5 064 55 37.8	Q R 1s	Red spar, marked "TA2/2".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 09/14 (G14-125) Edn 07/15 (G15-059) Edn 08/21 (G21-051)
1238.1	Tabusintac South Gully Approach light buoy TA4	47 18 35.6 064 55 40.0	Fl R 4s	Red, marked "TA4".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 04/10 (G10-030) Edn 01/14 (G13-124) Edn 09/14 (G14-109) Edn 12/14 (G14-184) Edn 07/15 (G15-061) Edn 08/21 (G21-052)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

GASPÉ – CHALEUR BAY

1238.13	Tabusintac light buoy TA6	47 18 27.2 064 55 45.0	Q R 1s	Red spar, marked "TA6".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 09/14 (G14-117) Edn 07/15 (G15-060) Edn 08/21 (G21-053) Edn 06/22 (G22-030)
1238.16	Tabusintac South Gully Approach light buoy TA9	47 18 41.5 064 55 46.4	Fl G 4s	Green spar, marked "TA9".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 02/14 (G13-136) Edn 09/14 (G14-127) Edn 08/15 (G15-074) Edn 08/21 (G21-054)
1238.17	Tabusintac light buoy TA10	47 18 43.3 064 55 41.1	Fl R 4s	Red spar, marked "TA10".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 09/14 (G14-118) Edn 07/15 (G15-062) Edn 08/21 (G21-055)
1238.2	Tabusintac South Gully Approach light buoy TA12	47 18 48.7 064 55 41.2	Fl R 4s	Red, marked "TA12".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 04/10 (G10-031) Edn 01/14 (G13-125) Edn 09/14 (G14-110) Edn 07/15 (G15-063) Edn 08/21 (G21-056)
1238.21	Tabusintac light buoy TA13	47 18 54.0 064 55 47.9	Fl G 4s	Green, marked "TA13".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 09/14 (G14-119) Edn 08/15 (G15-075) Edn 08/21 (G21-057)
1238.23	Tabusintac light buoy TA15	47 19 01.4 064 55 54.0	Fl G 4s	Green spar, marked "TA15".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 09/14 (G14-120) Edn 11/14 (G14-182) Edn 08/15 (G15-076) Edn 08/21 (G21-058)
1238.24	Tabusintac light buoy TA16	47 18 59.9 064 55 46.6	Fl R 4s	Red, marked "TA16".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 09/14 (G14-121) Edn 07/15 (G15-064) Edn 08/21 (G21-059)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1238.26	Tabusintac South Gully light buoy TA18	47 19 08.7 064 55 51.4	Fl R 4s	Red, marked "TA18".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 09/14 (G14-128) Edn 07/15 (G15-065) Edn 08/21 (G21-060)
1238.27	Tabusintac light buoy TA19	47 19 09.7 064 56 04.5	Fl G 4s	Green, marked "TA19".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 09/14 (G14-122) Edn 08/15 (G15-077) Edn 08/21 (G21-061)
1238.28	Tabusintac light buoy TA20	47 19 13.4 064 56 00.8	Q R 1s	Red spar, marked "TA20".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 09/14 (G14-123) Edn 07/15 (G15-066) Edn 08/21 (G21-062)
1238.29	Tabusintac light buoy TA21	47 19 14.2 064 56 11.7	Fl G 4s	Green, marked "TA21".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 09/14 (G14-126) Edn 07/15 (G15-078) Edn 08/21 (G21-063)
1238.3	Tabusintac South Gully light buoy TA22	47 19 16.8 064 56 06.2	Q R 1s	Red, marked "TA22".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 01/14 (G13-126) Edn 09/14 (G14-111) Edn 07/15 (G15-067) Edn 08/21 (G21-064)
1238.31	Tabusintac light buoy TA22/2	47 19 26.0 064 56 07.6	Fl R 4s	Red, marked "TA22/2".	Seasonal. Buoy may be repositioned due to shifting channel. Chart:N/A Edn 01/14 (G13-127) Edn 09/14 (G14-113) Edn 08/15 (G15-068)
1238.32	Tabusintac light buoy TA22/4	47 19 36.5 064 56 07.2	Fl R 4s	Red, marked "TA22/4".	Seasonal. Buoy may be repositioned due to shifting channel. Chart:N/A Edn 01/14 (G13-128) Edn 09/14 (G14-114) Edn 08/15 (G15-069)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1238.4	Tabusintac Gully light buoy TA23	47 19 19.7 064 56 12.8	Fl G 4s	Green spar, marked "TA23".	Seasonal. Buoy may be repositioned due to shifting channel. Chart:N/A Edn 01/14(G13-129) Edn 09/14(G14-112) Edn 07/15(G15-079)
1238.45	Tabusintac light buoy TA26/2	47 19 43.7 064 56 05.9	Q R 1s	Red, marked "TA26/2".	Seasonal. Buoy may be repositioned due to shifting channel. Chart:N/A Edn 01/14 (G13-130) Edn 09/14 (G14-115) Edn 08/15 (G15-070)
1238.5	Tabusintac Bay light buoy TA34	47 19 54.8 064 56 07.9	Fl R 4s	Red, marked "TA34".	Seasonal. Buoy may be repositioned due to shifting channel. Chart:N/A Edn 01/14 (G13-131) Edn 09/14 (G14-116) Edn 08/15 (G15-071)
1238.6	Tabusintac Bay light buoy TA37	47 19 51.4 064 56 10.0	Q G 1s	Green, marked "TA37".	Seasonal. Buoy may be repositioned due to shifting channel. Chart:N/A Edn 07/09 (G09-078) Edn 01/14 (G13-132) Edn 07/15 (G15-082)
1238.65	Tabusintac Bay light buoy TA39	47 20 02.5 064 56 18.4	Fl G 4s	Green spar, marked "TA39".	Seasonal. Buoy may be repositioned due to shifting channel. Chart:N/A Edn 01/14 (G13-133) Edn 07/15 (G15-081)
1238.66	Tabusintac Bay light buoy TA41	47 20 19.9 064 56 55.2	Fl G 4s	Green spar, marked "TA41".	Seasonal. Buoy may be repositioned due to shifting channel. Chart:N/A Edn 01/14 (G13-134) Edn 10/14 (G14-140) Edn 07/15 (G15-080)
1238.7 H1520	McEacherns Point Wharf	On SE. corner of wharf. 47 20 23.3 064 58 02.9	Fl R 4s	5.5	4	Pipe swing pole.	Flash 1 s; eclipse 3 s. Visible from all points of approach to wharf inside Tabusintac Gully. Seasonal. Chart:4024 Edn 06/17 (G16-157) Edn 12/17 (G17-106) Edn 08/18 (G18-005)
1238.8	South Tracadie light buoy TC	47 28 40 064 50 58	Mo(A) W 6s	Spar, red and white vertical stripes, marked "TC".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1238.9	South Tracadie Entrance light buoy TC6	47 28 49.5 064 51 38.2	Q R 1s	Red, marked "TC6".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1239	South Tracadie	On the end of South breakwater. 47 28 47.4 064 52 15.8	FI G 4s	5.8	5	Cylindrical mast. 3.4	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal. Chart:4906
1239.1	South Tracadie Entrance light buoy TC12	47 28 44.6 064 52 29.4 (approx.)	Q R 1s	Red, marked "TC12".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1239.12	Tabusintac light buoy TA5	47 18 28.2 064 55 48.7	Q G 1s	Green spar, marked "TA5".	Seasonal. Chart:N/A Edn 06/22 (G22-031)
1239.2	South Tracadie light buoy TC14	47 28 40.3 064 52 31.6 (approx.)	Q R 1s	Red, marked "TC14".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1239.3	South Tracadie light buoy TC19	47 28 30.7 064 52 32.4	Q G 1s	Green, marked "TC19".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1239.4	South Tracadie light buoy TC22	47 28 20.7 064 52 35.2	Q R 1s	Red, marked "TC22".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1239.44	South Tracadie light buoy TC24	47 28 00 064 52 57.3	Q R 1s	Red, marked "TC24".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 06/12 (G12-097) Edn 04/15 (G15-001)
1239.5	South Tracadie bifurcation light buoy TD	47 28 30 064 55 00 (approx.)	FI R (2+1) 6s	Red, green and red, marked "TD".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 04/15 (G15-001)
1239.6	South Tracadie light buoy TD4	47 28 05.7 064 54 20.7	Q R 1s	Red, marked "TD4".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1239.65	South Tracadie light buoy TD5	47 28 10.1 064 53 39	Q G 1s	Green, marked "TD5".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1239.7	South Tracadie light buoy TD8	47 28 17.4 064 53 26.3	Fl R 4s	Red, marked "TD8".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1239.8 H1520.5	Val-Comeau Wharf	On outer end of wharf. 47 27 56.1 064 52 55.6	Fl G 4s	5.8	6	Pipe swing pole.	Flash 1 s; eclipse 3 s. Seasonal. Chart:4906 Edn 03/12 (G12-013) Edn 07/23 (G22-161)
1239.85	Val Comeau Cautionary Light	47 27 54.9 064 53 04.3	Fl Y 4s	2	Pipe Swing Pole.	Seasonal. Operates 24 h. Private. Chart:4001 Edn 04/16 (G16-024)
1240.22	Tabusintac Gully light buoy TA47	47 20 27.1 064 57 27.0	Q G 1s	Green spar, marked "TA47".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 08/17 (G17-063)
1240.5	North Tracadie Approach light buoy TE4	47 28 51.8 064 52 33.7	Fl R 4s	Red, marked "TE4".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1241	North Tracadie Harbour Entrance light buoy TE12	47 29 08.7 064 52 50.3	Fl R 4s	Red, marked "TE12".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1241.2	North Tracadie Harbour light buoy TE15	47 29 25.1 064 53 02.5	Q G 1s	Green, marked "TE15".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1241.4	North Tracadie light buoy TE25	47 30 04.1 064 52 45.4	Q G 1s	Green, marked "TE25".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1241.6	Tracadie light buoy TE34	47 30 38 064 53 02.3	Q R 1s	Red, marked "TE34".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1241.8	North Tracadie Gully light buoy TE38	47 30 36 064 53 33.2	Q R 1s	Red, marked "TE38".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1242	North Harbour Gully light buoy TE46	47 30 46.8 064 54 13	Q R 1s	Red, marked "TE46".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1242.2	North Harbour Gully light buoy TE48	47 30 58.1 064 54 19.6	Q R 1s	Red, marked "TE48".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1242.4	Tracadie Gully light buoy TE49	47 31 09.5 064 54 16.5	Q G 1s	Green, marked "TE49".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1244.9 H1525	North Tracadie Wharf	SE. corner of wharf. 47 31 21.7 064 54 30.4	Fl G 4s	5.9	6	Pipe swing pole. 5.3	Flash 1 s; eclipse 3 s. Seasonal. Chart:4024 Edn 05/22 (G21-261, G22-015)
1246.5	Pokemouche Gully light buoy TH2	47 38 51.2 064 46 30.4	Fl R 4s	Red, marked "TH2".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4486 Edn 06/10 (G10-082) Edn 04/15 (G15-001) Edn 11/20 (G20-223)
1246.71	Pokemouche Gully light buoy TH10	47 40 08.4 064 48 31.2	Q R 1s	Red, marked "TH10".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4486 Edn 06/10 (G10-081) Edn 04/15 (G15-001)
1246.72	Pokemouche Gully light buoy TH11	47 39 49.9 064 47 27.8	Q G 1s	Green, marked "TH11".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4486 Edn 06/10 (G10-084) Edn 04/15 (G15-001)
1246.75	Baie de Pokemouche light buoy TH46	47 40 07.7 064 48 28.9	Q R 1s	Red, marked "TH46".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 06/10 (G10-086) Edn 04/15 (G15-001) Edn 11/20 (G20-233)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1246.76	Baie de Pokemouche-light buoy TH27	47 39 41.6 064 47 10.3	Q G 1s	Green, marked "TH27".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 06/10 (G10-083) Edn 04/15 (G15-001) Edn 11/20 (G20-230)
1246.77	Pokemouche Gully light buoy TH15	47 39 38.3 064 47 13.1	Q G 1s	Green, marked "TH15".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 06/10 (G10-085) Edn 02/14 (G13-139) Edn 04/15 (G15-001)
1246.8 H1526.4	Pokemouche Gully Wharf	On SW. corner. 47 40 20.3 064 48 42.9	Fl R 5s	5.7	4	Pipe swing pole, red and white triangular daymark.	Flash 1 s; eclipse 4 s. Seasonal. Chart:N/A Edn 09/20 (G20-156) Edn 06/22 (G22-028) Edn 11/22 (G22-137)
1248	Shippegan Fairway light buoy TJ	S. entrance to Shippegan Gully. 47 42 30.3 064 39 26.8	Mo(A) W 6s	Red and white vertical striped spar, marked "TJ".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4920 Edn 04/15 (G15-001) Edn 08/17 (G17-008) Edn 11/17 (G17-101) Edn 10/20 (G20-205) Edn 11/21 (G21-151, 181) Edn 09/22 (G22-095) Edn 08/23 (G23-134)
1248.11	Shippegan Gully light buoy TJ4	47 42 41.0 064 39 37.6	Fl R 4s	Red spar, marked "TJ4".	Operates 24 h. Seasonal. Chart:N/A Edn 08/20 (G20-122) Edn 10/21 (G21-153, 182) Edn 08/22 (G22-069) Edn 08/23 (G23-133)
1248.12	Shippegan Gully light buoy TJ5	47 42 37.7 064 39 43.3	Q G 1s	Green spar, marked "TJ5".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4920 Edn 07/12 (G12-129) Edn 07/13 (G13-057) Edn 07/14 (G14-030) Edn 04/15 (G15-001) Edn 07/15 (G15-083) Edn 07/16 (G16-103) Edn 09/18 (G18-121) Edn 08/20 (G20-123) Edn 10/21 (G21-154, 183) Edn 08/23 (G23-132)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1248.13	Shippegan Gully light buoy TJ6	47 42 46.4 064 39 45.5	Q R 1s	Red spar, marked "TJ6".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4920 Edn 07/09 (G09-079) Edn 06/10 (G10-070) Edn 06/11 (G11-134) Edn 07/12 (G12-131) Edn 07/13 (G13-030) Edn 07/14 (G14-032) Edn 04/15 (G15-001) Edn 07/15 (G15-084) Edn 07/16 (G16-104) Edn 10/20 (G20-207) Edn 10/21 (G21-155, 184) Edn 08/22 (G22-043, 072) Edn 08/23 (G23-135)
1248.133	Shippegan Gully light buoy TJ7	47 42 46.5 064 39 49.1	Q G 1s	Green spar, marked "TJ7".	Buoy may be repositioned due to shifting channel. Operates 24 h. Seasonal. Chart:N/A Edn 07/16 (G16-105) Edn 10/20 (G20-206) Edn 09/21 (G21-185) Edn 07/22 (G22-044) Edn 09/22 (G22-096)
1248.151	Shippegan Gully light buoy TJ8	47 42 52.7 064 39 49.0	Q R 1s	Red spar, marked "TJ8".	Seasonal. Chart:4920 Edn 09/17 (G17-088, 093) Edn 07/19 (G19-048) Edn 10/21 (G21-157, 186) Edn 08/22 (G22-068) Edn 08/23 (G23-136)
1248.51	Shippegan Gully light buoy TJ9	47 42 50.2 064 39 56.4	Fl G 4s	Green spar, marked "TJ9".	Operates 24 h. Seasonal. Chart:4920 Edn 08/16 (G16-107) Edn 10/20 (G20-209) Edn 10/21 (G21-158, 187)
1248.71	Shippegan Gully light buoy TJ14	47 43 08.4 064 40 00.7	Fl R 4s	Red, marked "TJ14".	Seasonal. Chart:4920 Edn 01/14 (G13-062) Edn 03/14 (G13-062) Edn 04/15 (G15-001) Edn 07/15 (G15-086) Edn 08/16 (G16-109) Edn 07/17 (G17-046) Edn 10/20 (G20-210) Edn 10/21 (G21-160)
1249.1	Shippegan Gully light buoy TJ12	47 43 02.6 064 39 52.6	Fl R 4s	Red, marked "TJ12".	Operates 24 h. Seasonal. Chart:4920 Edn 08/16 (G16-108) Edn 07/19 (G19-047) Edn 10/21 (G21-159, 188)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1250.5 H1531	Shippegan Gully Breakwater	Outer end of W. breakwater. 47 43 04.6 064 39 57.8	Fl G 4s	4.5	6	Cylindrical mast, green, white and black square daymark.	Flash 1 s; eclipse 3 s. Seasonal. Chart:4920 Edn 08/16 (G16-110) Edn 03/22 (G21-260)
1250.7	Shippegan Gully Cautionary light buoy TJA	47 43 23.5 064 40 05.6	Fl Y 4s	Yellow, marked "TJA".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4920 Edn 03/10 (G10-003) Edn 07/13 (G10-003) Edn 04/15 (G15-001) Edn 08/17 (G17-075) Edn 10/21 (G21-165) Edn 08/22 (G22-065)
1253	Shippegan Gully light buoy TJ20	47 43 12.5 064 40 04.4	Q R 1s	Red, marked "TJ20".	(Winter spar.) Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 06/11 (G11-140) Edn 07/12 (G12-135) Edn 01/14 (G13-045) Edn 04/15 (G15-001) Edn 08/15 (G15-091) Edn 07/17 (G17-047) Edn 10/21 (G21-161) Edn 08/23 (G23-137)
1253.1	Shippegan Gully light buoy TJ22	47 43 18.5 064 40 02.0	Q R 1s	Red, marked "TJ22".	(Winter spar.) Seasonal. Chart:4920 Edn 09/17 (G17-085) Edn 10/21 (G21-164) Edn 08/22 (G22-071)
1254 H1530	Big Shippagan	On sand bar, E. side of S. entrance to Shippegan Gully. 47 43 19.7 064 39 38.2	LFl W 6s	13	White octagonal tower with red upper portion. 16.1	Flash 2 s; eclipse 4 s. Year round. Chart:4920 Edn 11/21 (G21-134)
1257.3	Shippegan Gully light buoy TJ26	47 43 27.5 064 39 59.6	Fl R 4s	Red, marked "TJ26".	(Winter spar.) Seasonal. Chart:4920 Edn 10/18 (G18-122, 123) Edn 07/19 (G19-049) Edn 10/21 (G21-166, 189) Edn 08/23 (G23-138)
1257.5	Shippegan Gully light buoy TJ27	47 43 27.5 064 40 02.8	Fl G 4s	Green, marked "TJ27".	(Winter spar.) Buoy may be repositioned due to shifting channel. Seasonal. Chart:4920 Edn 06/10 (G10-073) Edn 06/11 (G11-143) Edn 04/15 (G15-001) Edn 08/17 (G17-048) Edn 11/21 (G21-190) Edn 08/22 (G22-066)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

GASPÉ – CHALEUR BAY

1257.7	Shippegan Gully light buoy TJ29	47 43 34.0 064 40 02.0	Q G 1s	Green spar, marked "TJ29".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4920 Edn 07/13 (G13-070) Edn 09/13 (G13-070) Edn 04/15 (G15-001) Edn 07/16 (G16-102) Edn 07/17 (G17-049) Edn 10/21 (G21-169)
1258.1	Shippegan Gully light buoy TJ31	47 43 42.3 064 40 04.2	Fl G 4s	Green spar, marked "TJ31".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4920 Edn 09/13 (G13-073) Edn 04/15 (G15-001) Edn 10/21 (G21-170) Edn 08/22 (G22-070)
1258.12	Shippegan Gully light buoy TJ32	47 43 42.5 064 40 01.3	Fl R 4s	Red spar, marked "TJ32".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4920 Edn 07/13 (G13-071) Edn 09/13 (G13-071) Edn 04/15 (G15-001) Edn 10/21 (G21-171)
1258.125	Shippegan Gully light buoy TJ35	47 43 47.2 064 40 05.6	Q G 1s	Green spar, marked "TJ35".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4920 Edn 09/13 (G13-083) Edn 04/15 (G15-001) Edn 08/15 (G15-098) Edn 11/21 (G21-191) Edn 07/22 (G22-045) Edn 09/22 (G22-097)
1260	Shippegan Gully light buoy TJ36	47 43 50.6 064 40 06.7	Q R 1s	Red, marked "TJ36".	(Winter spar.) Buoy may be repositioned due to shifting channel. Seasonal. Chart:4920 Edn 04/15 (G15-001) Edn 08/15 (G15-097) Edn 10/21 (G21-192, 207)
1261	Shippegan Gully light buoy TJ40	47 43 58.7 064 40 19.0	Fl R 4s	Red spar, marked "TJ40".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4920 Edn 04/15 (G15-001) Edn 03/17 (G17-007) Edn 11/21 (G21-194, 206)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1261.5	Shippegan Gully light buoy TJ51	47 44 09.5 064 40 56.2	Fl G 4s	Green spar, marked "TJ51".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4920 Edn 04/15 (G15-001) Edn 08/15 (G15-088) Edn 10/20 (G20-219) Edn 11/21 (G21-197)
1261.55	Shippegan Gully light buoy TJ55	47 44 19.6 064 41 07.3	Fl G 4s	Green spar, marked "TJ55".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4920 Edn 04/15 (G15-001) Edn 08/15 (G15-095) Edn 10/21 (G21-201, 214)
1261.6	Shippegan Gully light buoy TJ60	47 44 33.4 064 41 14.0	Q R 1s	Red spar, marked "TJ60".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4920 Edn 04/15 (G15-001) Edn 08/15 (G15-096) Edn 11/21 (G21-203, 215)
1262 H1542	Sainte-Marie-sur- Mer Breakwater	On outer end of breakwater. 47 46 47.3 064 33 49.0	Fl R 4s	7.0	3	Square skeleton tower, red, white, and red triangular daymark. 3.5	Flash 1 s; eclipse 3 s. Seasonal. Chart:4913 Edn 12/17 (G17-120, 122)
1262.11	Fox Dens Gully light buoy TK4	47 53 12.4 064 29 46.1	Fl R 4s	Red spar, marked "TK4".	Seasonal. Chart:4913 Edn 08/17 (G17-056) Edn 11/20 (G20-257) Edn 12/21 (G21-222)
1262.12	Fox Dens Gully light buoy TK5	Inside gully entrance. 47 53 09.7 064 29 49.4	Fl G 4s	Green, marked "TK5".	Seasonal. Chart:4913 Edn 09/17 (G17-090) Edn 08/20 (G20-146) Edn 11/20 (G20-258) Edn 12/21 (G21-223)
1262.121	Fox Dens Gully light buoy TK6	47 53 11.6 064 29 50.2	Fl R 4s	Red, marked "TK6".	Seasonal. Chart:4913 Edn 12/21 (G21-224)
1262.131	Fox Dens Gully light buoy TK7	47 53 09.2 064 29 54.1	Fl G 4s	Green, marked "TK7".	Seasonal. Chart:4913 Edn 12/21 (G21-227)
1262.14	Fox Dens Gully light buoy TK8	47 53 11.2 064 29 53.8	Fl R 4s	Red, marked "TK8".	Operates 24 h. Seasonal. Chart:4913 Edn 07/16 (G16-090) Edn 12/20 (G20-252) Edn 12/21 (G21-228)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1262.15	<i>Fox Dens Gully light buoy TK9</i>	47 53 08.3 064 30 05.2	Fl G 4s	Green, marked "TK9".	Operates 24 h. Seasonal. Chart:4913 Edn 07/16 (G16-091) Edn 11/20 (G20-255) Edn 12/21 (G21-229)
1262.16	<i>Fox Dens Gully light buoy TK10</i>	47 53 08.7 064 30 09.7	Fl R 4s	Red, marked "TK10".	Operates 24 h. Seasonal. Chart:4913 Edn 07/16 (G16-093) Edn 12/20 (G20-253) Edn 10/21 (G21-210)
1262.17	<i>Fox Dens Gully light buoy TK11</i>	47 53 07.4 064 30 13.5	Fl G 4s	Green, marked "TK11".	Seasonal. Chart:4913 Edn 10/21 (G21-217) Edn 12/21 (G21-230)
1262.18	<i>Fox Dens Gully light buoy TK12</i>	47 53 07.7 064 30 20.2	Fl R 4s	Red, marked "TK12".	Seasonal. Chart:4913 Edn 08/17 (G17-057) Edn 12/20 (G20-254) Edn 10/21 (G21-211)
1262.3 H1542.5	Sainte-Marie-sur- Mer	47 46 52.1 064 34 05.2	LFl W 6s	15.5	13	Square skeleton tower. 13.0	Flash 2 s; eclipse 4 s. Year round. Chart:4913 Edn 12/17 (G17-123)
1262.5	<i>Fox Dens Gully light buoy TK2</i>	Île Lamèque. 47 53 12.7 064 29 30.6	Fl R 4s	Red spar, marked "TK2".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4913 Edn 04/15 (G15-001) Edn 11/20 (G20-250) Edn 12/21 (G21-220)
1262.6	<i>Fox Dens Gully light buoy TK3</i>	At gully entrance. 47 53 09.8 064 29 46.4	Fl G 4s	Green spar, marked "TK3".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4913 Edn 10/11 (G11-272) Edn 07/16 (G16-094) Edn 08/20 (G20-145) Edn 11/20 (G20-251) Edn 12/21 (G21-221)
1262.75	<i>Fox Dens Gully light buoy TK15</i>	47 53 07.7 064 30 20.2	Q G 1s	Green, marked "TK15".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4913 Edn 10/11 (G11-291) Edn 04/15 (G15-001) Edn 07/16 (G16-095) Edn 11/20 (G20-256) Edn 10/21 (G21-212)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1262.8 H1550	Fox Dens Gully Light	47 53 12.1 064 30 15.2	LFI W 6s	4.5	9	Square skeleton tower, red and white daymark.	Flash 2 s; eclipse 4 s. Seasonal. Chart:4913 Edn 12/21 (G21-252) Edn 08/22 (G22-047)
1262.9 H1551	Pigeon Hill Wharf	47 52 43.7 064 30 26.1	FI R 4s	4.0	5	Pipe swing pole, red and white triangular daymark. 3.6	Flash 1 s; eclipse 3 s. Seasonal. Chart:4913 Edn 06/12 (G12-089) Edn 08/22 (G22-048)
1263.2	<i>Fox Dens Gully light buoy EA21</i>	47 53 07.2 064 33 19.6	FI G 4s	Green, marked "EA21".	<i>Buoy may be repositioned due to shifting channel. Seasonal.</i> Chart:4913 Edn 04/15 (G15-001)
1264	<i>Fox Dens Gully light buoy EA24</i>	47 53 12.2 064 32 48.6	FI R 4s	Red, marked "EA24".	<i>Buoy may be repositioned due to shifting channel. Seasonal.</i> Chart:4913 Edn 04/15 (G15-001)
1264.1	<i>Fox Dens Gully light buoy EA30</i>	<i>W. of gully. 47 52 50.3 064 31 34.4</i>	Q R 1s	Red, marked "EA30".	<i>Buoy may be repositioned due to shifting channel. Seasonal.</i> Chart:N/A Edn 04/15 (G15-001) Edn 03/16 (G16-018) Edn 11/20 (G20-238)
1264.2	<i>Miscou Island Bridge Pier light buoy</i>	47 53 17 064 34 42	FI G 4s	Green.	<i>Privately maintained. Seasonal.</i> Chart:4913
1264.3	<i>Miscou Island Bridge Pier light buoy</i>	47 53 17 064 34 39.5	FI G 4s	Green.	<i>Privately maintained. Seasonal.</i> Chart:4913
1264.4	<i>Miscou Island Bridge Pier light buoy</i>	47 53 11.9 064 34 41.5	FI R 4s	Red.	<i>Privately maintained. Seasonal.</i> Chart:4913
1264.5	<i>Miscou Island Bridge Pier light buoy</i>	47 53 11.9 064 34 39	FI R 4s	Red.	<i>Privately maintained. Seasonal.</i> Chart:4913
1264.7 H1552	Miscou Island Racon -- (K) X & S Bands	On Birch point. 48 00 33.7 064 29 34.7	Oc W 5s	24.5	12	White octagonal tower. 25.3	Flash 4 s; eclipse 1 s. Year round. Chart:4486 Edn 05/12 (G12-048)
1265	<i>Miscou Island West Cardinal light and whistle buoy EB</i>	<i>N. of island. 48 01 50.2 064 32 45.7</i>	Q(9) W 15s	<i>Yellow, black and yellow, marked "EB".</i>	<i>Buoy may be repositioned due to shifting channel. (Winter spar.) Seasonal.</i> Chart:4486 Edn 04/15 (G15-001)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

GASPÉ – CHALEUR BAY

Chaleur Bay

1266	Miscou Flat West Cardinal light buoy EAE	47 56 54.2 064 38 21.6	Q(9) W 15s	Yellow-black-yellow, marked "EAE".	(Winter spar.) Buoy may be repositioned due to shifting channel. Seasonal. Chart:4913 Edn 06/11 (G11-120) Edn 04/15 (G15-001) Edn 06/20 (G20-031)
1267	Miscou Channel Entrance Fairway light buoy EA	47 55 32.9 064 40 47.9	Mo(A) W 6s	Red and white vertical stripes, marked "EA".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4913 Edn 04/15 (G15-001) Edn 07/21 (G21-035)
1269.2	Miscou Channel light buoy EA5	47 54 19.5 064 37 58.6	Fl G 4s	Green, marked "EA5".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4913 Edn 07/11 (G11-173) Edn 04/15 (G15-001) Edn 11/21 (G21-213)
1269.4	Miscou Island light buoy EA6	47 53 36.2 064 37 01.7	Fl R 4s	Red spar, marked "EA6".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4913 Edn 07/11 (G11-174) Edn 04/15 (G15-001)
1270	Miscou Channel light buoy EA7	N. side of channel. 47 53 44.8 064 36 57.5	Fl G 4s	Green spar, marked "EA7".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4913 Edn 06/10 (G10-078) Edn 04/15 (G15-001)
1270.2	Miscou Channel light buoy EA8	47 53 25.7 064 36 28.9	Fl R 4s	Red spar, marked "EA8".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4913 Edn 07/11 (G11-175) Edn 04/15 (G15-001)
1271	Miscou Channel light buoy EA9	N. side of channel. 47 53 28.6 064 36 21.2	Fl G 4s	Green spar, marked "EA9".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4913 Edn 06/10 (G10-079) Edn 04/15 (G15-001)
1272	Miscou Channel light buoy EA16	47 53 15.2 064 35 46.6	Q R 1s	Red spar, marked "EA16".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4913 Edn 04/15 (G15-001)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
GASPÉ – CHALEUR BAY								
1272.1	Miscou Harbour light buoy EA36	Fox Dens Gully. 47 52 56.4 064 30 58.7	Q R 1s	Red spar, marked "EA36".	Seasonal. Chart:4913 Edn 03/16 (G16-017)	
1272.12	Miscou Channel light buoy EA40	Fox Dens Gully. 47 53 00.7 064 30 37.1	Q R 1s	Red spar, marked "EA40".	Operates 24 h. Seasonal. Chart:4913 Edn 03/16 (G16-015)	
1272.13	Miscou Channel South cardinal light spar EAB	Fox Dens Gully. 47 53 05.4 064 30 31.6	VQ(6) W +LFI	10s	Black and yellow spar, marked "EAB".	Operates 24 h. Seasonal. Chart:4913 Edn 03/16 (G16-020)
1272.14	Miscou Channel North cardinal light EAA	Fox Dens Gully. 47 53 05.3 064 30 29.8	Q W 1s	Black and yellow spar, marked "EAA".	Operates 24 h. Seasonal. Chart:4913 Edn 03/16 (G16-019)	
1272.26	Miscou harbour light buoy EA31	Fox Dens Gully. 47 52 51.4 064 31 37.4	Fl G 4s	Green spar, marked "EA31".	Seasonal. Chart:4913 Edn 03/16 (G16-013)	
1272.29	Miscou harbour light buoy EA37	Fox Dens Gully. 47 52 57.2 064 30 59.5	Fl G 4s	Green spar, marked "EA37".	Operates 24 h. Seasonal. Chart:4913 Edn 03/16 (G16-014)	
1272.3	Miscou Channel light buoy EA39	Fox Dens Gully. 47 52 58.6 064 30 43.2	Q G 1s	Green, marked "EA39".	Seasonal. Chart:4913 Edn 03/16 (G16-016)	
1273	Miscou Channel light buoy EA20	47 53 12.2 064 34 21.6	Q R 1s	Red spar, marked "EA20".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4913 Edn 04/15 (G15-001)	
1273.1	Shippegan Flat East light buoy EC1	Miscou Harbour. 47 53 39.2 064 38 52.6	Q G 1s	Green, marked "EC1".	Seasonal. Chart:4913 Edn 08/18 (G18-100, 101)	
1273.15	Shippegan Flat light buoy EC4	Miscou Harbour. 47 53 12.3 064 40 04.6	Fl R 4s	Red, marked "EC4".	Seasonal. Chart:4913 Edn 08/18 (G18-102, 103) Edn 10/20 (G20-212) Edn 09/22 (G22-093)	
1273.2	Harper Point Ferry Cable	47 53 24.7 064 34 37.5	F R G	11.6	Cylindrical mast. Red (stop) cable is up. Green (go) cable is down. Privately maintained. Year round. Chart:4913	
1273.3	Little Shippegan Ferry Cable	47 53 06.3 064 34 41.8	F R G	12.4	Cylindrical mast. Red (stop) cable is up. Green (go) cable is down. Privately maintained. Year round. Chart:4913	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
GASPÉ – CHALEUR BAY								
1273.4	Miscou Channel light buoy ED1	47 53 21.5 064 34 15.3	Q G 1s	Green spar, marked "ED1".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4913 Edn 08/12 (G12-151) Edn 04/15 (G15-001) Edn 08/22 (G22-061)	
1273.5 H1564.2	Shippegan Island West Wharf	On NW. corner of wharf. 47 53 00.2 064 34 32.0	Iso G 2s	4.2	5	Pipe swing pole, green, white and black square daymark.	Seasonal. Chart:4913 Edn 05/12 (G12-050) Edn 08/16 (G16-111)	
1274.1 H1559	Harper Point	W. side of Miscou Harbour entrance. 47 53 38.6 064 34 39.7	Fl G 4s	3.7	5	Pipe swing pole, green, white and green square daymark. 3.6	Flash 1 s; eclipse 3 s. Seasonal. Chart:4913 Edn 05/12 (G12-056) Edn 08/22 (G22-050)	
1274.2 H1562	Miscou Wharf	On outer end of wharf. 47 53 40.1 064 34 37.5	Fl R 4s	4.9	6	Pipe swing pole, red and white triangular daymark.	Flash 1 s; eclipse 3 s. Seasonal. Chart:4913 Edn 05/12 (G12-046) Edn 08/22 (G22-049)	
1275 H1556	Black Point	47 53 03.8 064 37 25.0	LFl W 6s	12	Skeleton tower with red top, enclosed central portion, red and white rectangular daymark. 17.7	Flash 2 s; eclipse 4 s. Year round. Chart:4913 Edn 11/21 (G21-148)	
1276.2	Shippegan North Channel light and whistle buoy EG Racon - -. (G) X Band	47 53 14.2 064 45 47.6	Mo(A) W 6s	Red and white vertical stripes, marked "EG".	(Winter spar.) Buoy may be repositioned due to shifting channel. Seasonal. Chart:4913 Edn 04/15 (G15-001) Edn 06/20 (G20-032)	
1277	Pointe de Petite- Lamèque range	N. of point. 47 48 56.4 064 42 16.8	F W	8.8	11	Square skeleton tower, black daymark, red vertical stripe. 8.1	Visible in line of range. Seasonal.
1278		151°15' 281.3m from front.	F W	16.5	11	Square skeleton tower, black daymark, red vertical stripe. 16.4	Visible in line of range. Seasonal. Chart:4913 Edn 12/13 (G13-157, 158)
1282	Shippegan Channel light buoy EG5	E. side of channel. 47 51 11.2 064 43 57.6	Fl G 4s	Green spar, marked "EG5".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/17 (G17-007)	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
GASPÉ – CHALEUR BAY								
1282.5	Shippegan Channel light buoy EG8	47 50 41.0 064 43 42.9	Q R 1s	Red spar, marked "EG8".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/17 (G17-007) Edn 09/22 (G22-099)	
1283 H1568	Pointe à Marcelle range	On point. 47 47 10.3 064 44 58.4	F W	7.9	9	Square skeleton tower, black daymark, red vertical stripe. 6.8	Visible from line of range. Seasonal.
1283.1 H1568.1		194°15' 28m from front.	F W	17.9	9	Square skeleton tower, black daymark, red vertical stripe. 17.8	Visible from line of range. Seasonal. Chart:4913 Edn 05/13 (G13-013, 014)
1284	Shippegan Channel light buoy EG11	47 49 54.2 064 43 50.6	Q G 1s	Green spar, marked "EG11".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/17 (G17-007)	
1285.5	Shippegan Channel light buoy EG12	47 49 42.9 064 44 11.3	Fl R 4s	Red spar, marked "EG12".	Seasonal (in place year round). Chart:4913 Edn 10/17 (G17-084) Edn 08/22 (G22-059)	
1286	Shippegan Channel light buoy EG14	47 48 53.2 064 43 27.6	Fl R 4s	Red spar, marked "EG14".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/17 (G17-007)	
1286.3 H1567.3	Pointe à Bernache range	47 45 27.9 064 43 17	F R	13	Square skeleton tower, black daymark, red vertical stripe. 6.6	Seasonal.
1286.4 H1567.31		179°25' 170.2m from front.	F R	16.2	13	Square skeleton tower, black daymark, red vertical stripe. 15.8	Seasonal. Chart:4913 Edn 06/13 (G13-032, 034)
1286.6	Shippegan Channel light buoy EG17	47 47 03.2 064 43 17.6	Fl G 4s	Green spar, marked "EG17".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/17 (G17-007)	
1286.8	Shippegan Channel light buoy EG18	47 46 48.2 064 43 36.6	Q R 1s	Red spar, marked "EG18".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/17 (G17-007)	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1287 H1567.36	Shippegan Harbour West Entrance range	On outer end of wharf. 47 44 50.2 064 42 08.3	F R	10.9	10	Square skeleton tower, white daymark, red vertical stripe. 9.5	Visible in line of range. Seasonal.
1288 H1567.37		154°24' 452.6m from front.	F R	16.9	10	Square skeleton tower, white daymark, red vertical stripe. 16.4	Visible in line of range. Seasonal. Chart:4920
1289	Shippegan Channel light buoy EG21	47 46 07.4 064 43 00.0	Fl G 4s	Green spar, marked "EG21".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/17 (G17-007) Edn 10/20 (G20-213)
1290	Shippegan Channel light buoy EG24	47 45 34.2 064 42 43.6	Fl R 4s	Red spar, marked "EG24".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/17 (G17-007)
1291	Shippegan Channel light buoy EG25	47 45 02 064 42 15.7	Fl G 4s	Green spar, marked "EG25".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4920 Edn 04/15 (G15-001) Edn 03/17 (G17-007)
1291.5	Shippagan Wharf	Outer end of wharf extension. 47 44 52.3 064 42 08.3	Iso R 1s	6.4	5	Pipe swing pole, red, white and red triangular daymark. 5.1	Seasonal. Chart:4920 Edn 11/18 (G18-117)
1292	Savoy Landing	Outer end of wharf. 47 44 56.9 064 41 29.3	Fl W 3s	5.6	7	Square skeleton tower. 5.2	Flash 1 s; eclipse 2 s. Operates at night only. Seasonal. Chart:4920
1293	Shippegan Sound light buoy EJ3	Off Pointe Alexandre. 47 46 44.2 064 42 16.6	Q G 1s	Green spar, marked "EJ3".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/17 (G17-007)
1295.3	Baie de Lamèque light buoy EJ5	At entrance to bay. 47 46 24.2 064 41 21.6	Fl G 4s	Green spar, marked "EJ5".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/17 (G17-007)
1295.4	Baie de Lamèque light buoy EJ7	N. side of channel leading to wharf. 47 46 32.2 064 40 45.6	Q G 1s	Green spar, marked "EJ7".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/17 (G17-007)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1296.1	Lamèque Wharf Light	47 47 25.9 064 39 32.6	Fl R 5s	5	Tower, red and white rectangular daymark.	Flash 1 s; eclipse 4 s. Seasonal. Chart:4920 Edn 03/17 (G16-142) Edn 10/23 (G23-154)
1298	Baie de Lamèque light buoy EJ10	S. side of channel leading to wharf. 47 46 43.2 064 40 20.6-	Fl R 4s	Red spar, marked "EJ10".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/17 (G17-007)
1299	Baie de Lamèque light buoy EJ11	N. side of channel leading to wharf. 47 47 00.2 064 40 08.6	Fl G 4s	Green spar, marked "EJ11".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/17 (G17-007)
1300	Baie de Lamèque light buoy EJ14	S. side of channel leading to wharf. 47 47 15.5 064 39 44.4	Fl R 4s	Red spar, marked "EJ14".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4920 Edn 04/15 (G15-001) Edn 03/17 (G17-007)
1301 H1571	Lamèque Breakwater Light	On SE. corner of wharf. 47 47 25.7 064 39 35.7	Fl G (2+1)	7.3	5	Tower, red and white rectangular daymark with red diamond and green square in the centre.	Visible in line of range. Seasonal. Chart:4920 Edn 12/16 (G16-141) Edn 10/23 (G23-155)
1306.2	Caraquet Channel light buoy EM4	47 51 06.9 064 46 21.4	Fl R 4s	Red spar, marked "EM4".	(Winter spar.) Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/18 (G18-030) Edn 08/23 (G23-096)
1306.3	Caraquet Channel light buoy EM2	47 52 03.0 064 45 12.0	Q R 1s	Red spar, marked "EM2".	(Winter spar.) Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/18 (G18-024)
1306.5	Caraquet Channel light buoy EM3	47 51 29.9 064 45 38.0	Q G 1s	Green spar, marked "EM3".	Seasonal (in place year round). Chart:4913 Edn 09/20 (G20-128)
1306.6	Caraquet Channel light buoy EM5	47 50 38.9 064 47 00.7	Fl G 4s	Green spar, marked "EM5".	Seasonal (in place year round). Chart:4913 Edn 08/23 (G23-076)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

GASPÉ – CHALEUR BAY

1307	Caraquet Channel light buoy EM7	47 50 17.3 064 47 36.1	Q G 1s	Green spar, marked "EM7".	(Winter spar.) Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/18 (G18-014) Edn 09/20 (G20-139) Edn 08/23 (G23-090)	
1308	Caraquet Channel light buoy EM8	NW. side of channel. 47 49 57.8 064 48 07.0	Q R 1s	Red spar, marked "EM8".	(Winter spar.) Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 02/15 (G14-220) Edn 04/15 (G15-001) Edn 09/17 (G17-092) Edn 03/18 (G18-023) Edn 07/18 (G18-081) Edn 06/19 (G19-026) Edn 09/20 (G20-134)	
1308.5	Caraquet Channel light buoy EM10	47 49 36.3 064 48 55.7	Fl R 4s	Red spar, marked "EM10".	(Winter spar.) Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/18 (G18-033) Edn 07/18 (G18-082) Edn 09/20 (G20-135)	
1310 H1580	Caraquet range	NE. of Stoke Point. 47 48 30.0 064 50 27.8	F G	8.1	17	White square tower with red vertical stripe. 7.1	Operates 24 h. Seasonal.
1311 H1580.1		226°47' 1091.4 m from front.	F G	18	Square skeleton tower, white daymark with red vertical stripe.	Operates 24 h. Seasonal. Chart:4913 Edn 07/20 (G19-120, 121) Edn 03/21 (G20-273) Edn 11/21 (G21-081)
1310.5	Caraquet Channel light buoy EM12	47 49 12.9 064 50 01.5	Fl R 4s	Red spar, marked "EM12".	Seasonal (in place year round). Chart:4913 Edn 07/20 (G20-124, 143) Edn 08/23 (G23-091)	
1311.5	Caraquet Harbour light buoy EM17	47 48 48.1 064 51 03.2	Fl G 4s	Green spar, marked "EM17".	(Winter spar.) Seasonal (in place year round). Chart:4913 Edn 10/18 (G18-119, 120)	
1312	Caraquet Harbour light buoy EM18	47 48 28.4 064 52 14.3	Q R 1s	Red spar, marked "EM18".	(Winter spar.) Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4920 Edn 04/15 (G15-001) Edn 03/18 (G18-026) Edn 09/20 (G20-136)	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1313	Caraquet Harbour East light buoy EM20	NE. of Middle Caraquet. 47 48 25.1 064 52 39.6	Fl R 4s	Red spar, marked "EM20".	(Winter spar.) Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/18 (G18-031)
1313.2 H1581.5	Middle Caraquet range	47 48 09.7 064 53 09.0	F R	16 Square skeleton tower, red daymark with white vertical stripe.	Operates 24 h. Seasonal.
1313.3 H1581.51		244°07' 355.0 m from front.	F R	17 Square skeleton tower, red daymark with white vertical stripe.	Operates 24 h. Seasonal. Chart:4913 Edn 07/20 (G19-122, 123) Edn 03/21 (G20-269, 272)
1314 H1582	Middle Caraquet Wharf	On outer end of E. section of wharf. 47 48 13.4 064 52 22.4	Fl W 4s	7.3	9	Pipe swing pole. 6.7	Flash 1 s; eclipse 3 s. Seasonal. Chart:4920 Edn 11/21 (G21-150)
1314.1 H1582.4	Middle Caraquet East Wharf	47 48 14.3 064 52 22.6	Fl G 4s	4.3	4	Pipe swing pole.	Flash 1 s; eclipse 3 s. Seasonal. Chart:4920 Edn 09/16 (G16-122) Edn 11/21 (G21-147)
1314.2 H1581.7	Stoke Point range	47 48 21.4 064 51 34.2	F R	14 Square skeleton tower, red daymark with white vertical stripe.	Visible in line of range. Operates 24 h. Seasonal.
1314.3 H1581.71		093°46' 124.2 m from front.	F R	14 Square skeleton tower, red daymark with white vertical stripe.	Visible in line of range. Operates 24 h. Seasonal. Chart:4920 Edn 07/20 (G19-124, 125) Edn 03/21 (G20-266, 267)
1315	Caraquet Harbour light buoy EM25	47 48 20.4 064 54 04.2	Fl G 4s	Green spar, marked "EM25".	Seasonal (in place year round). Chart:4913 Edn 09/20 (G20-129) Edn 08/23 (G23-092)
1317	Caraquet Harbour West light buoy EM23	S. of Caraquet Island. 47 48 24.7 064 53 34.6	Q G 1s	Green spar, marked "EM23".	(Winter spar.) Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/18 (G18-017) Edn 09/20 (G20-137)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1318	Caraquet Harbour light buoy EM28	SW. of Île de Caraquet. 47 48 20.6 064 54 17.0	Fl R 4s	Red spar, marked "EM28".	(Winter spar.) Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/18 (G18-036) Edn 06/19 (G19-027) Edn 09/20 (G20-138) Edn 08/23 (G23-093)
1318.2	Caraquet Harbour light buoy EM31	47 47 53.5 064 55 23.3	Fl G 4s	Green, marked "EM31".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4920 Edn 04/15 (G15-001) Edn 09/20 (G20-133)
1318.6	Caraquet Harbour light buoy EM34	47 48 07.1 064 55 27.9	Fl R 4s	Red, marked "EM34".	(Winter spar.) Seasonal. Chart:4920 Edn 09/20 (G20-132)
1319 H1583	Young Wharf	On SE. corner of wharf. 47 47 48.9 064 55 31.3	Fl R 4s	7.5	9	Pipe swing pole, red and white triangular daymark. 7.1	Flash 1 s; eclipse 3 s. Seasonal. Chart:4920 Edn 11/14 (G14-172) Edn 07/15 (G15-055) Edn 11/21 (G21-149)
1319.1 H1584	Young Wharf West	On NW. corner of wharf. 47 47 51.3 064 55 46.7	LFl G 6s	5.4	8	Pipe swing pole. 4.9	Flash 2 s; eclipse 4 s. Seasonal. Chart:4920 Edn 07/18 (G18-097) Edn 06/22 (G22-025)
1319.5	Caraquet Harbour Breakwater Light	47 47 53.7 064 55 50.6	LFl R 6s	8	Pipe tower, red and white triangular daymark.	Flash 2 s; eclipse 4 s. Seasonal. Chart:4920 Edn 11/21 (G21-152)
1319.6	Caraquet Inner Breakwater Light	On the inner corner of the breakwater. 47 47 49.7 064 55 52.8	Fl R 4s	3	Pipe tower, red and white triangular daymark. 1.0	Private aid. Flash 1 s; eclipse 3 s. Operates 24 h. Seasonal. Chart:4920 Edn 11/21 (G21-162)
1319.7	Caraquet Inner Breakwater Light	On the end of the inner breakwater. 47 47 48.6 064 55 52.7	Fl G 4s	3	Pipe tower, green-white- black square daymark. 1.0	Private aid. Flash 1 s; eclipse 3 s. Operates 24 h. Seasonal. Chart:4920 Edn 11/21 (G21-163)
1320	Baie de Caraquet light buoy EM42	47 48 03.2 064 57 27.6	Fl R 4s	Red, marked "EM42".	Buoy may be repositioned due to shifting channel. (Winter spar.) Seasonal. Chart:4913 Edn 04/15 (G15-001)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1320.5	Île de Caraquet light buoy EN3	47 49 28.5 064 54 56.2	Fl G 4s	Green spar, marked "EN3".	(Winter spar.) Buoy may be repositioned due to shifting channel. Seasonal. Chart:4913 Edn 04/15 (G15-001) Edn 03/18 (G18-021) Edn 05/22 (G22-027) Edn 08/23 (G23-077)
1320.51	Île de Caraquet light buoy EN4	47 49 10.2 064 54 43.3	Fl R 4s	Red spar, marked "EN4".	Seasonal. Chart:4913 Edn 08/23 (G23-082)
1320.6	Île de Caraquet light buoy EN6	Caraquet Harbour. 47 48 54.8 064 54 22.5	Fl R 4s	Red spar, marked "EN6".	Seasonal. Chart:4913 Edn 09/20 (G20-141) Edn 08/23 (G23-080)
1320.61	Île de Caraquet light buoy EN5	47 49 13.1 064 54 37.9	Fl G 4s	Green spar, marked "EN5".	Seasonal. Chart:4913 Edn 08/23 (G23-078)
1320.611	Île de Caraquet light buoy EN7	Caraquet Harbour. 47 48 56.2 064 54 20.2	Fl G 4s	Green spar, marked "EN7".	Seasonal. Chart:4913 Edn 08/23 (G23-097)
1320.62	Île de Caraquet light buoy EN8	47 48 46.7 064 54 14.1	Fl R 4s	Red spar, marked "EN8".	Seasonal. Chart:4913 Edn 08/23 (G23-083)
1321.5	Île de Caraquet light buoy EN9	47 48 47.1 064 54 09.5	Fl G 4s	Green spar, marked "EN9".	(Winter spar.) Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/18 (G18-018) Edn 07/18 (G18-084) Edn 09/20 (G20-131) Edn 08/23 (G23-081)
1321.6	Île de Caraquet light buoy EN10	Caraquet Harbour. 47 48 34.7 064 54 10.0	Q R 1s	Red spar, marked "EN10".	Seasonal. Chart:4913 Edn 08/23 (G23-098)
1322 H1588	Île de Caraquet	On W. side of island. 47 49 21.2 064 54 16.0	Fl W 6s	22.3	9	Skeleton tower with red enclosed top, white slatwork daymark. 20.1	Flash 1 s; eclipse 5 s. Year round. Chart:4913 Edn 02/22 (G21-259) Edn 09/23 (G23-039)
1322.2	Île de Caraquet West cardinal light buoy ENA	47 48 29.3 064 54 06.8	Q(9) W 15s	Yellow, black and yellow spar, marked "ENA".	Seasonal. Chart:4913 Edn 09/20 (G20-130, 144) Edn 08/23 (G23-079)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1322.5	Maisonnette Ledge light buoy EN	NE. of Maisonnette Ledge. 47 50 41.5 064 54 59.0	Mo(A) W 6s	Spar, red and white vertical stripes, marked "EN".	(Winter spar.) Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 07/18 (G18-083) Edn 11/18 (G18-034)
1324 H1590	Pointe de Maisonnette	On N. extremity of point. 47 50 15.0 065 00 13.0	LFI W 6s	17.0	13	Square skeleton tower. 13.1	Flash 2 s; eclipse 4 s. Year round. Chart:4913 Edn 11/23 (G23-156)
1325	Blue Cove (Anse- Bleue) range	On outer end of wharf. 47 49 55.5 065 04 47.8	F R	6.4	10	Square skeleton tower, white daymark, red vertical stripe. 5.3	Visible in line of range. Year round.
1325.1		195°04' 338.6m from front.	F R	13.0	10	Square skeleton tower, white daymark, red vertical stripe. 9.9	Visible in line of range. Year round. Chart:4486
1325.4	Blue Cove (Anse- Bleue) Breakwater	On outer end of breakwater. 47 49 55.8 065 04 50.8	FI R 4s	7.8	4	Square skeleton tower. 3.7	Operates at night only. Year round. Chart:4486
1325.5	Blue Cove (Anse- Bleue) Wharf	On end of wharf extension. 47 49 53.7 065 04 48.8	FI G 4s	6.3	4	Pipe swing pole. 5.2	Operates at night only. Seasonal. Chart:4486 Edn 09/10 (G10-144)
1326.1 H1592.05	Grande-Anse South Breakwater	On outer end of E. breakwater. 47 49 07.9 065 10 35.1	FI G 5s	7.4	8	Square skeleton tower, green and white rectangular daymark. 5.1	Flash 1 s; eclipse 4 s. Seasonal. Chart:4486 Edn 11/23 (G23-157)
1327.1 H1592.06	Grande-Anse North Breakwater	On outer end of W. breakwater. 47 49 09.3 065 10 34.8	FI R 5s	6.8	8	Square skeleton tower, red and white rectangular daymark. 5.1	Flash 1 s; eclipse 4 s. Seasonal. Chart:4486 Edn 11/23 (G23-158)
1328 H1596	Stonehaven	On hill overlooking wharf. 47 45 12.3 065 21 42.3	FI W 4s	10	Pipe swing pole.	Flash 1 s; eclipse 3 s. Seasonal. Chart:4486 Edn 10/13 (G12-140) Edn 01/24
1328.5	Stonehaven Breakwater	47 45 17.6 065 21 49.1	FI G 4s	7.0	5	Pipe swing pole, 2 square green and white daymarks. 3.7	Operates at night only. Seasonal. Chart:4486 Edn 12/10 (G10-205) Edn 12/13 (G13-160)
1330.45	Bathurst Entrance Fairway light buoy EP	47 40 32.4 065 36 15.0	Mo(A) W 6s	Red and white vertical stripes, marked "EP".	Seasonal. Chart:4920 Edn 08/19 (G19-073)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1330.55	Bathurst Entrance light buoy EP15	47 40 16.6 065 36 27.1	Fl G 4s	Green, marked "EP15".	Seasonal. Chart:4920 Edn 08/19 (G19-071)
1330.6	Bathurst Entrance light buoy EP25	47 39 48.8 065 36 47.5	Fl G 4s	Green, marked "EP25".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4920 Edn 04/15 (G15-001) Edn 08/19 (G19-054)
1330.7	Bathurst Entrance light buoy EP28	Bathurst Harbour entrance. 47 39 20.9 065 37 13.9	Fl R 4s	Red, marked "EP28".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4920 Edn 04/15 (G15-001) Edn 08/19 (G19-069) Edn 11/20 (G20-232)
1330.8	Bathurst Entrance light buoy EP29	47 39 17 065 37 12.8	Q G 1s	Green, marked "EP29".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4920 Edn 04/15 (G15-001)
1332.35	Bathurst Harbour light buoy EP33	47 39 00.9 065 37 51.1	Fl G 4s	Green, marked "EP33".	Seasonal. Chart:4920 Edn 08/19 (G19-079, 080)
1335.55	Bathurst Harbour Turn light buoy EP50	47 37 59.7 065 39 07.4	Q R 1s	Red spar, marked "EP50".	Seasonal. Chart:4920 Edn 08/19 (G19-070)
1336.8	Bathurst Harbour light buoy EP65	47 36 56.0 065 38 30.6	Fl G 4s	Green spar, marked "EP65".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4920 Edn 04/15 (G15-001) Edn 08/19 (G19-074)
1339 H1606	Petit-Rocher	On outer end of wharf ell. 47 46 54.6 065 42 27.2	Fl R 6s	7.5	8	Square skeleton tower, red and white rectangular daymark. 6.9	Flash 1 s; eclipse 5 s. Seasonal. Chart:4920 Edn 11/17 (G17-108) Edn 03/19 (G19-005, 009, 020) Edn 08/23 (G23-043) Edn 11/23 (G23-167)
1339.2	Petit-Rocher Breakwater Light	On outer end of breakwater. 47 46 55.2 065 42 29.7	Fl G 6s	5	Pipe swing pole, green, white and black square daymark.	Flash 1 s; eclipse 5 s. Operates 24 h. Seasonal. Chart:4920 Edn 12/17 (G17-105, 107) Edn 11/23 (G23-168)
1339.5	Petit-Rocher light buoy ES2	47 46 55.2 065 42 08.7	Fl R 4s	Red spar, marked "ES2".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4920 Edn 04/15 (G15-001) Edn 05/18 (G18-040)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1339.8	Pointe-Verte Breakwater	On outer end of breakwater. 47 51 43.2 065 45 39.4	Fl R 4s	7.1	4	Square skeleton tower. 3.7	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal. Chart:4486
1340	Pointe-Verte	On NW. corner of wharf. 47 51 40.8 065 45 43.1	F R	7.4	10	Square skeleton tower. 6.9	Year round. Chart:4486
1340.05	Pointe-Verte light buoy ET2	47 51 46.5 065 45 25	Fl R 4s	Red, marked "ET2".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4486 Edn 04/15 (G15-001)
1340.1 H1609	Belledune Point	47 54 27.1 065 49 55.0	Oc G 3s	11.1	10	Square skeleton tower, green and white rectangular daymarks. 9.9	Flash 2 s; eclipse 1 s. Year round. Chart:4920 Edn 07/13 (G13-088)
1340.2 H1610	Belledune Wharf	On extreme outer end of breakwater. 47 54 47.0 065 50 18.7	Oc R 3s	10.0	10	Square skeleton tower, red and white rectangular daymark. 10.0	Flash 2 s; eclipse 1 s. Year round. Chart:4920 Edn 07/13 (G13-089)
1340.8 H1612	New Mills West Breakwater	Outer end of wharf. 47 58 27.7 066 11 22.3	Fl G 4s	6.1	4	Pipe swing pole, green, white and black square daymark. 5.4	Flash 1 s; eclipse 3 s. Seasonal. Chart:4486 Edn 06/18 (G18-073)
1343 H1616	Inch Arran Point range	On the point. 48 03 39.4 066 21 03.5	Iso W 6s	13.7	14	White square tower with red upper portion and red vertical stripe. 10.9	Operates 24 h. Year round.
1343.1 H1616.1		286°45' 364.5 m from front.	Iso W 6s	24.0	15	Square skeleton tower, white daymark with red vertical stripe.	Visible in line of range. Operates 24 h. Year round. Chart:4426 Edn 12/10 (G10-223) Edn 01/23 (G22-158) Edn 09/23 (G23-040, 041) Edn 12/23 (G23-171)
1343.2	Dalhousie Harbour light buoy EX4	NE. of Dalhousie Island. 48 04 25.6 066 21 25.9	Q R 1s	Red spar, marked "EX4".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4426 Edn 04/15 (G15-001) Edn 03/17 (G17-007) Edn 12/22 (G22-126)
1343.3	Dalhousie Harbour light buoy EX6	48 04 25.9 066 21 44.7	Fl R 4s	Red spar, marked "EX6".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4426 Edn 04/15 (G15-001) Edn 03/17 (G17-007) Edn 12/22 (G22-128)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1343.4	Dalhousie Harbour light buoy EX8	48 04 25.7 066 21 55.6	Fl R 4s	Red spar, marked "EX8".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4426 Edn 04/15 (G15-001) Edn 03/17 (G17-007) Edn 12/22 (G22-130)
1343.6 H1618	Dalhousie Wharf	Outer end of wharf. 48 04 17.8 066 21 37.0	Fl G 4s	5	Square skeleton tower, green-white-black square daymark.	Flash 1 s; eclipse 3 s. Year round. Chart:4426 Edn 03/21 (G20-275)
1343.7 H1619	Dalhousie Harbour East range	48 04 15.2 066 21 57.5	F G	14.5	14 Square skeleton tower, white daymark with red vertical stripe. 12.7	Visible in line of range. Operates 24 h. Year round.
1343.8 H1619.1		268°10' 49.4 m from front.	F G	14 Square skeleton tower, white daymark with red vertical stripe.	Visible in line of range. Operates 24 h. Year round. Chart:4426 Edn 03/21 (G20-276) Edn 09/23 (G23-042)
1344 H1620	Dalhousie (Douglas) Island	Dalhousie Harbour, on N. point of island. 48 04 20.2 066 21 51.5	Iso G 4s	5	Square skeleton tower, green-white-black square daymark.	Operates 24 h. Year round. Chart:4426 Edn 04/21 (G20-274) Edn 07/21 (G21-028)
1345	Dalhousie Harbour Light	48 04 20.6 066 22 10.4	Fl G 4s	5	Square skeleton tower, green-white-black square daymark.	Flash 1 s; eclipse 3 s. Year round. Chart:4426 Edn 05/21 (G21-014)
1345.6	Dalhousie Harbour light buoy EX9	48 04 15.9 066 23 08.2	Q G 1s	Green spar, marked "EX9".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4426 Edn 04/15 (G15-001) Edn 10/21 (G21-144) Edn 12/22 (G22-131)
1361	Miguasha-Ouest	End of West breakwater. 48 05 53.6 066 20 51.6	Fl Y 4s	2.6	3	Cylindrical mast. 2.4	Divergence angle of 10°. Seasonal. Chart:4426 Edn 02/18 (Q17-048)
1362	Banc de Miguasha light buoy EX2	At S. extremity of spit. 48 03 24.2 066 18 57.9	Q R 1s	Red spar, marked "EX2".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4426 Edn 04/15 (G15-001) Edn 03/17 (G17-007) Edn 12/22 (G22-129)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1362.1	East Bay light buoy EX3	48 04 13.1 066 21 19.2	Fl G 4s	Green spar, marked "EX3".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4426 Edn 04/15 (G15-001) Edn 03/17 (G17-007) Edn 12/22 (G22-132) Edn 04/24 (G24-044)
1364	Carleton	Carleton wharf. 48 05 59.5 066 07 49.1	Iso G 2s	7.4	8	Square skeleton tower. 5.1	Omnidirectional. Seasonal. Chart:4921 Edn 10/11 (Q11-114) Edn 07/21 (Q20-168)
1365 H1638	Carleton	On Pointe Tracadigache. 48 05 13 066 07 29.6	Fl R 5s	9.2	15	White square skeleton tower, red upper top. 8.6	Flash 1 s; eclipse 4 s. Operates at night only. Privately maintained by Ville de Carleton. Seasonal. Chart:4486
1369 H1655	Bonaventure range	Havre de Beaubassin. 48 02 09.3 065 28 56.8	Iso R 2s	6.3	13	Square skeleton tower, orange daymark, black vertical stripe. 4.6	Visible in line of range. Operates at night only. Seasonal.
1369.1 H1655.1		009°52' 141.7m from front.	Iso R 2s	8.9	13	Square skeleton tower, orange daymark, black vertical stripe. 7.9	Visible in line of range. Operates at night only. Seasonal. Chart:4921 Edn 10/11 (Q11-114)
1370	Pointe de Beaubassin light buoy AB1	48 01 52.7 065 29 02.2	Fl G 4s	Green marked "AB1".	Seasonal. Chart:4486
1373	Paspébiac light buoy AP2	Off sand banks. 48 00 15.2 065 15 30.7	Fl R 4s	Red, marked "AP2".	Seasonal. Chart:4921 Edn 05/15 (Q14-045)
1373.3 H1665	Paspébiac Breakwater	On outer end of breakwater. 48 01 06.1 065 15 34.3	Fl G 6s	10.7	7	Square skeleton tower. 8.1	Flash 1 s; eclipse 5 s. Year round. Chart:4921 Edn 10/10 (Q10-128) Edn 02/20 (Q20-002)
1374 H1666	Paspébiac Wharf	On W. end of wharf. 48 01 08.0 065 15 29.1	Fl R 6s	9.6	6	Pipe swing pole. 6.5	Flash 1 s; eclipse 5 s. Year round. Chart:4921 Edn 10/10 (Q10-126) Edn 03/18 (Q18-014) Edn 02/20 (Q20-003)
1375.5	Baie de Paspébiac Aquaculture Area light buoy PRIV	NW. corner of aquaculture area. 48 00 03.4 065 18 03.4	Fl Y 4s	Yellow, marked "PRIV".	Private aid. Seasonal. Chart:4921 Edn 10/18 (Q18-020)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
GASPÉ – CHALEUR BAY								
1375.6	Baie de Paspébiac Aquaculture Area light buoy PRIV	NE. corner of aquaculture area. 48 00 07.0 065 17 52.1	Fl Y 4s	Yellow, marked "PRIV".	Private aid. Seasonal. Chart:4921 Edn 10/18 (Q18-021)	
1375.7	Baie de Paspébiac Aquaculture Area light buoy PRIV	SE. corner of aquaculture area. 48 00 02.0 065 17 48.5	Fl Y 4s	Yellow, marked "PRIV".	Private aid. Seasonal. Chart:4921 Edn 10/18 (Q18-022)	
1375.8	Baie de Paspébiac Aquaculture Area light buoy PRIV	SW. corner of aquaculture area. 47 59 58.3 065 17 59.8	Fl Y 4s	Yellow, marked "PRIV".	Private aid. Seasonal. Chart:4921 Edn 10/18 (Q18-023)	
1376 H1674	St. Godefroi FQ	On outer end of wharf. 48 04 23.4 065 06 52.1	Fl R 6s	7.9	5	Square skeleton tower. 6.5	Flash 1 s; eclipse 5 s. Seasonal. Chart:4486 Edn 09/11 (Q11-086) Edn 12/13 (Q13-071) Edn 09/16 (Q16-137)	
1377	St. Godefroi light buoy AG1	48 04 21.9 065 06 57.4	Fl G 4s	Green, marked "AG1".	Seasonal. Chart:4486	
1378	St. Godefroi light buoy AG2	48 04 21.4 065 06 56.8	Fl R 4s	Red, marked "AG2".	Seasonal. Chart:4486	
1379 H1680	Port Daniel West	On South-West Point. 48 09 04.8 064 56 59.1	Fl W 5s	23.1	20	White octagonal tower. 7.8	Flash 1 s; eclipse 4 s. Year round. Chart:4921 Edn 01/12 Edn 04/14	
1379.5	Port-Daniel-Est	On outer end of breakwater. 48 10 55.0 064 57 42.1	Iso R 2s	4.0	3	Cylindrical mast. 2.3	Seasonal. Chart:4921 Edn 06/16 (Q16-066) Edn 09/16 (Q16-138) Edn 05/19 (Q19-077)	
1380	Port Daniel light buoy AD4	48 10 43.9 064 57 34	Fl R 4s	Red, marked "AD4".	Seasonal. Chart:4921	
1381	Port Daniel light buoy AD2	48 10 35.2 064 57 11	Fl R 4s	Red, marked "AD2".	Seasonal. Chart:4921	
1382 H1687	Anse aux Gascons range	48 11 28.6 064 51 46.7	F R	9.3	16	Square skeleton tower, orange daymark, black vertical stripe. 7.9	Visible in line of range. Operates at night only. Seasonal.
1382.1 H1687.1		319°26' 70.3m from front.	F R	13.5	16	Square skeleton tower, orange daymark, black vertical stripe. 10.9	Visible in line of range. Operates at night only. Seasonal. Chart:4486 Edn 10/11 (Q11-114)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1383 H1686	Reddish Point Breakwater	On outer end of breakwater. 48 11 23.8 064 51 38.6	Fl G 6s	4.9	3	Cylindrical mast. 1.5	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal. Chart:4486
1388	Fairway light and bell buoy NEWPO	S. of la pointe de Newport. 48 16 38 064 43 01.1	Mo(A) W 6s	Red and white vertical stripes, marked "NEWPO".	Seasonal. Chart:4921 Edn 12/11 (Q11-161)
1388.2	Light buoy AN1	Newport Point. 48 16 53.3 064 43 10.8	Q G 1s	Green, marked "AN1".	(Winter spar.) Year round. Chart:4921 Edn 12/11
1388.4	Light buoy AN3	Newport Point. 48 16 58.3 064 43 13.2	Q G 1s	Green, marked "AN3".	(Winter spar.) Year round. Chart:4921 Edn 12/11
1388.5	Light buoy AN4	Newport Point. 48 16 58.3 064 43 08.7	Fl R 4s	Red, marked "AN4".	Seasonal. Chart:4921 Edn 12/11
1389 H1700	Pointe de Newport	On extremity S. of point. 48 17 02.7 064 43 05.6	Fl Y 6s	13.2	5	Square skeleton tower. 9.4	Flash 1 s; eclipse 5 s. Omnidirectional. Seasonal. Chart:4921 Edn 01/12 (Q11-163) Edn 01/24
1390 H1701	Pointe de Newport range	On outer end of wharf. 48 17 09.9 064 43 16.6	F R	9.1	7	Pipe swing pole. 8.2	Visible 6°. Operates 24 h. Seasonal.
1391 H1701.1		341°50' 235.4 m from front.	F R	17.2	7	Square skeleton tower, orange daymark with black vertical stripe. 15.5	Visible 6°. Operates 24h. Seasonal. Chart:4921 Edn 10/11 (Q11-114) Edn 01/12 (Q11-143, 144) Edn 04/24 (Q24-129, 132)
1392.7 H1703	Chandler East	Outer end of wharf. 48 20 28.1 064 39 29.5	Fl W 5s	14.1	4	Red and white square skeleton tower. 9.7	Flash 1 s; eclipse 4 s. Omnidirectional. Operates 24 h. Year round. Chart:4921 Edn 02/19 (Q18-137)
1393 H1706	Île Dupuis	On island. 48 20 23.7 064 40 09.5	Fl R 6s	12.6	6	Square skeleton tower. 9.6	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:4921 Edn 04/12 (Q12-034)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1394 H1708	Anse à l'Îlot	S. end of Marina de Chandler jetty. 48 20 38.2 064 40 09.2	Fl Y 4s	7.0	4	Mast. 5.0	Private aid. Privately maintained by the Municipality of Chandler. Year round. Chart:4921 Edn 03/11 (Q10-150) Edn 01/24
1395 H1704	Chandler range	On shore. 48 20 49.5 064 40 24.6	F W	10.2	19	Square skeleton tower, orange daymark, black vertical stripe. 7.9	Visible in line of range. Operates 24 h. Emergency light. Year round.
1396 H1704.1		321°10' 198.2 m from front.	F W	18.8	19	Square skeleton tower, orange daymark, black vertical stripe. 12.2	Visible in line of range. Operates 24 h. Emergency light. Year round. Chart:4921 Edn 02/12 (Q12-002, 003) Edn 10/17 (Q17-035, 036)
1399	Grande-Rivière North Breakwater	48 23 34.3 064 29 40.2	Iso G 2s	6.0	3	Cylindrical mast. 1.5	Seasonal. Chart:4921 Edn 01/12 (Q11-145)
1399.2	Grande-Rivière South Breakwater	48 23 31.7 064 29 41.6	Iso R 2s	8.7	5	Square mast. 2.0	Seasonal. Chart:4921 Edn 01/12 (Q11-125)
1401.3	Sainte-Thérèse de Gaspé North Breakwater FR	On outer end of breakwater. 48 24 51.7 064 23 34.6	Iso R 2s	3.1	3	Mast. 2.2	Seasonal. Chart:4921 Edn 09/16 (Q16-136)
1401.4	Sainte-Thérèse- de-Gaspé South Breakwater	End of breakwater. 48 24 51.1 064 23 33.0	Iso G 2s	3.1	3	Mast. 2.1	Seasonal. Chart:4921 Edn 05/22 (Q22-005)
1401.5 H1715	Sainte-Thérèse- de-Gaspé	On outer end of breakwater. 48 24 50.5 064 23 32.4	Fl G 5s	6.1	5	Mast.	Flash 1 s; eclipse 4 s. Seasonal. Chart:4921 Edn 09/16 (Q16-134) Edn 03/20 (Q19-174)
1403 H1718	Cap d'Espoir PH	Near extremity. 48 25 09.3 064 19 01.7	Fl(4) W 30s	25.5	21	White octagonal tower. 11.3	Flash 2 s; eclipse 3 s; flash 2 s; eclipse 3 s; flash 2 s; eclipse 3 s; flash 2 s; eclipse 13 s. Chart:4485 Edn 05/15 (Q15-055)
1404	Anse à Beaufile light buoy AF-1	48 28 14.2 064 18 04.5	Fl G 4s	Green, marked "AF-1".	Seasonal. Chart:4485
1408	Récif de Percé light buoy AA1	Off E. Limit of Percé Reef. 48 30 56.6 064 12 09.8	Fl G 4s	Green, marked "AA1".	Seasonal. Chart:4485

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

GASPÉ – CHALEUR BAY

1408.5	Baie de Percé light buoy PRIV	48 31 16.2 064 12 36.9	Fl R 4s	Red, marked "PRIV".	Private aid. Flash 1 s; eclipse 4 s.
--------	----------------------------------	---------------------------	---------	-------	-------	---------------------	---

Chart:4485
Edn 02/24 (Q24-060)

1409 H1727	Percé	On end of wharf. 48 31 15.1 064 12 37.7	Fl R 6s	9.8	6	Skeleton tower. 6.5	Flash 1 s; eclipse 5 s. Omnidirectional. Seasonal.
---------------	-------	---	---------	-----	---	------------------------	--

Chart:4485
Edn 10/11 (Q11-114)
Edn 03/21 (Q20-219)

1410	Mal-Bay FQ	On the wharf. 48 37 12.3 064 11 57.3	Fl G 6s	9.2	Pipe swing pole. 7.8	Flash 1 s; eclipse 5 s. Seasonal.
------	---------------	--	---------	-----	-------	-------------------------	--------------------------------------

Chart:4921
Edn 09/16 (Q16-135)

1412 H1738	Île Plate	On small islet off Pointe St-Pierre. 48 37 37.2 064 09 22.7	Fl W 6s	20.6	9	Square skeleton tower, two rectangular orange daymarks. 12.8	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
---------------	-----------	--	---------	------	---	---	---

Chart:4485

1413.1	L'Anse-à-Brillant light buoy BR2	48 43 42.8 064 17 06.6	Q R 1s	Red, marked "BR2".	Seasonal.
--------	-------------------------------------	---------------------------	--------	-------	-------	--------------------	-----------

Chart:4485
Edn 06/09 (Q09-048)

1414 H1740	L'Anse-à-Brillant range	48 43 13.7 064 17 24.4	F G	7.9	16	Square skeleton tower, orange daymark, black vertical stripe. 5.1	Visible in line of range. Operates at night only. Seasonal.
---------------	----------------------------	---------------------------	-----	-------	-----	----	--	---

1415 H1740.1		205°10' 31m from front.	F G	9.7	16	Square skeleton tower, orange daymark, black vertical stripe. 8.2	Visible in line of range. Operates at night only. Seasonal.
-----------------	--	----------------------------	-----	-------	-----	----	--	---

Chart:4485
Edn 10/11 (Q11-114)

Baie de Gaspé

1417.4 H1752.2	Gaspé marina North Breakwater	At marina entrance, on N. breakwater. 48 49 40.5 064 28 26.5	Fl R 2s	7.0	3	Red and white square skeleton tower. 5.0	Private aid. Privately maintained by Club nautique Jacques-Cartier de Gaspé. Seasonal.
-------------------	----------------------------------	---	---------	-----	---	--	--

Chart:4416
Edn 06/22 (Q21-043)

1417.5 H1752.4	Gaspé marina South pier	At marina entrance, on S. pier. 48 49 39.3 064 28 28.7	Fl G 2s	7.0	Red and white square skeleton tower. 5.0	Flash 0.5 s; eclipse 1.5 s. Private Aid. Privately maintained by Club nautique Jacques-Cartier de Gaspé. Seasonal.
-------------------	----------------------------	---	---------	-----	-------	--	---

Chart:4416
Edn 06/22 (Q21-044)

1417.8	Gaspé Bridge	48 49 43.7 064 28 48.8	F 2W F 2R F 2G	6.7 6.1 5.7	Privately maintained by Transports Québec. Year round.
--------	--------------	---------------------------	---	----------------------------	----------------------------------	-------	--

Chart:4416

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GASPÉ – CHALEUR BAY							
1418.1	Havre de Gaspé Northwest Basin light buoy PRIV	48 50 45.0 064 28 11.5	Fl R 4s	Red spar, marked "PRIV".	Private aid. Seasonal. Chart:4416 Edn 03/24 (Q24-100)
1418.2	Havre de Gaspé Northwest Basin light buoy PRIV	48 50 29.4 064 27 34.1	Fl R 4s	Red spar, marked "PRIV".	Private aid. Seasonal. Chart:4416 Edn 03/24 (Q24-101)
1418.3	Havre de Gaspé Northwest Basin light buoy PRIV	48 50 38.6 064 27 07.6	Fl R 4s	Red spar, marked "PRIV".	Private aid. Seasonal. Chart:4416 Edn 03/24 (Q24-102)
1418.6	Havre de Gaspé Northwest Basin light buoy PRIV	48 50 47.2 064 27 02.6	Fl R 4s	Red spar, marked "PRIV".	Private aid. Seasonal. Chart:4416 Edn 03/24 (Q24-103)
1418.7	Havre de Gaspé Northwest Basin light buoy PRIV	48 50 47.2 064 26 45.6	Fl R 4s	Red spar, marked "PRIV".	Private aid. Seasonal. Chart:4416 Edn 03/24 (Q24-104)
1418.8	Havre de Gaspé Northwest Basin light buoy PRIV	48 50 51.2 064 26 34.6	Fl R 4s	Red spar, marked "PRIV".	Private aid. Seasonal. Chart:4416 Edn 03/24 (Q24-105)
1419.6 H1754	Presqu'île de Penouille range	Near shore. 48 51 07.3 064 25 27.4	F W	7.1	13 Square skeleton tower, orange daymark, black vertical stripe. 5.3	Visible in line of range. Operates 24 h. Emergency mode. Year round.
1419.7 H1754.1	Racon - -, (G) X & S Bands	307°25' 229.3 m from front.	F W	17.9	13 Square skeleton tower, orange daymark, black vertical stripe. 16.0	Visible in line of range. Operates 24 h. Emergency mode. Year round. Chart:4416 Edn 02/12 (Q12-004, 005) Edn 02/19 (Q18-146, 147)
1419.8	Bassin de Gaspé light buoy HD9	48 50 37.6 064 24 45.1	Fl G 4s	Green, marked "HD9".	(Winter spar.) Year round. Chart:4416
1420	Penouille light buoy HD8	N. side of channel. 48 50 46.2 064 24 26.1	Fl R 4s	Red, marked "HD8".	Seasonal. Chart:4416
1420.5 H1756	Gros Cap aux Os	On cape. 48 49 29.9 064 18 58.9	Fl R 5s	27.2	18	Square skeleton tower. 15.7	Flash 1 s; eclipse 4 s. Year round. Chart:4485 Edn 08/12 (Q12-082)
1421	Grande-Grève	48 47 33.3 064 13 36.4	Iso R 2s	8.0	4	Pipe swing pole.	Operates at night only. Seasonal. Chart:4485 Edn 10/11 (Q11-114)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

GASPÉ – CHALEUR BAY

1426 H1762	Cap Gaspé	Near S. coast. 48 45 04.0 064 09 45.5	Fl W 5s	106.9	14	White octagonal tower. 12.8	Flash 1 s; eclipse 4 s. Omnidirectional. Year round.
---------------	-----------	---	---------	-------	----	--------------------------------	--

Chart:4485
Edn 07/18 (Q18-032)