

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GULF OF ST. LAWRENCE</b>							
<b>Les Îles-de-la-Madeleine</b>							
1477.5	Old Harry scientific light buoy IML-10	48 00 00 060 30 00	Fl(5) Y 20s	.....	.....	ODAS yellow, marked "IML-10".	Seasonal.  Chart:4022 Edn 08/15 (Q15-129)
1478 H882	Rocher aux Oiseaux	On summit of Rocher aux Oiseaux. 47 50 18.8 061 08 40.7	LFI W 8s	49.0	9	Square skeleton tower. 10.7	Flash 2 s; eclipse 6 s. Operates at night only. Year round.  Chart:4950
1479 H886	Île Brion	Near extreme W. point of island. 47 46 54.3 061 30 30.7	Fl W 3s	40.0	9	White octagonal tower. 13.6	Flash 1 s; eclipse 2 s. Visible 360°. Operates at night only. Year round.  Chart:4950
1480	Pointe de l'Est East Cardinal light buoy YY  <b>Racon - -. (G) X &amp; Y Bands</b>	SE. of point. 47 36 45.2 061 19 39.4	Q(3) W 10s	.....	.....	Black, yellow and black, marked "YY".	Seasonal.  Chart:4950
1481	Old Harry Head light buoy Y8	S. of Old Harry Head. 47 31 06.2 061 26 45.4	Fl R 4s	.....	.....	Red, marked "Old Harry Head Y8".	Seasonal.  Chart:4950
1481.1	Grosse-Île-Nord light buoy YG2	47 37 46.8 061 30 37.1	Fl R 4s	.....	.....	Red, marked "YG2".	Seasonal.  Chart:4950 Edn 06/19 (Q19-083)
1481.2	Grosse-Île-Nord light buoy YGR	47 37 49.3 061 30 42.8	Fl Y 4s	.....	.....	Yellow, marked "YGR".	Seasonal.  Chart:4950 Edn 06/19 (Q19-085) Edn 08/21 (Q21-038)
1481.3	Grosse-Île-Nord North Breakwater	47 37 41.5 061 30 47.7	Iso R 2s	3.6	2	Cylindrical mast. 4.0	Seasonal.  Chart:4950 Edn 05/19 (Q18-168)
1481.6 H0887.3	Grosse Île South Breakwater	47 37 39.9 061 30 47.8	Fl G 4s	7.0	4	Cylindrical mast. 3.2	Visible 360°. Seasonal.  Chart:4950 Edn 01/11 (Q10-152) Edn 01/13 Edn 02/18 (Q17-047)
1482.1	Havre de la Grande Entrée light buoy YC4	47 32 11.9 061 34 33.8	Q R 1s	.....	.....	Red, marked "YC4".	(Winter spar.) Year round.  Chart:4954 Edn 06/12 (Q12-084) Edn 09/15 (Q15-101)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GULF OF ST. LAWRENCE</b>							
1482.2	Havre de la Grande Entrée light buoy YC5	47 32 13.3 061 34 38.1	Fl G 4s	.....	.....	Green, marked "YC5".	(Winter spar.) Year round.  Chart:4954 Edn 06/12 (Q12-085) Edn 09/15 (Q15-101)
1482.3	Havre de la Grande Entrée light buoy YC9	47 32 31.6 061 34 23.2	Fl G 4s	.....	.....	Green, marked "YC9".	(Winter spar.) Year round.  Chart:4954 Edn 06/12 (Q12-086) Edn 09/15 (Q15-101) Edn 10/15 (Q15-080)
1482.4	Havre de la Grande Entrée light buoy YC10	47 32 40.2 061 34 11.3	Fl R 4s	.....	.....	Red, marked "YC10".	(Winter spar.) Year round.  Chart:4954 Edn 06/12 (Q12-087) Edn 09/15 (Q15-101) Edn 10/15 (Q15-083)
1482.5	Havre de la Grande Entrée light buoy YC11	47 33 13.7 061 34 04.7	Fl G 4s	.....	.....	Green, marked "YC11".	(Winter spar.) Year round.  Chart:4954 Edn 06/12 (Q12-088) Edn 09/15 (Q15-101)
1482.55	Havre de la Grande Entrée light buoy YC12	47 33 04.5 061 34 02.3	Fl R 4s	.....	.....	Red, marked "YC12".	(Winter spar.) Year round.  Chart:4954 Edn 06/12 (Q12-089) Edn 09/15 (Q15-101) Edn 10/15 (Q15-078)
1482.6	Havre de la Grande Entrée light buoy YC14	47 33 14.8 061 33 57.5	Fl R 4s	.....	.....	Red, marked "YC14".	(Winter spar.) Year round.  Chart:4954 Edn 06/12 (Q12-090) Edn 09/15 (Q15-101) Edn 10/15 (Q15-077)
1482.7	Havre de la Grande Entrée light buoy YC15	47 33 26.7 061 33 40.0	Q G 1s	.....	.....	Green, marked "YC15".	Seasonal.  Chart:4954 Edn 10/18 (Q18-085) Edn 12/22 (Q22-039)
1483.5	Grande-Entrée	Les Îles-de-la- Madeleine. 47 33 20.9 061 33 41.7	F R W G	.....	8.0	12 Skeleton tower, red and white rectangular daymark. 6.3	Visible on an arc of 3°. Red from 26.7° to 27.7°; white from 27.7° to 28.7°; green from 28.7° to 29.7°. Operates 24 h. Year round.  Chart:4954 Edn 06/22 (Q21-051)
1485.45	Havre de la Grande Entrée light buoy CB3	47 32 51.9 061 34 11.6	Fl G 4s	.....	.....	Green, marked "CB3".	Privately maintained by Les Mines Seleine. (Winter spar.) Year round.  Chart:4954 Edn 10/15 (Q15-081)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GULF OF ST. LAWRENCE</b>							
1485.49	Havre de la Grande Entrée light buoy CB5	47 33 16.5 061 34 02.9	Fl G 4s	.....	.....	Green spar, marked "CB5".	Privately maintained by Les Mines Seleine. (Winter spar.) Year round.  <b>Chart:4954 Edn 07/12 (Q12-098) Edn 10/15 (Q15-076)</b>
1485.495	Havre de la Grande Entrée light buoy CB6	47 33 24.9 061 33 50.9	Fl R 4s	.....	.....	Red, marked "CB6".	Privately maintained by Les Mines Seleine. (Winter spar.) Year round.  <b>Chart:4954 Edn 10/15 (Q15-082)</b>
1485.5	Grosse Île Sector	47 36 53.6 061 30 29.7	F Al RW Al GW	R W G	..... 46.0	Cylindrical skeleton tower, orange rectangular daymark, black vertical stripe.  6.0	Privately operated. Red from 030°14' to 033°44'; Al RW from 033° 44' to 033° 59'; white from 033° 59' to 034° 09'; Al GW from 034° 09' to 034° 24'; green from 034°24' to 035°14'. Year round.  <b>Chart:4954</b>
1485.51	Havre de la Grande Entrée light buoy CB7	47 33 36.5 061 33 47	Fl G 4s	.....	.....	Green, marked "CB7".	Privately maintained by Les Mines Seleine. (Winter spar.) Year round.  <b>Chart:4954 Edn 06/12 (Q12-091)</b>
1485.52	Havre de la Grande Entrée light buoy CB8	47 33 45.3 061 33 34.8	Fl R 4s	.....	.....	Red, marked "CB8".	Privately maintained by Les Mines Seleine. (Winter spar.) Year round.  <b>Chart:4954</b>
1485.53	Havre de la Grande Entrée light buoy CB9	47 33 47.1 061 33 38.8	Fl G 4s	.....	.....	Green, marked "CB9".	Privately maintained by Les Mines Seleine. (Winter spar.) Year round.  <b>Chart:4954</b>
1485.56	Havre de la Grande Entrée light buoy CB12	47 34 37.4 061 32 42.9	Fl R 4s	.....	.....	Red, marked "CB12".	Privately maintained by Les Mines Seleine. (Winter spar.) Year round.  <b>Chart:4954</b>
1485.57	Havre de la Grande Entrée light buoy CB13	47 34 39.2 061 32 46.9	Fl G 4s	.....	.....	Green, marked "CB13".	Privately maintained by Les Mines Seleine. (Winter spar.) Year round.  <b>Chart:4954</b>
1485.6	Havre de la Grande Entrée light buoy CB16	47 35 25.4 061 31 55	Q R 1s	.....	.....	Red, marked "CB16".	Privately maintained by Les Mines Seleine. (Winter spar.) Year round.  <b>Chart:4954</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GULF OF ST. LAWRENCE</b>							
1485.61	Havre de la Grande Entrée light buoy CB17	47 35 26.3 061 31 59.7	Q G 1s	.....	.....	Green, marked "CB17".	Privately maintained by Les Mines Seleine. (Winter spar.) Year round.  <b>Chart:4954</b>
1485.62	Havre de la Grande Entrée light buoy CB18	47 35 38.5 061 31 48.1	Q R 1s	.....	.....	Red, marked "CB18".	Privately maintained by Les Mines Seleine. (Winter spar.) Year round.  <b>Chart:4954</b>
1485.63	Havre de la Grande Entrée light buoy CB19	47 35 37.1 061 31 56.2	Q G 1s	.....	.....	Green, marked "CB19".	Privately maintained by Les Mines Seleine. (Winter spar.) Year round.  <b>Chart:4954</b>
1485.64	Havre de la Grande Entrée light buoy CB20	47 35 51.1 061 31 51	Q R 1s	.....	.....	Red, marked "CB20".	Privately maintained by Les Mines Seleine. (Winter spar.) Year round.  <b>Chart:4954</b>
1485.65	Havre de la Grande Entrée light buoy CB21	47 35 47.9 061 31 58.6	Q G 1s	.....	.....	Green, marked "CB21".	Privately maintained by Les Mines Seleine. (Winter spar.) Year round.  <b>Chart:4954</b>
1485.66	Havre de la Grande Entrée light buoy CB22	47 36 01.4 061 32 01.8	Q R 1s	.....	.....	Red, marked "CB22".	Privately maintained by Les Mines Seleine. (Winter spar.) Year round.  <b>Chart:4954</b> <b>Edn 08/12 (Q12-114)</b>
1485.67	Havre de la Grande Entrée light buoy CB23	47 35 57.4 061 32 06.8	Q G 1s	.....	.....	Green, marked "CB23".	Privately maintained by Les Mines Seleine. (Winter spar.) Year round.  <b>Chart:4954</b>
1486	Mine Seleine range	47 36 29.5 061 34 12	F G	.....	12.2	.....	White cylindrical mast. Visible in line of range. Privately maintained. Year round.
1486.1		287°13' 201m from front.	F G	.....	16.0	.....	White cylindrical mast. Visible in line of range. Privately maintained. Year round.  <b>Chart:4954</b>
1486.51	Havre de la Grande Entrée light buoy CB24	47 36 07.1 061 32 16.7	Q R 1s	.....	.....	Red, marked "CB24".	Privately maintained by Les Mines Seleine. (Winter spar.) Year round.  <b>Chart:4954</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GULF OF ST. LAWRENCE</b>							
1486.52	Havre de la Grande Entrée light buoy CB25	47 36 04.3 061 32 19.4	Q G 1s	.....	.....	Green, marked "CB25".	Privately maintained by Les Mines Seleine. (Winter spar.) Year round.  <b>Chart:4954</b>
1486.53	Havre de la Grande Entrée light buoy CB26	47 36 12.4 061 32 42.2	Fl R 4s	.....	.....	Red, marked "CB26".	Privately maintained by Les Mines Seleine. (Winter spar.) Year round.  <b>Chart:4954</b>
1486.54	Havre de la Grande Entrée light buoy CB27	47 36 12.8 061 33 00.1	Fl G 4s	.....	.....	Green, marked "CB27".	Privately maintained by Les Mines Seleine. (Winter spar.) Year round.  <b>Chart:4954</b>
1486.55	Havre de la Grande Entrée light buoy CB28	47 36 20.1 061 33 03.5	Fl R 4s	.....	.....	Red, marked "CB28".	Privately maintained by Les Mines Seleine. (Winter spar.) Year round.  <b>Chart:4954</b>
1486.56	Havre de la Grande Entrée light buoy CB29	47 36 24.2 061 33 17.5	Fl G 4s	.....	.....	Green, marked "CB29".	Privately maintained by Les Mines Seleine. (Winter spar.) Year round.  <b>Chart:4954</b>
1486.57	Havre de la Grande Entrée light buoy CB30	47 36 25.8 061 33 12.1	Fl R 4s	.....	.....	Red, marked "CB30".	Privately maintained by Les Mines Seleine. (Winter spar.) Year round.  <b>Chart:4954</b>
1486.58	Havre de la Grande Entrée light buoy CB31	47 36 27.5 061 33 27.4	Fl G 4s	.....	.....	Green, marked "CB31".	Privately maintained by Les Mines Seleines. (Winter spar.) Year round.  <b>Chart:4954</b> <b>Edn 08/09 (Q09-062)</b> <b>Edn 08/12 (Q12-115)</b>
1486.59	Havre de la Grande Entrée light buoy CB32	47 36 32.5 061 33 14.9	Fl R 4s	.....	.....	Red, marked "CB32".	Privately maintained by Les Mines Seleines. (Winter spar.) Year round.  <b>Chart:4954</b> <b>Edn 08/09 (Q09-063)</b> <b>Edn 08/12 (Q12-116)</b>
1487	Récif Alright light buoy Y12	SE. of reef. 47 23 32 061 40 00	Fl R 4s	.....	.....	Red, marked "Y12".	Seasonal.  <b>Chart:4950</b>
1489.1	Étang du Nord light buoy YS3	47 22 08.4 061 58 12.5	Fl G 4s	.....	.....	Green, marked "YS3".	Seasonal.  <b>Chart:4950</b>
1489.2	Étang du Nord light buoy YS4	47 22 04.9 061 58 07.7	Fl R 4s	.....	.....	Red, marked "YS4".	Seasonal.  <b>Chart:4950</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GULF OF ST. LAWRENCE</b>							
1489.3	Étang du Nord light buoy YS5	47 22 09.2 061 58 02.7	Fl G 4s	.....	.....	Green, marked "YS5".	Seasonal.  Chart:4950
1489.5	Étang du Nord light buoy YS9	47 22 10.6 061 57 57.2	Fl G 4s	.....	.....	Green, marked "YS9".	Seasonal.  Chart:4950
1489.6	Étang du Nord light buoy YS10	47 22 07.9 061 57 56.4	Fl R 4s	.....	.....	Red, marked "YS10".	Seasonal.  Chart:4950
1491.1	Étang du Nord North Breakwater	47 22 12.3 061 57 42.1	Fl G 3s	4.6	4	Mast. 2.1	Flash 1 s; eclipse 2 s. Operates at night only. Seasonal.  Chart:4950 Edn 10/11 (Q11-114) Edn 03/12 (Q12-028)
1491.2 H913.5	Étang du Nord South Breakwater	47 22 10.1 061 57 41.5	Fl R 3s	4.2	4	Mast. 2.1	Flash 1 s; eclipse 2 s. Operates at night only. Seasonal.  Chart:4950 Edn 10/11 (Q11-114) Edn 03/12 (Q12-029)
1491.3	Étang du Nord Centre Breakwater	On outer end. 47 22 11.5 061 57 36.1	Q(3) Y 5s	5.0	4	Square mast. 1.6	Operates at night only. Seasonal.  Chart:4950 Edn 08/11 (Q11-061) Edn 12/11 (Q11-061)
1491.5	Pointe-aux-Loups North Breakwater	47 31 50.0 061 42 51.6	Iso G 2s	5.5	4	Cylindrical mast. 6.0	Seasonal.  Chart:4950 Edn 05/19 (Q18-167)
1494	Havre-aux- Maisons Entrance light buoy YE2	Entrance to channel. 47 23 04.3 061 50 36.2	Fl R 4s	.....	.....	Red, marked "YE2".	Seasonal.  Chart:4950 Edn 09/16 (Q16-118)
1494.2	Havre aux Maisons light buoy YE4	47 23 25.7 061 50 29.2	Fl R 4s	.....	.....	Red, marked "YE4".	Seasonal.  Chart:4955 Edn 05/15 (Q15-031) Edn 09/16 (Q16-119) Edn 01/21 (Q20-082)
1494.4	Chenal du Havre aux Maisons light buoy YE6	47 23 33.6 061 50 24.9	Fl R 4s	.....	.....	Red, marked "YE6".	Seasonal.  Chart:4955 Edn 10/12 (Q12-122) Edn 05/15 (Q15-030) Edn 09/16 (Q16-120) Edn 07/22 (Q22-027)
1494.45	Havre-aux- Maisons light buoy YE7	47 23 40.0 061 50 22.9	Fl G 4s	.....	.....	Green, marked "YE7".	Seasonal.  Chart:4955 Edn 09/16 (Q16-121)
1494.6	Havre-aux- Maisons light buoy YE9	47 23 50.3 061 50 20.4	Fl G 4s	.....	.....	Green, marked "YE9".	Seasonal.  Chart:4955

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GULF OF ST. LAWRENCE</b>							
1494.7	Havre aux Maisons light buoy YE8	47 23 50.5 061 50 16.7	Fl R 4s	.....	.....	Red, marked "YE8".	Seasonal.  Chart:4955 Edn 07/22 (Q22-022)
1494.81	Havre-aux- Maisons light buoy YE10	47 23 59.7 061 50 20.7	Fl R 4s	.....	.....	Red, marked "YE10".	Seasonal.  Chart:4955
1494.91	Havre-aux- Maisons light buoy YE12	47 24 04.3 061 50 22.3	Fl R 4s	.....	.....	Red, marked "YE12".	Seasonal.  Chart:4955 Edn 08/11 (Q11-066)
1494.915	Pont Havre-aux- Maisons, port	47 24 07.7 061 50 25.1	Iso G 2s	.....	5	On bridge, square green, white and black daymark.	Seasonal.  Chart:4955 Edn 10/14 (Q13-074) Edn 01/24
1494.918	Pont Havre-aux- Maisons, starboard	47 24 08.1 061 50 23.6	Iso R 2s	.....	5	On bridge, triangular red, white and red daymark.	Seasonal.  Chart:4955 Edn 10/14 (Q13-075) Edn 01/24
1494.92	Havre aux Maisons light buoy YE14	47 24 14.0 061 50 23.9	Fl R 4s	.....	.....	Red, marked "YE14".	Seasonal.  Chart:4955 Edn 06/14 (Q14-030) Edn 10/22 (Q22-044)
1494.94	Havre-aux- Maisons – Marina entrance	Extremity west breakwater. 47 24 21.1 061 50 09.0	F R	.....	.....	Post.	Seasonal.  Chart:4955 Edn 09/13 (Q13-001)
1494.96	Chenal du Havre aux Maisons Cautionary light buoy H3	47 24 17.1 061 50 26.9	Fl Y 4s	.....	.....	Yellow, marked "H3".	Private aid. Seasonal.  Chart:4955 Edn 04/24 (Q24-134)
1494.97	Havre aux Maisons Cautionary light buoy H2	47 24 26.4 061 50 26.0	Fl Y 4s	.....	.....	Yellow, marked "H2".	Private aid. Seasonal.  Chart:4955 Edn 04/24 (Q24-135)
1494.98	Havre aux Maisons Cautionary light buoy H1	47 24 23.2 061 50 36.2	Fl Y 4s	.....	.....	Yellow, marked "H1".	Private aid. Seasonal.  Chart:4955 Edn 04/24 (Q24-136)
1495.5	Pointe-Basse	End of W. breakwater. 47 23 20.5 061 47 29.8	Iso G 2s	6.8	4	Square skeleton tower. 8.2	Omnidirectional. Seasonal.  Chart:4950 Edn 05/19 (Q19-075)
1496.4	Cap-aux-Meules light buoy YD4	47 22 35.8 061 51 06.4	Fl R 4s	.....	.....	Red, marked "YD4".	Seasonal.  Chart:4956

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GULF OF ST. LAWRENCE</b>							
1496.5 H915	Cap-aux-Meules Breakwater	47 22 32.7 061 51 06.3	Fl R 6s	7.5	4	Cylindrical mast. 2.1	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  Chart:4956 Edn 08/11 (Q11-081)
1497 H0914	Cap-aux-Meules Wharf range	47 22 36.8 061 51 13.3	Iso G 1s	7.1	13	Square skeleton tower, fluorescent red daymark, black vertical stripe. 4.9	Visible in line of range. Operates 24 h. Year round.
1498 H0914.1		330°13' 133.2 m from front.	Iso G 1s	11.6	13	Square skeleton tower, fluorescent red daymark, black vertical stripe. 9.5	Visible in line of range. Operates 24 h. Year round.  Chart:4956 Edn 02/10 (Q09-137, 138) Edn 03/11 (Q10-164, 165) Edn 03/12 Edn 08/15 (Q15-111, 112) Edn 02/19 (Q18-127, 128)
1498.5 H915.4	Cap-aux-Meules West Breakwater	47 22 35.1 061 51 25.3	Iso R 2s	5.5	4	Cylindrical mast. 3.1	Operates at night only. Seasonal.  Chart:4956 Edn 08/11(Q11-082)
1499.3 H0907.5	Quai de L'Anse-à- la-Cabane East Breakwater	Les Îles-de-la- Madeleine. 47 12 56.4 061 59 02.8	Iso R 2s	6.8	4	Mast. 2.7	Seasonal.  Chart:4950 Edn 02/10 (Q09-118) Edn 10/11 (Q11-114) Edn 03/20 (Q19-134)
1499.35	Millerand West Breakwater	On outer end of W. breakwater. 47 12 59.3 061 59 04.3	Fl G 4s	4.9	4	Mast. 1.6	Operates at night only. Seasonal.  Chart:4950 Edn 04/12 (Q12-037)
1500.3	Banc Bradelle Scientific light buoy IML-16	47 25 55.2 062 33 18.6	Fl(5) Y 20s	.....	.....	Yellow ODAS, marked "IML-16".	Seasonal.  Chart:4024 Edn 06/22 (Q22-007)
1500.5	Scientific light buoy IML-12	SE. of Gulf of St. Lawrence. 46 48 00.0 062 00 00.0	Fl(5) Y 20s	.....	.....	Yellow ODAS, marked "IML-12".	Seasonal.  Chart:4023 Edn 07/20 (Q20-123) Edn 06/21 (Q21-019)
1501	Havre-Aubert light buoy YK1	47 16 50.4 061 46 40.2	Fl G 4s	.....	.....	Green, marked "YK1".	Seasonal.  Chart:4950
1502.2	Havre Aubert light buoy YK5	Cap Gridley. 47 14 15.3 061 49 27.1	Q G 1s	.....	.....	Green, marked "YK5".	(Winter spar.) Seasonal.  Chart:4957 Edn 02/18 (Q17-050) Edn 06/22 (Q21-032)
1502.7	Havre Aubert light buoy YK11	Cap Gridley. 47 14 09.6 061 49 32.4	Fl G 4s	.....	.....	Green, marked "YK11".	Seasonal.  Chart:4957 Edn 06/22 (Q21-030)



ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GULF OF ST. LAWRENCE</b>							
1503	Havre Aubert light buoy YK12	Cap Gridley. 47 14 11.2 061 49 33.4	Fl R 4s	.....	.....	Red, marked "YK12".	(Winter spar.) Seasonal.  Chart:4957 Edn 06/22 (Q21-033)
1504	Havre Aubert light buoy YK22	47 13 57.5 061 49 50.1	Fl R 4s	.....	.....	Red, marked "YK22".	Private aid. Seasonal.  Chart:4957 Edn 01/15 (Q14-100) Edn 05/22 (Q21-031)
1505.5	Havre-Aubert Sector Light	47 13 43.0 061 49 59.7	Iso R W G 4s	5.2	12	Square skeleton tower, red and white rectangular daymark.	Red from 211.8° to 212.8°; White from 212.8° to 213.8°; Green from 213.8° to 214.8°. White sector indicate preferred channel. Operates 24 h. Year round.  Chart:4957 Edn 09/14 (Q14-023) Edn 04/16 Edn 01/24
1507	Sandy Hook Channel South light buoy YM1	S. entrance to channel. 47 15 16.6 061 42 55.4	Fl G 4s	.....	.....	Green, marked "YM1".	Seasonal.  Chart:4950
1507.5	Sandy Hook Channel light buoy YM7	47 16 07 061 43 28.6	Fl G 4s	.....	.....	Green, marked "YM7".	Seasonal.  Chart:4950 Edn 04/13 (Q12-138)
1507.6	Sandy Hook light buoy YM4	47 15 43.2 061 43 00	Fl R 4s	.....	.....	Red, marked "YM4".	Seasonal.  Chart:4950
1507.7	Sandy Hook Channel light buoy YM9	47 16 33.1 061 43 54.3	Fl G 4s	.....	.....	Green, marked "YM9".	Seasonal.  Chart:4950 Edn 01/13 (Q12-139)
1508	Sandy Hook Channel light buoy YM12	47 16 43.9 061 43 49.7	Fl R 4s	.....	.....	Red, marked "YM12".	(Winter spar.) Seasonal.  Chart:4950 Edn 01/13 (Q12-141)
1508.5	La Passe light buoy YM11	47 16 55.1 061 44 08.5	Q G 1s	.....	.....	Green, marked "YM11".	Seasonal.  Chart:4950 Edn 02/21 (Q20-120) Edn 07/22 (Q22-023)
1510.3	Île d'Entrée North Breakwater	On outer end of N. breakwater. 47 16 40 061 43 09.7	Iso G 2s	4.4	3	Mast.  1.2	Operates at night only. Seasonal.  Chart:4950

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GULF OF ST. LAWRENCE</b>							
1510.5	Île d'Entrée Sector Light	47 16 41.9 061 43 01.6	F R W G	.....	9.0	11	Skeleton tower, white rectangular daymark with red horizontal bands. 5.1 Operates 24 h. Visible on an arc of 7°; red from 059° to 061°; white from 061° to 064°; green from 064° to 066°. Year round.  Chart:4950 Edn 05/23 (Q22-086)
1510.6 H0893.1	L'Île-d'Entrée	On outer end of wharf. 47 16 39.2 061 43 07.6	Iso R	2s	4.4	3	Mast. Seasonal.  Chart:4950 Edn 12/20 (Q20-173)
1511	Île d'Entrée North side	On top of cliff, NE. end of island. 47 17 17 061 41 22.1	Fl W	3s	71.5	8	Square skeleton tower. 4.6 Flash 1 s; eclipse 2 s. Operates at night only. Year round.  Chart:4950
1512	La Perle light buoy Y16	Off S. side of reef. 47 19 28.2 061 34 18.4	Fl R	4s	.....	.....	Red, marked "Y16". Seasonal.  Chart:4950
1512.4	Scientific light buoy IML-15	48 05 00.0 061 55 54.0	Fl(5) Y	20s	.....	.....	Yellow ODAS, marked "IML-15". Seasonal.  Chart:4024 Edn 07/22 (Q22-028) Edn 12/22 (Q22-047, 048)
1512.6	Scientific light buoy IML-14	Banc de l'Orphelin. 48 08 00.0 062 42 00.0	Fl(5) Y	20s	.....	.....	Yellow ODAS, marked "IML-14". Seasonal.  Chart:4024 Edn 01/21 (Q20-122) Edn 01/23 (Q22-087)
1512.9	Scientific light buoy IML-11	Off American Bank. 48 35 00.0 063 53 00.0	Fl(5) Y	20s	.....	.....	Yellow ODAS, marked "IML-11". Seasonal.  Chart:4024 Edn 07/17 (Q17-024) Edn 07/23 (Q23-067)
<b>Anticosti Island</b>							
1513.2 H1886	Cap-de-la-Table	49 21 04.3 061 53 44.4	Fl R	6s	34.1	5	White octagonal tower with red top. Flash 1 s; eclipse 5 s. Omnidirectional. Year round.  Chart:4025 Edn 07/23 (Q23-066)
1514 H1864	Escarpe ment Bagot	NW. of island. 49 03 57.5 062 15 35.2	Fl W	6s	17.2	7	Square skeleton tower. 15.7 Flash 1 s; eclipse 5 s. Operates at night only. Year round.  Chart:4025
1514.2 H1884	Phare de Pointe-Carleton	49 43 53.6 062 56 33.4	Fl G	6s	38.4	5	White octagonal tower with red top. Flash 1 s; eclipse 5 s. Omnidirectional. Year round.  Chart:4430 Edn 02/10 (Q09-134) Edn 07/23 (Q23-069)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GULF OF ST. LAWRENCE</b>							
1515 H1866	Pointe du Sud- Ouest	On extremity. 49 23 29.1 063 35 40.9	Fl W 6s	20.7	8	Square skeleton tower. 15.6	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  Chart:4430 Edn 02/10 (Q09-134)
1515.2 H1882	<b>Cap-de-Rabast</b>	On the point. 49 57 05.8 064 08 57.4	Fl(3) W 30s	23.8	17	White octagonal tower with red top.	Flash 0.078 s; eclipse 4.922 s; flash 0.078 s; eclipse 4.922 s; flash 0.078 s, eclipse 19.922 s. Omnidirectional. Seasonal.  Chart:4026 Edn 09/23 (Q23-070)
1516	Port Menier light buoy MENIER	49 46 13.5 064 20 37.3	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "MENIER".	Seasonal.  Chart:4430 Edn 11/15 (G15-040)
1517	Baie Ellis light buoy PM9	W. side of channel. 49 47 16.7 064 21 21.8	Fl G 4s	.....	.....	Green, marked "PM9".	Seasonal.  Chart:4430 Edn 02/10 (Q09-134)
1518	Port Menier light buoy PM11	W. side of dredged channel. 49 48 30.2 064 22 03.6	Fl G 4s	.....	.....	Green, marked "PM11".	Seasonal.  Chart:4430 Edn 02/10 (Q09-134)
1519 H1870	<b>Baie Ellis Main range</b>	NW. corner of bay. 49 49 30.5 064 22 31.3	F G .....	12.1	20	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Seasonal.
1520 H1870.1		339°26' 1041.5m from front.	F G .....	26.7	20	Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Seasonal.  Chart:4430 Edn 02/10 (Q09-134) Edn 10/11 (Q11-114)
1523 H1878	Pointe Ouest	On W. extremity of Anticosti Island. 49 51 50.6 064 31 23.7	Fl W 5s	27.8	13	Skeleton tower. 29.4	Flash 1 s; eclipse 4 s. Omnidirectional. Year round.  Chart:4430 Edn 02/10 (Q09-134) Edn 11/14 (Q14-046) Edn 03/20 (Q19-186)
1523.5	Scientific light buoy IML-13	49 49 00.0 064 45 00.0	Fl(5) Y 20s	.....	.....	Yellow ODAS, marked "IML-13".	Seasonal.  Chart:4026 Edn 01/21 (Q20-121) Edn 07/23 (Q23-068)
1524 H0122	<b>Baie de Blanc- Sablon range</b>	51 25 12.8 057 07 06.2	F W .....	35.5	19	Square skeleton tower, orange daymark with black vertical stripe. 15.5	Visible in line of range. Year round.
1525 H0122.1		063°16' 230.6 m from front.	F W .....	56.8	19	Square skeleton tower, orange daymark with black vertical stripe. 6.3	Visible in line of range. Year round.  Chart:4971 Edn 08/18 (Q18-033, 034) Edn 04/21 (Q21-010, 011)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GULF OF ST. LAWRENCE</b>							
1525.5	Baie de Blanc-Sablon	End of breakwater wharf. 51 25 02.6 057 08 56.4	Fl Y 4s	.....	2	Square mast.	Visible 360°. Operates 24 h. Year round.  Chart:4971 Edn 09/23 (Q23-065)
1526 H0123	Baie de Blanc-Sablon	Blanc-Sablon wharf. 51 24 54.1 057 08 58.7	Fl R 6s	10.4	6	Mast.  8.2	Flash 1 s; eclipse 5 s. Omnidirectional. Year round.  Chart:4971 Edn 08/18 (Q18-035) Edn 05/21 (Q21-009)
1528.5	Lourdes-de-Blanc-Sablon light and bell buoy SABL0	Blanc-Sablon. 51 23 58.5 057 11 35.5	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "SABL0".	Seasonal.  Chart:4971 Edn 08/18 (Q18-038)
1528.6	Lourdes-de-Blanc-Sablon light buoy CY9	Blanc-Sablon. 51 24 25.7 057 11 39.3	Fl G 4s	.....	.....	Green, marked "CY9".	Seasonal.  Chart:4971 Edn 08/18 (Q18-039)
1528.7	Lourdes-de-Blanc-Sablon light buoy CY10	Blanc-Sablon. 51 24 23.4 057 11 37.4	Fl R 4s	.....	.....	Red, marked "CY10".	Seasonal.  Chart:4971 Edn 08/18 (Q18-040)
1528.8	Brador light and bell buoy BRA	Blanc-Sablon. 51 25 32.6 057 15 30.9	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "BRA".	Seasonal.  Chart:4971 Edn 08/18 (Q18-041)
1528.9 H0123.5	Île Greenly	On SW. part of island. 51 22 29.4 057 11 26.7	Fl W 15s	34.7	15	Trapezoidal skeleton tower.  22.3	Flash 1 s; eclipse 14 s. Omnidirectional. The light of Île Greenly is obscured by Île au Bois through an arc of 015°, from 064° to 079°. Seasonal.  Chart:4971 Edn 10/12 (Q12-130) Edn 08/18 (Q18-042)
1529	Brador light buoy CB2	Blanc-Sablon. 51 27 04.0 057 15 16.0	Fl R 4s	.....	.....	Red, marked "CB2".	Seasonal.  Chart:4971 Edn 08/18 (Q18-043)
1530 H0124	Baie de Brador range	On the escarpment. 51 29 28.4 057 14 58.5	Iso R 2s	20.0	12	Square skeleton tower, orange daymark, black vertical stripe.  15.5	Visible in line of range. Seasonal.
1531 H0124.1		005°06' 95.9 m from front.	Iso R 2s	31.0	12	Square skeleton tower, orange daymark, black vertical stripe.  4.8	Visible in line of range. Seasonal.  Chart:4971 Edn 10/11 (Q11-114) Edn 08/18 (Q18-044, 045)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GULF OF ST. LAWRENCE</b>							
1531.2 H0130	<b>Middle Bay Sector</b>	51 28 01.9 057 29 26.2	Iso R 4s W G	38.7	<b>16</b>	Square skeleton tower, red trapezoid daymark, black vertical stripe. 6.4	Visible on an arc of 7°: green from 002°12' to 000°12'; white from 000°12' through N. to 357°12'; red from 357°12' to 355°12'. White sector indicates preferred channel. Operates 24 h. Seasonal.  <b>Chart:4971</b> <b>Edn 11/11 (Q11-120)</b> <b>Edn 08/18 (Q18-046)</b> <b>Edn 03/19 (Q18-143)</b>
1531.5	<i>La Bosse à Charlie light buoy C10</i>	<i>Baie de Bonne-Espérance.</i> 51 22 30.2 057 37 51.7	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "C10".</i>	<i>Seasonal.</i>  <b>Chart:4970</b> <b>Edn 08/18 (Q18-049)</b>
1531.7	<i>Baie de Bonne-Espérance light buoy C12</i>	51 25 03.1 057 39 14.4	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "C12".</i>	<i>Seasonal.</i>  <b>Chart:4970</b> <b>Edn 08/18 (Q18-050)</b>
1531.8	<i>Baie de Bonne-Espérance light buoy CX2</i>	51 25 12.4 057 39 12.6	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "CX2".</i>	<i>Seasonal.</i>  <b>Chart:4970</b> <b>Edn 06/14 (Q14-008)</b> <b>Edn 05/17</b> <b>Edn 08/18 (Q18-051)</b>
1531.9	<i>Baie Chevalier light buoy CX4</i>	<i>E. side of the passage approach, Rivière Saint-Paul.</i> 51 25 41.8 057 38 30.8	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "CX4".</i>	<i>Seasonal.</i>  <b>Chart:4970</b> <b>Edn 06/14 (Q14-010, 011)</b> <b>Edn 08/18 (Q18-052)</b>
1532 H1887	Baie Salmon range	Baie de Bonne-Espérance. 51 25 45.7 057 39 10.4	Iso G 2s	20.3	12	Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Seasonal.
1533 H1887.1		348°52' 249.0 m from front.	Iso G 2s	29.7	12	Square skeleton tower, orange daymark, black vertical stripe. 6.4	Visible in line of range. Seasonal.  <b>Chart:4970</b> <b>Edn 10/11 (Q11-114)</b> <b>Edn 08/18 (Q18-053, 054)</b>
1538 H1889.5	Rivière Saint-Paul	E. side of Passe Champlain approach. 51 25 10.7 057 41 56.3	Fl R 6s	5.5	6	Square skeleton tower. 5.1	Flash 1 s; eclipse 5 s. Omnidirectional. Seasonal.  <b>Chart:4970</b> <b>Edn 10/11 (Q11-114)</b> <b>Edn 08/18 (Q18-055)</b>
1539 H1890	Île à la Baleine	On summit of island. 51 21 21.9 057 41 33.7	Fl W 6s	28.1	7	Square skeleton tower. 10.9	Flash 1 s; eclipse 5 s. Omnidirectional. Seasonal.  <b>Chart:4970</b> <b>Edn 10/11 (Q11-114)</b> <b>Edn 03/13 (Q12-148)</b> <b>Edn 08/18 (Q18-056)</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GULF OF ST. LAWRENCE</b>							
1539.123 H1889.8	Baie du Vieux Fort	Outer end of wharf. 51 25 18.8 057 48 52.0	Fl Y 6s	9.7	7	Pipe swing pole. 6.3	Flash 1 s; eclipse 5 s. Omnidirectional. Seasonal.  <b>Chart:4970</b> <b>Edn 10/11 (Q11-114)</b> <b>Edn 08/18 (Q18-059)</b>
1539.125	Chenal du Vieux Fort	E. of entrance to Baie du Vieux Fort. 51 23 51.9 057 48 13.1	Iso R W G 8s	17.3	11	Square skeleton tower, red and white daymark.	Red from 009.25° to 010°; white from 010° to 012°; green from 012° to 012.75°. Operates 24 h. Seasonal (in place year round).  <b>Chart:4970</b> <b>Edn 11/19 (Q19-135)</b>
1539.13 H1890.1	Île Mermettes <b>Racon - - (M)</b> <b>X &amp; S Bands</b>	Archipel du Vieux Fort. 51 19 20.7 057 50 31.3	Iso W 2s	12.8	7	Square skeleton tower. 6.7	Omnidirectional. Year round.  <b>Chart:4970</b> <b>Edn 10/12 (Q12-131)</b> <b>Edn 08/18 (Q18-013, 060)</b> <b>Edn 03/20 (Q19-176)</b>
1539.15	Île Dufour fairway light and bell buoy STAUG	Saint-Augustin. 51 10 32.5 058 18 06.0	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "STAUG".	Seasonal.  <b>Chart:4472</b> <b>Edn 03/12 (Q12-014)</b> <b>Edn 09/20 (Q20-119)</b> <b>Edn 10/20</b>
1539.16 H1890.44	<b>Pointe du Nord- Est range</b>	On small island E. of Outer Island. 51 10 31.5 058 25 24.6	F R ..... 9.8	15	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Year round.	
1539.17 H1890.45		269°37' 273.9m from front.	F R ..... 19.3	15	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Year round.  <b>Chart:4472</b>	
1539.2 H1890.42	Pointe du Nord-Est <b>Racon -. (N)</b> <b>X &amp; S Bands</b>	On NE. point of Île de la Grande Passe. 51 10 37.4 058 25 42.7	Fl W 6s	13.6	7	Square skeleton tower. 6.6	Flash 1 s; eclipse 5 s. Omnidirectional. Year round.  <b>Chart:4472</b> <b>Edn 09/18 (Q18-012)</b>
1539.4 H1890.5	Île Paul-Nadeau	On SE. extremity of island. 51 10 45.5 058 27 39.9	Fl W 6s	13.2	7	Square skeleton tower. 4.9	Flash 1 s; eclipse 5 s. Year round.  <b>Chart:4969</b> <b>Edn 02/13 (Q12-149)</b> <b>Edn 05/22 (Q21-054)</b>
1539.41 H1890.55	<b>Île Paul-Nadeau range</b>	51 11 02.5 058 28 50.3	Iso G 2s	18.5	4	Square skeleton tower, orange daymark, black vertical stripe. 8.0	Visible 360°. Increased intensity on range. Operates at night only. Year round.
1539.42 H1890.56		044°43' 538.9m from front.	Iso G 2s	43.6	12	Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Operates at night only. Year round.  <b>Chart:4473</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GULF OF ST. LAWRENCE</b>							
1539.45 <i>H1890.57</i>	Île Bursey range	N. end of island. 51 10 37.5 058 28 37.3	Iso Y 2s	13.0	5	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible 360°. Increased intensity on range. Operates at night only. Year round.
1539.46 <i>H1890.58</i>		266°31' 483.1m from front.	Iso Y 2s	18.9	15	Square skeleton tower, orange daymark, black vertical stripe. 6.5	Visible in line of range. Operates at night only. Year round.  <b>Chart:4473</b>
1539.48	<i>Rocher Clinch light buoy CU2</i>	51 10 52.2 058 29 00.8	Fl R 4s	.....	.....	Red, marked "CU2".	Seasonal.  <b>Chart:4473</b>
1539.5 <i>H1890.2</i>	Île Mistanoque	SSE. extremity of island. 51 15 20 058 12 39.6	Iso W 2s	41.8	6	Square skeleton tower. 6.5	Operates at night only. Seasonal.  <b>Chart:4472 Edn 10/11 (Q11-114)</b>
1539.6 <i>H1890.6</i>	Île Tickle range	SE. end of island. 51 10 22.1 058 31 24.8	Iso G 2s	10.6	4	Square skeleton tower, orange daymark with black vertical stripe. 3.4	Visible 360°. Year round.
1539.7 <i>H1890.61</i>		271°32' 624.1 m from front.	F G .....	37.3	14	Square skeleton tower, orange daymark with black vertical stripe. 6.3	Visible in line of range. Year round.  <b>Chart:4469 Edn 01/24</b>
1539.9	<i>Île Driscoll light buoy CU27</i>	51 10 26.2 058 33 49.8	Fl G 4s	.....	.....	Green, marked "CU27".	Seasonal.  <b>Chart:4473</b>
1539.95	Passage Saint-Augustin	On new wharf of Pointe à la Truite. 51 10 53 058 34 04.5	Fl Y 6s	9.2	7	Mast. 8.0	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:4473</b>
1540	<i>Saint-Augustin light buoy CUS2</i>	In Baie Saint-Augustin, at entrance of the river. 51 12 34.2 058 35 38.8	Fl R 4s	.....	.....	Red, marked "CUS2".	Seasonal.  <b>Chart:4969 Edn 09/23 (Q23-115)</b>
1541	<i>Saint-Augustin light buoy CUS3</i>	In Baie Saint-Augustin, at entrance of the river. 51 12 41.2 058 35 51.0	Fl G 4s	.....	.....	Green, marked "CUS3".	Seasonal.  <b>Chart:4969 Edn 09/23 (Q23-116)</b>
1542	<i>Saint-Augustin light buoy CUS4</i>	In Baie Saint-Augustin, at entrance of the river. 51 12 48.9 058 35 57.2	Fl R 4s	.....	.....	Red, marked "CUS4".	Seasonal.  <b>Chart:4969 Edn 09/23 (Q23-117)</b>
1542.01 <i>H1890.77</i>	Saint-Augustin	Near rivière Saint-Augustin mouth. 51 13 21.2 058 38 39.2	Fl Y 6s	23.5	7	Square skeleton tower. 4.8	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:4473</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GULF OF ST. LAWRENCE</b>							
1542.05	Saint-Augustin light buoy CUS5	In Baie Saint- Augustin, at entrance of the river. 51 12 55.5 058 36 11.5	Fl G 4s	.....	.....	Green, marked "CUS5".	Seasonal.  Chart:4969 Edn 09/23 (Q23-118)
1542.051	Saint-Augustin light buoy CUS7	In Baie Saint- Augustin, at entrance of the river. 51 12 49.2 058 36 22.7	Fl G 4s	.....	.....	Green, marked "CUS7".	Seasonal.  Chart:4969 Edn 09/23 (Q23-119)
1542.052	Saint-Augustin light buoy CUS9	In Baie Saint- Augustin, at entrance of the river. 51 12 45.7 058 36 33.0	Fl G 4s	.....	.....	Green, marked "CUS9".	Seasonal.  Chart:4969 Edn 09/23 (Q23-120)
1542.053	Saint-Augustin light buoy CUS10	In Baie Saint- Augustin, at entrance of the river. 51 12 47.1 058 36 55.6	Q R 1s	.....	.....	Red, marked "CUS10".	Seasonal.  Chart:4969 Edn 09/23 (Q23-121)
1542.054	Saint-Augustin light buoy CUS11	In Baie Saint- Augustin, at entrance of the river. 51 12 50.3 058 37 17.3	Q G 1s	.....	.....	Green, marked "CUS11".	Seasonal.  Chart:4969 Edn 09/23 (Q23-122)
1542.055	Saint-Augustin light buoy CUS13	In Baie Saint- Augustin, at entrance of the river. 51 12 44.3 058 37 32.9	Q G 1s	.....	.....	Green, marked "CUS13".	Seasonal.  Chart:4969 Edn 09/23 (Q23-123)
1542.056	Saint-Augustin light buoy CUS14	In Baie Saint- Augustin, at entrance of the river. 51 12 51.0 058 37 48.8	Fl R 4s	.....	.....	Red, marked "CUS14".	Seasonal.  Chart:4969 Edn 09/23 (Q23-124)
1542.057	Saint-Augustin light buoy CUS15	In Baie Saint- Augustin, at entrance of the river. 51 12 58.3 058 38 06.2	Fl G 4s	.....	.....	Green, marked "CUS15".	Seasonal.  Chart:4969 Edn 09/23 (Q23-125)
1542.058	Saint-Augustin light buoy CUS17	In Baie Saint- Augustin, at entrance of the river. 51 13 07.0 058 38 18.8	Fl G 4s	.....	.....	Green, marked "CUS17".	Seasonal.  Chart:4969 Edn 09/23 (Q23-126)



ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>GULF OF ST. LAWRENCE</b>								
1542.059 H1890.71	Rivière Saint-Augustin light buoy CUS19	51 13 12.2 058 38 19.5	Fl G 4s	.....	.....	Green, marked "CUS19".	Seasonal.  Chart:4473	
1542.1 H1890.7	Île Robin range	S. side of island. 51 08 59 058 33 18.4	Iso R 2s	9.6	12	Square skeleton tower, orange daymark, black vertical stripe. 7.8	Visible in line of range. Operates at night only. Seasonal.	
1542.2 H1890.71		021°10' 86.2m from front.	Iso R 2s	17.5	12	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Seasonal.  Chart:4473 Edn 10/11 (Q11-114)	
1542.3 H1890.74	Île Inner range	SE. side of island. 51 08 45.9 058 33 38	F W	.....	7.7	15	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Seasonal.
1542.4 H1890.75		242°10' 155.3m from front.	F W	.....	22.8	15	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Operates at night only. Seasonal.  Chart:4473 Edn 10/11 (Q11-114)
1542.45 H1890.65	Île Robin East range	51 09 09.8 058 32 57.3	Iso R 2s	16.8	12	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Seasonal.	
1542.46 H1890.66		269°38' 99m from front.	Iso R 2s	20.4	12	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Seasonal.  Chart:4473 Edn 10/11 (Q11-114)	
1542.48 H1890.8	Grand Rigolet light buoy CU35	51 03 43.1 058 40 36.6	Fl G 4s	.....	.....	Green, marked "CU35".	Seasonal.  Chart:4473	
1543 H1894	Île du Guet	W. extremity of island. 50 55 48.7 058 52 44.7	Iso W 2s	32.0	6	Square skeleton tower. 4.9	Operates at night only. Year round.  Chart:4474	
1543 H1894	Île Plate	On S. summit of island. 50 45 12.4 058 45 20.9	Fl W 15s	22.6	13	Cylindrical mast. 7.6	Flash 1 s; eclipse 14 s. Operates at night only. Seasonal.  Chart:4474	
1544 H1892	Île de la Boule	On summit of island. 50 50 10.5 058 52 31.2	Fl W 6s	74.3	8	Square skeleton tower. 5.2	Flash 1 s; eclipse 5 s. Omnidirectional. Year round.  Chart:4474 Edn 12/20 (Q20-222)	
1545 H1891	Île Cormandièrre	On summit of island. 50 51 31.7 058 55 52.5	Fl R 6s	16.4	6	Square skeleton tower. 4.6	Flash 1 s; eclipse 5 s. Omnidirectional. Year round.  Chart:4474 Edn 12/20 (Q20-223)	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GULF OF ST. LAWRENCE</b>							
1545.5	Baie de Tabatière Outer light buoy CT7	50 51 12.2 058 57 00.8	Fl G 4s	.....	.....	Green, marked "CT7".	Seasonal.  <b>Chart:4474</b>
1546 H1891.2	Baie de Tabatière Outer range	On shore line. 50 50 36.1 058 58 28.7	F G	.....	43.8	14 Skeleton tower, orange daymark, black vertical stripe. 31.2	Visible in line of range. Operates at night only. Year round.
1547 H1891.3		234°46' 143.5 m from front.	F G	.....	51.6	15 Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Year round.  <b>Chart:4474</b>
1547.5	Light buoy CT11	Baie de la Tabatière. 50 50 41.9 058 58 06.3	Fl G 4s	.....	.....	Green, marked "CT11".	Seasonal.  <b>Chart:4474</b> <b>Edn 09/13 (Q13-062)</b>
1548 H1891.5	Baie de Tabatière Inner range	Near shore line. 50 50 10.6 058 58 22.7	F R	.....	17.3	14 Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Operates at night only. Year round.
1549 H1891.6		193°31' 75.6 m from front.	F R	.....	23.9	14 Square skeleton tower, orange daymark, black vertical stripe. 4.7	Visible in line of range. Operates at night only. Year round.  <b>Chart:4474</b>
1550 H1898	Île Entrance	On summit of island. 50 44 03.9 059 00 24.3	Fl W 6s	18.0	8	Square skeleton tower. 6.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:4474</b>
1551 H1896	Baie des Moutons range	On W. side of entrance. 50 46 10.6 059 01 59.6	F G	.....	13.3	16 Square skeleton tower, orange daymark, black vertical stripe. 12.5	Visible in line of range. Operates at night only. Seasonal.
1552 H1896.1		322°31' 338.2m from front.	F G	.....	22.8	16 Square skeleton tower, orange daymark, black vertical stripe. 6.4	Visible in line of range. Operates at night only. Seasonal.  <b>Chart:4474</b> <b>Edn 10/11 (Q11-114)</b>
1552.5	Baie des Moutons light buoy MB1	50 46 20.2 059 01 52.4	Fl G 4s	.....	.....	Green, marked "MB1".	Privately maintained. Seasonal.  <b>Chart:4474</b> <b>Edn 01/10 (Q09-094)</b>
1553 H1899.4	Tête-à-la-Baleine Inner range	On S. end of Île du Grand Rigolet. 50 40 45.9 059 14 35.5	F G	.....	8.4	13 Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Operates at night only. Year round.
1554 H1899.5		330°04' 96.4m from front.	F G	.....	20.1	13 Square skeleton tower, orange daymark, black vertical stripe. 3.3	Visible in line of range. Operates at night only. Year round.  <b>Chart:4469</b>
1554.3 H1899.9	Tête-à-la-Baleine Wharf	On seaward end of wharf. 50 40 47 059 14 24	Fl Y 3s	8.2	6	Square skeleton tower. 6.3	Flash 1 s; eclipse 2 s. Operates at night only. Year round.  <b>Chart:4469</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GULF OF ST. LAWRENCE</b>									
1555 <i>H1899.7</i>	Tête-à-la-Baleine Centre range	On small island, W. of île Beaulieu. 50 39 43.5 059 14 09.1	F	R	.....	4.5	13	Square skeleton tower, orange daymark, black vertical stripe. 3.3	Visible in line of range. Operates at night only. Year round.
1556 <i>H1899.8</i>		293°34' 422m from front.	F	R	.....	11.8	13	Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Operates at night only. Year round.  <b>Chart:4469</b>
1557 <i>H1899</i>	Tête-à-la-Baleine range	NW end of Vatcher Island. 50 39 38.6 059 12 01.8	F	W	.....	8.7	15	Square skeleton tower, orange daymark, black vertical stripe. 6.4	Visible in line of range. Operates at night only. Year round.
1558 <i>H1899.1</i>		001°09' 110.4m from front.	F	W	.....	14.2	15	Square skeleton tower, orange daymark, black vertical stripe. 4.9	Visible in line of range. Operates at night only. Year round.  <b>Chart:4469</b>
1558.7 <i>H1901</i>	Cap Airey	S. end of Île du Cap. 50 28 13.7 059 27 26.2	Fl	G	6s	17.6	6	Square skeleton tower. 6.6	Flash 1 s; eclipse 5 s. Year round. Position in NAD83.  <b>Chart:4468 Edn 03/13 (Q12-150) Edn 11/16</b>
1559 <i>H1900</i>	Falaise de l'Entrée	S. side of Île de l'Entrée, N. side of channel, Havre de Harrington entrance. 50 29 19.5 059 27 40.7	Fl	W	6s	41.7	8	Square skeleton tower. 9.6	Flash 1 s; eclipse 5 s. Year round. Position in NAD83.  <b>Chart:4468 Edn 11/16</b>
1559.2 <i>H1900.4</i>	Île de l'Entrée	NW. point of island. 50 29 33.5 059 28 08.5	Fl	G	6s	10.6	6	Square skeleton tower. 6.6	Flash 1 s; eclipse 5 s. Year round.  <b>Chart:4468 Edn 11/16 Edn 06/22 (Q21-048)</b>
1559.5 <i>H1901.5</i>	Harrington Harbour	At the end of the wharf. 50 29 46.9 059 28 31.9	Fl	Y	6s	8.7	7	Pipe swing pole. 8.0	Flash 1 s; eclipse 5 s. Year round.  <b>Chart:4468 Edn 11/16 Edn 12/20 (Q20-225) Edn 10/23 (Q23-140)</b>
1560 <i>H1902</i>	Harrington Harbour range	On N. side of small island, SW. of Île Hospital. 50 29 34.3 059 29 00.8	F	R	.....	10.2	13	Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Year round. Position in NAD83.
1561 <i>H1902.1</i>		288°44' 188.9m from front.	F	R	.....	15.4	13	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Year round.  <b>Chart:4468 Edn 11/16</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GULF OF ST. LAWRENCE</b>							
1561.5 H1903	Rivière Nétagamiou	50 28 21.2 059 36 20.0	Fl R 6s	8.8	5	Square mast. 6.5	Flash 1 s; eclipse 5 s. Seasonal. Position in NAD83.  Chart:4468 Edn 11/16
1561.6	Rivière Nétagamiou Upstream light	50 28 49.1 059 35 56.6	Fl Y 4s	.....	4	Cylindrical mast. 1.2	Privately maintained. Seasonal.  Chart:4468 Edn 02/17 (Q16-199)
1561.67	Chevery cautionary light buoy CA	Rivière Nétagamiou entrance. 50 27 31.8 059 36 24.0	Fl Y 4s	.....	.....	Yellow, marked "CA".	Seasonal.  Chart:4468 Edn 07/20 (Q20-124)
1561.68	Chevery cautionary light buoy CB	Rivière Nétagamiou entrance. 50 27 32.3 059 36 34.6	Fl Y 4s	.....	.....	Yellow, marked "CB".	Seasonal.  Chart:4468 Edn 07/20 (Q20-139)
1561.69	Chevery cautionary light buoy CC	Rivière Nétagamiou entrance. 50 27 35.0 059 36 46.1	Fl Y 4s	.....	.....	Yellow, marked "CC".	Seasonal.  Chart:4468 Edn 07/20 (Q20-125)
1561.7	Rivière Nétagamiou Entrance light buoy CS2	50 27 08.9 059 36 39.8	Fl R 4s	.....	.....	Red, marked "CS2".	Seasonal. Position in NAD83.  Chart:4468 Edn 11/16
1561.74	Chevery light buoy CS4	Entrance of Rivière Nétagamiou. 50 27 20.7 059 37 43.2	Fl R 4s	.....	.....	Red, marked "CS4".	Seasonal.  Chart:4468 Edn 09/22 (Q22-040)
1561.76	Chevery light buoy CS6	Entrance of Rivière Nétagamiou. 50 27 28.2 059 37 33.1	Fl R 4s	.....	.....	Red, marked "CS6".	Seasonal.  Chart:4468 Edn 09/22 (Q22-041)
1562 H1904	Île Sainte-Marie	On the summit of the W. Île Sainte- Marie. 50 18 15.2 059 39 20.4	Fl W 2.5s	44.4	12	Square skeleton tower. 16.4	Flash 0.1 s; eclipse 2.4 s. Seasonal. Position in NAD83.  Chart:4468 Edn 11/16
1563 H1906	Rochers au Cormoran	On Rochers au Cormoran. 50 09 45.4 060 03 38.7	Fl W 15s	24.1	15	Square skeleton tower. 15.4	Flash 1 s; eclipse 14 s. Operates at night only. Seasonal.  Chart:4440
1563.5	Rocher Cairntorr light buoy C64	Off rock. 50 07 18.3 060 18 34.9	Fl R 4s	.....	.....	Red, marked "C64".	Seasonal.  Chart:4452 Edn 02/10 (Q09-134)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>GULF OF ST. LAWRENCE</b>								
1563.7 H1907	Pointe Milne range	Baie Coacoachou. 50 13 21.6 060 18 53.1	F R	.....	16.8	13	Square skeleton tower, orange daymark, black vertical stripe. 10.9	Visible in line of range. Operates at night only. Seasonal.
1563.8 H1907.1		004°40' 294.9m from front.	F R	.....	30.8	13	Square skeleton tower, orange daymark, black vertical stripe. 9.6	Visible in line of range. Operates at night only. Seasonal.
1564 H1908	Îles Triples	On S. side of island. 50 10 06.1 060 41 49.3	Fl W	6s	18.9	7	Square skeleton tower. 6.4	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
1565 H1909.7	Pointe Mackenzie range	On point. 50 12 49.7 060 41 49.6	F Y	.....	9.5	15	Square skeleton tower, orange daymark, black vertical stripe. 3.3	Visible in line of range. Operates at night only. Year round.
1566 H1909.71		325°44' 105.7m from front.	F Y	.....	12.6	15	Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Operates at night only. Year round.
1567 H1909.8	Pointe du Petit Lac range	Near wharf. 50 12 49.5 060 41 21.6	F G	.....	12.0	13	Square skeleton tower, orange daymark, black vertical stripe. 6.4	Visible in line of range. Operates at night only. Year round.
1568 H1909.81		013°11' 75.1m from front.	F G	.....	13.8	13	Square skeleton tower, orange daymark, black vertical stripe. 3.3	Visible in line of range. Operates at night only. Year round.
1568.5	Havre Gethsémani Entrance light buoy CJ5	Harbour entrance. 50 12 20.7 060 41 22.8	Fl G	4s	.....	.....	Green, marked "CJ5".	Seasonal.
1569 H1909	Havre Gethsémani range	W. side of Dos-de- Cheval Island. 50 12 26 060 41 12.4	F R	.....	10.0	13	Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Operates at night only. Year round.
1570 H1909.1		357°22' 80.4m from front.	F R	.....	12.9	13	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Year round.

Chart:4452  
Edn 02/10 (Q09-134)  
Edn 10/11 (Q11-114)

Chart:4453  
Edn 03/13 (Q12-151)  
Edn 10/14 (Q14-034)

Chart:4452  
Edn 02/10 (Q09-134)

Chart:4452  
Edn 02/10 (Q09-134)

Chart:4452  
Edn 02/10 (Q09-134)

Chart:4452  
Edn 02/10 (Q09-134)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GULF OF ST. LAWRENCE</b>							
1572 H1910	Kégaska range	N. side of bay. 50 11 46.4 061 15 33.7	F W .....	13.6	16	Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Operates at night only. Year round.
1573 H1910.1		359°17' 90.3m from front.	F W .....	18.2	16	Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Operates at night only. Year round.  <b>Chart:4452 Edn 02/10 (Q09-134) Edn 12/14</b>
1573.1	Kegaska, John Guy barge	SE. extremity of barge. 50 11 03.2 061 16 00.5	Fl Y 4s .....	.....	.....	.....	Private aid. Year round.  <b>Chart:4452 Edn 03/20 (Q20-004)</b>
1573.3 H1910.4	Kegaska	On inner SE. corner of wharf. 50 11 04.1 061 15 48.2	Fl R 6s	7.8	4	Pipe swing pole. 6.4	Flash 1 s; eclipse 5 s. Omnidirectional. Year round.  <b>Chart:4452 Edn 02/10 (Q09-134) Edn 12/14 Edn 06/18 (Q18-003)</b>
1574 H1911	Pointe de Kégaska	On point. 50 10 32.2 061 15 57.3	Fl W 6s	13.7	8	Square skeleton tower. 6.6	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:4452 Edn 02/10 (Q09-134) Edn 04/13 (Q12-152) Edn 12/14</b>
1574.3	Pointe de Kégaska light and bell buoy CK1	Off point. 50 10 09.2 061 15 37.2	Fl G 4s .....	.....	.....	Green, marked "CK1".	Seasonal.  <b>Chart:4452 Edn 02/10 (Q09-134)</b>
1575.8	Rocher South Sphinx light buoy CN2	50 10 40.3 061 50 48.2	Fl R 4s .....	.....	.....	Red, marked "CN2".	Seasonal.  <b>Chart:4428 Edn 02/10 (Q09-134)</b>
1576 H1914	Île Joncas	On W. extremity of island. 50 10 56.9 061 50 38.9	Iso G 2s	13.5	6	Square skeleton tower. 9.5	Operates at night only. Radar reflector. Year round.  <b>Chart:4428 Edn 02/10 (Q09-134)</b>
1576.2	Havre de Natashquan light buoy CN8	50 11 12.3 061 50 40.3	Fl R 4s .....	.....	.....	Red, marked "CN8".	Seasonal.  <b>Chart:4428 Edn 02/10 (Q09-134)</b>
1578 H1918	Petite Natashquan range	N. of wharf. 50 11 35.9 061 50 35.4	F W .....	10.1	13	Square skeleton tower, orange daymark, black vertical stripe. 6.7	Visible in line of range. Operates at night only. Year round.
1579 H1918.1		009°56' 92.7m from front.	F W .....	17.1	13	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Operates at night only. Year round.  <b>Chart:4428 Edn 02/10 (Q09-134)</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>GULF OF ST. LAWRENCE</b>								
1580 H1922	Aguanish range	E. side of entrance to rivi�re Aguanish. 50 13 05.8 062 05 00.4	F G	.....	10.9	16	Square skeleton tower, orange day mark, black vertical stripe. 4.9	Visible in line of range. Operates at night only. Seasonal.
1581 H1922.1		330°29' 478.7m from front.	F G	.....	18.1	16	Square skeleton tower, orange daymark, black vertical stripe. 7.9	Visible in line of range. Operates at night only. Seasonal.  Chart:4455 Edn 10/11 (Q11-114) Edn 11/14 (Q14-035, 036)
1582	Baies Piashti Approach light buoy C80	50 15 42.3 062 49 33.4	Fl R	4s	.....	.....	Red, marked "C80".	Seasonal.  Chart:4456
1583 H1928	Baie Johan-Beetz range	N. shore of bay. 50 17 00.9 062 47 51.2	F Y	.....	12.2	15	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Operates at night only. Seasonal.
1584 H1928.1		043°04' 162.3m from front.	F Y	.....	21.1	15	Square skeleton tower, orange daymark, black vertical stripe. 6.4	Visible in line of range. Operates at night only. Seasonal.  Chart:4452 Edn 02/10 (Q09-134) Edn 10/11 (Q11-114)
1584.5	Haut-fond Collins light buoy C84	Off shoal. 50 10 00.3 063 04 05.3	Fl R	4s	.....	.....	Red, marked "C84".	Seasonal.  Chart:4456
1584.8	La Grande Pointe	50 12 14 063 26 52.5	Fl Y	6s	11.0	7	Square skeleton tower. 8.0	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  Chart:4432
1585 H1934	Petite �le au Marteau	On S. end of island. 50 12 14.6 063 33 30.5	Fl W	2.5s	28.9	12	Skeleton tower. 25.3	Flash 0.1 s; eclipse 2.4 s. Operates at night only. Seasonal.  Chart:4429
1586	Havre St-Pierre light buoy CM5	Off NE. side of Eskimo Island. 50 13 44.8 063 35 35.5	Fl G	4s	.....	.....	Green, marked "CM5".	Seasonal.  Chart:4429
1587 H1936	Havre-Saint-Pierre range	Minganie N. coast, SE. entrance, Chenal de la Petite �le au Marteau. 50 14 25.0 063 35 42.0	Iso G	2s	13.6	14	Square skeleton tower, orange daymark, black vertical stripe. 11.0	Visible in line of range. Operates 24 h. Year round.
1588 H1936.1		338°29' 174.7 m from front.	Iso G	2s	24.4	14	Square skeleton tower, orange daymark, black vertical stripe. 18.6	Visible in line of range. Operates 24 h. Year round.  Chart:4429 Edn 11/18 (Q18-135, 136)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GULF OF ST. LAWRENCE</b>							
1588.7	Havre St-Pierre East Breakwater	On outer end of breakwater. 50 14 09.8 063 36 12.8	Fl R 4s	.....	2	Cylindrical mast. 1.8	Flash 1 s; eclipse 3 s. Privately maintained by Parks Canada. Seasonal.  <b>Chart:4429 Edn 02/13 (Q12-153)</b>
1588.8	Havre St-Pierre West Breakwater	On outer end of breakwater. 50 14 09.8 063 36 15.8	Fl G 4s	.....	2	Cylindrical mast. 1.8	Flash 1 s; eclipse 3 s. Privately maintained by Parks Canada. Seasonal.  <b>Chart:4429 Edn 02/13 (Q12-154)</b>
1590 H1940	<b>Pointe aux Esquimaux range</b>	Near W. extremity of Pointe Eskimo. 50 14 17.7 063 36 45.6	F R	.....	14.1	16 Skeleton tower, orange daymark, black vertical stripe. 12.5	Visible in line of range. Operates at night only. Year round.
1591 H1940.1		096°19' 238.2m from front.	F R	.....	23.1	16 Skeleton tower, orange daymark, black vertical stripe. 18.5	Visible in line of range. Operates at night only. Year round.  <b>Chart:4429</b>
1592 H1943	Île du Fantôme Entrance range	50 15 26.8 063 39 18.1	F G	.....	9.7	13 Skeleton tower, orange daymark, black vertical stripe. 7.9	Visible in line of range. Operates at night only. Year round.
1593 H1943.1		010°02' 295.7m from front.	F G	.....	19.3	13 Skeleton tower, orange daymark, black vertical stripe. 18.5	Visible in line of range. Operates at night only. Year round.  <b>Chart:4429</b>
1594	Île du Fantôme Entrance Channel Outer light buoy CM10	50 11 58.3 063 39 53.5	Fl R 4s	.....	.....	Red, marked "CM10".	Seasonal.  <b>Chart:4429</b>
1595	Île du Havre (Eskimo) Shoal light buoy CM12	50 12 40.3 063 39 52.5	Fl R 4s	.....	.....	Red, marked "CM12".	Seasonal.  <b>Chart:4429</b>
1596 H1944	Île à Firmin	Minganie, at S. end of island. 50 12 14.5 063 41 13.3	Fl W 6s	10.6	7	Square skeleton tower, orange rectangular daymarks. 8.0	Flash 1 s; eclipse 5 s. Omnidirectional. Year round.  <b>Chart:4429 Edn 06/23 (Q22-090)</b>
1598	Pointe aux Morts light buoy CM17	50 14 33.8 063 41 18.5	Fl G 4s	.....	.....	Green, marked "CM17".	Seasonal.  <b>Chart:4429</b>
1598.5	Pointe aux Morts light and bell buoy CM16	50 14 46.3 063 41 18.5	Fl R 4s	.....	.....	Red, marked "CM16".	Seasonal.  <b>Chart:4429</b>
1603	Mingan East Entrance light buoy CM28	N. side of channel. 50 17 03.2 063 59 28.6	Fl R 4s	.....	.....	Red, marked "CM28".	Seasonal.  <b>Chart:4432</b>



ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>GULF OF ST. LAWRENCE</b>							
1604 H1946	Havre de Mingan Eastern Entrance range	Near water's edge. 50 17 22.3 064 01 18.1	F G .....	14.1	16	Skeleton tower, orange daymark, black vertical stripe. 12.5	Visible in line of range. Year round.
1605 H1946.1		287°50' 189m from front.	F G .....	22.1	16	Skeleton tower, orange daymark, black vertical stripe. 20.1	Visible in line of range. Year round.  <b>Chart:4432</b>
1606 H1950	Havre de Mingan Western Entrance range	On shore. 50 17 25.2 064 00 39.7	F G .....	7.0	16	Skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Year round.
1607 H1950.1		065°47' 420.7m from front.	F G .....	21.2	16	Square skeleton tower, two orange daymarks, black vertical stripe. 15.5	Visible in line of range. Year round.  <b>Chart:4432</b>
1607.3	Baie Mingan West Cardinal light and bell buoy	50 16 39.2 064 02 39.6	Q(9) W 15s .....	.....	.....	Yellow, black and yellow, marked "BMING".	Seasonal.  <b>Chart:4432</b>
1608 H1958	Îles aux Perroquets	Minganie on NW. island. 50 13 14.1 064 12 24.1	Fl W 5s	24.0	12	White octagonal tower, red upper portion. 12.3	Flash 1 s; eclipse 4 s. Obscured by île Mingan between 269° and 292°. Operates at night only. Seasonal.  <b>Chart:4432</b> <b>Edn 08/10 (Q10-090)</b> <b>Edn 05/11 (Q11-043)</b>
1614.5 H1975	Rivière-au- Tonnerre	50 16 25.3 064 46 50.7	F R .....	10.0	6	Square skeleton tower, 2 orange and black rectangular daymarks. 6.5	Operates at night only. Seasonal.  <b>Chart:4026</b> <b>Edn 10/11 (Q11-114)</b>
1614.7	Rivière-au- Tonnerre light and bell buoy RAT	50 15 49.6 064 46 47.5	Mo(A) W 6s .....	.....	.....	Red and white vertical stripes, marked "RAT".	Seasonal.  <b>Chart:4026</b>
1615 H1974	Rivière-au- Tonnerre range	50 16 38.2 064 46 47.6	F G .....	19.0	16	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Seasonal.
1616 H1974.1		359°50' 119.1m from front.	F G .....	25.7	16	Square skeleton tower, orange daymark, black vertical stripe. 10.9	Visible in line of range. Seasonal.  <b>Chart:4026</b> <b>Edn 10/11 (Q11-114)</b>
1617 H1978	Sheldrake	E. of Rivière Sheldrake. 50 15 49.1 064 54 29.1	Fl R 6s	16.4	4	Square skeleton tower, orange rectangular daymark. 5.0	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal.  <b>Chart:4026</b> <b>Edn 09/11 (Q11-087)</b>