

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE – RIVIÈRE DU LOUP							
1620 <i>H1770</i>	Cap-des-Rosiers- Est Wharf	On outer end of jetty. 48 50 18.8 064 12 46.4	Iso R 2s	7.6	4	Pipe swing pole. 6.3	Operates at night only. Seasonal. Chart:4485 Edn 08/12 (Q12-081)
1621 <i>H1768</i>	Cap-des-Rosiers	On cape. 48 51 22.5 064 12 03.8	Oc W 20s	41.5	24	White cylindrical tower. 34.1	Flash 15 s; eclipse 5 s. Year round. Chart:4485
1629 <i>H1782</i>	Rivière au Renard	On outer end of wharf. 48 59 52.4 064 22 59.9	Fl G 5s	8.4	19	Square skeleton tower. 6.4	Flash 1 s; eclipse 4 s. Omnidirectional. Seasonal. Chart:1230 Edn 10/11 (Q11-114) Edn 06/15 (Q15-044) Edn 01/24
1639 <i>H1798</i>	Anse-à-Valleau East	49 04 49.9 064 32 42.2	Iso R 2s	16.9	6	Square skeleton tower. 6.6	Operates at night only. Seasonal. Chart:4026 Edn 10/11 (Q11-114)
1640 <i>H1800</i>	Anse-À-Valleau	49 05 15.4 064 33 34.3	Fl W 10s	95.5	21	Skeleton tower. 33.5	Flash 1 s; eclipse 9 s. Year round. Chart:4026 Edn 06/12 (Q12-061)
1641	<i>Baie-de- Cloridorme light buoy CLOR1</i>	<i>Off the wharf. 49 11 15.2 064 50 40</i>	<i>Mo(A) W 6s</i>	<i>.....</i>	<i>.....</i>	<i>Red and white vertical stripes, marked "CLOR1".</i>	<i>Seasonal.</i> Chart:4026
1641.3	<i>Baie-de- Cloridorme light buoy CL1</i>	<i>49 11 11.9 064 50 35.1</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "CL1".</i>	<i>Seasonal.</i> Chart:4026 Edn 08/10 (Q10-024)
1641.7	<i>Baie-de- Cloridorme light buoy CL3</i>	<i>49 11 05.3 064 50 50.9</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "CL3".</i>	<i>Seasonal.</i> Chart:4026 Edn 08/10 (Q10-041)
1642 <i>H1808</i>	Cloridorme range	Close to cliff edge. 49 10 50.5 064 50 51.1	F R	10.9	16	Square skeleton tower, orange rectangular daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Seasonal.
1643 <i>H1808.1</i>		196°25' 73.8m from front.	F R	22.1	16	Square skeleton tower, orange rectangular daymark, black vertical stripe. 7.9	Visible in line of range. Operates at night only. Seasonal. Chart:4026 Edn 10/11 (Q11-114) Edn 08/12 (Q12-079, 080)
1644 <i>H1811</i>	Cloridorme	On outer end of wharf. 49 11 09.1 064 50 51.5	Fl G 6s	8.8	5	Square skeleton tower. 8.0	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal. Chart:4026 Edn 10/11 (Q11-114)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE – RIVIÈRE DU LOUP

1649 H1826	Grande-Vallée Wharf	On outer end of wharf. 49 13 47.2 065 08 00	Fl G 6s	10.0	6	Square skeleton tower. 8.0	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal. Chart:1229 Edn 10/11 (Q11-114)
1650	Rivière Madeleine light buoy RM1	Rivière Madeleine Harbour. 49 14 37.5 065 17 20.8	Q G 1s	Green, marked "RM1".	Seasonal. Chart:4026
1651 H1828	Cap de la Madeleine	On cape. 49 15 03.5 065 19 32.3	Fl(3) W 27s	44.5	20	White cylindrical tower. 16.8	Flash 0.18 s; eclipse 4.32 s; flash 0.18 s; eclipse 4.32 s; flash 0.18 s; eclipse 17.82 s. Privately maintained by l'Association Touristique Madeleine. Year round. Chart:4026
1651.5	Mont-Louis Cautionary light buoy WML	At the end of Saint- Maxime-du-Mont- Louis E. wharf. 49 14 15.3 065 43 40.7	Fl Y 4s	Yellow, marked "WML".	Seasonal. Chart:1230 Edn 08/19 (Q19-100, 111)
1652.5	Mont-Louis	49 13 44.9 065 43 56.7	Iso R W G 4s	6.7	11	Skeleton tower, red and white rectangular daymark. 3.2	Visible over an arc of 015°; red from 168.5° to 174°; white from 174° to 178°; green from 178° to 183.5°. Operates 24 h. Seasonal (in place year round). Chart:1230 Edn 11/20 (Q20-169) Edn 01/21 (Q20-238)
1654	Mont Louis ODAS light buoy MLS 45138	Off Mont-Louis. 49 32 20.8 065 42 38.5	Fl(5) Y 20s	Yellow, marked "MLS 45138".	Seasonal. Chart:4026 Edn 03/15 (Q14-037)
1656	ODAS light buoy IML-7	Off La Martre. 49 14 30 066 12 00	Fl(5) Y 20s	Yellow, marked "IML-7".	Seasonal. Chart:4026 Edn 05/11 (Q11-049)
1657 H1842	La Martre	On S. shore. 49 12 22.1 066 10 17.1	Fl(4) W 30s	39.6	17	Red octagonal tower, white vertical stripe. 19.2	Flash 2 s; eclipse 3 s; flash 2 s; eclipse 3 s; flash 2 s; eclipse 3 s; flash 2 s; eclipse 13 s. Emergency light. Privately maintained. Year round. Chart:4026 Edn 08/10 (Q10-091, 092)

**Baie des Sept Îles and
Archipel des Sept Îles**

1658 H1990	Île du Corossol	On island. 50 05 20.2 066 22 36.9	Fl W 2.5s	12	Skeleton tower. 18.3	Flash 0.1 s; eclipse 2.4 s. Operates at night only. Year round. Chart:1220
---------------	-----------------	---	-----------	-------	----	-------------------------	--

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE – RIVIÈRE DU LOUP

1659 H1993	Île Grande-Basque	On W. extremity of island. 50 09 10.4 066 22 38.6	Fl W 6s	12.1	7	Square skeleton tower. 6.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:1220 Edn 02/13 (Q12-147)
1660 H1992.5	Pointe au Corbeau	On point. 50 09 03 066 25 29.3	Fl G 6s	17.2	6	Square skeleton tower, orange rectangular daymark. 6.4	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:1220
1661	Pointe à la Marmite light buoy D11	N. of point. 50 10 17.2 066 25 45.9	Fl G 4s	Green, marked "D11".	Seasonal. Chart:1220
1662	Basques Est light buoy BASQE	50 10 55.3 066 21 43.7	Fl (2+1) G 6s	Green, red and green, marked "BASQE".	(Winter spar.) Year round. Chart:1220
1662.3	Pointe aux Basques light buoy D4	50 11 02.4 066 21 50.3	Fl R 4s	Red, marked "D4".	Seasonal. Chart:1220
1662.5	Récif du Basque North light buoy D7	50 11 00.7 066 22 15.2	Fl G 4s	Green marked "D7".	(Winter spar.) Year round. Chart:1220
1663	Récif du Basque light and bell buoy D6	Off W. limit of reef. 50 10 52.2 066 21 57.9	Fl R 4s	Red, marked "D6".	Seasonal. Chart:1220
1663.5	Basque Ouest light buoy BASQO	50 10 47.9 066 22 36.3	Fl (2+1) R 6s	Red, green and red, marked "BASQO".	(Winter spar.) Year round. Chart:1220
1663.7 H1994.6	Sept-Îles, Iron Ore range No. 2	Dock no. 2. 50 11 20.3 066 22 14.8	Iso Y 4s	13.6	Mast, orange daymark with black vertical stripe. 12.1	Private aid. Privately maintained by Iron Ore Company of Canada. Visible in line of range. Operates 24 h. Year round.
1663.71 H1994.61		N. of Pointe aux Basques. 121°48' 495.8 m from front.	Iso Y 4s	25.3	Mast, orange daymark with black vertical stripe. 23.8	Private aid. Privately maintained by Iron Ore Company of Canada. Visible in line of range. Operates 24 h. Year round. Chart:1220 Edn 01/20 (Q19-184, 185) Edn 03/21 (Q21-014, 015) Edn 06/22 (Q22-018, 019)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE – RIVIÈRE DU LOUP							
1664 H1994	Sept-Îles, Iron Ore range	Dock no. 5. 50 11 41.8 066 22 35.3	Iso G 4s	19.1	Cylindrical mast, orange daymark with black vertical stripe. 17.7	Private aid. Privately maintained by Iron Ore Company of Canada. Visible in line of range. Operates 24 h. Year round.
1665 H1994.1		097°41' 280.2 m from front.	Iso G 4s	34.6	Cylindrical mast, orange daymark with black vertical stripe. 33.2	Private aid. Privately maintained by Iron Ore Company of Canada. Visible in line of range. Operates 24 h. Year round.
Chart:1220 Edn 06/22 (Q22-015, 016)							
1666 H1994.4	Sept-Îles Oil Tanker Wharf FQ	On dolphin. 50 11 47.4 066 22 55.4	Iso W 6s	10.9	9	Mast, orange rectangular daymark.	Flash alternately. Privately maintained. Year round.
			Iso R 2s	8.5	8.1	
			Iso R 2s	7.9		
Chart:1220 Edn 10/11 Edn 01/12 Edn 10/16 (Q15-175)							
1666.05	Terminal des croisières	W. end of dolphin. 50 11 50.6 066 23 03.9	Iso R 2s	2	Mast.	Maintained by the Sept-Îles Port Authority. Year round.
Chart:1220 Edn 12/12 (Q11-131) Edn 03/16 (Q15-177) Edn 05/17							
1666.07	Sept-Îles, Terminal des croisières	East end of Duc d'Albe, section 12. 50 11 50.6 066 22 48.7	Iso W 2s	Mast.	Privately maintained. Year round.
Chart:1220 Edn 11/16 (Q16-156)							
1666.1	Havre de pêche Sept-Îles	On end of breakwater. 50 11 56.1 066 23 00.4	Iso G 2s	3.7	3	Mast.	Operates at night only. Year round.
Chart:1220							
1666.3 H1994.3	Sept-Îles Marina Entrance West Breakwater	On end of breakwater. 50 12 04.6 066 23 10.1	Iso W 2s	4.5	5	Pyramid tower.	Private aid. Operated by Club nautique de Sept-Îles Inc. Year round.
Chart:1220 Edn 11/22 (Q22-075)							
1666.5 H1994.34	Marina Sept-Îles West Breakwater	50 12 11.7 066 23 17.4	F W	4.8	Pyramid tower. 1.8	Privately operated by Club nautique de Sept-Îles Inc. Operates at night only. Year round.
Chart:1220							
1667 H1994.2	Sept-Îles Wharf	On wharf extension. 50 12 21.6 066 23 32.7	Iso G 2s	13.2	6	Skeleton tower. 12.5	Operates at night only. Year round.
Chart:1220							
1670.4	Pointe Noire light buoy D15	50 09 47.2 066 27 23	Q G 1s	Green, marked "D15".	(Winter spar.) Year round.
Chart:1220							

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE – RIVIÈRE DU LOUP

1671.2 H1997.4	Pointe-Noire Wharf range	50 09 55.3 066 28 55.5	Iso Y 2s	18.6	On building.	Maintained by the Canadian Port Authority. Visible in line of range. Operates 24 h. Year round.
1671.3 H1997.41		179°59' 173.3 m from front.	Iso Y 2s	26.6	On building.	Maintained by the Canadian Port Authority. Visible in line of range. Operates 24 h. Year round.
							Chart:1220 Edn 02/16 (Q15-183, 184) Edn 02/19
1672 H1997.6	Pointe Noire Ore Terminal West	W. end of Minière Wabush wharf. 50 09 55.4 066 29 10.1	Fl R 4s	5.2	6	Black cylindrical mast. 2.7	Privately maintained by Wabush Mines. Year round.
							Chart:1220
1672.1 H1997.5	Pointe-Noire, Anse-du-Portage Ste-Marguerite Sector	50 09 47.1 066 29 12.3	F AI RW AI GW	R W G	Skeleton skeleton tower.	Maintained by the Canadian Port Authority. Red from 202° 41'47" to 206° 56'47"; AI RW from 206° 56'47" to 210° 56'47"; white from 210° 56'47" to 216° 56'47"; AI GW from 216°56'47" to 220°56'47"; green from 220°56'47" to 225°11'47". White sector indicates preferred channel. Year round. Operates 24 h.
							Chart:1220 Edn 02/10 Edn 02/16 (Q15-182)
1672.3 H1997.7	Pointe Noire Railway Ferry Wharf	NE. end of dolphin. 50 09 39.1 066 27 24.2	Iso Bu 2s	5.0	Maintained by Port Authority. Year round.
							Chart:1220 Edn 01/12 Edn 04/12 (Q12-017) Edn 12/16 (Q16-181)
1672.4 H1997.8	Quai de Pointe Noire (La Relance) range	50 09 33.9 066 27 37.4	Iso R 2s	Cylindrical mast, red daymark, white vertical stripe.	Maintained by the Canadian Port Authority. Visible on line of range. Year round. Operates 24 h.
1672.5 H1997.81		192°42' 272m from front.	Iso R 2s	On silo, red daymark, white vertical stripe.	Maintained by the Canadian Port Authority. Visible on line of range. Year round. Operates 24 h.
							Chart:1220 Edn 02/16 (Q15-181, 178)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE – RIVIÈRE DU LOUP								
1672.7	Sept-Îles, Pointe Noire	Section 35, West end. 50 10 05.9 066 28 15.7	Iso R 1s	6	Cylindrical mast.	Privately maintained. Year round. Chart:1220 Edn 11/16 (Q16-147)	
1672.9	Sept-Îles, Pointe Noire	Section 35, East end. 50 10 01.5 066 27 56.4	Iso G 1s	6	Cylindrical mast.	Privately maintained. Year round. Chart:1220 Edn 11/16 (Q16-148)	
1673	Pointe Noire Ore Terminal West light buoy D20	NW. of wharf. 50 10 06.2 066 29 27.9	Fl R 4s	Red, marked "D20".	(Winter spar.) Year round. Chart:1220	
1674 H1991	West Rocks Dequen	At West Rocks. 50 07 16.3 066 25 58.1	Fl R 6s	12.4	6	Square skeleton tower. 6.1	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:1220	
1675 H1992	Pointe à la Chasse	On point. 50 07 38.9 066 27 07.9	Fl W 6s	12.2	8	Square skeleton tower. 6.4	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:1220	
1676 H1999	Québec Rayonier range	50 01 05.4 066 48 56.9	F W	9.6	19	Triangular skeleton tower, orange slatwork daymark, black vertical stripe. 7.3	Visible in line of range. Privately maintained by the Municipality of Port Cartier. Year round.
1676.1 H1999.1		005°25' 368.3m from front.	F W	19.2	19	Triangular skeleton tower, orange slatwork daymark, black vertical stripe. 10.3	Visible in line of range. Privately maintained by the Municipality of Port Cartier. Year round. Chart:1226
1677	Town of Port-Cartier West Light	Town wharf. 50 00 53.7 066 48 50.4	F W	Private aid. Year round. Chart:1226 Edn 06/18 (Q18-030, 083)	
1677.2	Town of Port-Cartier East Light	Town wharf. 50 00 53.5 066 48 50.0	F W	Private aid. Year round. Chart:1226 Edn 06/18 (Q18-031, 084)	
1677.4	Québec Rayonier light buoy KA13	50 00 48.7 066 49 02.5	Fl G 4s	Green, marked "KA13".	(Winter spar.) Year round. Chart:1226	
1677.6	Québec Rayonier light buoy KA12	50 00 48.8 066 48 56.1	Fl R 4s	Red, marked "KA12".	(Winter spar.) Year round. Chart:1226	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE – RIVIÈRE DU LOUP

1678 H2002	Port-Cartier range	50 02 09.2 066 46 49.9	F G	50.7	Skeleton tower, yellow diamond daymark, black cross.	Visible in line of range. Privately maintained by Compagnie Minière Québec Cartier. Year round.
1679 H2002.1		016°34' 513.2m from front.	F G	88.4	Skeleton tower, orange rectangular daymark, black vertical stripe. 23.2	Visible in line of range. Privately maintained by Compagnie Minière Québec Cartier. Year round.
							Chart:1226
1680	Port-Cartier Entrance light and bell buoy PTCAR	50 00 12.3 066 47 44.1	Mo(A) W 6s	Red and white vertical stripes, marked "PTCAR".	Privately maintained. (Winter spar.) Year round.
							Chart:1226
1681 H2000	Port-Cartier Entrance East	50 01 43.4 066 46 56	Fl R 3s Fl R 2s	12.5	6	Mast. 4.9	Flash 0.5 s; eclipse 2.5 s. Operates at night only. Radar reflector. Privately maintained by Compagnie Minière ArcelorMittal Mines Canada. Year round.
							Whistle - Blast 3.s; sil. 27.s. Chart:1226 Edn 06/10 (Q10-027)
1682 H2001	Port-Cartier Entrance West	50 01 42.5 66 47 07.2	Fl G 3s	12.2	6	Mast. 4.6	Flash 0.5 s; eclipse 2.5 s. Operates at night only. Radar reflector. Privately maintained by Compagnie Minière ArcelorMittal Mines Canada. Year round.
							Chart:1226 Edn 06/10 (Q10-028)
1682.4	Petite-Tourelle	At the end of breakwater. 49 10 11.7 066 22 19.6	Iso R 2s	3	Cylindrical mast. 7.6	Private aid. Seasonal.
							Chart:4026 Edn 03/21 (Q20-226)
1682.6 H1846	Petite-Tourelle range	At entrance of wharf. 49 10 02.3 066 22 24.6	F G	15.5	16	Square skeleton tower, orange daymark, black vertical stripe. 10.9	Visible in line of range. Seasonal.
1682.7 H1846.1		204°55' 90.6m from front.	F G	25.8	16	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Seasonal.
							Chart:4026 Edn 10/11 (Q11-114)
1683 H1852	Sainte-Anne-des-Monts	On outer end of wharf. 49 08 06.1 066 29 05.0	Iso R 2s	9.9	7	Square skeleton tower. 8.1	Omnidirectional. Seasonal.
							Chart:1230 Edn 08/10 Edn 10/11 (Q11-114) Edn 12/18 (Q18-152)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE – RIVIÈRE DU LOUP							
1683.1 H1854	Sainte-Anne-des-Monts harbour, North Breakwater	49 08 05.2 066 29 17.0	Fl R 6s	3.8	3	Mast. 2.0	Flash 1 s; eclipse 5 s. Seasonal. Chart:1230 Edn 01/24 (Q23-153)
1683.2 H1853	Sainte-Anne-des-Monts Harbour, South Breakwater	49 08 01.6 066 29 17.2	Fl G 6s	3.4	3	Mast. 3.0	Flash 1 s; eclipse 5 s. Seasonal. Chart:1230 Edn 01/24 (Q23-152)
1685 H1860	Cap-Chat	NE. point of cap, Gaspésie. 49 05 20.4 066 44 28	Fl W 6s	41.4	15	White square tower, red upper portion. 9.5	Flash 1 s; eclipse 5 s. Privately maintained by le Parc Récréotouristique du rocher Cap Chat. Emergency light. Year round. Chart:1236 Edn 04/10 (Q09-096) Edn 04/11 (Q11-041)
1685.2	Cap-Chat light buoy HA2	49 05 56.5 066 41 28.4	Fl R 4s	Red spar, marked "HA2".	Seasonal. Chart:1230 Edn 05/14 (Q14-025)
1685.1	Cap-Chat light buoy HA1	49 05 58.1 066 41 28.4	Fl G 4s	Green spar, marked "HA1".	Seasonal. Chart:1230 Edn 05/14 (Q14-026)
1685.3	Cap-Chat Breakwater	Gaspésie. 49 06 01.7 066 41 15.7	Fl R 6s	18.0	8	Square skeleton tower. 15.7	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal. Chart:1230 Edn 02/11 (Q10-147) Edn 10/11 (Q11-114) Edn 04/16 (Q16-045)
1686 H2010	Île du Grand Caoui	Near point of island. 49 49 35.3 067 00 21.4	Fl W 6s	45.1	8	White octagonal tower with red top. 14.3	Flash 1 s; eclipse 5 s. Omnidirectional. Year round. Chart:1226 Edn 01/24 (Q23-149)
1692	Godbout light buoy K14	Off Godbout. 49 17 45.2 067 36 08	Fl R 4s	Red, marked "K14".	Seasonal. Chart:1236
1692.5 H2027	Godbout Ferry Wharf	On ferry wharf. 49 19 21.2 067 35 28.0	Iso R 2s	11.3	4	Square skeleton tower.	Privately maintained by the Société des Traversiers du Québec. Year round. Chart:1236 Edn 01/24
1697 H2031	Les Méchins East	49 00 16.4 066 58 24.4	Fl R 6s	7.9	5	Square skeleton tower. 6.5	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal. Chart:1230 Edn 08/10

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE – RIVIÈRE DU LOUP

1698 H2032	Le Gros Méchins	On NE. dolphin. 49 00 26.8 066 58 27.4	Fl Y 4s	6.1	5	Square skeleton tower. 6.6	Private aid. Privately maintained by Verreault Navigation Inc. Seasonal. Chart:1230 Edn 06/22 (Q22-006)
1702	Matane light buoy MATAN	48 51 38.0 067 32 22.0	Mo(A) W 6s	Red and white vertical stripes, marked "MATAN".	Privately maintained by Club de Yacht de Matane Inc. Seasonal. Chart:1236 Edn 11/15 (G15-102)
1703	Rivière Matane - West Breakwater	48 51 21.4 067 32 07.9	Fl R 5s	5.7	Mast.	Flash 1 s; eclipse 4 s. Privately maintained by the City of Matane. Operates at night only. Seasonal. Chart:1236
1703.5	Matane Sector	48 51 07 067 31 52.8	Oc R W G 4s	6.2	On bridge.	Flash 3 s; eclipse 1 s. Red from 128°12' to 148°12'; white from 148° 12' to 152°12'; green from 152°12' to 172°12'. White sector indicates preferred channel. Privately maintained by the City of Matane. Operates at night only. Seasonal. Chart:1236
1704	Rivière Matane - East Breakwater	48 51 22.8 067 32 04.1	Fl G 5s	5.7	Mast.	Flash 1 s; eclipse 4 s. Privately maintained by the City of Matane. Operates at night only. Seasonal. Chart:1236
1705.4 H2043	Port de Matane East Breakwater	On outer end of E. breakwater. 48 50 49.7 067 34 33.1	Fl G 6s	10.2	16	Square skeleton tower.	Flash 1 s; eclipse 5 s. Operates 24 h. Year round. Chart:1236 Edn 02/21 (Q20-161)
1705.5 H2044	Matane Railway Ferry Wharf	48 50 37.9 067 34 25.2	F R 4s	7.2	7	Square skeleton tower. 3.1	Privately maintained by Société des traversiers du Québec. Year round. Chart:1236 Edn 01/12
1705.55	Port de Matane Pile 1	48 50 33.3 067 34 24.1	Fl Y 4s	4.7	Post.	Private aid. Operates 24 h. Seasonal (in place year round). Chart:1236 Edn 10/18 (Q18-068)
1705.6 H2042	Port de Matane West Breakwater	On outer end of W. breakwater. 48 50 56.5 067 34 39.6	Fl R 4s	10.9	9	Square skeleton tower.	Flash 1 s; eclipse 3 s. Year round. Chart:1236 Edn 02/21 (Q20-160)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE – RIVIÈRE DU LOUP							
1707 H2048	Pointe Mitis (Petit Mitis)	On point. 48 40 49.2 068 02 02.5	Fl(3) W 7.5s	21.0	Hexagonal tower. 24.9	Flash 0.25 s; eclipse 1 s; flash 0.25 s; eclipse 1 s; flash 0.25 s; eclipse 4.75 s. Night emergency light. Privately maintained by the Municipality of Mitis-sur-Mer. Year round.
							Chart:1236
1707.9	Rimouski ODAS light buoy IML-4	48 40 00 068 35 00	Fl(5) Y 20s	Yellow, marked "IML-4".	Seasonal.
							Chart:1236
1709 H2050	Pointe Saint-Panrace	On extremity of point. 49 15 14.2 068 04 41.0	Fl W 6s	25.3	8	Square skeleton tower, orange rectangular daymark. 11.0	Flash 1 s; eclipse 5 s. Omnidirectional. Year round.
							Chart:1226 Edn 01/24 (Q23-146)
1710 H2050.5	Baie des Anglais range	On point, N. extremity Baie des Anglais. 49 16 08 068 07 44.6	F G	27.1	Skeleton tower, orange daymark, black vertical stripe. 15.5
1711 H2050.6		312°19' 220.1m from front.	F G	38.3	Skeleton tower, orange daymark, black vertical stripe. 3.0
							Chart:1226
1712 H2051	Anse du Moulin range	E. of silos. 49 15 16.3 068 08 03.7	F R	36.3	Mast, white daymark, red vertical stripe.
1713 H2051.1		237°18' 229.4m from front.	F R	67.4	Square skeleton tower, white daymark, red vertical stripe. 4.4
							Chart:1226
1713.5	Anse du Moulin light buoy KD6	49 15 06.2 068 07 51.3	Fl R 4s	Red, marked "KD6".	(Winter spar.) Year round.
							Chart:1226
1714 H2052	Anse du Moulin, Alcoa range	Fixed on top of a tank. 49 14 51.3 068 08 17.2	Fl R 3.5s	34.1	Orange square daymark, white vertical stripe.	Private aid. Privately maintained by Alcoa Canada. Flash 0.6 s; eclipse 2.9 s. Year round.
1715 H2052.1		239°17' 182.2 m from front.	Iso R 10s	59.6	Orange square daymark, white vertical stripe.	Private aid. Privately maintained by Alcoa Canada. Visible in line of range. Year round.
							Chart:1226 Edn 04/20 (Q20-038, 039)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE – RIVIÈRE DU LOUP

1715.5	Anse du Moulin light buoy KD7	Baie Comeau. 49 14 54.7 068 07 49.1	Fl G 4s	Green, marked "KD7".	Seasonal. Chart:1226 Edn 01/24 (Q23-148)
1715.7 H2055	Baie-Comeau Ferry	In harbour. 49 14 03.3 068 07 56.5	F R	5.2	7	Square tower. Privately maintained by La Société des traversiers du Québec. Omnidirectional. Year round. Chart:1226 Edn 01/24
1716 H2054	Baie-Comeau	On outer end of wharf. 49 14 09.1 068 07 43.3	Fl R 6s	12.4	17	Skeleton tower. 9.6	Flash 1 s; eclipse 5 s. Year round. Chart:1226
1716.2	Marina Baie- Comeau Entrance, West breakwater	On outer end of West breakwater. 49 13 42.3 068 08 03.8	F Bu	6.6	On support. 1.2 Privately maintained by le Club nautique de Baie-Comeau Inc. Operates at night only. Seasonal. Chart:1226 Edn 09/10 (Q10-134)
1716.4	Marina Baie- Comeau Entrance, East breakwater	On outer end of East breakwater. 49 13 42.4 068 08 00.2	F Bu	7.7	On support. 1.2 Privately maintained by le Club nautique de Baie-Comeau Inc. Operates at night only. Seasonal. Chart:1226 Edn 09/10 (Q10-135)
1716.5	Club nautique de Baie-Comeau light buoy KC1	49 13 42.3 068 07 54.2	Fl G 3s	Green, marked "KC1".	Flash 0.5 s; eclipse 2.5 s. Private aid. Privately maintained by le Club nautique de Baie-Comeau. Seasonal. Chart:1226 Edn 10/12 (Q12-119) Edn 01/24
1716.6	Marina Baie- Comeau, East breakwater center	On centre of East breakwater. 49 13 44.1 068 07 54.9	F W	6.7	On support. 1.2 Privately maintained by le Club nautique de Baie-Comeau Inc. Operates at night only. Seasonal. Chart:1226 Edn 09/10 (Q10-136)
1716.8	Club nautique de Baie-Comeau light buoy KC3	49 13 40.9 068 08 01.1	Fl G 3s	Green, marked "KC3".	Privately maintained by le Club nautique de Baie-Comeau. Seasonal. Chart:1226 Edn 10/12 (Q12-120)
1717	Rivière Manicouagan light and bell buoy KD14	Off river mouth. 49 12 04.2 068 03 21.1	Fl R 4s	Red, marked "KD14".	(Winter spar.) Year round. Chart:1226
1718	Battures de Manicouagan light buoy K30	Port-Cartier. 49 03 45.2 068 08 18.1	Fl R 4s	Red, marked "K30".	Seasonal. Chart:1236 Edn. 01/24 (Q23-147)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE – RIVIÈRE DU LOUP							
1719 H2056	Pointe de Manicouagan Racon -.- (X) X & S Band	On point. 49 06 04.4 068 11 37.8	Fl W 6s	36.1	20	Skeleton tower. 30.5	Flash 1 s; eclipse 5 s. Radar reflector. Year round. Chart:1236
1726	<i>Pointe à Michel light buoy K32</i>	<i>Off the point. 48 53 30.1 068 37 58.2</i>	<i>Fl R 4s</i>	<i>Red, marked "K32".</i>	<i>Seasonal.</i> Chart:1236
1729 H2063	Cap Colombier FR	On cape. 48 49 14.3 068 52 33.3	Fl W 6s	24.1	7	Square Skeleton tower. 9.8	Seasonal. Flash 1 s; eclipse 5 s. Chart:1236 Edn 03/15 (Q15-010) Edn 05/15 (Q14-060)
1731	<i>Port de Rimouski light and bell buoy H41</i>	<i>Channel entrance. 48 30 28.1 068 31 04.1</i>	<i>Fl G 4s</i>	<i>Green, marked "H41".</i>	<i>Seasonal.</i> Chart:1236 Edn 05/20 (Q20-069)
1732	<i>Port de Rimouski light buoy HT2</i>	<i>Quai de Rimouski approach. 48 29 32.5 068 31 11.8</i>	<i>Fl R 4s</i>	<i>Red, marked "HT2".</i>	<i>Seasonal.</i> Chart:1236 Edn 05/21 (Q21-025)
1732.2	<i>Port de Rimouski light buoy HT3</i>	<i>Quai de Rimouski approach. 48 29 25.3 068 31 07.0</i>	<i>Fl G 4s</i>	<i>Green, marked "HT3".</i>	<i>Seasonal.</i> Chart:1236 Edn 05/20 (Q20-068) Edn 05/21 (Q21-026)
1732.3	<i>Port de Rimouski light buoy HT11</i>	<i>48 28 56.7 068 31 06.7</i>	<i>Q G 1s</i>	<i>Green, marked "HT11".</i>	<i>Seasonal.</i> Chart:1236 Edn 03/23 (Q20-046)
1732.4	<i>Port de Rimouski light buoy HT10</i>	<i>Quai de Rimouski approach. 48 28 49.6 068 31 10.5</i>	<i>Q R 1s</i>	<i>Red, marked "HT10".</i>	<i>Seasonal.</i> Chart:1236 Edn 05/20 (Q20-047)
1733 H2072	Rimouski	On outer end of wharf. 48 28 52 068 31 02.1	Iso G 2s	14.4	6	Square skeleton tower. 12.6	Operates at night only. Year round. Chart:1236
1734 H2074	Rimouski Harbour range	S. of wharf. 48 28 06.0 068 31 06.1	Iso R 2s	11.2	15	Square skeleton tower, orange daymark, black vertical stripe. 11.2	Visible in line of range. Operates 24 h. Emergency mode. Year round.
1735 H2074.1	Racon -. (N) X & S Bands	178°23' 701.7 m from front.	Iso R 2s	20.6	15	Square skeleton tower, orange daymark, black vertical stripe. 18.9	Visible in line of range. Operates 24 h. Emergency mode. Year round. Chart:1236 Edn 03/10 (Q09-139, 140) Edn 04/11 (Q10-167, 168) Edn 12/18 (Q18-150, 151)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE – RIVIÈRE DU LOUP								
1736	Forestville light and bell buoy K38	Off entrance to Baie Laval. 48 44 30.1 068 58 28.2	Fl R 4s	Red, marked "K38".	Seasonal. Chart:1236	
1736.5	Baie Verte light buoy KE3	Forestville. 48 44 15.1 069 02 33.9	Fl G 4s	Green, marked "KE3".	Seasonal. Chart:1236 Edn 04/21 (Q21-023)	
1736.6	Baie Verte light buoy KE4	Forestville. 48 44 18.3 069 02 34.6	Fl R 4s	Red, marked "KE4".	Seasonal. Chart:1236 Edn 04/21 (Q21-024)	
1736.8	Baie Verte light buoy KE2	Forestville. 48 44 21.8 069 01 58.2	Fl R 4s	Red, marked "KE2".	Seasonal. Chart:1236 Edn 04/21 (Q21-022)	
1738 H2064	Pointe Rocheuse	On hill, E. of harbour. 48 44 21.5 069 02 53.3	Fl W 6s	20.0	8	Square skeleton tower. 15.7	Flash 2 s; eclipse 4 s. Year round. Chart:1236 Edn 09/11 (Q11-075)	
1739 H2066	Forestville range	On shore. 48 44 09.7 069 03 45	F G	17.9	16	Square skeleton tower, orange rectangular daymark, black vertical stripe. 6.3	Visible in line of range. Seasonal.
1740 H2066.1		261°34' 241.4m from front.	F G	31.9	16	Red and white square skeleton tower, orange rectangular daymark, black vertical stripe. 4.7	Visible in line of range. Seasonal. Chart:1236 Edn 10/11 (Q11-114)
1747	Pointe à Boisvert light buoy K48	SE. of the point. 48 33 00.1 069 07 18.2	Fl R 4s	Red, marked "K48".	Seasonal. Chart:1236 Edn 10/12 (Q12-123)	
1748 H2084	Île Bicquette Sector	NW. side of centre of island. 48 24 55.6 068 53 34	Fl W 2s Fl R 6s	34.1 34.1	12 5	White cylindrical tower.	White light visible from 011° through E., S. and W. to 295°. Red light visible from 192° through W., N. and E. to 116°. Red and white night light only. Seasonal. Chart:1223	
1749	Récif du Nord- Ouest light and bell buoy H47	Off reef. 48 24 27.1 068 56 05.1	Fl G 4s	Green, marked "H47".	Seasonal. Chart:1223	
1750 H2086	Île du Bic (West end)	On SW. point of island. 48 23 11.4 068 53 20.5	Fl W 6s	11.1	8	Red and white square skeleton tower, orange rectangular daymarks on 3 faces. 9.2	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal. Chart:1223	
1751	Rocher Alcide North Cardinal light buoy ROALC	Off N. side of rock. 48 20 15.5 068 55 58.4	Q W 1s	Black and yellow, marked "ROALC".	Seasonal. Chart:1223	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE – RIVIÈRE DU LOUP

1752	Cap à la Carre North Cardinal light buoy CALR	N. of shoal. 48 19 57.1 069 00 55.1	Q W 1s	Black and yellow, marked "CALR".	Seasonal. Chart:1320 Edn 10/12 (Q12-125)	
1753 H2088	Les Escoumins Wharf	On the portal landing, S. side. 48 20 45.2 069 23 22.6	Fl G 6s	12.2	6	On superstructure. 10.4	Flash 1 s; eclipse 5 s. Privately maintained by la Régie intermunicipale des infrastructures portuaires de Trois-Pistoles et les Escoumins. Radar reflector. Operates at night only. Seasonal. Chart:1320 Edn 02/10 (Q10-002, 004) Edn 04/10 (Q09-125) Edn 10/15	
1754 H2089	Anse aux Basques Racon -- (K) X & S Band	On shore, E. side. 48 19 07.5 069 24 46.5	Fl Y 6s	17.8	19	Square skeleton tower. 9.6	Flash 1 s; eclipse 5 s. Year round. Chart:1320 Edn 10/15	
1755	Bon Désir	48 16 19.5 069 28 07.2	Fl W 6s	46.4	18	White octagonal tower, red upper portion. 14.3	Flash 1s; eclipse 5 s. Year round. Chart:1320 Edn 10/15	
1756 H2098	Trois-Pistoles range	On outer end of wharf. 48 08 05.1 069 11 12.5	F R	8.5	6	Square skeleton tower, orange daymark, black vertical stripe. 6.9	Visible in line of range. Operates at night only. Seasonal.
1756.1 H2098.1		136°55' 241.9m from front.	F R	17.1	16	Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Operates at night only. Seasonal. Chart:1320 Edn 01/10 (Q09-128, 131) Edn 10/11 (Q11-114) Edn 10/15
1756.14	Trois-Pistoles light buoy HR3	48 08 26.4 069 11 40.5	Q G 1s	Green, marked "HR3".	Seasonal. Chart:1320 Edn 10/15	
1756.2	Trois-Pistoles light buoy HR2	48 08 18.3 069 11 32.5	Q R 1s	Red, marked "HR2".	Seasonal. Chart:1320 Edn 10/15	
1756.4 H2096	Île aux Basques	E. end of island. 48 08 57.1 069 14 18.4	Fl Y 6s	13.1	7	Square skeleton tower. 9.4	Flash 1 s; eclipse 5 s. Radar reflector. Operates at night only. Seasonal. Chart:1320 Edn 10/15	
1757	Grandes- Bergeronnes light buoy KJ2	Grandes- Bergeronnes entrance. 48 13 18.1 069 33 11.2	Fl R 4s	Red, marked "KJ2".	Privately maintained by Marina de Bergeronne. Seasonal. Chart:1320 Edn 10/15	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE – RIVIÈRE DU LOUP								
1757.1	Grandes-Bergeronnes light buoy KJ4	Grandes-Bergeronnes entrance. 48 13 37.7 069 33 20.3	Fl R 4s	Red, marked "KJ4-Marina Bergeronnes".	Privately maintained. Seasonal. Chart:1320 Edn 10/15	
1761 H2146	Île Verte	On NW. point of island. 48 03 03.9 069 25 27.3	Fl W 5s	16.5	19	White cylindrical tower. 16.8	Flash 1 s; eclipse 4 s. Year round. Chart:1320 Edn 10/15	
1762 H2148	Île Verte (East Wharf)	On S. corner of wharf. 48 02 22.4 069 24 22.7	F G	5.6	7	Square skeleton tower. 5.0	Operates at night only. Seasonal. Chart:1320 Edn 10/15
1763	Batture de l'Île Ronde light buoy HV1	L'Isle-Verte. 48 02 06.2 069 21 27.2	Fl G 4s	Green, marked "HV1".	Seasonal. Chart:N/A Edn 01/20 (Q19-114)	
1763.1	Batture de l'Île Ronde light buoy HV2	L'Isle-Verte. 48 02 00.2 069 21 33.5	Fl R 4s	Red, marked "HV2".	Seasonal. Chart:N/A Edn 01/20 (Q19-124)	
1763.15	Batture de l'Île Ronde light buoy HV3	L'Isle-Verte. 48 02 00.0 069 21 19.1	Fl G 4s	Green, marked "HV3".	Seasonal. Chart:1320 Edn 10/20 (Q20-154)	
1763.2	Batture de l'Île Ronde light buoy HV4	L'Isle-Verte. 48 01 56.1 069 21 26.6	Fl R 4s	Red, marked "HV4".	Seasonal. Chart:1320 Edn 10/20 (Q20-155)	
1763.25	Batture de l'Île Ronde light buoy HV5	L'Isle-Verte. 48 01 52.2 069 21 10.0	Fl G 4s	Green, marked "HV5".	Seasonal. Chart:1320 Edn 10/20 (Q20-156)	
1763.3	Batture de l'Île Ronde light buoy HV6	L'Isle-Verte. 48 01 49.4 069 21 16.2	Fl R 4s	Red, marked "HV6".	Seasonal. Chart:N/A Edn 01/20 (Q19-128)	
1763.35	Anse Verte light buoy HV7	L'Isle-Verte. 48 01 45.3 069 21 3.00	Fl G 4s	Green, marked "HV7".	Seasonal. Chart:1320 Edn 10/20 (Q20-157)	
1763.4	Anse Verte light buoy HV8	L'Isle-Verte. 48 01 42.5 069 21 09.0	Fl R 4s	Red, marked "HV8".	Seasonal. Chart:N/A Edn 01/20 (Q19-130)	
1763.45	Anse Verte light buoy HV9	L'Isle-Verte. 48 01 35.8 069 20 57.7	Fl G 4s	Green, marked "HV9".	Seasonal. Chart:1320 Edn 10/20 (Q20-158)	
1763.5	Anse Verte light buoy HV10	L'Isle-Verte. 48 01 34.9 069 21 02.8	Fl R 4s	Red, marked "HV10".	Seasonal. Chart:N/A Edn 01/20 (Q19-132)	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

ST. LAWRENCE ESTUARY, GULF OF ST. LAWRENCE – RIVIÈRE DU LOUP

1763.6	Anse Verte light buoy HV12	L'Isle-Verte. 48 01 28.4 069 20 59.5	Fl R 4s	Red, marked "HV12".	Seasonal. Chart:1320 Edn 10/20 (Q20-159)
1766.8	Bancs de l'Île Rouge light buoy K51	NE. extremity of bank. 48 06 53.1 069 31 03.2	Q G 1s	Green, marked "K51".	Seasonal. Chart:1320 Edn 10/15
1768	Bancs de l'Île Rouge light buoy K55	NW. extremity of bank. 48 05 37.8 069 33 58.9	Fl G 4s	Green, marked "K55".	Seasonal. Chart:1203
1769	Bancs de l'Île Rouge light buoy H52	On NE. end of bank. 48 04 31.1 069 31 39.2	Fl R 4s	Red, marked "H52".	Seasonal. Chart:1320 Edn 10/15
1770 H2104	Île Rouge	On centre of island. 48 04 10.0 069 33 16.9	Fl W 10s	20.1	20	Cylindrical tower. 20.1	Flash 1 s; eclipse 9 s. Omnidirectional. Year round. Chart:1203 Edn 07/23 (Q23-034)
1771	Batture aux Alouettes light buoy K58	Saguenay River Entrance. 48 03 30.1 069 38 36.2	Q R 1s	Red, marked "K58".	(Winter spar.) Year round. Chart:1203 Edn 05/20 (Q20-033)
1772	Batture aux Alouettes light buoy K56	48 04 54.1 069 37 22.2	Fl R 4s	Red, marked "K56".	Seasonal. Chart:1203