

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>SAGUENAY RIVER</b>								
1773 H2106	<b>Haut-fond Prince</b>	Rivière-du-Loup, on shoal. 48 06 29.6 069 36 51.7	Fl W 2.5s	24.6	18	White cylindrical tower with red bands.	Flash 0.1 s; eclipse 2.4 s. Omnidirectional. Year round.  <b>Chart:1203 Edn 02/24 (Q24-040)</b>	
1774.3	<i>Rochers du Saguenay light buoy K54</i>	<i>S. of rocks.</i> 48 07 48.6 069 35 56.9	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "K54".</i>	<i>Seasonal.</i>  <b>Chart:1203</b>	
1774.5	<i>Saguenay River Entrance light buoy S3</i>	<i>At river entrance.</i> 48 06 47.1 069 37 50.2	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "S3".</i>	<i>Seasonal.</i>  <b>Chart:1203</b>	
1775	<i>Batture aux Vaches light and bell buoy S4</i>	<i>On S. side of shoal.</i> 48 07 24.1 069 37 58.2	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "S4".</i>	<i>(Winter spar.) Year round.</i>  <b>Chart:1203</b>	
1776	<i>Récif Bar light and bell buoy S5</i>	<i>On N. side of reef.</i> 48 06 59.9 069 39 15.8	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "S5".</i>	<i>Seasonal.</i>  <b>Chart:1203</b>	
1777	<i>Batture de la Pointe aux Vaches light buoy S8</i>	48 07 30.1 069 40 17.2	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "S8".</i>	<i>Seasonal.</i>  <b>Chart:1203</b>	
1778	<i>Îlet aux Alouettes light buoy S7</i>	48 07 11.1 069 40 30.2	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "S7".</i>	<i>Seasonal.</i>  <b>Chart:1203</b>	
1779 H2112	<b>Pointe Noire, Saguenay range</b>	On E. extremity of point. 48 07 23.9 069 43 00.4	F W	.....	29.1	20	Square skeleton tower, orange trapezoidal daymark, black vertical stripe.  11.4	Visible in line of range. Emergency light. Year round.
1779.1			F G	.....	28.8	6	11.0	Visible from 077° through E. and S. to 257°.
1780 H2112.1		On the side of the mountain. 273°05' 427.4m from front.	F W	.....	43.5	20	Square skeleton tower, orange trapezoidal daymark, black vertical stripe.  9.1	Visible in line of range. Emergency light. Year round.  <b>Chart:1203 Edn 03/11 (Q11-003, 004, 005) Edn 04/11 Edn 11/11 (Q11-106, 107)</b>
1781 H2108	Baie Sainte-Catherine	West side of the landing of Baie Sainte-Catherine ferry. 48 06 56.8 069 43 14	Fl G 6s	9.3	6	Red rectangular tower. 1.3	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:1203</b>	
1782.5	<i>Marina de Tadoussac Hazard light buoy PRIV</i>	48 08 19.3 069 42 53.0	<i>Fl Y 4s</i>	<i>.....</i>	<i>.....</i>	<i>White and orange, marked "PRIV".</i>	<i>Privately maintained. Flash 1 s; eclipse 3 s. Operates 24 h. Seasonal.</i>  <b>Chart:1203 Edn 09/17 (Q17-032)</b>	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>SAGUENAY RIVER</b>							
1783 H2115	Pte de l'Islet	At point. 48 08 07.3 069 42 59.4	Fl W 6s	12.0	8	Skeleton tower. 9.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:1203</b>
1784 H2118	Anse à l'Eau	On outer end of wharf. 48 08 19.1 069 43 38.9	F G .....	10.8	6	Skeleton tower. 6.5	Operates at night only. Radar reflector. Year round.  <b>Chart:1203</b>
1784.5 H2113	Anse du Portage	On outer end of wharf. 48 07 36.6 069 43 49.6	F Y .....	9.9	8	Skeleton tower. 6.9	Operates at night only. Year round.  <b>Chart:1203</b>
1785 H2122	Cap de la Boule	On S. side of point. 48 08 52.7 069 48 13.1	Fl W 6s	18.0	5	Square skeleton tower. 6.6	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:1203</b> <b>Edn 03/12 (Q11-174)</b>
1786 H2124	Anse de Sable	W. of cove. 48 09 05.6 069 51 18.8	Fl W 6s	6.8	5	Square skeleton tower. 6.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:1203</b> <b>Edn 03/12 (Q11-175)</b>
1787 H2130	Anse à Pierrot	NW. of cove. 48 14 01.7 069 53 41.8	Fl W 6s	13.1	5	Square skeleton tower. 9.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:1203</b> <b>Edn 03/12 (Q11-176)</b>
1788 H2126	Pointe aux Crêpes	On point. 48 13 01.2 069 53 41.4	Fl G 6s	12.9	5	Square skeleton tower. 8.0	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:1203</b> <b>Edn 03/12 (Q11-177)</b>
1789 H2128	Anse-de-Roche	On wharf on N. shore. 48 13 05.7 069 52 30.6	Iso R 2s	6.6	7	Skeleton tower. 6.4	Operates at night only. Privately maintained by Municipalité de Sacré-Coeur. Seasonal.  <b>Chart:1203</b>
1790 H2131	Île Saint-Louis	On N. side of island. 48 15 03.3 070 01 08.6	Fl W 6s	39.6	5	Square skeleton tower. 9.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:1203</b> <b>Edn 03/12 (Q11-178)</b>
1791 H2133	Pointe Claveau	On point. 48 15 37.7 070 06 52.4	Fl W 6s	15.3	5	Square skeleton tower. 9.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:1203</b> <b>Edn 03/12 (Q11-179)</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

SAGUENAY RIVER

1793 H2136	Anse de Tabatière	NW. of Pointe au Boeuf. 48 16 19.5 070 12 08.1	Fl W 6s	15.0	5	Square skeleton tower. 4.9	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:1203</b> <b>Edn 03/12 (Q11-180)</b>
1794 H2138	Baie Trinité	On point opposite La Niche. 48 21 13.5 070 20 40.5	Fl W 6s	16.3	8	Skeleton tower, orange rectangular daymark. 9.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:1202</b>
1795 H2140	Cap Rouge	48 22 28.2 070 32 06.7	Fl W 6s	14.8	5	Square skeleton tower. 8.0	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:1202</b> <b>Edn 03/12 (Q11-181)</b>
1798 H2142	Cap à l'Est	On S. extremity of cape. 48 22 33.2 070 42 20.4	Fl W 6s	17.0	5	White octagonal tower, red upper portion. 8.1	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Chart:1202</b> <b>Edn 03/12 (Q11-182)</b>

Baie des Ha! Ha! Harbour

1799	Baie des Ha!Ha! light buoy SH9	NE. of Pte. du Fort. 48 21 24.1 070 45 42.3	Fl G 4s	.....	.....	Green, marked "SH9".	Seasonal.  <b>Chart:1202</b>
1799.11	Powell Docking Basin #2 range	48 19 57.8 070 52 25.7	Iso Y 1s	.....	.....	Mast, yellow daymark with black vertical stripe.	Private aid. Flash 0.5 s; eclipse 0.5 s. Visible 8°. Operates 24 h. Year round.
1799.12		099°30' 59 m from front.	Iso Y 1s	.....	.....	Mast, yellow daymark with black vertical stripe.	Private aid. Flash 0.5 s; eclipse 0.5 s. Visible 8°. Operates 24 h. Year round.  <b>Chart:1202</b> <b>Edn 03/24 (Q24-111, 112)</b>
1799.13	Powell Docking Basin #2 range	48 19 59.3 070 52 25.3	F B .....	.....	.....	Mast, yellow daymark with black vertical stripe.	Private aid. Visible 8°. Operates 24 h. Year round.
1799.14		100°18' 89 m from front.	F B .....	.....	.....	Mast, yellow daymark with black vertical stripe.	Private aid. Visible 8°. Operates 24 h. Year round.  <b>Chart:1202</b> <b>Edn 03/24 (Q24-113, 114)</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>SAGUENAY RIVER</b>									
1799.2 H2142.3	Port-Alfred range	La Baie, Baie des Ha! Ha! 48 20 04.3 070 52 27.2	F	R	.....	15.0	.....	On building, orange daymark with black vertical stripe.	Private aid. Visible in line of range. Operates 24 h. Year round.
1799.3 H2142.31		261°46' 122.4 m from front.	F	R	.....	26.1	.....	On building, orange daymark with black vertical stripe.	Private aid. Visible in line of range. Operates 24 h. Year round.
<b>Chart:1202</b> <b>Edn 07/11 (Q11-067, 068)</b> <b>Edn 04/24 (Q24-130, 131)</b>									
1799.4 H2142.2	Bagotville Wharf	48 20 35 070 52 33	Iso	R	2s	10.7	6	Pipe Swing Pole. 8.1	Operates at night only. Year round.
<b>Chart:1202</b> <b>Edn 01/11 (Q09-051)</b>									
<b>Chicoutimi Harbour</b>									
1799.5 H2142.8	Pointe aux Pins	W. side of the point. 48 25 08.2 070 49 52.8	Fl	Y	6s	10.9	5	Square skeleton tower, orange rectangular daymark. 6.4	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
<b>Chart:1202</b> <b>Edn 03/12 (Q11-183)</b>									
1800.5	Poste-Saint-Martin light buoy S30	Chicoutimi Harbour. 48 25 20.7 070 52 49.0	Fl	R	4s	.....	.....	Red, marked "S30".	Seasonal.
<b>Chart:1201</b> <b>Edn10/14 (Q14-061)</b> <b>Edn 03/24</b>									
1801 H2143		48 26 36.7 070 59 00.6	F	W	.....	24.0	15	Square tower, orange trapezoidal daymark, black vertical stripe.	Visible in line of range. Seasonal.
1802 H2143.1	Poste-Saint- Martin range	287°18' 3322.3m from front.	F	W	.....	54.1	15	Square skeleton tower, orange trapezoidal daymark, black vertical stripe. 18.9	Visible in line of range. Seasonal.
<b>Chart:1201</b> <b>Edn 10/11 (Q11-114)</b> <b>Edn 10/14 (Q14-061)</b>									
1802.4	Poste-Saint-Martin light buoy S32	Chicoutimi Harbour. 48 25 29.8 070 53 32.2	Fl	R	4s	.....	.....	Red, marked "S32".	Seasonal.
<b>Chart:1201</b> <b>Edn 10/14 (Q14-061)</b> <b>Edn 03/24</b>									
1802.6	Light buoy S34	48 25 38.8 070 54 15.7	Fl	R	4s	.....	.....	Red, marked "S34".	Seasonal.
<b>Chart:1201</b> <b>Edn 10/14 (Q14-061)</b>									
1803	Light buoy S36	Off Poste-Saint- Martin. 48 25 47.9 070 54 59.2	Fl	R	4s	.....	.....	Red, marked "S36".	Seasonal.
<b>Chart:1201</b> <b>Edn 10/14 (Q14-061)</b>									
1803.5	Light buoy S37	48 25 55 070 55 45.6	Fl	G	4s	.....	.....	Green, marked "S37".	Seasonal.
<b>Chart:1201</b> <b>Edn 10/14 (Q14-061)</b>									

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>SAGUENAY RIVER</b>							
1804	Light buoy S38	48 26 04.2 070 56 17.8	Q R 1s	.....	.....	Red, marked "S38".	Seasonal.  Chart:1201 Edn 10/14 (Q14-061)
1804.3	Light buoy S39	48 26 05 070 56 34	Fl G 4s	.....	.....	Green, marked "S39".	Seasonal.  Chart:1201 Edn 10/14 (Q14-061)
1804.5	Light buoy S40	48 26 14.1 070 56 42.8	Q R 1s	.....	.....	Red, marked "S40".	Seasonal.  Chart:1201 Edn 10/14 (Q14-061)
1804.7	Light buoy S42	48 26 30.7 070 57 08.6	Fl R 4s	.....	.....	Red, marked "S42".	Seasonal.  Chart:1201 Edn 10/14 (Q14-061)
1805 H2143.3	Rivière Valin range	E. of river mouth. 48 27 36.7 070 58 53.7	Iso W 2s	27.4	11	Trapezoidal skeleton tower, fluorescent red slatwork daymark with black vertical stripe. Fluorescent red rectangular daymark on W. side of structure. 26.2	Visible in line of range. Divergence angle of 7°. Operates 24 h. Seasonal.
1806 H2143.31		314°02' 1020.8 m from front.	Iso W 2s	47.9	11	Square skeleton tower, fluorescent red slatwork daymark with black vertical stripe. 9.5	Visible in line of range. Operates 24 h. Seasonal.  Chart:1201 Edn 10/11 (Q11-114) Edn 10/14 (Q14-061) Edn 01/18 (Q17-028, 044) Edn 06/19 (Q18-153, 154)
1806.5	Light buoy S44	48 26 45.2 070 57 31	Fl R 4s	.....	.....	Red, marked "S44".	Seasonal.  Chart:1201 Edn 10/14 (Q14-061)
1808 H2143.4	Rivière du Caribou range	On N. side of Rivière Saguenay. 48 27 23.2 071 00 35.6	F W .....	13.2	15	Square skeleton tower, orange daymark with black vertical stripe. 12.6	Visible in line of range. Operates 24 h. Seasonal.
1809 H2143.5		283°34' 229 m from front.	F W .....	19.2	15	Square skeleton tower, orange trapezoidal daymark, black vertical stripe. 9.6	Visible in line of range. Seasonal.  Chart:1201 Edn 10/11 (Q11-114) Edn 10/14 (Q14-061) Edn 03/24
1810	Light buoy S46	48 26 57.9 070 57 50.8	Fl R 4s	.....	.....	Red, marked "S46".	Seasonal.  Chart:1201 Edn 10/14 (Q14-061)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>SAGUENAY RIVER</b>							
1811 H2143.6	<b>Simard range</b>	On N. side of Rivière Saguenay. 48 26 59.1 071 01 16.7	F G .....	8.8	6	Square skeleton tower, orange daymark with black vertical stripe. 8.1	Visible in line of range. Operates 24 h. Seasonal.
1812 H2143.7		256°15' 212.9m from front.	F G .....	13.9	16	Square skeleton tower, orange trapezoidal daymark, black vertical stripe. 12.4	Visible in line of range. Seasonal.  <b>Chart:1201</b> <b>Edn 10/11 (Q11-114)</b> <b>Edn 10/14 (Q14-061)</b> <b>Edn 03/24</b>
1813	<i>Courbe de Caribou light buoy S47</i>	48 26 57.9 070 58 06	Q G 1s .....	.....	.....	<i>Green, marked "S47".</i>	<i>Seasonal.</i>  <b>Chart:1201</b> <b>Ed n10/14 (Q14-061)</b>
1813.8	<i>Rivière Caribou light buoy S50</i>	Chicoutimi Harbour. 48 27 07.1 070 58 47.3	Fl R 4s .....	.....	.....	<i>Red, marked "S50".</i>	<i>Seasonal.</i>  <b>Chart:1201</b> <b>Edn 10/14 (Q14-061)</b> <b>Edn 03/24</b>
1814 H2143.9	<b>Rivière-du-Moulin Lower range</b>	N. of river. 48 26 07.4 071 01 31.1	F G .....	10.6	16	Square skeleton tower, orange trapezoidal daymark, black vertical stripe. 9.4	Visible in line of range. Seasonal.
1815 H2143.91		214°46' 197.1m from front.	F G .....	17.6	16	Square skeleton tower, two orange trapezoidal daymarks, black vertical stripe. 7.9	Visible in line of range. Seasonal.  <b>Chart:1201</b> <b>Edn 10/11 (Q11-114)</b> <b>Edn 10/14 (Q14-061)</b>
1817 H2144	<b>Rivière-du-Moulin Upper range</b>	E. of river mouth. 48 26 01.6 071 01 42.9	F G .....	9.6	16	Skeleton tower, orange daymark, black vertical stripe. 6.4	Visible in line of range. Seasonal.
1818 H2144.1		081°38' 132.1m from front.	F G .....	17.6	16	Skeleton tower, two orange daymarks, black vertical stripe. 7.9	Visible in line of range. Seasonal.  <b>Chart:1201</b> <b>Edn 10/11 (Q11-114)</b> <b>Edn 10/14 (Q14-061)</b>
1820	<i>Quai Maltais light buoy S53</i>	48 27 08.5 070 59 11.8	Q G 1s .....	.....	.....	<i>Green, marked "S53".</i>	<i>Seasonal.</i>  <b>Chart:1201</b> <b>Edn 10/14 (Q14-061)</b>
1820.2	<i>Light buoy S56</i>	48 27 16.1 070 59 43.2	Fl R 4s .....	.....	.....	<i>Red, marked "S56".</i>	<i>Seasonal.</i>  <b>Chart:1201</b> <b>Edn 10/14 (Q14-061)</b>
1820.5	<i>Alignement Simard light buoy S59</i>	48 27 07.7 071 00 12.9	Q G 1s .....	.....	.....	<i>Green, marked "S59".</i>	<i>Seasonal.</i>  <b>Chart:1201</b> <b>Edn 10/14 (Q14-061)</b>
1820.6	<i>Light buoy S60</i>	48 27 08.5 071 00 28.3	Fl R 4s .....	.....	.....	<i>Red, marked "S60".</i>	<i>Seasonal.</i>  <b>Chart:1201</b> <b>Edn 10/14 (Q14-061)</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>SAGUENAY RIVER</b>								
1820.7	Rivière du Moulin downstream light buoy S61	Chicoutimi Harbour. 48 26 55.0 071 00 39.3	Q G 1s	.....	.....	Green, marked "S61".	Seasonal.  Chart:1201 Edn 10/14 (Q14-061) Edn 03/24	
1820.9	Light buoy S63	48 26 29.2 071 01 06.2	Fl G 4s	.....	.....	Green, marked "S63".	Seasonal.  Chart:1201 Edn 10/14 (Q14-061)	
1821.1	Light buoy S65	48 26 13.2 071 01 37.2	Fl G 4s	.....	.....	Green, marked "S65".	Seasonal.  Chart:1201 Edn 10/14 (Q14-061)	
1821.3	Chicoutimi Harbour light buoy S67	48 25 57.2 071 02 08.3	Fl G 4s	.....	.....	Green, marked "S67".	Seasonal.  Chart:1201 Edn 10/14 (Q14-061) Edn 03/24	
1822	Price Monument Sector	48 25 45.8 071 02 34.9	F R W G	.....	13.0	13	Square skeleton twer.  Visible over an arc of 5°. Red from 229°30' to 231°30'; AI RW from 231°30' to 231°50'; white from 231°50' to 232°10'; AI GW from 232°10' to 232° 30'; green from 232°30' to 234°30'. Operates 24 h. Seasonal.	Chart:1201 Edn 10/14 (Q14-061) Edn 03/24
1823.3	Rivière du Moulin upstream light buoy S71	Chicoutimi Harbour. 48 25 52.9 071 02 56.8	Fl G 4s	.....	.....	Green, marked "S71".	Seasonal.  Chart:1201 Edn 10/14 (Q14-061) Edn 03/24	
1823.4	Chicoutimi Yacht Club	Outer end of wharf. 48 25 51.4 071 03 00.1	Fl Y 4s	1.5	2	.....	Privately maintained. Flash 1 s; eclipse 3 s. Operates 24 h. Seasonal.	Chart:1201 Edn 01/18 (Q17-031, 053)