

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL							
1823.8	<i>Le Pilier de l'île Blanche light buoy K59</i>	<i>Chenal du Nord. 47 59 06.1 069 37 52.2</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "K59".</i>	<i>Seasonal.</i> Chart:1320 Edn 10/15 Edn 08/20 (Q20-083)
1824.1 H2160	Cacouna Harbour range	47 55 55.4 069 29 35.7	F R	29.6	16 Cylindrical tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Year round.
1824.2 H2160.1		081°10' 349.2 m from front.	F R	40.0	16 Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Year round. Chart:1234
1824.23	<i>Light buoy HC1</i>	<i>47 55 56.5 069 30 51.6</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "HC1".</i>	<i>Seasonal.</i> Chart:1234
1824.24	<i>Light buoy HC3</i>	<i>47 55 49.3 069 30 44.7</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "HC3".</i>	<i>Seasonal.</i> Chart:1234
1824.3 H2160.5	Cacouna Harbour North	47 55 50.4 069 31 13.4	Fl Y 6s	8.0	6	Square skeleton tower. 4.9	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:1234
1824.33	<i>Light buoy HC2</i>	<i>47 55 39.6 069 30 57.9</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "HC2".</i>	<i>(Winter spar.) Year round.</i> Chart:1234
1824.4 H2160.6	Port de Gros- Cacouna	End of S. breakwater. 47 55 41.6 069 31 13.0	Iso W 2s	8.0	6	Square skeleton tower. 4.9	Omnidirectional. Year round. Chart:1320 Edn 07/23 (Q23-036)
1825	<i>Barrett Ledges light and bell buoy H56</i>	<i>On E. side of ledge. 47 52 54.1 069 37 11.2</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "H56".</i>	<i>Seasonal.</i> Chart:1234
1825.5	<i>Rocher Demers light buoy H58</i>	<i>Off S. side of rock. 47 51 22.1 069 38 55.2</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "H58".</i>	<i>Seasonal.</i> Chart:1234
1826 H2162	Pointe de la Rivière du Loup	On end of wharf. 47 50 52.4 069 34 14	Iso G 2s	10.2	7	Pipe swing pole. 8.1	Operates at night only. Year round. Chart:1234 Edn 06/12 (Q12-078)
1826.5	Pointe de Rivière du Loup west light	On W. outer end of E. breakwater. 47 50 48.6 069 34 19.8	Fl R 4s	Cylindrical mast.	Year round. Chart:1234 Edn 07/16 (Q16-096, 097)
1827 H2164	Île du Pot à l'Eau- de-Vie	E. end of islet. 47 52 20.5 069 40 52.7	Iso Y 2s	36.3	8	Square skeleton tower. 12.6	Operates at night only. Year round. Chart:1234

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL							
1829 H2167	Île aux Lièvres	On small island, SW. end of île aux Lièvres. 47 47 55.3 069 46 29.2	Fl G 6s	9.4	5	Square skeleton tower, orange and white rectangular daymark. 7.9	Flash 1 s; eclipse 5 s. Radar reflector. Operates at night only. Seasonal. Chart:1234 Edn 09/11 (Q11-085)
1830	Passe de l'Île aux Lièvres Fairway light buoy ILIEV	Chenal du Sud. 47 47 14.2 069 47 10.3	Mo(A) W 6s	Red and white vertical stripes, marked "ILIEV".	(Winter spar.) Year round. Chart:1234 Edn 08/20 (Q20-072)
1831	Battures des Pèlerins light and bell buoy H63	Off W. side of shoal. 47 45 46.1 069 43 48.2	Fl G 4s	Green, marked "H63".	Seasonal. Chart:1234
1832 H2172	Le Long Pèlerin	Centre of island. 47 42 58.8 069 44 51.8	Fl W 6s	44.0	9	Square skeleton tower. 13.9	Flash 1 s; eclipse 5 s. Seasonal. Chart:1234 Edn 12/22 (Q22-082)
1834 H2166	Cap de la Tête au Chien	On the cape. 47 54 41.5 069 48 23.7	Fl(2) W 5s	63.1	17	White octagonal tower, red upper portion.	Flash 0.25 s; eclipse 0.75 s; flash 0.25 s; eclipse 3.75 s. Year round. Chart:1234 Edn 11/11 (Q11-122)
1834.5	Saint-Siméon light buoy K60	47 50 40 069 52 11.6	Fl R 4s	Red, marked "K60".	Seasonal. Chart:1234
1835 H2168	Saint-Siméon	On outer end of wharf. 47 50 23.7 069 52 23	Iso R 2s	8.5	7	Square skeleton tower. 8.2	Operates at night only. Year round. Chart:1234
1836 H2182	Cap au Saumon	On Pte des Rochers. 47 46 13.8 069 54 21.4	Fl(3) W 15s	25.0	20	White octagonal tower, red upper portion. 14.0	Flash; eclipse 2.5 s; flash; eclipse 2.5 s; flash; eclipse 10 s. Locally known as Pointe des Rochers. Year round. Chart:1234
1838 H2174	Grande Île Kamouraska	Near NE. end of island. 47 37 20.4 069 51 44.3	Fl W 6s	35.0	8	Square skeleton tower. 12.5	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal. Chart:1234
1839 H2187	Cap à l'Aigle Marina Breakwater	47 39 45.9 070 05 46	Fl Y 6s	6.4	7	Square skeleton tower. 5.0	Flash 1 s; eclipse 5 s. Privately maintained by Port de Refuge de Cap à l'Aigle. Operates at night only. Seasonal. Chart:1234
1839.5 H2187.2	Marina Cap à l'Aigle	47 39 44.6 070 05 48.7	Iso R 6s	4.8	Red and white skeleton tower. 3.4	Privately maintained by Port de Refuge de Cap à l'Aigle. Operates at night only. Seasonal. Chart:1234

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL								
1840 H2186	Cap à l'Aigle	East end of pier. 47 39 43.0 070 05 46.7	Iso R 2s	6.1	6	Mast.	Privately maintained. Year round. Chart:1234 Edn 05/15 (Q15-032) Edn 11/16 (Q14-092)	
1841	Haut-fond Morin bifurcation light buoy HFMOR	47 36 08.1 070 02 16.2	Fl G (2+1)	6s	Green-red-green, marked "HFMOR".	(Winter spar.) Year round. Chart:1234 Edn 08/20 (Q20-073)	
1843	La Malbaie light and bell buoy K64	E. of Pte au Pic wharf. 47 37 22 070 08 03.3	Fl R 4s	Red, marked "K64".	Seasonal. Chart:1234	
1843.5	Pointe-au-Pic South Cardinal light buoy KPP	47 37 22.9 070 08 18.8	Q(6) +LFI	W 15s	Yellow and black, marked "KPP".	Seasonal. Chart:1234	
1843.7	Pointe-au-Pic Breakwater	47 37 24.9 070 08 19.6	F Y	7.2	Mast.	Privately operated. Seasonal. Chart:1234	
1844 H2194	Pointe-au-Pic	On inner side of wharf. 47 37 21.1 070 08 24.2	Fl R 6s	19.5	17	Square skeleton tower. 18.4	Flash 1 s; eclipse 5 s. Year round. Chart:1234	
1849 H2202	Cap-aux-Oies	On cape. 47 29 17.6 070 13 53.2	Fl W 6s	15.9	20	Square skeleton tower. 9.5	Flash 1 s; eclipse 5 s. Year round. Chart:1233	
1849.5 H2204	Cap Saint-Joseph	On the portal landing. 47 26 54.1 070 21 52.7	Iso G 2s	13.4	7	Structure. 11.2	Radar reflector. Year round. Chart:1233 Edn 03/12 (Q12-021)	
1850 H2206	Île aux Coudres Wharf	On outer end of wharf. 47 25 14.9 070 23 33.4	F G	13.7	7	On landing stage of superstructure.	Year round. Chart:1233
1851 H2208	Pte de la Prairie	On Grande Batture, W of Pte. De la Prairie. 47 24 33.8 070 25 51.2	Fl W 2.5s	15.6	16	Pile.	Flash 0.5 s; eclipse 2 s. Year round. Chart:1233	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL							
1852 <i>H2218</i>		E. of wharf. 47 26 06.7 070 25 40.6	F W	32.9	20	Skeleton tower, orange daymark, black vertical stripe. 32.2	Visible in line of range. Emergency light. Year round.
1852.1	Cap-aux- Corbeaux range		F W	32.0	8	Skeleton tower. 31.4	Emergency mode. Visible from 252°30' and 004°30' through E.
1853 <i>H2218.1</i>		024°13' 374.6m from front.	F W	52.4	20	Square skeleton tower, orange daymark, black vertical stripe. 13.0	Visible in line of range. Emergency light. Year round.
1853.1			F W	52.0	8	Square skeleton tower. 12.8	Emergency mode. Visible from 256° and 004°30' through E.
							Chart:1233 Edn 03/11 (Q11-015, 016) Edn 08/11 Edn 12/11 (Q11-123, 124) Edn 03/12
1857	<i>Pte. de la Prairie light buoy K65</i>	<i>Off Prairie Shoal, NW. end of island. 47 24 40.1 070 26 04.3</i>	Q G 1s	<i>Green, marked "K65".</i>	<i>Seasonal.</i>
							Chart:1233
1857.2 <i>H2212</i>		47 25 53.9 070 29 31	F R	5.9	Orange, black and white tripod skeleton tower, orange daymark, black vertical stripe. 2.9	Visible in line of range. Operates at night only. Privately maintained. Seasonal.
	Marina Baie St- Paul range						
1857.21 <i>H2212.1</i>		308°59' 27.9m from front.	F R	12.3	Orange, black and white tripod skeleton tower, orange daymark, black vertical stripe. 5.4	Visible in line of range. Operates at night only. Privately maintained. Seasonal.
							Chart:1233 Edn 07/09 (Q09-052, 053)
1867	<i>Traverse de Saint- Roch light buoy H68</i>	<i>Chenal du Sud. 47 25 02.1 070 13 00.2</i>	Fl R 4s	<i>Red, marked "H68".</i>	<i>Seasonal.</i>
							Chart:1233 Edn 08/20 (Q20-086)
1869	<i>Light buoy H72</i>	<i>On W. side of St. Roch Traverse at N. entrance. 47 22 45.8 070 14 31.5</i>	Fl R 4s	<i>Red, marked "H72".</i>	<i>Seasonal.</i>
							Chart:1233
1870	<i>Traverse de Saint- Roch light buoy H79</i>	<i>Chenal du Sud. 47 21 18.1 070 15 19.3</i>	Fl G 4s	<i>Green, marked "H79".</i>	<i>Seasonal.</i>
							Chart:1233 Edn 08/20 (Q20-087)
1871	<i>Light buoy H83</i>	47 19 05.1 070 16 51.3	Fl G 4s	<i>Green, marked "H83".</i>	<i>Seasonal.</i>
							Chart:1233
1873	<i>St-Roch Shoals light buoy H89</i>	<i>SW. of shoals. 47 16 47.1 070 18 03.3</i>	Fl G 4s	<i>Green, marked "H89".</i>	<i>Seasonal.</i>
							Chart:1233

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL							
1874	Light buoy H93	47 14 19.1 070 19 09.8	Fl G 4s	Green, marked "H93".	Seasonal. Chart:1233
1875 H2226	Saint-Jean-Port- Joli Wharf	On outer end of wharf. 47 12 58 070 16 28.6	Fl G 6s	6.2	5	Square skeleton tower. 4.9	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal. Chart:1233
1875.5	Parc nautique de St-Jean-Port-Joli	47 12 58.1 070 16 28.6	F R	5	Structure, white daymark with red vertical stripe.	Privately maintained. Seasonal (in place year round).
1875.7		144°25' 45.6m from front.	F R	5	Post, white daymark with red vertical stripe.	Privately maintained. Seasonal (in place year round). Chart:1233 Edn 06/13 (Q13-044, 045)
1875.8	Saint-Jean-Port- Joli	On northern end of breakwater. 47 13 00.9 070 16 29.6	Fl G 4s	Green, white and black square daymark.	Privately maintained. Year round. Chart:1233 Edn 09/16 (Q16-114)
1875.9	Saint-Jean-Port- Joli	On southern end of breakwater. 47 12 59.0 070 16 31.1	Fl R 4s	Red and white triangular daymark, red triangle in center.	Privately maintained. Year round. Chart:1233 Edn 09/16 (Q16-116)
1876 H2228	Pilier de Pierre	S. side of islet. 47 12 20.7 070 21 34.4	Fl W 6s	25.3	10	Cylindrical tower. 12.7	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal. Chart:1233
1878.3	Roche à Veillon light buoy H98	47 12 02.4 070 21 07	Fl R 4s	Red, marked "H98".	Seasonal. Chart:1233
1879.5	Beaujeu North Cardinal light buoy BEAUJ	South Chanel Banc Beaujeu. 47 05 03.3 070 29 22.3	Q W 1s	Black and yellow, marked "BEAUJ".	Seasonal. Chart:1317 Edn 12/14 (Q14-091)
1886.5	Chenal de Beaujeu South Cardinal light buoy CBJ	47 04 08.2 070 30 52.9	Q(6) +LFl W 15s	Yellow and black, marked "CBJ".	Seasonal. Chart:1317 Edn 09/14 (Q14-013)
1887 H2238.2	Île aux Grues	47 03 18.3 070 31 53.6	Fl G 6s	11.6	10	Square skeleton tower on wharf structure. 9.1	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal. Chart:1317 Edn 10/11 (Q11-114) Edn 10/15 (Q15-109)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL									
1890	Montmagny	End of S. Warf. 46 59 11.1 070 33 06.5	F	R	7.9	12	Square skeleton tower, white rectangular daymark with red bands. 6.3	Visible on an arc of 2.5°: R from 167.25° to 167.75°; AL RW from 167.75° to 168.25°; W from 168.25° to 168.75°; AL GW from 168.75° to 169.25°; G from 169.25° to 169.75°. Operates 24 h. Seasonal. Chart: 1317 Edn 12/15 (Q15-140) Edn 05/22 (Q21-053)
1890.42	Battures de Montmagny light buoy HM13	46 59 43.3 070 33 14.8	Fl	G	4s	Green spar, marked "HM13".	Seasonal. Carte:1317 Edn 03/24 (Q24-115)
1890.43	Battures de Montmagny light buoy HM11	46 59 53.4 070 33 16.9	Fl	G	4s	Green spar, marked "HM11".	Seasonal. Chart:1317 Edn 03/24 (Q24-116)
1890.44	Battures de Montmagny light buoy HM10	Montmagny channel. 46 59 33.3 070 33 14.7	Fl	R	4s	Red spar, marked "HM10".	Seasonal. Chart:1317 Edn 03/24 (Q24-119)
1890.45	Battures de Montmagny light buoy HM8	46 59 40.9 070 33 17.8	Fl	R	4s	Red spar, marked "HM8".	Seasonal. Chart:1317 Edn 03/24 (Q24-117)
1890.46	Battures de Montmagny light buoy HM6	Montmagny channel. 46 59 53.0 070 33 21.6	Fl	R	4s	Red spar, marked "HM6".	Seasonal. Chart:1317 Edn 03/24 (Q24-120)
1890.47	Battures de Montmagny light buoy HM5	47 00 00.9 070 33 18.7	Fl	G	4s	Green spar, marked "HM5".	Seasonal. Chart:1317 Edn 10/09 (Q09-113) Edn 07/15 (Q15-058) Edn 03/24 (Q24-121)
1890.48	Battures de Montmagny light buoy HM4	47 00 03.8 070 33 23.2	Fl	R	4s	Red spar, marked "HM4".	Seasonal. Chart:1317 Edn 03/24 (Q24-118)
1890.5	Battures de Montmagny light buoy HM2	Montmagny channel. 47 00 09.1 070 33 25.0	Fl	R	4s	Red, marked "HM2".	Seasonal. Chart:1317 Edn 07/15 (Q15-059) Edn 05/22 (Q21-028) Edn 03/24 (Q24-122)
1890.6	Montmagny information light buoy MTGNY	47 01 34.3 070 33 43.2	Fl	Y	4s	White and orange, marked "MTGNY".	Seasonal. Chart:1317
1891.2 H2246	Pointe aux Pins	W. end of île aux Grues. 47 02 24.7 070 34 30.6	Fl	G	6s	10.9	6	Square skeleton tower. 9.6	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal. Chart:1317 Edn 02/11 (Q09-111)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL								
1891.25	Rocher de la Baleine North Cardinal light buoy BAL	47 08 39.7 070 30 46.6	Q W 1s	Black and yellow, marked "BAL".	Seasonal. Chart:1317	
1891.4	Barre de la Grosse Île light buoy HP8	47 00 09.1 070 41 40.3	Fl R 4s	Red, marked "HP8".	Seasonal. Chart:1317	
1891.6	Rocher Wye light buoy H121	NW. of rock. 46 59 33.1 070 37 57.3	Fl G 4s	Green, marked "H121".	Seasonal. Chart:1317	
1892.1	Light buoy K82	47 15 15.1 070 34 16.3	Fl R 4s	Red, marked "K82".	Seasonal. Chart:1233	
1892.2	Light buoy K83	47 14 33.1 070 32 34.3	Q G 1s	Green, marked "K83".	Seasonal. Chart:1233	
1892.6	Light buoy K87	47 11 00.1 070 36 36.3	Fl G 4s	Green, marked "K87".	Seasonal. Chart:1233	
1893 H2254	Sault-au-Cochon	47 11 49.5 070 38 15.6	Fl W 6s	16.2	4	Square skeleton tower, orange rectangular daymarks.	Flash 1 s; eclipse 5 s. Omnidirectional. Radar reflector. Year round. Chart:1233 Edn 03/24	
1893.5	Light buoy K91	47 09 16.2 070 39 36.5	Q G 1s	Green, marked "K91".	Seasonal. Chart:1317	
1893.6	Anse aux Bardeaux light buoy K92	Chenal du Nord. 47 09 35.4 070 39 40.5	Q R 1s	Red spar, marked "K92".	Year round (YRLS). Chart:1317 Edn 08/20 (Q20-088)	
1894	Récifs de Longue Pointe light buoy K96	Chenal du Nord. 47 08 39.8 070 40 31.1	Fl R 4s	Red spar, marked "K96".	Year round (YRLS). Chart:1317 Edn 05/15 (Q15-024) Edn 11/19 (Q19-113)	
1895	Cap Gribane light buoy K95	Chenal du Nord. 47 08 04.8 070 40 46.1	Fl G 4s	Green spar, marked "K95".	Year round (YRLS). Chart:1317 Edn 11/20 (Q20-174)	
1895.2 H2255	Cap Gribane range	47 08 27.2 070 41 08.8	F W	13.2	17	Square skeleton tower, orange rectangular daymark, black vertical stripe. 7.9	Visible in line of range. Year round.
1895.3 H2255.1		023°52' 445.4m from front.	F W	27.2	17	Square skeleton tower, orange rectangular daymark, black vertical stripe. 11.0	Visible in line of range. Year round. Chart:1317

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL							
1895.6 H2256	Cap Rouge range	47 07 30 070 42 06	F Y	28.7	17	Square skeleton tower, orange daymark, black vertical stripe. 11.0	Visible in line of range. Year round.
1895.7 H2256.1		221°12' 1025.3m from front.	F Y	55.7	17	Square skeleton tower, orange daymark, black vertical stripe. 8.3	Visible in line of range. Year round. Chart:1317
1895.8	Light buoy K99	47 06 53.4 070 41 55.7	Fl G 4s	Green, marked "K99".	Seasonal. Chart:1317
1895.9	Anse aux Cenelliers light buoy K100	Traverse du Nord. 47 06 44.2 070 42 23.8	Q R 1s	Red spar, marked "K100".	Year round (YRLS). Chart:1317 Edn 11/19 (Q19-115)
1895.91	Light buoy K101	47 06 15.9 070 42 26.3	Fl G 4s	Green, marked "K101".	Seasonal. Chart:1317
1896	Light buoy K103	47 05 10.9 070 43 08.3	Fl G 4s	Green, marked "K103".	Seasonal. Chart:1317
1897	Light buoy K104	47 05 14.9 070 43 21.5	Fl R 4s	Red, marked "K104".	Seasonal. Chart:1317
1898 H2261	Banc du Cap Brûlé Downstream range	Cap Brûlé Bank. 47 05 50.1 070 42 12.5	F W	8.8	18	On downstream pile, orange slatwork daymark, black vertical stripe. 7.3	Visible in line of range. Year round.
1899 H2261.1		213°23' 1012.3m from front.	F W	23.1	18	On upstream pile, white cylindrical tower, orange upper portion. 18.4	Visible in line of range. Year round. Chart:1317
1900 H2262	Banc du Cap Brûlé Upstream range	Cap Brûlé Bank. 47 05 22.5 070 42 38.9	F W	8.7	18	On upstream pile, orange slatwork daymark, black vertical stripe. 7.3	Visible in line of range. Year round.
1901 H2262.1		033°23' 1014.4m from front.	F W	29.4	18	On downstream pile, white cylindrical tower, orange horizontal band. 19.8	Visible in line of range. Year round. Chart:1317
1902 H2259	Cap Brûlé	On S. extremity of cape. 47 06 30.5 070 42 59.6	Iso W 2s	41.3	6	Skeleton tower, orange rectangular daymark on 3 seaward faces. 5.0	Operates at night only. Year round. Chart:1317
1904	Le Banc de Sable light buoy K107	Traverse du Nord. 47 03 46.2 070 44 03.1	Q G 1s	Green spar, marked "K107".	Year round (YRLS). Chart:1317 Edn 05/19 (Q19-066) Edn 11/19 (Q19-122)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL							
1905	<i>Le Banc de Sable light buoy K108</i>	<i>Traverse du Nord. 47 03 50.9 070 44 15.8</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "K108".</i>	<i>Year round (YRLS).</i> Chart:1317 Edn 04/13 (Q13-033) Edn 12/15 (Q15-150) Edn 05/19 (Q19-067) Edn 11/19 (Q19-123)
1906	<i>Traverse Nord light buoy K111</i>	<i>E. side of channel. 47 02 31.8 070 45 14.7</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "K111".</i>	<i>Seasonal.</i> Chart:1317
1908	<i>Battures de la Traverse light buoy K112</i>	<i>Traverse du Nord. 47 02 37.3 070 45 26.8</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "K112".</i>	<i>Year round (YRLS).</i> Chart:1317 Edn 11/19 (Q19-116)
1909	<i>Traverse Nord light buoy K115</i>	<i>E. side of channel. 47 01 18.2 070 46 25.6</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "K115".</i>	<i>Seasonal.</i> Chart:1317
1910	<i>Pointe Argentenay light buoy K116</i>	<i>Traverse du Nord. 47 01 23.6 070 46 37.7</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "K116".</i>	<i>Year round (YRLS).</i> Chart:1317 Edn 11/19 (Q19-117)
1910.5 H2267	Pointe Argentenay range	<i>On Île d'Orléans, SW. of point. 47 00 27.9 070 48 18.5</i>	<i>F W 1s</i>	<i>25.2</i>	20	<i>Square skeleton tower. 4.8</i>	<i>Visible in line of range. Operates 24 h. Emergency light. Year round.</i>
1910.6 H2267.1		<i>213°30' 2768.3 m from front.</i>	<i>F W 1s</i>	<i>64.3</i>	20	<i>Trapezoidal skeleton tower. 35.5</i>	<i>Visible in line of range. Operates 24 h. Emergency light. Year round.</i> Chart:1317 Edn 03/24 (Q24-088, 089)
1911	<i>Light buoy K119</i>	<i>E. side of channel. 47 00 04.6 070 47 36.5</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "K119".</i>	<i>Seasonal.</i> Chart:1317
1912	<i>Light buoy K120</i>	<i>47 00 10 070 47 48.5</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "K120".</i>	<i>(Winter spar.) Year round.</i> Chart:1317
1912.5	<i>Light buoy K124</i>	<i>Off Pointe Bellefane. 46 58 56.3 070 48 59.3</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "K124".</i>	<i>Seasonal.</i> Chart:1317
1913 H2278	Saint-François Wharf	<i>At outer end of wharf, E. side. 46 59 47.6 070 48 29.5</i>	<i>Fl W 5s</i>	<i>10.6</i>	20	<i>Square skeleton tower. 9.7</i>	<i>Flash 1 s, eclipse 4 s. Year round.</i> Chart: 1317
1913.4	<i>Light buoy K123</i>	<i>Off St-François. 46 58 50.9 070 48 47.2</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "K123".</i>	<i>Seasonal.</i> Chart:1317
1914	<i>Light buoy K127</i>	<i>E. side of channel. 46 57 37.2 070 49 58</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "K127".</i>	<i>Seasonal.</i> Chart:1317

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL							
1915	Light buoy K128	W. side of channel. 46 57 42.7 070 50 10	Fl R 4s	Red, marked "K128".	(Winter spar.) Year round. Chart:1317
1916	Light buoy K131	S. entrance Traverse du Nord. 46 56 41.7 070 50 51.2	Fl G 4s	Green, marked "K131".	Seasonal. Chart:1317
1917	Pointe à Blaye light buoy K132	Traverse du Nord. 46 56 45.5 070 51 04.9	Fl R 4s	Red spar, marked "K132".	Year round (YRLS). Chart:1317 Edn 11/19 (Q19-118)
1917.2	Pointe Saint-Jean light buoy K136	Traverse du Nord. 46 55 31.8 070 52 15.5	Q R 1s	Red spar, marked "K136".	Year round (YRLS). Chart:1317 Edn 11/19 (Q19-119)
1917.3	Pointe à Blaye light buoy K135	Traverse du Nord. 46 55 53.6 070 51 37.3	Fl G 4s	Green spar, marked "K135".	Year round (YRLS). Chart:1317 Edn 11/19 (Q19-120)
1918 H2274	Saint-Michel range	W. of Saint-Michel Point. 46 52 31 070 54 59.8	F W	29.7	23 Skeleton tower, orange daymark, black vertical stripe. 24.4	Visible in line of range. Emergency light. Year round.
1919 H2274.1		213°14' 1737.9m from front.	F W	56.6	20 Tripod skeleton tower, orange daymark, black vertical stripe. 25.2	Visible in line of range. Emergency light. Year round. An increase power of the range lights is available from a distance on channel 69 (156,475 MHz). All mariners wanting to operate at the increase power will have to push the transmitter of his VHF radio five (5) times with an interval of 1 second. The additional power of the lights will be in function for 45 minutes. After this delay, the mariner will have to repeat the same operation. This additionnal power of lights can be turned off by pushing seven (7) times the transmitter of his VHF radio.
1920 H2272	Île de Bellechasse	On summit of island. 46 55 53.5 070 46 02.6	Fl Y 6s	13.1	6	Red and white square skeleton tower. 7.9	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal. Chart:1317
1922	Récif de l'île Madame South Cardinal light buoy DAME	W. end of reef. 46 55 53.1 070 50 30.3	Q(6) W +LFI	15s	Yellow and black, marked "DAME". Seasonal. Chart:1317
1922.5	Pointe Samson light buoy H131	NE. of point. 46 54 22.1 070 51 58.3	Fl G 4s	Green, marked "H131".	Seasonal. Chart:1317

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL							
1923 H2282	Saint-Jean- d'Orléans Racon - -, (G) X & S Band	Near outer end of wharf. 46 54 56.5 070 53 47	Fl R 5s	10.9	12	Square skeleton tower, orange rectangular slatwork daymarks on 3 sides. 9.4	Flash 1 s; eclipse 4 s. Operates at night only. Year round. Chart:1317
1923.2	Rivière Lafleur light buoy K140	Chenal des Grands Voiliers. 46 53 16.5 070 55 39.5	Fl R 4s	Red spar, marked "K140".	Year round (YRLS). Chart:1317 Edn 01/21 (Q20-235)
1923.21	Saint-Michel-de- Bellechasse dumping ground light buoy PRIV	46 53 03.1 070 54 27.7	Fl Y 4s	Yellow spar, marked "PRIV".	Private aid. Flash 1 s; eclipse 3 s. Operates 24 h. Seasonal. Chart:1316 Edn 03/24 (Q24-094)
1923.22	Saint-Michel-de- Bellechasse dumping ground light buoy PRIV	46 53 05.0 070 54 30.0	Fl Y 5s	Yellow spar, marked "PRIV".	Private aid. Flash 1 s; eclipse 4 s. Operates 24 h. Seasonal. Chart:1316 Edn 03/24 (Q24-093)
1923.23	Saint-Michel-de- Bellechasse dumping ground light buoy PRIV	46 53 00.5 070 54 38.3	Fl Y 4s	Yellow spar, marked "PRIV".	Private aid. Flash 1 s; eclipse 3 s. Operates 24 h. Seasonal. Chart:1316 Edn 03/24 (Q24-091)
1923.24	Saint-Michel-de- Bellechasse dumping ground light buoy PRIV	46 53 02.0 070 54 40.0	Fl Y 4s	Yellow spar, marked "PRIV".	Private aid. Flash 1 s; eclipse 3 s. Operates 24 h. Seasonal. Chart:1316 Edn 03/24 (Q24-092)
1923.3	Light buoy K141	46 53 14.5 070 54 51.8	Fl G 4s	Green, marked "K141".	Seasonal. Chart:1317
1923.4	Light buoy K143	46 52 14.2 070 56 57.4	Fl G 4s	Green, marked "K143".	Seasonal. Chart:1317
1923.7	Light buoy K145	46 51 26 070 58 40.1	Q G 1s	Green, marked "K145".	Seasonal. Chart:1317
1924 H2284	Saint-Laurent-de- l'Île-d'Orléans	On the portal landing. 46 51 28.9 N 071 00 10.5 W	Fl G 5s	13.5	12	Pipe swing pole. 12.8	Flash 1 s; eclipse 4 s. Operates at night only. Year round. Chart:1317 Edn 09/10 (Q10-132)
1925	Battures de Beaumont light buoy K147	Off reefs. 46 50 55.1 070 59 58.3	Fl G 4s	Green, marked "K147".	Seasonal. Chart:1317

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL									
1925.2 H2285	Cap au Diable range	At Beaumont. 46 49 57.5 071 01 54.5	F	W	53.3	20	Skeleton tower, orange slatwork daymark, black vertical stripe. 19.8	Visible in line of range. Emergency light. Year round.
1925.3 H2285.1		233°38' 1622.6m from front.	F	W	88.7	20	Skeleton tower, orange slatwork daymark, black vertical stripe. 22.9	Visible in line of range. Emergency light. Year round.
1925.4	Light buoy K149	46 50 30.7 071 02 10.3	Fl	G	4s	Green, marked "K149".	Seasonal.
1925.52	Light buoy K154	46 50 32.1 071 05 08.3	Q	R	1s	Red, marked "K154".	Seasonal.
1925.6 H2286	Pointe de la Martinière range	46 49 43.7 071 06 59	F	W	45.9	20	Skeleton tower. 19.9	Visible in line of range. Emergency light. Year round.
1925.7 H2286.1		252°02' 655.3m from front.	F	W	66.0	20	Skeleton tower. 34.0	Visible in line of range. Emergency light. Year round.
1925.8	Light buoy K155	46 50 05.6 071 06 20	Fl	G	4s	Green, marked "K155".	Seasonal.
1926	Rochers Maranda light buoy K156	Off SE. extremity of rocks. 46 50 34.1 071 06 51.3	Fl	R	4s	Red, marked "K156".	Seasonal.
1927 H2288	Sainte-Pétronille (Beaulieu)	On wharf. 46 50 41.9 071 07 54.6	Fl	Y	5s	15.3	19	Square skeleton tower. 14.5	Flash 1 s; eclipse 4 s. Year round.
Québec Harbour									
1928	Anse aux Sauvages light buoy K159	Off dry dock. 46 50 19.2 071 08 53.2	Fl	G	4s	Green spar, marked "K159".	Year round (YRLS).
1929	Light buoy K160	46 50 39.2 071 08 51.5	Q	R	1s	Red, marked "K160".	Seasonal.
1929.1	Anchorage light buoy LIMITE F	46 50 54.5 071 09 01.4	Fl	Y	4s	Yellow, marked "LIMF".	Seasonal.
1929.2	Anchorage light buoy LIMITE D	46 51 02.6 071 09 23.3	Fl	Y	4s	Yellow, marked "LIMD".	Seasonal.
1929.3	Light buoy K164	46 50 39.1 071 10 16.3	Fl	R	4s	Red, marked "K164".	Seasonal.

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals		
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL									
1930	<i>Cale Sèche Lorne light buoy K163</i>	<i>W. of dry dock. 46 49 55.6 071 10 18.2</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "K163".</i>	<i>Seasonal.</i> Chart:1316		
1931.5	<i>Pointe de Lévy light buoy K165</i>	<i>46 49 18.1 071 11 05.3</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "K165".</i>	<i>Seasonal.</i> Chart:1316		
Chenal de l'Île d'Orléans									
1932 H2290	Île d'Orléans range	N. end of island. 47 01 06.2 070 49 40.3	F W	11.3	19	Red and white square skeleton tower, orange daymark, black vertical stripe. 9.6	Visible in line of range. Seasonal.	
1933 H2290.1		226°14' 787.8m from front.	F W	37.3	19	Red and white square skeleton tower, orange daymark, black vertical stripe. 9.6	Visible in line of range. Seasonal. Chart:1317 Edn 10/11 (Q11-114)	
1934	<i>Pointe aux Prêtres light buoy V6</i>	<i>Ile d'Orleans Chanel. 47 02 59.1 070 46 59.3</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "V6".</i>	<i>Seasonal.</i> Chart:1317 Edn 03/16 (Q16-013)		
1935	<i>Light buoy V8</i>	<i>SE. of Beaupré. 47 02 06.8 070 51 52.2</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "V8".</i>	<i>Seasonal.</i> Chart:1317		
1936	<i>Light buoy V13</i>	<i>SW. of Beaupré. 47 01 39.1 070 53 21.3</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "V13".</i>	<i>Seasonal.</i> Chart:1317		
1936.1	Sainte-Anne de Beaupré Sector	On pier, E. side of wharf. 47 01 15 070 55 40	Iso Al W RW G Al GW	R W G	3s	11.4	19	Skeleton tower; orange daymark, black vertical stripe. 9.1	Red from 251°30' to 253°30', Al RW from 253°30' to 253°50'; white from 253°50' to 254°10', Al GW from 254°10' to 254°30'; green from 254°30' to 256°30'. Seasonal. Chart:1317 Edn 10/11 (Q11-114)
1941 H2294	Ste-Famille range	Near stone mill, S. side of channel. 46 57 51.7 070 58 34.3	F G	18.6	18	Square skeleton tower, orange daymark, black vertical stripe. 18.5	Visible in line of range. Seasonal.	
1942 H2294.1		052°36' 608.8m from front.	F G	76.0	18	Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Seasonal. Chart:1317 Edn 10/11 (Q11-114)	
1944	<i>Light buoy V19</i>	<i>46 57 12.1 071 00 27.3</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "V19".</i>	<i>Seasonal.</i> Chart:1317		
1945	<i>Light buoy V22</i>	<i>46 56 35.1 071 01 24.3</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "V22".</i>	<i>Seasonal.</i> Chart:1317		

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL

1946 H2300	Pointe Saint-Pierre range	On beach on S. side of channel. 46 55 35.3 071 02 26.8	F G	6.5	16	Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Seasonal.
1947 H2300.1		218°36' 166.7m from front.	F G	13.0	16	Square skeleton tower, orange daymark, black vertical stripe. 12.4	Visible in line of range. Seasonal.
1948	<i>Pont de l'Île-d'Orléans light buoy V31</i>	<i>Chenal de l'Île d'Orléans, downstream of bridge, NE side.</i> 46 53 12.1 071 07 35.3	<i>Fl G</i>	<i>4s</i>	<i>Green, marked "V31".</i>	<i>Seasonal.</i>
1949 H2310	Ange-Gardien range	On point between Montmorency and l'Ange-Gardien Village. 46 53 55.9 071 07 14.1	F G	14.3	16	Skeleton tower, orange daymark, black vertical stripe. 12.4	Visible in line of range. Seasonal.
1950 H2310.1		023°45' 415.7m from front.	F G	24.4	16	Skeleton tower, orange daymark, black vertical stripe. 13.9	Visible in line of range. Seasonal.
1950.4	<i>Pont de l'Île-d'Orléans light buoy V34</i>	<i>Chenal de l'Île d'Orléans, upstream of bridge, NE side.</i> 46 52 32.5 071 08 27.3	<i>Fl R</i>	<i>4s</i>	<i>Red, marked "V34".</i>	<i>Seasonal.</i>
1950.5	<i>Pont de l'Île-d'Orléans light buoy V35</i>	<i>Chenal de l'Île d'Orléans, upstream of bridge, SE side.</i> 46 52 24.7 071 08 03.4	<i>Fl G</i>	<i>4s</i>	<i>Green, marked "V35".</i>	<i>Seasonal.</i>
1951	<i>Pont de l'Île-d'Orléans light buoy V36</i>	<i>Chenal de l'Île d'Orléans, upstream of bridge, N side.</i> 46 52 00.1 071 08 32.3	<i>Fl R</i>	<i>4s</i>	<i>Red, marked "V36".</i>	<i>Seasonal.</i>

Québec Harbour

1953	<i>Rivière Saint-Charles light buoy K168</i>	<i>E. of river mouth.</i> 46 50 02.1 071 11 13.8	<i>Fl R</i>	<i>4s</i>	<i>Red, marked "K168".</i>	<i>Seasonal.</i>
1953.5	<i>Rivière Saint-Charles light buoy KP2</i>	46 49 31.1 071 12 17.3	<i>Fl R</i>	<i>4s</i>	<i>Red, marked "KP2".</i>	<i>Seasonal.</i>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL							
1954	Québec bifurcation light buoy QUEB	At river mouth. 46 49 24.3 071 12 21.9	Fl R 6s (2+1)	Red, green and red, marked "QUEB".	Seasonal. Chart:1316
1958 H2321	North Limit Anchorage	46 48 34.2 071 12 10.5	Iso R 2s	20.1	6	On building.	Visible 360°. Increased intensity on a bearing of 280°. Year round. Chart:1316
1959	Anse au Foulon (Wolfe) light buoy Q4	Off Brown Corporation wharf. 46 47 50.1 071 12 44.3	Fl R 4s	Red, marked "Q4".	Seasonal. Chart:1316
1959.5	Parc nautique Lévy Floating Breakwater	On floating breakwater. 46 47 25.8 071 11 55.2	Fl G 4s	Mast.	Privately maintained by Parc Nautique Lévy. Operates at night only. Seasonal. Chart:1316
1959.6	Parc nautique Lévy North	46 47 27.3 071 11 54.7	Fl Y	Mast.	Privately maintained by Parc Nautique Lévy. Operates at night only. Seasonal. Chart:1316
1959.7	Parc nautique Lévy South Breakwater	46 47 24.8 071 11 56	F R	Mast.	Privately maintained by Parc Nautique Lévy. Operates at night only. Seasonal. Chart:1316
1959.8	Parc nautique Lévy Information light buoy	46 47 30 071 12 00	Fl Y 4s	White and orange.	Privately maintained. Seasonal. Chart:1316
1960	Anse au Foulon (Wolfe) light buoy Q6	On SW. limit of dredging. 46 47 12.1 071 13 27.3	Fl R 4s	Red, marked "Q6".	Seasonal. Chart:1316
1960.3 H2323.3	Quebec Yacht Club East	On outer end of E. breakwater. 46 46 58.5 071 14 01.8	F Y	5.0	8	Red and white square skeleton tower. 3.4	Privately maintained by "Yacht Club de Québec". Operates at night only. Seasonal. Chart:1316
1960.4 H2323	Québec Yacht Club range	46 47 02.1 071 14 14	F R	4.9	16	Red and white square skeleton tower, orange daymark, black vertical stripe. 3.3	Privately maintained by "Yacht Club de Québec". Operates at night only. Seasonal.
1960.5 H2323.1		298°57' 19.6m from front.	F R	8.3	16	Red and white square skeleton tower, orange daymark, black vertical stripe. 6.4	Privately maintained by "Yacht Club de Québec". Operates at night only. Seasonal. Chart:1316

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL							
1960.6 H2323.4	Québec Yacht Club West	On outer end of W. breakwater. 46 46 57.1 071 14 04	Iso W 2s	4.4	8	Red and white square skeleton tower. 3.4	Privately maintained by "Yacht Club de Québec". Operates at night only. Seasonal. Chart:1316
1960.8	Québec Yacht Club light buoy	46 46 56.1 071 13 52.3	Fl Y 4s	White and orange, marked "Yacht Club de Québec".	Privately maintained. Seasonal. Chart:1316
1961	Anse Fréchette light buoy Q7	W. of cove. 46 46 40.1 071 12 58.3	Fl G 4s	Green, marked "Q7".	Seasonal. Chart:1316
1961.2	Saint-Romuald d'Etchemin light buoy Q11	46 45 52.1 071 14 26.3	Fl G 4s	Green, marked "Q11".	Seasonal. Chart:1316
1962 H2324	Pointe à Puiseaux	Sillery, W. of wharf. 46 46 19.4 071 14 35.9	Fl R 5s	10.6	10	Pipe swing pole. 7.8	Flash 1 s; eclipse 4 s. Operates 24 h. Year round. Chart:1316 Edn 09/22 (Q22-030)
1962.3	Marina de la Chaudière light buoy QC2	46 44 43.7 071 16 42.6	Q R 1s	Red, marked "QC2".	Private aid. Seasonal. Chart:1316 Edn 03/19 (Q19-001)
1962.5	Marina de la Chaudière light buoy QC3	46 44 43.7 071 16 40.8	Q G 1s	Green, marked "QC3".	Private aid. Seasonal. Chart:1316 Edn 03/19 (Q19-002)
1962.7	Marina Chaudière Entrance light buoy QC4	46 44 35.8 071 16 42.6	Fl R 4s	Red, marked "QC4".	Privately maintained. Seasonal. Chart:1316
1963 H2326	Pont de Québec	In the center of Québec bridge, E. side. 46 44 44.2 071 17 16.2	Iso G 2s	54.1	15	On bridge.	Visible eastward. Year round. Chart:1316 Edn 05/12 (Q12-045)
1963.1 H2327	Pont Pierre- Laporte	On bridge, W. side. 46 44 42.1 071 17 26.2	Iso G 2s	50.5	11	On bridge.	Visible westward; obstructed 180° towards the bridge. Operates 24 h. Year round. Chart:1316 Edn 05/12 (Q12-046) Edn 02/24 (Q24-032, 047)
1963.4	Pont de Québec North	46 44 50.1 071 17 19.6	F R	27.6	On bridge.	Privately maintained by C.N.R. Operates at night only. Year round. Chart:1316 Edn 05/12 (Q12-041)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL							
1963.41	Pont de Québec North	46 44 47.6 071 17 18.1	F W	47.0	On bridge.	Privately maintained by C.N.R. Operates at night only. Year round. Chart:1316 Edn 05/12 (Q12-042)
1963.42	Pont de Québec South	46 44 40.6 071 17 14	F W	46.9	On bridge.	Privately maintained by C.N.R. Operates at night only. Year round. Chart:1316 Edn 05/12 (Q12-043)
1963.43	Pont de Québec South	46 44 38.2 071 17 12.6	F R	28.3	On bridge.	Privately maintained by C.N.R. Operates at night only. Year round. Chart:1316 Edn 05/12 (Q12-044)
1963.5 H2328	Pierre Laporte Bridge	W. of Québec bridge. 46 44 43.3 071 17 27	F 4W	49.0	On bridge.	Privately maintained. Year round. Chart:1316
			F 4R	48.0		
			F 2G	49.0		
1964 H2330		E. from extremity of point. 46 43 48.1 071 19 45.1	F W	59.8	21	Trapezoidal skeleton tower, orange slatwork daymark, black vertical stripe. 38.3	Visible in line of range. Horizontal observation angle of 7°. Emergency mode. Operates 24 h. Year round.
1964.1	Pointe à Basile range		Iso R 2s	59.2	16	Skeleton tower. 37.8	Visible downstream from Pont de Québec on a bearing of 241°17'.
1965 H2330.1		077°39' 1240.9m from front.	F W	88.5	21	Trapezoidal skeleton tower, orange slatwork daymark, black vertical stripe. 35.1	Visible in line of range. Emergency mode. Operates 24 h. Year round. Chart:1315 Edn 05/15 (Q15-067) Edn 01/17 Edn 07/17 (Q17-026, 027)
1966 H2332	Pointe Saint- Nicolas	On point. 46 42 07.1 071 26 45.4	F G	81.2	6	Red and white square skeleton tower, orange rectangular slatwork daymark. 14.0	Operates at night only. Year round. Chart: 1315
1966.5	Haut-fond Saint-Augustin light buoy Q16	46 43 08.8 071 24 33	Fl R 4s	Red, marked "Q16".	(Winter spar.) Year round. Chart:1315
1966.8	Light buoy Q18	46 42 55.9 071 25 58.2	Fl R 4s	Red, marked "Q18".	Seasonal. Chart:1315 Edn 08/09 (Q09-059)
1967	Pointe Saint- Nicolas light buoy Q19	Route Saint- Augustin. 46 42 41.2 071 26 41.8	Fl G 4s	Green spar, marked "Q19".	Year round (YRLS). Chart:1315 Edn 03/20 (Q19-141)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL								
1968	Haut-fond Saint-Augustin light buoy Q20	Route Saint- Augustin. 46 42 43.0 071 27 23.4	Fl R 4s	Red spar, marked "Q20".	Year round (YRLS). Chart:1315 Edn 01/21 (Q20-232)	
1969	Haut-fond Saint-Augustin light buoy Q22	Route Saint- Augustin. 46 42 30.0 071 28 48.6	Fl R 4s	Red spar, marked "Q22".	Year round (YRLS). Chart:1315 Edn 11/20 (Q20-171)	
1970	Anse du Vieux Moulin light buoy Q23	Route Saint- Augustin. 46 42 22.3 071 28 46.3	Fl G 4s	Green spar, marked "Q23".	Year round (YRLS). Chart:1315 Edn 05/19 (Q19-069) Edn 01/20 (Q19-142)	
1970.5	Pointe Aubin light buoy Q27	Off point. 46 42 00.1 071 30 15.8	Fl G 4s	Green, marked "Q27".	(Winter spar.) Year round. Chart:1315	
1972	Banc de St- Antoine light buoy Q31	W. of Banc de St- Antoine. 46 41 10.7 071 32 45.8	Fl G 4s	Green, marked "Q31".	(Winter spar.) Year round. Chart:1315	
1973	Pointe aux Trembles light buoy Q32	Traverse Saint- Antoine. 46 41 11.6 071 33 10.0	Fl R 4s	Red spar, marked "Q32".	Year round (YRLS). Chart:1315 Edn 11/20 (Q20-175)	
1973.5	Marina Vauquelin light buoy VAUQU	Off Pointe aux Trembles (Neuville) wharf. 46 41 15 071 33 49.7	Fl Y 4s	Orange and white, boat type, marked "VAUQU".	Privately maintained. Seasonal. Chart:1315	
1973.6	Club Nautique Vauquelin range	46 41 50 071 34 29.6	F G	4.0	Black cylindrical mast. 2.0	Visible in line of range. Privately maintained by Club Nautique Vauquelin Inc. Seasonal.
1973.7		321°22' 46m from front.	F G	6.4	Side of boat house.	Visible in line of range. Privately maintained by Club Nautique Vauquelin Inc. Seasonal. Chart:1315
1973.8	Club Nautique Vauquelin	On outer end of breakwater. 46 41 46.2 071 34 24.4	Fl R 4s	Mast.	Privately maintained by Club Nautique Vauquelin Inc. Operates at night only. Seasonal. Chart:1315	
1974 H2334	Pointe aux Trembles (Neuville) Racon - - (G) X & S Band	On breakwater, E. side. 46 41 47.4 071 34 22.5	Fl W 5s	9.9	20	Skeleton tower. 7.6	Flash 1 s; eclipse 4 s. Year round. Chart:1315	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL							
1974.5	Pointe aux Trembles light buoy Q34	Traverse Saint- Antoine. 46 40 42.6 071 34 32.4	Fl R 4s	Red spar, marked "Q34".	Year round (YRLS). Chart:1315 Edn 11/20 (Q20-176)
1975 H2336.1	Route Saint- Antoine range	On W. side of Pte. du Chalet des Phares. 46 39 57.9 071 35 02.3	F G	10.1	17 White tower, red upper portion, orange daymark, black vertical stripe. 7.6	Visible in line of range. Emergency light. Year round.
1976 H2335.9		On E. side of Pte. du Chalet des Phares. 071°56' 250.1m from front.	F G	16.8	17 Square skeleton tower, orange daymark, black vertical stripe. 15.8	Visible in line of range. Emergency light. Year round. Chart:1315 Edn 05/12 (Q12-066, 067)
1976.1 H2335.9	Traverse de Saint-Antoine range	On W. side of Pte. du Chalet des Phares. 46 40 00.4 071 34 51.1	F G	17.0	15 White square skeleton tower, orange slatwork daymarks, black vertical stripe. 15.8	Visible in line of range. Emergency light. Year round.
1977 H2336		227°37' 321m from front.	F G	57.3	15 Skeleton tower, orange slatwork daymark, black vertical stripe. 17.2	Visible in line of range. Emergency light. Year round. Chart:1315
1978	Pointe du Chalet des Phares light buoy Q37	46 39 53.1 071 36 28.3	Fl G 4s	Green, marked "Q37".	Seasonal. Chart:1315
1979	Pointe du Chalet des Phares light buoy Q38	Ruisseau Méthot. 46 40 03.9 071 36 51.1	Fl R 4s	Red spar, marked "Q38".	Year round (YRLS). Chart:1315 Edn 01/15 (G14-099) Edn 11/20 (Q20-177)
1980	Sainte-Croix-Est light buoy Q40	Route Saint-Antoine. 46 39 19.4 071 38 39.6	Fl R 4s	Red spar, marked "Q40".	Year round (YRLS). Chart:1315 Edn 08/20 (Q20-093)
1981 H2338	Sainte-Croix-Est	On S. shore of river. 46 38 25.5 071 38 10	F G	11.2	6 Skeleton tower, orange rectangular slatwork daymark on N., E., and W. faces. 9.5	Operates at night only. Year round. Chart:1315
1982	Sainte-Croix-Est light buoy Q41	46 38 47.1 071 39 43.3	Fl G 4s	Green, marked "Q41".	Seasonal. Chart:1315
1982.5	Sainte-Croix-Est light buoy Q42	46 38 58.8 071 39 50.7	Fl R 4s	Red, marked "Q42".	Seasonal. Chart:1315 Edn 12/12 (Q12-072)
1983	Banc des Écureuils light buoy Q46	Route Saint-Antoine. 46 38 39.1 071 41 12.3	Fl R 4s	Red spar, marked "Q46".	Year round (YRLS). Chart:1315 Edn 08/20 (Q20-094)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL							
1984	Banc des Écureuils light buoy Q48	Sainte-Croix. 46 38 26.5 071 42 48.4	Fl R 4s	Red spar, marked "Q48".	Year round (YRLS). Chart:1315 Edn 03/20 (Q19-143)
1985 H2340		E. of Sainte-Croix wharf. 46 37 40.6 071 41 58.5	F W	60.0	20 Square skeleton tower, orange daymark, black vertical stripe. 7.6	Visible in line of range. Emergency light. Year round.
1986 H2340.1	Sainte-Croix range	117°02' 483.9 m from front.	F W	75.1	20 Square skeleton tower, orange rectangular daymark with black vertical stripe. 15.9	Visible in line of range. Emergency light. Operates 24 h. Year round.
1986.1			F G	74.1	6 15.6	Emergency mode. Visible eastward of 137°. Operates at night only. Chart:1314 Edn 03/11 (Q11-017) Edn 08/11 Edn 03/24
1987	Banc des Écureuils light buoy Q50	Traverse de Cap- Santé. 46 38 28.5 071 43 56.8	Q R 1s	Red spar, marked "Q50".	Year round (YRLS). Chart:1315 Edn 05/19 (Q19-070) Edn 01/20 (Q19-144)
1988 H2342	Sainte-Croix	On shore. 46 37 40.9 071 43 53.8	Iso Y 2s	15.0	7	Square skeleton tower, white rectangular daymark, two red horizontal bands. 12.7	Visible 172° to 255° through S. Year round. Emergency mode. Chart:1314 Edn 03/10(Q10-012) Edn 01/11(Q10-012) Edn 01/12 Edn 01/16 (Q15-157) Edn 02/16 (Q15-185) Edn 10/17 (Q17-025)
1989	Brisants Sainte- Croix light buoy Q51	Traverse de Cap- Santé. 46 38 41.2 071 45 03.8	Fl G 4s	Green spar, marked "Q51".	Year round (YRLS). Chart:1314 Edn 08/20 (Q20-089)
1989.6	Traverse Cap-Santé light buoy Q53	46 39 08.8 071 46 22.3	Fl G 4s	Green, marked "Q53".	Seasonal. Chart:1314 Edn 07/12 (Q12-073)
1990	Pointe aux Sables light buoy Q54	Traverse de Cap- Santé. 46 39 15.9 071 46 17.1	Fl R 4s	Red spar, marked "Q54".	Year round (YRLS). Chart:1314 Edn 08/20 (Q20-096)
1990.6	Traverse Cap-Santé light buoy Q55	46 39 36.3 071 47 40.9	Fl G 4s	Green, marked "Q55".	(Winter spar.) Year round. Chart:1314
1992	Pouliér Paget light buoy Q57	Traverse de Cap- Santé. 46 40 03.9 071 48 59.4	Fl G 4s	Green spar, marked "Q57".	Year round (YRLS). Chart:1314 Edn 03/20 (Q19-145)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL							
1993	Pointe Platon light buoy Q61	N. of point. 46 40 37.5 071 50 58.2	Q G 1s	Green spar, marked "Q61".	Year round (YRLS). Chart:1314 Edn 08/14 (Q14-031) Edn 03/20 (Q19-146)
1993.7 H2343	Pointe-Platon	On point. 46 40 12.4 071 50 48.4	F G	9.6	7 Square skeleton tower, orange rectangular slatwork daymarks. 8.0	Visible 360°. Emergency mode. Radar reflector. Year round. Chart:1314 Edn 02/11 (Q11-002) Edn 11/16 (Q16-158)
1994	Pointe Platon light buoy Q63	46 40 40.6 071 51 40.2	Fl G 4s	Green spar, marked "Q63".	Year round (YRLS). Chart:1314 Edn 10/13 (Q13-032) Edn 08/14 (Q14-033) Edn 06/18 (Q18-087) Edn 07/20 (Q20-090)
1995 H2344	Traverse Cap-Santé range	E. of Rivière Portneuf mouth. 46 41 23.8 071 52 35.2	F G	11.4	17 White cylindrical mast, orange slatwork daymark, black vertical stripe. 10.8	Visible in line of range. Emergency light. Year round.
1996 H2344.1		296°56' 599.6m from front.	F G	22.6	17 Rectangular skeleton tower, orange slatwork daymark, black vertical stripe. 15.3	Visible in line of range. Emergency light. Year round. Chart:1314
1997 H2346	Portneuf range	On N. shore E. of Rivière Portneuf. 46 41 22.7 071 52 12.9	F G	20.0	17 Square skeleton tower, orange daymark, black vertical stripe. 18.6	Visible in line of range. Emergency light. Year round.
1998 H2346.1		028°29' 600.4m from front.	F G	40.7	17 Square skeleton tower, orange daymark, black vertical stripe. 14.4	Visible in line of range. Emergency light. Year round. Chart:1314
1998.51 H2347.5	Portneuf marina, Breakwater	On outer end of breakwater. 46 40 54.5 071 52 36	Fl W 4s	On a monument. 7.6	Privately operated. Operates at night only. Seasonal. Chart:1314
1999 H2347	Portneuf Wharf	On outer end of wharf, E. side. 46 40 51.9 071 52 37.1	Iso R 2s	8.8	6	Square skeleton tower. 8.1	Operates at night only. Year round. Chart:1314 Edn 09/11 (Q11-083)
1999.5	Portneuf light buoy Q65	46 40 23.7 071 52 44.3	Q G 1s	Green, marked "Q65".	Year round. Chart:1314 Edn 08/14 (Q14-032) Edn 05/15 (Q14-105)
2000	Portneuf light buoy Q66	E. of Deschambault. 46 39 46.8 071 53 43.2	Fl R 4s	Red, marked "Q66".	(Winter spar.) Year round. Chart:1314

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL							
2001	Rapides Richelieu light buoy Q67	NE. of Île Richelieu. 46 39 30.5 071 53 34.0	Fl G 4s	Green spar, marked "Q67".	Year round (YRLS). Chart:1314 Edn 07/20 (Q20-091)
2001.1	Rapides Richelieu light buoy Q68	46 39 10.1 071 54 13.1	Fl R 4s	Red spar, marked "Q68".	Year round (YRLS). Chart:1314 Edn 03/20 (Q19-147)
2001.8 H2349	Île Richelieu Racon - - (M) X & S Band	N. side of island. 46 38 33.5 071 54 35.2	F Y F G	5.7 5.7	16 6	Orange pile. 12.0	Visible on a bearing of 054°. Not to be used as a direction light. Year round. Visible on a bearing of 160° through S. to 250°. Increased intensity on a bearing of 211°. Operates at night only. Year round. Chart:1314
2002 H2350	Barre à Boulard range	On edge of cliff. 46 39 33.8 071 52 34.6	F W	51.7	20	Square skeleton tower, orange daymark, black vertical stripe. 18.6	Visible in line of range. Emergency light. Year round.
2003 H2350.1		054°03' 1042.8m from front.	F W	71.3	20	Skeleton tower, orange daymark, black vertical stripe. 19.8	Visible in line of range. Emergency light. Year round. Chart:1314
2004	Light buoy Q70	At Rapides Richelieu. 46 38 28.5 071 55 08.1	Fl R 4s	Red, marked "Q70".	Seasonal. Chart:1314
2004.5	Barre à Boulard light buoy Q73	Route de Lotbinière. 46 38 03.8 071 55 24.7	Q G 1s	Green spar, marked "Q73".	Year round (YRLS). Chart:1314 Edn 02/21 (Q20-233)
2005	Barre à Boulard light buoy Q74	Deschambault. 46 38 03.3 071 55 45.4	Q R 1s	Red spar, marked "Q74".	Year round (YRLS). Chart:1314 Edn 06/19 (Q19-071) Edn 04/24 (Q24-133)
2006 H2348	Lotbinière range	On S. shore, of Vieille-Église. 46 36 40.1 071 57 21.5	F W	15.5	20	Square skeleton tower, orange daymark, black vertical stripe. 12.6	Visible in line of range. Emergency light. Year round.
2007 H2348.1		221°57' 867.8m from front.	F W	41.3	20	Skeleton tower, white enclosed upper portion, orange daymark, black vertical stripe. 17.4	Visible in line of range. Emergency light. Year round. Chart:1314
2008	Barre à Boulard light buoy Q77	Lotbinière. 46 37 25.0 071 56 42.4	Fl G 4s	Green spar, marked "Q77".	Year round (YRLS). Chart:1314 Edn 03/20 (Q19-150)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL								
2008.1	Barre à Boulard light buoy Q76	Lotbinière. 46 37 35.2 071 56 41.5	Fl R 4s	Red spar, marked "Q76".	Year round (YRLS). Chart:1314 Edn 03/20 (Q19-149)	
2012	Îlet Mayrand light buoy Q83	Grondines. 46 36 28.3 071 58 30.6	Fl G 4s	Green spar, marked "Q83".	Year round (YRLS). Chart:1314 Edn 07/20 (Q20-092)	
2012.1	Grondines-Est light buoy Q84	46 36 20.1 071 59 19.2	Fl R 4s	Red, marked "Q84".	(Winter spar.) Year round. Chart:1314	
2013 H2354	Pointe Langlois	On S. shore E. of point. 46 35 02 071 59 25	Iso G 2s	21.8	6	Skeleton tower, 3 orange rectangular daymarks on E., N. and W. faces. 11.1	Radar reflector. Year round. Chart:1314 Edn 05/11 (Q11-054)	
2014	Batture Simon light buoy D4	Grondines Anchorage. 46 35 30.2 072 00 25.7	Fl R 4s	Red spar, marked "D4".	Year round (YRLS). Chart:1314 Edn 03/20 (Q19-151) Edn 05/21 (Q21-001)	
2015 H2358	Leclercville (St. Emmélie) range	On S. shore. 46 33 44.6 072 00 49	F G	37.0	17	Square skeleton tower, orange daymark, black vertical stripe. 9.9	Visible in line of range. Emergency light. Year round.
2016 H2358.1		092°42' 1041.8m from front.	F G	57.2	17	White square skeleton tower, orange daymark, black vertical stripe. 12.4	Visible in line of range. Emergency light. Year round.
2016.1			F G	57.2	6	12.4	Visible 360°. Chart:1314 Edn 09/11 (Q11-095)
2017	Battures du Chêne light buoy D9	46 34 47.8 072 01 37.2	Fl G 4s	Green, marked "D9".	(Winter spar.) Year round. Chart:1314	
2017.5	Barre du Dos de Cheval light buoy D12	46 34 39.6 072 02 18.6	Fl R 4s	Red, marked "D12".	(Winter spar.) Year round. Chart:1314	
2018	Battures à Cadieux light buoy D15	46 34 06 072 03 16	Fl G 4s	Green, marked "D15".	(Winter spar.) Year round. Chart:1314	
2018.5	Batture de la Grande Pointe light buoy D18	Grondines-Ouest. 46 34 09.7 072 03 29.3	Q R 1s	Red spar, marked "D18".	Year round (YRLS). Chart:1314 Edn 03/20 (Q19-152)	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL							
2019 H2356	Route du Cap Charles range	W. of Cap Charles. 46 33 22.0 072 05 10.9	F G	39.8	14	Square skeleton tower, fluorescent red daymark with black vertical stripe. 9.1	Visible in line of range. Operates 24 h. Emergency mode. Year round.
2020 H2356.1		238°29' 615.8 m from front.	F G	54.3	14	Square skeleton tower, fluorescent red daymark with black vertical stripe. 20.5	Visible in line of range. Operates 24 h. Emergency mode. Year round.
Chart:1314 Edn 07/22 (Q22-031, 032)							
2020.5	Cap Charles light buoy D23	46 33 50.5 072 04 02.8	Q G 1s	Green, marked "D23".	(Winter spar.) Year round.
Chart:1314							
2021	Course Cap Charles light buoy D22	N. of Cap Charles. 46 34 01.3 072 04 06.9	Q R 1s	Red, marked "D22".	(Winter spar.) Year round.
Chart:1314							
2022	Poulier du Calvaire light buoy D24	Pointe des Grondines. 46 33 56.1 072 04 45.6	Q R 1s	Red spar, marked "D24".	Year round (YRLS).
Chart:1314 Edn 03/13 (Q13-005) Edn 03/20 (Q19-153)							
2022.5	Poulier du Calvaire light buoy D25	46 33 48.2 072 04 46.1	Fl G 4s	Green, marked "D25".	(Winter spar.) Year round.
Chart:1314							
2023 H2362	Pointe des Grondines range	On point. 46 34 43.5 072 04 11.8	F G	14.6	15	Square skeleton tower, fluorescent red slatwork daymark, black vertical stripe. 8.9	Visible in line of range. Divergence angle of 8°. Operates 24 h. Emergency mode. Year round.
2024 H2362.1		Near wharf, Saint- Charles-des- Grondines. 066°37' 2439.8 m from front.	F G	42.1	15	Trapezoidal skeleton tower, fluorescent red slatwork daymark, black vertical stripe. 37.8	Visible in line of range. Divergence angle of 8°. Operates 24 h. Emergency mode. Year round.
Chart:1314 Edn 03/10 (Q10-012) Edn 01/11 (Q10-012) Edn 06/18 (Q17-051, 052)							
2025 H2364	Route de l'Anse- des-Grondines range	Upstream of Pointe des Grondines. 46 35 06.4 072 05 52.0	Iso W 2s	9.0	16	White square skeleton tower, fluorescent red daymark with black vertical stripe. 8.0	Visible in line of range. Operates 24 h. Emergency mode. Year round.
2026 H2364.1		047°15' 1996.8 m from front.	Iso W 2s	38.4	16	Trapezoidal skeleton tower, fluorescent red daymark with black vertical stripe. 23.2	Visible in line of range. Operates 24 h. Emergency mode. Year round.
Chart:1314 Edn 02/10 (Q09-015) Edn 03/10 (Q10-012) Edn 01/11 (Q10-012) Edn 06/13 (Q13-060, 061) Edn 11/18 (Q18-133, 134) Edn 05/22 (Q21-045, 046)							

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL							
2027 H2360	La Pérade range	46 34 02.9 072 10 23.8	F G	14.8	17	Yellow skeleton tower, orange daymark, black vertical stripe.	Visible in line of range. Emergency light. Year round.
2028 H2360.1		272°35' 1210.6m from front.	F G	26.7	17	Skeleton tower, orange daymark, black vertical stripe.	Visible in line of range. Emergency light. Year round.
							Chart:1314
2028.5 H2361	Deschailions-sur- Saint-Laurent	NW. corner of Deschailions wharf. 46 33 39.8 072 06 22.2	Fl G 4s	11.6	6	White cylindrical mast. 9.7	Flash 1 s; eclipse 3 s. Radar reflector. Operates at night only. Year round.
							Chart:1314
2029	Pointe Deschailions light buoy D29	Pouler Rayer. 46 33 50.9 072 06 11.2	Fl G 4s	Green spar, marked "D29".	Year round (YRLS).
							Chart:1314 Edn 08/20 (Q20-132)
2029.5	Deschailions-sur- Saint-Laurent light buoy D30	Route de Sainte- Emmélie. 46 33 58.9 072 06 10.7	Fl R 4s	Red spar, marked "D30".	Year round (YRLS).
							Chart:1314 Edn 11/22 (Q22-077)
2030	Deschailions-sur- Saint-Laurent light buoy D31	Route de la Pointe- des-Grondines. 46 33 48.4 072 06 47.6	Q G 1s	Green spar, marked "D31".	Year round (YRLS).
							Chart:1314 Edn 04/19 (Q19-072) Edn 05/21 (Q21-002)
2031	Deschailions-sur- Saint-Laurent light buoy D32	Route de la Pointe- des-Grondines. 46 33 57.8 072 06 50.0	Q R 1s	Red spar, marked "D32".	Year round (YRLS).
							Chart:1314 Edn 04/16 (Q16-020) Edn 12/20 (Q20-220)
2032	Cap à la Roche light buoy D35	Route de la Pointe- des-Grondines. 46 33 42.0 072 07 22.9	Fl G 4s	Green spar, marked "D35".	Year round (YRLS).
							Chart:1314 Edn 08/20 (Q20-133)
2033	Poulier Villeneuve light buoy D36	Route de la Pointe- des-Grondines. 46 33 49.3 072 07 27.4	Fl R 4s	Red spar, marked "D36".	Year round (YRLS).
							Chart:1314 Edn 11/22 (Q22-076)
2034	Cap à la Roche light buoy D37	Route de la Pointe- des-Grondines. 46 33 33.5 072 07 51.8	Q G 1s	Green spar, marked "D37".	Year round (YRLS).
							Chart:1314 Edn 03/13 (Q13-006) Edn 04/16 (Q16-051) Edn 05/22 (Q22-013)
2035	Cap à la Roche light buoy D38	N. side of channel. 46 33 40.8 072 07 56.3	Q R 1s	Red, marked "D38".	(Winter spar.) Year round.
							Chart:1314
2036	Cap à la Roche Course light buoy D40	N. side of channel. 46 33 29.2 072 08 28.5	Q R 1s	Red, marked "D40".	(Winter spar.) Year round.
							Chart:1314

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL								
2037	Battures des Belles Filles light buoy D41	Route de l'Anse-des-Grondines. 46 33 07.9 072 08 49.3	Q G 1s	Green spar, marked "D41".	Year round (YRLS). Chart:1314 Edn 08/20 (Q20-134)	
2037.5	Battures des Belles Filles light buoy D42	Route de l'Anse-des-Grondines. 46 33 13.7 072 08 57.1	Fl R 4s	Red spar, marked "D42".	Year round (YRLS). Chart:1314 Edn 08/20 (Q20-135)	
2038	Cap Lévrard light buoy D49	46 32 25 072 09 56.4	Fl G 4s	Green, marked "D49".	(Winter spar.) Year round. Chart:1314	
2038.4	Cap Lévrard Curve light buoy D52	46 32 19.8 072 10 21.5	Q R 1s	Red, marked "D52".	(Winter spar.) Year round. Chart:1314	
2038.6	Traverse de Batiscan Curve light buoy D53	46 31 56.9 072 10 40.4	Q G 1s	Green, marked "D53".	(Winter spar.) Year round. Chart:1314	
2039	Traverse de Batiscan Curve light buoy D54	Cap Lévrard. 46 32 04.9 072 10 48.9	Q R 1s	Red spar, marked "D54".	Year round (YRLS). Chart:1314 Edn 04/19 (Q19-073)	
2039.5	Traverse de Batiscan Curve light buoy D56	46 31 51.3 072 11 17.7	Q R 1s	Red, marked "D56".	(Winter spar.) Year round. Chart:1314	
2040	Butte à Moineau light buoy D59	Traverse de Batiscan. 46 31 22.5 072 12 07.7	Fl G 4s	Green spar, marked "D59".	Year round (YRLS). Chart:1314 Edn 08/20 (Q20-136)	
2040.5	Light buoy D60	46 31 28.9 072 12 14.6	Fl R 4s	Red, marked "D60".	(Winter spar.) Year round. Chart:1314	
2041 H2368	Les Becquets	On inner end of wharf. 46 30 26.9 072 12 21.5	F G	7.9	7	White cylindrical mast. 6.7	Operates at night only. Year round. Chart:1314

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL							
2042 H2366		46 30 33.6 072 14 22.9	F G	13.7	12	Square skeleton tower, orange daymark with black vertical stripe. 8.1	Visible in line of range. Operates 24 h. Emergency mode. Year round. Edn 08/13 (Q13-063) Edn 01/14 (Q13-069) Edn 11/22 (Q22-045)
2042.1	Traverse de Batiscan range		F G	13.1	6	Square skeleton tower. 8.1	Year round. Visible 360°. Edn 01/14 (Q13-072) Edn 04/14 (Q14-004)
2043 H2366.1		240°13' 440.2 m from front.	F G	24.6	12	Skeleton tower, orange daymark with black vertical stripe. 21.7	Visible in line of range. Operates 24 h. Emergency mode. Year round. Edn 08/13 (Q13-064) Edn 01/14 (Q13-070) Edn 11/22 (Q22-046)
2043.1			F G	24.7	6	Skeleton tower. 21.7	Year round. Visible 360°. Chart:1314 Edn 09/11 (Q11-096, 103) Edn 01/14 (Q13-073) Edn 01/15 (Q14-005)
2043.6	Rivière Batiscan light buoy D62	Traverse de Batiscan. 46 31 09.7 72 12 56.4	Q R 1s	Red spar, marked "D62".	Year round (YRLS). Chart:1314 Edn 03/13 (Q13-007) Edn 08/20 (Q20-137)
2044	Battures Saint- Pierre light buoy D63	N. of Les Becquets. 46 31 01 072 12 47.6	Q G 1s	Green, marked "D63".	(Winter spar.) Year round. Chart:1314
2045	Battures Saint- Pierre light buoy D67	46 30 31.7 072 13 22	Q G 1s	Green, marked "D67".	(Winter spar.) Year round. Chart:1314
2046	Mouillage Batiscan light buoy D68	46 30 43.3 072 13 28.7	Fl R 4s	Red, marked "D68".	(Winter spar.) Year round. Chart:1314
2047	Battures Saint- Pierre light buoy D71	Route de Gentilly. 46 30 00.3 072 13 44.0	Fl G 4s	Green spar, marked "D71".	Year round (YRLS). Chart:1313 Edn 11/20 (Q20-216)
2047.2 H2366.4	Batiscan Wharf	Southerly corner of building. 46 30 01 072 14 45.9	Q R 1s	12.8	5	White cylindrical mast. 9.6	Radar reflector. Operates at night only. Year round. Chart:1314 Edn 08/10 (Q10-040)
2047.5	Batiscan Anchorage light buoy D74	46 29 21.2 072 14 14.2	Q R 1s	Red, marked "D74".	(Winter spar.) Year round. Chart:1313

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL							
2048	Battures Perron light buoy D82	Route de Gentilly. 46 28 21.3 072 14 42.0	Fl R 4s	Red spar, marked "D82".	Year round (YRLS). Chart:1313 Edn 08/20 (Q20-141)
2049.4	Gentilly light buoy D83	46 28 07.2 072 14 36.4	Fl G 4s	Green, marked "D83".	(Winter spar.) Year round. Chart:1313
2050 H2370	Gentilly range	On pile, Battures de Gentilly. 46 25 48 072 15 46.9	F G	11.9	14 White tower, orange daymark, black vertical stripe. 3.7	Emergency mode. Visible in line of range. Operates at night only. Year round.
2051 H2370.1	Racon -- (K) X & S Band	197°44' 2596.1m from front.	F G	31.1	14 Square skeleton tower, orange slatwork daymark, black vertical stripe. 24.3	Emergency mode. Visible in line of range. Operates at night only. Year round. Chart:1313 Edn 03/10 (Q10-012) Edn 01/11 (Q10-012)
2052	Pointe à la Citrouille light buoy D87	46 26 59.9 072 15 27.4	Fl G 4s	Green, marked "D87".	(Winter spar.) Year round. Chart:1313
2052.5	Pointe à la Citrouille light buoy D88	46 27 17.3 072 15 31.1	Fl R 4s	Red spar, marked "D88".	Year round (YRLS). Chart:1313 Edn 08/20 (Q20-142)
2053 H2372	Pointe à la Citrouille	46 27 06.5 072 16 02.6	F G	17.5	7 Skeleton tower, rectangular orange daymarks. 15.7	Operates at night only. Year round. Chart:1313
2053.5	Pointe à la Citrouille light buoy D90	46 26 47.4 072 16 04.6	Q R 1s	Red, marked "D90".	(Winter spar.) Year round. Chart:1313
2054	Pointe à la Citrouille light buoy C2	46 26 36.5 072 16 29	Q R 1s	Red, marked "C2".	(Winter spar.) Year round. Chart:1313
2054.1	Poulier Grandmont light buoy C3	46 26 24.2 072 16 19.9	Q G 1s	Green, marked "C3".	Seasonal. Chart:1313
2055	Petite batture Champlain light buoy C4	Route de Champlain, N. side of channel. 46 26 29.1 072 17 02.3	Fl R 4s	Red spar, marked "C4".	Year round (YRLS). Chart:1313 Edn 03/12 Edn 08/20 (Q20-143)
2056	Poulier Turcotte light buoy C7	S. side of channel. 46 26 16.3 072 18 10.3	Fl G 4s	Green, marked "C7".	(Winter spar.) Year round. Chart:1313 Edn 03/12
2057	Poulier Dubord light buoy C13	Route de Champlain, S. side of channel. 46 26 08.4 072 20 00.7	Fl G 4s	Green spar, marked "C13".	Year round (YRLS). Chart:1313 Edn 03/12 Edn 08/20 (Q20-144)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL							
2057.5	Champlain light buoy C14	Route de Champlain. 46 26 13.5 072 20 37.1	Fl R 4s	Red spar, marked "C14".	Year round (YRLS). Chart:1313 Edn 03/12 Edn 01/15 (Q14-098) Edn 11/22 (Q22-073)
2058	Pouliier Dubord light buoy C15	Main channel. 46 26 02.6 072 20 32.9	Q G 1s	Green, marked "C15".	(Winter spar.) Year round. Chart:1313 Edn 03/12
2059	Pouliier Dubord light buoy C17	Champlain, main channel. 46 25 52.5 072 21 02.0	Q G 1s	Green spar, marked "C17".	Year round (YRLS). Chart:1313 Edn 08/20 (Q20-145)
2060	Light buoy C18	46 26 01.7 072 21 10.7	Q R 1s	Red, marked "C18".	(Winter spar.) Year round. Chart:1313
2061	Light buoy C19	46 25 38.2 072 21 28	Fl G 4s	Green, marked "C19".	(Winter spar.) Year round. Chart:1313
2062 H2382	Champlain	W. of village. 46 26 22.6 072 20 41.5	F G	18.1	16 White skeleton tower, orange daymark. 14.6	Visible on a bearing of 038°. Year round.
2062.1	Champlain Secondary light		Fl R 5s	14.4	6		Flash 1 s; eclipse 4 s. Visible 360°. Year round. Chart:1313 Edn 09/11 (Q11-104) Edn 11/16 (Q16-154)
2063 H2380		W. of Champlain village. 46 26 06.2 072 21 26.0	F G	19.7	13 Mast, fluorescent red daymark with black vertical stripe. 13.4	Visible in line of range. Operates 24 h. Emergency mode. Year round.
2063.1 H2380	Route de Champlain range		F G	19.8	7 Mast. 13.4	Visible 120°. Operates 24 h. Year round.
2064 H2380.1		264°03' 454.6 m from front.	F G	33.4	13 Square skeleton tower, fluorescent red daymark with black vertical stripe. 27.5	Visible in line of range. Operates 24 h. Emergency mode. Year round.
2064.1 H2380.1			F G	33.4	7 Square skeleton tower. 27.5	Visible 120°. Operates 24 h. Year round. Chart:1313 Edn 12/12 (Q12-015, 016, 019, 025) Edn 03/23 (Q22-083, 085, 088, 089)
2065	Pointe à Bigot light buoy C20	Off point. 46 25 04.2 072 22 29.4	Fl R 4s	Red, marked "C20".	(Winter spar.) Year round. Chart:1313

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL

2066	Pointe à Bigot light buoy C21	Port de Bécancour, main channel. 46 24 56.8 072 22 24.4	Fl G 4s	Green spar, marked "C21".	Year round (YRLS). Chart:1313 Edn 02/13 (Q13-002) Edn 08/20 (Q20-146)
2066.3 H2387	Pointe à Bigot	46 24 55.2 072 23 00.6	Fl R 6s	14.9	4	White skeleton tower, orange rectangular slatwork daymark. 13.1	Flash 1 s; eclipse 5 s. Operates at night only. Radar reflector. Year round. Chart:1313 Edn 10/15 (Q15-110)
2067 H2390	Route de Lottinville range	Pointe Lottinville. 46 23 36.1 072 27 44.5	F G	18.6	13	Square skeleton tower, orange slatwork daymark with black vertical stripe. Emergency mode. Visible in line of range. Operates 24 h. Year round.
2068 H2390.1		037°31' 975.2 m from front.	F G	33.1	13	Skeleton tower, orange slatwork daymark with black vertical stripe. 23.1 Emergency mode. Visible in line of range. Operates 24 h. Year round. Chart:1313 Edn 03/10 (Q10-009) Edn 06/22 (Q22-020, 021)
2068.3	Port de Bécancour	46 23 57.3 072 22 28	F Y	7.2	Black and yellow structure, black vertical stripes. Privately maintained by Port de Bécancour. Visible in line 167°44' to 347°44'. Year round. Chart:1313
2069	Bécancour Course light buoy C23	46 24 16.6 072 23 34.2	Fl G 4s	Green, marked "C23".	(Winter spar.) Year round. Chart:1313
2069.7	Bécancour Course light buoy C27	E. of Batture Provencher. 46 23 09.1 072 25 31.3	Fl G 4s	Green, marked "C27".	(Winter spar.) Year round. Chart:1313
2069.8	Batture Francoeur light buoy C28	Route de Bécancour. 46 23 15.2 072 25 38.6	Q R 1s	Red spar, marked "C28".	Year round (YRLS). Chart:1313 Edn 08/20 (Q20-147)
2070	Bécancour Bend light buoy C30	N. side of turn in channel. 46 23 02.9 072 26 07.2	Q R 1s	Red, marked "C30".	(Winter spar.) Year round. Chart:1313
Trois-Rivières Harbour							
2071	Île Lamy light buoy C33	Traverse de Bécancour. 46 22 44.0 072 26 49.1	Fl G 4s	Green spar, marked "C33".	Year round (YRLS). Chart:1313 Edn 05/22 (Q22-011)
2072	Pointe de Bécancour light buoy C34	Battures Provencher, Traverse de Bécancour. 46 22 54.1 072 26 38.4	Q R 1s	Red spar, marked "C34".	Year round (YRLS). Chart:1313 Edn 08/20 (Q20-148)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL									
2073 H2384	Bécancour range	W. bank of Rivière Bécancour. 46 22 24.1 072 26 58.4	F	G	4.2	17	Square tower, orange daymark, black vertical stripe. 1.7	Visible in line of range. Emergency light. Year round.
2073.1			F	G	5.4	6	6.8	Visible 360°. Year round.
2074 H2384.1		230°10' 1798.5m from front.	F	G	22.5	17	Square skeleton tower, orange slatwork daymark, black vertical stripe. 16.9	Visible in line of range. Emergency light. Year round. Chart:1313 Edn 12/12 (Q12-030)
2075 H2386	Traverse de Bécancour Upstream range	On S. shore. 46 23 21.2 072 23 40.8	F	G	10.3	17	Square skeleton tower, orange daymark, black vertical stripe. 6.5	Visible in line of range. Emergency mode. Year round.
2076 H2386.1		075°47' 624.8 m from front.	F	G	21.2	17	Square skeleton tower, orange daymark, black vertical stripe. 17.1	Visible in line of range. Emergency mode. Year round. Chart:1313 Edn 05/12 (Q12-055) Edn 02/13 (Q12-143, 144) Edn 04/14 (Q14-007) Edn 09/14 (Q14-006)
2076.8	<i>Traverse de Bécancour light buoy C36</i>	46 22 43.2 072 27 40.4	Fl	R	4s	Red, marked "C36".	(Winter spar.) Year round. Chart:1313
2077	<i>Cap à l'Anse light buoy C39</i>	Champlain. 46 22 35.5 072 27 37.6	Fl	G	4s	Green spar, marked "C39".	Year round (YRLS). Chart:1313 Edn 08/20 (Q20-129)
2078	<i>Cap-de-la- Madeleine light buoy C41</i>	At turn in channel. 46 22 24 072 28 21.4	Fl	G	4s	Green, marked "C41".	(Winter spar.) Year round. Chart:1313
2079	<i>Sainte-Marthe-du- Cap light buoy C43</i>	Batture aux Veaux. 46 22 13.5 072 28 50.7	Fl	G	4s	Green spar, marked "C43".	Year round (YRLS). Chart:1313 Edn 08/20 (Q20-138)
2080 H2388	Cap-de-la- Madeleine Wharf range	On SW. corner of wharf. 46 21 56.4 072 29 50.9	F	G	10.3	11	Green square tower, orange slatwork daymark with black vertical stripe.	Emergency mode. Visible in line of range. Operates 24 h. Year round.
2081 H2388.1		242°37' 147.0 m from front.	F	G	19.9	11	Square skeleton tower, orange slatwork daymark with black vertical stripe. 12.8	Emergency mode. Visible in line of range. Operates 24 h. Year round. Chart:1313 Edn 06/22 (Q22-009, 010)
2081.5	<i>Cap-de-la- Madeleine light buoy C46</i>	46 22 11.7 072 29 20.5	Q	R	1s	Red, marked "C46".	Seasonal. Chart:1313

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL								
2082	Light buoy C45	At turn in channel. 46 22 00 072 29 18.1	Q G 1s	Green, marked "C45".	(Winter spar.) Year round. Chart:1313	
2083	Cap de la Madeleine light buoy C47	Route de Lottinville. 46 21 43.7 072 29 42.1	Fl G 4s	Green spar, marked "C47".	Year round (YRLS). Chart:1313 Edn 02/13 (Q13-003) Edn 01/21 (Q20-218)	
2083.8 H2389	Île La Poterie	On outer end of wharf. 46 21 23.5 072 30 24.5	Fl R 6s	12.8	6	Mast.	Flash 1 s; eclipse 5 s. Year round. Chart:1313 Edn 11/13 (Q09-132) Edn 12/23 (Q23-145)	
2084.7	Light buoy C48	46 21 06.2 072 30 46.3	Fl R 4s	Red, marked "C48".	Seasonal. Chart:1313	
2085	Pointe des Chenaux light buoy C49	Champlain. 46 21 06.5 072 30 23.3	Fl G 4s	Green spar, marked "C49".	Year round (YRLS). Chart:1313 Edn 08/20 (Q20-126)	
2092 H2392	Route de la Pointe-aux-Ormes range	E. of Pont Lavolette, N. shore. 46 18 48.3 072 33 59.9	F G	7.7	12	Cylindrical tower, orange rectangular slatwork daymark with black vertical stripe. 8.1	Visible in line of range. Operates 24 h. Year round.
2093 H2392.1		228°47' 222.0 m from front.	F G	15.3	12	Square skeleton tower, red rectangular slatwork daymark with black vertical stripe.	Visible in line of range. Emergency mode. Operates 24 h. Year round. Chart:1313 Edn 12/22 (Q22-080, 081)
2093.3	Light buoy C52	Port of Trois- Rivières. 46 20 42.7 072 31 36.6	Fl R 4s	Red, marked "C52".	Seasonal. Chart:1313	
2094	Sainte-Angèle-de- Laval light buoy C53	Trois-Rivières harbour. 46 20 29.4 072 31 04.5	Fl G 4s	Green spar, marked "C53".	Year round (YRLS). Chart:1313 Edn 05/22 (Q22-012)	
2099	Light buoy C61	46 19 45.2 072 32 17.4	Fl G 4s	Green, marked "C61".	(Winter spar.) Year round. Chart:1313	
2104.2	Trois-Rivières Harbour light buoy C63	Champlain, main channel. 46 19 22.1 072 32 44.6	Fl G 4s	Green spar, marked "C63".	Year round (YRLS). Chart:1313 Edn 02/13 (Q13-004) Edn 08/20 (Q20-150)	
2104.6	Pont Lavolette light buoy C65	Downstream of the bridge. 46 18 48.7 072 33 08.3	Q G 1s	Green spar, marked "C65".	Year round (YRLS). Chart:1313 Edn 11/20 (Q20-170)	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL									
2105.2	Pont Laviolette North	46 18 29.1 072 33 45.8	F	R	47.7	On bridge.	Visible 360°. Year round. Chart:1313 Edn 02/14 (Q13-048) Edn 03/14 (Q13-048) Edn 03/19 (Q19-024)
2105.4	Pont Laviolette Center	46 18 26.8 072 33 41.7	F	G	49.0	On bridge.	Visibility 360°. Operates at night only. Year round. Chart:1313 Edn 02/14 (Q13-051) Edn 03/14 (Q13-051)
2105.6	Pont Laviolette South	46 18 24.4 072 33 37.6	F	R	48.0	On bridge.	Visible 360°. Year round. Chart:1313 Edn 02/14 (Q13-052) Edn 03/14 (Q13-052) Edn 03/19 (Q18-172)
2106	<i>Pont Laviolette light buoy C67</i>	<i>Upstream of bridge. 46 18 15.8 072 33 48.3</i>	Q	G	1s	<i>Green spar, marked "C67".</i>	<i>Year round (YRLS).</i> Chart:1313 Edn 01/21 (Q20-179)
2108	<i>Pointe aux Ormes light buoy C70</i>	<i>Champlain, main channel. 46 18 05.4 072 34 36.1</i>	Fl	R	4s	<i>Red, marked "C70".</i>	<i>(Winter spar.) Year round.</i> Chart:1313 Edn 03/16 (Q16-049) Edn 07/18
2109	<i>Pointe des Ormes light buoy C71</i>	<i>S. side of channel. 46 17 14.2 072 35 22</i>	Fl	G	4s	<i>Green, marked "C71".</i>	<i>Seasonal.</i> Chart:1313 Edn 05/11 (Q11-044) Edn 11/11 (Q11-044)
2109.1	<i>Light buoy C72</i>	<i>46 17 38.6 072 35 25.5</i>	Fl	R	4s	<i>Red, marked "C72".</i>	<i>(Winter spar.) Year round.</i> Chart:1313
2109.6	<i>Trois-Rivières light buoy C77</i>	<i>46 16 42.7 072 36 35.6</i>	Fl	G	4s	<i>Green, marked "C77".</i>	<i>(Winter spar.) Year round.</i> Chart:1313
2110	<i>Pointe aux Sables light buoy S2</i>	<i>Port-Saint-François. 46 16 30.0 072 37 22.4</i>	Q	R	1s	<i>Red spar, marked "S2".</i>	<i>Year round (YRLS).</i> Chart:1312 Edn 08/20 (Q20-151)
2111 H2398.4	Port-Saint-François	Downstream of the lake. 46 16 21.2 072 37 10.4	Fl	Y	5s	10.0	10	Pipe swing pole. 6.3	Flash 1 s; eclipse 4 s. Year round. Chart:1312 Edn 07/11 (Q11-076) Edn 05/22 (Q21-047)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL

2112 H2398	Route de Port-Saint-François range	Pointe aux Sables. 46 16 16.5 072 37 11.0	F G	10.8	11	Red octagonal shelter on white concrete block, fluorescent red daymark with black vertical stripe. 11.1	Visible in line of range. Radar reflector. Operates 24 h. Emergency mode. Year round.
2113 H2398.1		068°12' 1372.1 m from front.	F G	18.8	11	Trapezoidal skeleton tower, fluorescent red daymark with black vertical stripe. 14.3	Visible in line of range. Operates 24 h. Emergency mode. Year round. Chart:1313 Edn 03/18 (Q18-005, 006) Edn 04/18 Edn 11/22 (Q22-071, 072)
2113.1	Port Saint-François FD	46 16 33.0 072 36 11.3	Iso R	2s	18.9	15	Skeleton tower, galvanized steel. 14.4	Year round. Chart:1313 Edn 04/15 (Q14-062)
2114	Battures Laforce light buoy S4	46 16 06.7 072 38 05.3	Fl	R	4s	Red spar, marked "S4". Year round (YRLS). Chart:1312 Edn 11/22 (Q22-049)
2114.5	Batture aux Outardes light buoy S3	Route de Port Saint-François. 46 15 58.1 072 37 58.2	Fl	G	4s	Green spar, marked "S3". Year round (YRLS). Chart:1312 Edn 08/20 (Q20-114)
Lac Saint-Pierre								
2117 H2401	Traverse de Nicolet range	Batture aux Outardes. 46 15 34.9 072 37 48.4	F G	9.5	12	White cylindrical tower, fluorescent red daymark with black vertical stripe. 5.0	Visible in line of range. Operates 24 h. Emergency mode. Year round.
2118 H2401.1		096°44' 582 m from front.	F G	29.0	12	Square skeleton tower, fluorescent red daymark with black vertical stripe. 23.2	Visible in line of range. Operates 24 h. Emergency mode. Year round. Chart:1312 Edn 06/15 (Q15-045, 046) Edn 08/22 (Q22-037, 038)
2118.5	Battures au Fer light buoy S6	46 15 56.5 072 38 42.0	Q R	1s	Red spar, marked "S6".	Year round (YRLS). Chart:1312 Edn 11/22 (Q22-050)
2119	Courbe de Nicolet light buoy S8	Main channel. 46 15 50.8 072 39 16.7	Q R	1s	Red spar, marked "S8".	Year round (YRLS). Chart:1312 Edn 02/13 (Q12-155) Edn 06/18 (Q18-088) Edn 08/20 (Q20-152)
2119.5 H2400	Nicolet Sector Racon - - (G) X & S Bands	On pier. 46 15 27.1 072 39 03.5	Iso G W	2s	8.5	5	Square tower. 6.1	White from 353° through N. and E. to 173°; green from 173° through S. and W. to 353°. Radar reflector. Operates at night only. Year round. Chart:1312

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL								
2120.5	Battures à Biron light buoy S10	Traverse de Nicolet. 46 15 50.0 072 39 52.4	Q R 1s	Red spar, marked "S10".	Year round (YRLS). Chart:1312 Edn 12/20 (Q20-221)	
2121	Light buoy S12	46 15 53.9 072 40 40.1	Fl R 4s	Red, marked "S12".	(Winter spar.) Year round. Chart:1312	
2122	Banc des Anglais light buoy S13	Traverse de Nicolet. 46 15 43.5 072 40 34.4	Q G 1s	Green spar, marked "S13".	Year round (YRLS). Chart:1312 Edn 11/20 (Q20-178)	
2122.8	Light buoy S16	46 15 57.8 072 41 27.9	Q R 1s	Red, marked "S16".	(Winter spar.) Year round. Chart:1312	
2123	Banc des Anglais light buoy S17	Courbe de la Pointe du Lac. 46 15 44.9 072 41 10.0	Q G 1s	Green spar, marked "S17".	Year round (YRLS). Chart:1312 Edn 11/20 (Q20-180)	
2123.5	Cautionary light buoy LAC	46 16 03.1 072 41 43.4	Fl Y 4s	Yellow, marked "LAC".	Seasonal. Chart:1312 Edn 08/14 (Q14-019)	
2124	Pointe-du-Lac light buoy S21	Courbe de la Pointe-du-Lac. 46 15 42.6 072 41 49.1	Q G 1s	Green spar, marked "S21".	Year round (YRLS). Chart:1312 Edn 02/13 (Q12-156) Edn 05/14 Edn 06/18 (Q18-086) Edn 06/21 (Q21-008)	
2125 H2402		46 16 05.5 072 41 43.2	F G	12.2	12	Square skeleton tower on an orange cylindrical base, fluorescent red daymark, black vertical stripe. 4.9	Visible in line of range. Radar reflector. Emergency mode. Year round.
2125.1	Pointe-du-Lac range		Iso Y 2s	12.1	5	4.8	Square skeleton tower. 4.8	Visible 360°. Year round.
2126 H2402.1		056°07' 2260.7 m from front.	F G	50.4	12	Square skeleton tower, fluorescent red daymark, black vertical stripe. 35.4	Visible in line of range. Emergency mode. Year round. Chart:1312 Edn 03/10 (Q10-012) Edn 06/10 (Q10-079) Edn 12/10 (Q10-145) Edn 01/11 (Q10-145) Edn 05/12 (Q12-058, 059, 060) Edn 06/13 (Q13-049, 050) Edn 03/18 (Q18-002) Edn 06/18 (Q18-001)
2127	Light buoy S22	At Curve No. 3. 46 15 54.6 072 42 02.8	Q R 1s	Red, marked "S22".	(Winter spar.) Year round. Chart:1312	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL							
2128	Pointe-du-Lac light buoy S25	Route de la Pointe du Lac. 46 15 35.5 072 42 27.2	Q G	1s	Green spar, marked "S25".	Year round (YRLS). Chart:1312 Edn 11/20 (Q20-181)
2129	Light buoy S26	46 15 40.6 072 42 46.9	Q R	1s	Red, marked "S26".	(Winter spar.) Year round. Chart:1312
2129.3	Pointe-du-Lac light buoy S27	Route de la Pointe du Lac. 46 15 25.0 072 42 59.9	Q G	1s	Green spar, marked "S27".	Year round (YRLS). Chart:1312 Edn 11/20 (Q20-182)
2129.6	Light buoy S31	46 14 36.9 072 44 43.1	Fl G	4s	Green, marked "S31".	(Winter spar.) Year round. Chart:1312
2130	Light buoy S32	46 14 43.5 072 44 49.5	Fl R	4s	Red, marked "S32".	(Winter spar.) Year round. Chart:1312
2131.7	Light buoy S43	46 13 48.7 072 46 26.2	Fl G	4s	Green, marked "S43".	(Winter spar.) Year round. Chart:1312
2132	Light buoy S44	46 13 55.3 072 46 32.6	Fl R	4s	Red, marked "S44".	(Winter spar.) Year round. Chart:1312
2133	Lac Saint-Pierre light buoy S51	Courbe Yamachiche. 46 12 55.6 072 48 19.9	Q G	1s	Green spar, marked "S51".	Year round (YRLS). Chart:1312 Edn 08/20 (Q20-115)
2134	Light buoy S54	46 13 07.2 072 48 15.7	Q R	1s	Red, marked "S54".	(Winter spar.) Year round. Chart:1312
2134.8 H2404	Yamachiche Bend	On experimental island. 46 12 53 072 49 10	Iso R	2s	10.1	5 On side of mast. 30.0	Visibility 360°. Operates at night only. Year round. Chart:1312
2135	Yamachiche light buoy S58	Courbe Yamachiche. 46 12 48.7 072 49 07.9	Fl R	4s	Red spar, marked "S58".	Year round (YRLS). Chart:1312 Edn 09/21 (Q20-237)
2136	Light buoy S62	46 12 30.3 072 50 00.1	Q R	1s	Red, marked "S62".	(Winter spar.) Year round. Chart:1312
2137	Lac Saint-Pierre light buoy S63	Courbe Yamachiche. 46 12 25.8 072 49 44.2	Q G	1s	Green spar, marked "S63".	Year round (YRLS). Chart:1312 Edn 08/20 (Q20-116)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL							
2137.2 H2405	Yamachiche range Racon - - (M) X & S Bands	46 12 18.7 072 49 49.1	F G	12.4	14	Square skeleton tower, orange daymark, black vertical stripe. 4.9	Emergency mode. Visible in line of range. Operates at night only. Year round.
2137.21			Fl G 6s	12.4	5	Square skeleton tower. 4.9	Flash 1 s; eclipse 5 s. Visible 360°. Operates at night only.
2137.3 H2405.1		236°01' 761.8m from front.	F G	25.5	14	White tower, orange daymark, black vertical stripe. 17.3	Emergency mode. Visible in line of range. Operates at night only. Year round.
							Chart:1312 Edn 03/10 (Q10-012) Edn 01/11 (Q10-012) Edn 06/12 (Q12-070, 071) Edn 11/16 (Q16-153)
2138	Light buoy S67	46 12 01.4 072 51 20.7	Fl G 4s	Green, marked "S67".	(Winter spar.) Year round.
							Chart:1312
2138.2	Light buoy S68	46 12 08.9 072 51 24.5	Fl R 4s	Red, marked "S68".	(Winter spar.) Year round.
							Chart:1312
2139.5	Louiseville light buoy S77	Route Louiseville Aval. 46 11 35.8 072 53 01.8	Q G 1s	Green spar, marked "S77".	Year round (YRLS).
							Chart:1312 Edn 11/20 (Q20-183)
2141	Light buoy S80	46 11 36.8 072 53 31.1	Q R 1s	Red, marked "S80".	(Winter spar.) Year round.
							Chart:1312
2142	Louiseville light buoy S81	Courbe Louiseville. 46 11 13.2 072 54 01.7	Fl G 4s	Green spar, marked "S81".	Year round (YRLS).
							Chart:1312 Edn 11/20 (Q20-184)
2142.2	Light buoy S82	N. side of channel. 46 11 22 072 54 09.9	Fl R 4s	Red, marked "S82".	(Winter spar.) Year round.
							Chart:1312
2143 H2408	Route Louiseville Downstream range Racon - - (N) X & S Bands	On pile in water. 46 11 10.6 072 54 58.2	F G	10.5	14	Orange and white cylindrical tower, orange rectangular daymark, black vertical stripe. 3.9	Visible in line of range. Radar reflector. Operates at night only. Year round.
2143.1			Iso G 2s	11.0	5	White cylindrical tower, red vertical stripe. 4.5	Visible 360°. Operates at night only.
2143.5 H2408.1		249°57' 913.9m from front.	F G	22.6	14	Skeleton tower, orange daymark, black vertical stripe. 16.7	Visible in line of range. Radar reflector. Operates at night only. Year round.
2143.51			Iso R 2s	23.8	5	Skeleton tower. 17.9	Visible 360°. Operates at night only.
							Chart:1312 Edn 07/12 (Q12-093, 094, 095, 096)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL									
2144 H2409	Route Louiseville Upstream range	On pier in water. 46 11 41.5 072 53 43.9	F	G	11.6	12	Orange rectangular tower, orange rectangular daymark, black vertical stripe. 5.1	Emergency mode. Visible in line of range. Radar reflector. Operates at night only. Year round.
2144.1			Iso	W	2s	11.9	6	Orange rectangular tower. 5.4	Visible 360°. Operates at night only.
2145 H2409.1		044°04' 609.8m from front.	F	G	21.0	12	White skeleton tower, orange daymark, black vertical stripe. 14.9	Emergency mode. Visible in line of range. Operates at night only. Year round.
2145.1			Iso	G	2s	21.6	6	Skeleton tower. 15.5	Visible 360°. Operates at night only.
								Chart:1312 Edn 03/10 (Q10-012) Edn 01/11 (Q10-012) Edn 06/12 (Q12-097, 099, 101) Edn 12/12 (Q12-100)	
2146	Battures Saint-François light buoy S87	Route Louiseville Amont. 46 10 44.4 072 54 55.8	Q	G	1s	Green spar, marked "S87".	Year round (YRLS).
								Chart:1312 Edn 08/20 (Q20-117)	
2147	Lac St-Pierre light buoy S86	N. side of channel. 46 11 03.4 072 54 45.2	Q	R	1s	Red, marked "S86".	(Winter spar.) Year round.
								Chart:1312	
2147.2	Louiseville Entrance Channel light buoy SH1	46 11 45.6 072 54 27.1	Fl	G	4s	Green, marked "SH1".	Privately maintained by the Municipality of Louiseville. Seasonal.
								Chart:1312	
2147.4	Louiseville Entrance Channel light buoy SH9	46 12 11.3 072 54 44.8	Fl	G	4s	Green, marked "SH9".	Privately maintained by the Municipality of Louiseville. Seasonal.
								Chart:1312	
2147.6	Louiseville Entrance Channel light buoy SH20	46 12 48 072 55 07	Fl	R	4s	Red spar, marked "SH20".	Privately maintained by the Municipality of Louiseville. Seasonal.
								Chart:1312	
2148	Louiseville	On W. shore of Petite Rivière du Loup. 46 13 17.5 072 55 29.5	F	G	8.0	White cylindrical tower. 5.6	Visible on a bearing of 334°30'. Privately maintained by the Municipality of Louiseville. Year round.
								Chart:1312	
2151	Battures Saint-François light buoy S97	Courbe Maskinongé. 46 10 00.7 072 55 56.4	Q	G	1s	Green spar, marked "S97".	Year round (YRLS).
								Chart:1312 Edn 11/20 (Q20-185)	
2151.5	Light buoy S98	46 09 48.5 072 56 29.3	Q	R	1s	Red, marked "S98".	(Winter spar.) Year round.
								Chart:1312	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL							
2152	Light buoy S100	Curve No. 1. 46 09 31.2 072 56 46.8	Q R 1s	Red, marked "S100".	(Winter spar.) Year round. Chart:1312
2153.3 H2411	Maskinongé Curve	Courbe Masquinongé, lac St-Pierre. 46 09 24.4 072 56 28.6	Iso Y 2s	13.9	5	Orange cylindrical tower, daymark, red and white horizontal stripes. 5.5	Visible 360°. Radar reflector. Operates at night only. Year round. Chart:1312 Edn 03/12 (Q11-184) Edn 02/16 (Q15-186)
2153.5	Light buoy S102	W. side of channel. 46 09 05.5 072 57 01.6	Q R 1s	Red, marked "S102".	(Winter spar.) Year round. Chart:1312
2154	Battures Saint- François light buoy S103	Route Île aux Raisins. 46 08 51.2 072 56 51.8	Q G 1s	Green spar, marked "S103".	Year round (YRLS). Chart:1312 Edn 08/20 (Q20-118)
2154.2	Light buoy S107	E. side of channel. 46 07 59.4 072 57 09	Fl G 4s	Green, marked "S107".	(Winter spar.) Year round. Chart:1312
2163	Le Banc de Sable light buoy S110	Route Île aux Raisins. 46 07 36.7 072 57 31.1	Q R 1s	Red spar, marked "S110".	Year round (YRLS). Chart:1312 Edn 11/20 (Q20-186)
2164	Îlets Percés light buoy S111	Route Île des Barques. 46 07 07.6 072 57 26.2	Q G 1s	Green spar, marked "S111".	Year round (YRLS). Chart:1312 Edn 08/20 (Q20-109)
2164.1	Île des Barques Course light buoy S113	46 06 43.3 072 57 54	Fl G 4s	Green, marked "S113".	(Winter spar.) Year round. Chart:1312
2165	Îlets Percés light buoy S114	Route Île des Barques. 46 06 48.2 072 58 02.9	Q R 1s	Red spar, marked "S114".	Year round (YRLS). Chart:1312 Edn 08/20 (Q20-112)
2166 H2414	Île aux Raisins range	46 06 10.7 072 57 52.4	F G	9.7	11 White cylindrical tower, orange daymark, black vertical stripe. 7.0	Emergency mode. Visible in line of range. Operates at night only. Year round.
2167 H2414.1	Racon -- (K) X Band	193°01' 573.9m from front.	F G	26.9	11 Square skeleton tower, orange daymark, black vertical stripe. 23.2	Emergency mode. Visible in line of range. Operates at night only. Year round.
2167.05			Iso W 2s	27.2	6	Square skeleton tower. 23.5	Visible 360°. Operates at night only. Chart:1312 Edn 03/10 (Q10-012) Edn 01/11 (Q10-012) Edn 06/12 (Q12-074, 075)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL							
2167.1	Battures de l'Île à la Pierre light buoy S116	Route Île des Barques. 46 06 18.7 072 58 36.7	Fl R 4s	Red spar, marked "S116".	Year round (YRLS). Chart:1312 Edn 05/22 (Q21-003)
2168 H2416	Route de l'Île des Barques range	On NE. end of island. 46 05 15.3 072 59 41.8	F G	11.4	12 Square block, orange daymark with black vertical stripe. 4.0	Visible in line of range. Operates 24 h. Emergency mode. Year round.
2169 H2416.1		218°25' 479.6 m from front.	F G	28.5	12 Square skeleton tower, orange daymark with black vertical stripe. 20.0	Visible in line of range. Operates 24 h. Emergency mode. Year round. Chart:1312 Edn 10/23 (Q23-027, 028)
2170	Île aux Raisins light buoy S117	On SE. side of channel. 46 05 57.9 072 58 45.8	Q G 1s	Green, marked "S117".	(Winter spar.) Year round. Chart:1312
2171	Chenal du Moine North light buoy SN2	At Chenal du Moine entrance. 46 06 09.1 072 58 21.4	Fl R 4s	Red, marked "SN2".	Seasonal. Chart:1312
2172	Baie de l'Île à la Pierre light buoy S120	Route Sainte-Anne-de-Sorel. 46 05 51.7 072 59 15.7	Fl R 4s	Red spar, marked "S120".	Year round (YRLS). Chart:1312 Edn 08/20 (Q20-110)
2173	Île des Barques light buoy S123	Route Sainte-Anne-de-Sorel. 46 04 48.5 073 00 53.5	Fl G 4s	Green spar, marked "S123".	Year round (YRLS). Chart:1312 Edn 05/11 (Q11-052) Edn 02/13 (Q12-157) Edn 11/15 (Q15-144) Edn 03/16 (Q16-021) Edn 08/20 (Q20-113)
2174	Île à la Pierre light buoy S126	Route Sainte-Anne-de-Sorel. 46 04 54.7 073 01 00.2	Fl R 4s	Red spar, marked "S126".	Year round (YRLS). Chart:1312 Edn 02/13 (Q12-158) Edn 11/20 (Q20-212)
2174.3	Chenal du Moine light buoy SN12	W. entrance. 46 03 54.7 073 01 37.4	Fl R 4s	Red, marked "SN12".	Seasonal. Chart:1312
2174.4	Chenal du Moine South light buoy SN11	W. entrance. 46 03 53.9 073 01 37.9	Fl G 4s	Green, marked "SN11".	Seasonal. Chart:1312
2174.7	Île de Grâce light buoy S129	S. of island. 46 04 08.2 073 02 06.8	Fl G 4s	Green, marked "S129".	(Winter spar.) Year round. Chart:1312

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL							
2174.8	Île de Grâce light buoy S130	Route Sainte-Anne- de-Sorel. 46 04 14.4 073 02 13.8	Fl R 4s	Red spar, marked "S130".	Year round (YRLS). Chart:1312 Edn 11/20 (Q20-213)
2175 H2426		On concrete pillar on the S. side of the island. 46 04 08.4 073 02 59.8	F G	12.8	15 White square tower, orange daymark, black vertical stripe. 8.2	Emergency mode. Visible in line of range. Operates at night only. Year round.
2175.1	Île de Grâce range		Iso G 2s	12.6	5	White square tower. 8.2	Visible through N. from 311° to 346° approx. Operates at night only.
2176 H2426.1		073°16' 598.4m from front.	F G	22.1	15 Square tower, enclosed upper portion, orange slatwork daymark, black vertical stripe. 17.8	Emergency mode. Visible in line of range. Operates at night only. Year round.
2176.1			Iso G 2s	21.9	5	Skeleton tower. 17.7	Visible through N. from 275° to 018° approx. Operates at night only. Chart:1312 Edn 03/10 (Q10-012) Edn 06/10 (Q10-043) Edn 01/11 (Q10-012) Edn 06/12 (Q12-068, 069)
2177 H2422		46 03 32.4 073 03 21.6	F G	13.1	16 Pyramid tower, fluorescent red daymark with black vertical stripe. 8.1	Visible in line of range. Operates 24 h. Emergency mode. Year round.
2177.1	Route Sainte- Anne-de-Sorel range		F G	12.9	5 White square tower. 7.3	Visible 360°. Emergency mode.
2178 H2422.1		231°51' 771 m from front.	F G	30.7	16 Tripod skeleton tower, fluorescent red daymark with black vertical stripe. 25.2	Visible in line of range. Operates 24 h. Emergency mode. Year round. Chart:1312 Edn 05/12 (Q12-057) Edn 05/15 (Q14-059) Edn 08/22 (Q22-035, 036)
2179	Île de Grâce light buoy S136	Battures de l'Île de Grâce. 46 03 59.8 073 02 52.3	Q R 1s	Red spar, marked "S136".	Year round (YRLS). Chart:1312 Edn 02/13 (Q12-159) Edn 11/20 (Q20-187)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL							
2180 H2424	Route de l'Île du Moine range	W. of island. 46 03 58.3 073 01 29.6	F G	12.9	12	Wooden shelter mounted on a concrete pier, fluorescent red daymark with black vertical stripe. 10.1	Visible in line of range. Operates 24 h. Emergency mode. Year round.
2181 H2424.1		082°31' 487.9 m from front.	F G	27.5	12	Trapezoidal skeleton tower, fluorescent red daymark with black vertical stripe. 18.6	Visible in line of range. Operates 24 h. Emergency mode. Year round.
							Chart:1312 Edn 03/10 (Q10-012) Edn 01/11 (Q10-012) Edn 06/17 Edn 11/18 (Q18-138, 140) Edn 09/23 (Q23-025, 026)
2181.1	Ste-Anne-de-Sorel light buoy S139	46 03 45.9 073 03 01.6	Q G 1s	Green, marked "S139".	(Winter spar.) Year round.
							Chart:1312
2181.15	Île de Grâce light buoy S140	Route de l'Île du Moine. 46 03 50.9 073 03 34.3	Fl R 4s	Red spar, marked "S140".	Year round (YRLS).
							Chart:1312 Edn 11/20 (Q20-214)
2181.2	Sainte-Anne-de-Sorel light buoy S141	Route de l'Île du Moine. 46 03 35.1 073 04 59.5	Fl G 4s	Green spar, marked "S141".	Year round (YRLS).
							Chart:1312 Edn 08/20 (Q20-111)
2182	Haut-fond Nepigon light buoy S146	Courbe Nepigon. 46 03 39.7 073 05 36.6	Fl R 4s	Red spar, marked "S146".	Year round (YRLS).
							Chart:1312 Edn 11/20 (Q20-215)
2182.2 H2427	Sorel Marina Downstream range	46 03 03.5 073 05 31.8	F G	6.7	White cylindrical mast.	Visible in line of range. Privately maintained by Marina de Sorel Inc. Operates at night only. Seasonal.
2182.3 H2426.9		095°03' 160.9m from front.	F G	8.1	Yellow cylindrical mast.	Visible in line of range. Privately maintained by Marina de Sorel Inc. Operates at night only. Seasonal.
							Chart:1312
2182.4	Port de Sorel East light buoy SN22	S. shore. 46 03 14.1 073 05 24	Fl R 4s	Red, marked "SN22".	Seasonal.
							Chart:1312
2182.5	Port de Sorel light buoy SN26	S. shore. 46 03 06 073 05 55.3	Fl R 4s	Red, marked "SN26".	Seasonal.
							Chart:1312
2182.52	Bifurcation lighted buoy PNF	46 03 01.9 073 05 59.5	Fl G (2+1) 6s	Green, red and green, marked "PNF".	Seasonal.
							Chart:1312 Edn 06/14 (Q14-020)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	-----------------------	----------------------------------------------------------	---------------------------------

ST. LAWRENCE RIVER, RIVIÈRE DU LOUP – SOREL

2182.6	Port de Sorel Middle light buoy SN24	S. shore. 46 03 09 073 05 36.2	Fl R 4s	Red, marked "SN24".	Seasonal. Chart:1312
2182.8	Port de Sorel light buoy SN28	46 03 06.9 073 06 13.6	Q R 1s	Red, marked "SN28".	Seasonal. Chart:1312
2183.3 H2427	Sorel Marina Upstream range	46 03 03.5 073 05 31.8	F G	6.7	Cylindrical mast.	Visible in line of range. Privately maintained by Marina de Sorel Inc. Operates at night only. Seasonal.
2183.4 H2427.1		229°10' 138.3m from front.	F G	8.1	Yellow cylindrical mast.	Visible in line of range. Privately maintained by Marina de Sorel Inc. Operates at night only. Seasonal. Chart:1312
2185.1	Sorel Basin Cautionary light buoy SOREL	46 03 30.1 073 07 02	Fl Y 4s	Yellow, marked "Sorel".	Seasonal. Chart:1312