

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
RIVIÈRE RICHELIEU							
2190	CNR light buoy	46 02 18.7 073 06 58.8	Fl G 4s	Green, marked "CNR".	Privately maintained by C.N. Railway. Seasonal. Chart:1350 Edn 06/09 (Q09-042)
2197	Light buoy E45	45 55 32.2 073 09 23.2	Fl G 4s	Green, marked "E45".	Seasonal. Chart:1350
2200	Cautionary light buoy PC1	Downstream of canal de Saint-Ours. 45 52 02.7 073 08 52.8	Fl Y 4s	White and orange, marked "PC1".	Privately maintained by Parks Canada. Seasonal. Chart:1350 Edn 09/11 (Q11-093)
2204.59	St-Ours Lock Cautionary light buoy DAN-Y	45 51 40 073 08 50	Fl Y 4s	Yellow, marked "DAN-Y".	Privately maintained by Parks Canada. Seasonal. Chart:1350
2204.6	St-Ours Lock Cautionary light buoy DAN-X	45 51 38.7 073 08 52.5	Fl Y 4s	Yellow, marked "DAN-X".	Privately maintained by Parks Canada. Seasonal. Chart:1350
2204.61	St-Ours Lock Cautionary light buoy DANAM	45 51 37.5 073 08 54.5	Fl Y 4s	Yellow, marked "DANAM".	Privately maintained by Parks Canada. Seasonal. Chart:1350
2204.62	St-Ours Lock Cautionary light buoy DAN-C	45 51 55.6 073 08 57.9	Fl Y 4s	Yellow, marked "DAN-C".	Privately maintained by Parks Canada. Seasonal. Chart:1350
2204.63	St-Ours Lock Cautionary light buoy DAN-E	45 51 55.8 073 08 55.6	Fl Y 4s	Yellow, marked "DAN-E".	Privately maintained by Parks Canada. Seasonal. Chart:1350
2204.64	St-Ours Lock Cautionary light buoy DAN-W	45 51 55.4 073 09 00.2	Fl Y 4s	Yellow, marked "DAN-W".	Privately maintained by Parks Canada. Seasonal. Chart:1350
2204.8	Saint-Ours Dam Cautionary light buoy	45 51 41.7 073 08 53.3	Fl W 4s	Yellow spar.	Operates 24 h. Seasonal (in place year round). Chart:1350 Edn 12/19 (Q19-175)
2205	Cautionary light buoy PC2	Upstream of canal de Saint-Ours. 45 51 44.2 073 08 46.8	Fl Y 4s	White and orange, marked "PC2".	Privately maintained by Parks Canada. Seasonal. Chart:1350 Edn 09/11 (Q11-094)
2207	Light buoy E88	S. of island. 45 51 40.9 073 08 46.7	Fl R 4s	Red, marked "E88".	Seasonal. Chart:1350

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
RIVIÈRE RICHELIEU							
2208	Light buoy E87	S. of island. 45 51 40.7 073 08 44.6	Fl G 4s	Green, marked "E87".	Seasonal. Chart:1350
2243	Light buoy E223	45 32 54.1 073 12 40.8	Fl G 4s	Green, marked "E223".	Seasonal. Chart:1350
2244.5	Light buoy E224	45 32 48.1 073 12 46.6	Fl R 4s	Red spar, marked "E224".	Seasonal. Chart:1350 Edn 08/10 (Q10-039) Edn 01/18 (Q17-040)
2245	Pont Beloeil	Upstream of railway bridge, S. end of approach wall. 45 32 50.7 073 12 42.1	Fl G 4s	3.5	4	Cylindrical mast, green and white square daymark. 1.9	Visible 360°. Structure visible upstream only. Seasonal. Chart:1350 Edn 01/12 (Q17-042) Edn 06/19 (Q18-004)
2246	Light buoy E225	45 32 47.6 073 12 44.7	Fl G 4s	Green spar, marked "E225".	Seasonal. Chart:1350 Edn 08/10 (Q10-038) Edn 01/18 (Q17-041)
2254	Chambly basin light buoy E257	45 27 05.3 073 17 02.8	Fl G 4s	Green, marked "E257".	Seasonal. Chart:1351 Edn 04/15 (Q15-041)
2255	Chambly	Downstream entrance of Chambly canal, northern extremity on approach wharf. 45 26 58.7 073 17 02.1	Fl W 4s	4	Mast. 3.0	Seasonal. Chart:1351 Edn 02/16 (Q15-173) Edn 02/24 (Q24-039)
2255.8	Saint-Jean Upper	W. side of channel. 45 18 09.2 073 14 55.8	Fl R 4s	5.3	Skeleton tower. 3.6	Operates at night only. Seasonal. Chart:1351 Edn 02/10 (Q09-134)
2256.5	Saint-Jean-sur- Richelieu, Marina Le Nautique	At the end of the marina's wharf. 45 18 02.5 073 14 57.3	Fl Y 4s	Mast.	Private aid. Seasonal. Chart:1351 Edn 11/18 (Q18-171)
2257.3	Light buoy E433	45 11 55.1 073 15 11	Fl G 4s	Green spar, marked "E433".	Seasonal. Chart:1351 Edn 02/10 (Q09-134) Edn 04/15 (Q14-040)
2258.1	Pointe Cartier light spar E443	45 10 52.3 073 15 16	Fl G 4s	Green spar, marked "E443".	Seasonal. Chart:1351 Edn 02/10 (Q09-134) Edn 04/15 (Q14-041)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
RIVIÈRE RICHELIEU							
2258.2	<i>St. Blaise light spar E429</i>	45 12 40.7 073 15 07.3	Fl G 4s	Green spar, marked "E429".	Seasonal. Chart:1351 Edn 02/10 (Q09-134) Edn 04/15 (Q14-038)
2258.31	<i>Pointe Cartier light buoy E440</i>	45 11 09 073 15 16.7	Fl R 4s	Red, marked "E440".	Seasonal. Chart:1351 Edn 02/10 (Q09-134)
2258.35	<i>Pointe Cartier light buoy E445</i>	45 10 33.9 073 15 16	Fl G 4s	Green, marked "E445".	Seasonal. Chart:1351 Edn 02/10 (Q09-134)
2258.4	<i>Pointe Cartier light spar buoy E448</i>	45 10 23.2 073 15 18.9	Fl R 4s	Red spar, marked "E448".	Seasonal. Chart:1351 Edn 02/10 (Q09-134) Edn 04/15 (Q14-042)
2258.72	<i>Light buoy bifurcation NOIX</i>	45 09 00.1 073 15 23.5	Fl G (2+1)	6s	Green, red and green spar, marked "Noix".	Seasonal. Chart:1351 Edn 02/10 (Q09-134) Edn 04/15 (Q14-043)
Île aux Noix Secondary Channel							
2258.91	<i>Light buoy EA17</i>	45 07 57.2 073 15 54.9	Fl G 4s	Green, marked "EA17".	Seasonal. Chart:1351 Edn 02/10 (Q09-134)
2258.92	<i>Light buoy EA19</i>	45 07 39.1 073 16 02.6	Fl G 4s	Green, marked "EA19".	Seasonal. Chart:1351 Edn 02/10 (Q09-134)
2258.93	<i>Light buoy EA22</i>	45 07 31.3 073 16 04.9	Fl R 4s	Red spar, marked "EA22".	Seasonal (in place year round). Chart:1351 Edn 02/10 (Q09-134) Edn 11/16 (Q16-155)
2258.94	<i>Light buoy EA23</i>	45 07 16.3 073 16 19.6	Fl G 4s	Green, marked "EA23".	Seasonal. Chart:1351 Edn 02/10 (Q09-134)
2261.6	<i>South Cardinal light buoy FORT</i>	SW. of Île Ronde. 45 06 52.3 073 16 27	Q(6) +LFl	W 15s	Yellow and black, marked "Fort".	Seasonal. Chart:1351 Edn 02/10 (Q09-134)
2263	<i>Information light buoy E514</i>	45 06 15.1 073 17 21.3	Fl W 4s	White and orange spar, marked "Marina E514".	Privately maintained. Seasonal. Chart:1351

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	--	--	-----------------------	--	---------------------------------

RIVIÈRE RICHELIEU

2268	Pont-rail de Cantic (Lacolle)	On swing-bridge. 45 03 41.2 073 19 53.1	F	G	On bridge.	Shows green when draw bridge is open, red when closed. West guide pier shows one white light. Privately maintained by C.N. Railway. Year round.
------	----------------------------------	---	---	---	-------	-------	-------	------------	--

Chart:1351
Edn 06/12 (Q12-064)

2268.5	Pont-rail de Cantic (Lacolle)	On swing-bridge. 45 03 41.2 073 19 52.5	F	G	On bridge.	Shows green when draw bridge is open, red when closed. West guide pier shows one white light. Privately maintained by C.N. Railway. Year round.
--------	----------------------------------	---	---	---	-------	-------	-------	------------	--

Chart:1351
Edn 06/12 (Q12-065)

2270.2	Ile du Sang, Light spar buoy E544	45 02 48.1 073 20 04.8	Fl	R	4s	Red spar, marked "E544".	Seasonal.
--------	---	---------------------------	----	---	----	-------	-------	--------------------------	-----------

Chart:1351
Edn 02/10 (Q09-134)
Edn 04/15 (Q14-044)

2270.5	Light buoy E549	45 02 15.3 073 20 08.7	Fl	G	4s	Green, marked "E549".	Seasonal.
--------	-----------------	---------------------------	----	---	----	-------	-------	-----------------------	-----------

Chart:1351
Edn 02/10 (Q09-134)

2271.31	Cantic	On roof of the building. 45 01 28.0 073 20 57.0	Iso	R	2s	7.2	2	Mast.	Maintained by the Canadian Border Services Agency. Omnidirectional. Seasonal.
---------	--------	--	-----	---	----	-----	---	-------	---

Chart:1351
Edn 07/23 (Q23-071)

2271.6	Information light buoy DOUAN	Main channel. 45 00 38.5 073 20 45.3	Fl	Y	4s	White and orange, marked "DOUAN".	(Winter spar.) Private aid. Seasonal.
--------	---------------------------------	--	----	---	----	-------	-------	-----------------------------------	---

Chart:1351
Edn 07/23 (Q23-072)

2271.7	Customs Wharf light buoy E558	Main channel. 45 01 14.2 073 20 38.3	Fl	R	4s	Red spar, marked "E558".	Seasonal (in place year round).
--------	----------------------------------	--	----	---	----	-------	-------	--------------------------	---------------------------------

Chart:1351
Edn 02/10 (Q09-134)
Edn 04/15 (Q14-039)
Edn 07/23 (Q23-073)

Baie Missisquoi

2271.8	Philipsburg light buoy	Marks intake pipe. 45 02 19.0 073 04 53.0	Fl	R	4s	Red and black horizontally banded spar.	Private aid. Year round.
--------	---------------------------	---	----	---	----	-------	-------	---	-----------------------------

Chart:14781(U.S.)
Edn 07/23

2271.9	Baie Missisquoi Canada/USA Border Information light buoy BAIE1	Lake Champlain. 45 00 47.0 073 12 09.5	Fl	Y	4s	White and orange, marked "BAIE1".	Private aid. Seasonal.
--------	---	--	----	---	----	-------	-------	-----------------------------------	---------------------------

Chart:14781(U.S.)
Edn 05/18 (Q18-015)
Edn 07/23 (Q23-074)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

RIVIÈRE RICHELIEU

2271.91	Baie Missisquoi Canada/USA Border Information light buoy BAIE2	Lake Champlain. 45 00 49.0 073 10 50.0	Fl Y 4s	White and orange, marked "BAIE2".	Private aid. Seasonal. Chart:14781(U.S.) Edn 05/18 (Q18-016) Edn 07/23 (Q23-075)
2271.92	Baie Missisquoi Canada/USA Border Information light buoy BAIE3	Lake Champlain. 45 00 52.5 073 06 44.0	Fl Y 4s	White and orange, marked "BAIE3".	Private aid. Seasonal. Chart:14781(U.S.) Edn 05/18 (Q18-017) Edn 07/23 (Q23-076)