

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

ST. LAWRENCE RIVER, SOREL – PORT DE MONTRÉAL

2272.2	Cautionary light buoy TRACY	Saint-Joseph-de- Sorel. 46 03 20.0 073 07 39.0	Fl Y 4s	Yellow, marked "TRACY".	Seasonal. Chart:1312 Edn 05/10 (Q10-022) Edn 02/15 (Q14-102) Edn 08/23 (Q23-077)
2272.3 H2450	Route de l'Île Dupas range	On shore, E. side of Île aux Cochons. 46 03 27.9 073 09 23.0	F G	13.9	12 White Square tower, orange daymark with black vertical stripe. 3.9	Visible in line of range. Emergency mode. Year round.
2272.4 H2450.1		015°07' 623.3 m from front.	F G	25.4	12 Square skeleton tower, orange slatwork daymark with black vertical stripe. 20.4	Visible in line of range. Emergency mode. Year round. Chart:1311 Edn 02/11 Edn 08/23 (Q23-082, 083)
2272.5	Courbe de Sorel light buoy S150	Main channel. 46 02 56.9 073 09 06.1	Q R 1s	Red, marked "S150".	Seasonal. Chart:1311 Edn 08/23 (Q23-079)
2272.6	Light buoy MP1	Downstream entrance to Île aux Foins. 46 02 54.6 073 09 50.8	Fl G 4s	Green, marked "MP1".	Seasonal. Chart:1312 Edn 08/23 (Q23-078)
2272.8	Île aux Foins light buoy S154	Saint-Pierre Lake, main channel. 46 02 28.5 073 09 53.8	Q R 1s	Red, marked "S154".	Seasonal. Chart:1312 Edn 08/23 (Q23-080)
2273	Tracy light buoy M1	Courbe de Sorel. 46 02 08.7 073 09 50.4	Q G 1s	Green spar, marked "M1".	Year round (YRLS). Chart:1311 Edn 11/20 (Q20-188)
2273.1	Île aux Foins light buoy S158	Sorel-Tracy, main channel. 46 01 58.0 073 10 17.0	Fl R 4s	Red, marked "S158".	Seasonal. Chart:1311 Edn 07/23 (Q23-081)
2273.5	Tracy light buoy M2	Route de l'Île Dupas. 46 01 17.0 073 10 20.5	Fl R 4s	Red spar, marked "M2".	Year round (YRLS). Chart:1311 Edn 11/20 (Q20-189)
2273.6	Lanoraie light buoy M3	46 01 36.9 073 10 02.7	Fl G 4s	Green, marked "M3".	Seasonal. Chart:1311
2273.7	Lanoraie light buoy M4	46 00 32 073 10 37	Fl R 4s	Red, marked "M4".	(Winter spar.) Seasonal. Chart:1311

Port de Montréal

2277	Lano B Anchorage light buoy	W. side of channel. 45 59 09 073 11 21.3	Fl Y 4s	Yellow, marked "Lano B".	Seasonal. Chart:1311
------	--------------------------------	--	---------	-------	-------	--------------------------	-----------------------------

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, SOREL – PORT DE MONTRÉAL							
2278.5 H2451	Course Île Saint-Ours Lower range	45 57 51.4 073 12 40.9	F G	10.8	17	Cylindrical tower, orange daymark, black vertical stripe. 5.9	Emergency light. Visible in line of range. Year round.
2278.6 H2451.1		002°24' 713.8m from front.	F G	33.7	17	Rectangular tower, orange daymark, black vertical stripe. 22.3	Emergency light. Visible in line of range. Year round.
2278.7	Lanoraie light buoy M8	45 57 33.3 073 12 23.3	Fl R 4s	Red, marked "M8".	Seasonal. Chart:1311
2279	Course Île Saint-Ours light buoy M9	At lower end of course. 45 56 54.6 073 12 33.5	Q G 1s	Green, marked "M9".	(Winter spar.) Year round. Chart:1311
2280	Île Saint-Ours bifurcation light buoy ISO	Route de l'Île Saint-Ours. 45 56 45.5 073 12 50.7	Fl R (2+1)	6s	Red-green-red spar, marked "ISO".	Year round (YRLS). Chart:1311 Edn 11/20 (Q20-190)
2280.5	Course Île Saint-Ours light buoy M11	45 56 32.9 073 12 40.1	Fl G 4s	Green, marked "M11".	(Winter spar.) Seasonal. Chart:1311
2280.7	Île Saint-Ours light buoy M13	Montréal main channel. 45 55 45.8 073 12 42.8	Fl G 4s	Green spar, marked "M13".	Year round (YRLS). Chart:1311 Edn 12/20 (Q20-085)
2281	Île Saint-Ours light buoy M16	Route de l'Île Saint-Ours. 45 54 59.4 073 12 56.9	Fl R 4s	Red spar, marked "M16".	Year round (YRLS). Chart:1311 Edn 11/22 (Q22-063)
2281.5	Île Saint-Ours light buoy M17	Courbe de Bellmouth. 45 54 40.7 073 12 46.6	Fl G 4s	Green spar, marked "M17".	Year round (YRLS). Chart:1311 Edn 11/20 (Q20-191)
2282 H2452	Route Île Saint-Ours range	Off shore. 45 53 05.4 073 12 57.9	F G	17.1	13	Skeleton tower, orange slatwork daymark, black vertical stripe. 13.2	Visible in line of range. Emergency mode. Year round.
2283 H2452.1		182°22' 670.3m from front.	F G	33.0	13	Square skeleton tower, orange slatwork daymark, black vertical stripe. 18.6	Visible in line of range. Emergency mode. Year round.
2283.1			F G	32.7	5	Square skeleton tower. 18.3	Visible from 066°20' through E. to 112°23'. Emergency mode. Chart:1311 Edn 03/10 (Q10-012) Edn 04/10 (Q10-010, 011) Edn 01/11 (Q10-012) Edn 05/12 (Q12-056)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

ST. LAWRENCE RIVER, SOREL – PORT DE MONTRÉAL

2284	<i>Courbe de Bellmouth light buoy M19</i>	<i>Contrecoeur.</i> 45 54 23.3 073 12 51.7	<i>Fl G 4s</i>	<i>Green spar, marked "M19".</i>	<i>Year round (YRLS).</i> Chart:1311 Edn 10/22 (Q22-051)
2285	<i>Île Saint-Ours light buoy M20</i>	<i>Courbe de Bellmouth.</i> 45 54 29.5 073 13 05.0	<i>Q R 1s</i>	<i>Red spar, marked "M20".</i>	<i>Year round (YRLS).</i> Chart:1311 Edn 11/20 (Q20-194)
2286 H2456	Courbe de Bellmouth	45 55 12.9 073 12 31.1	F R	22.1	15 Skeleton tower, orange and white rectangular daymark. 12.2	Reference light is visible on a bearing of 024°46' with Course Contrecoeur rear range light. Emergency mode. Year round. Chart:1311 Edn 02/11 (Q11-002)
2286.5	<i>Courbe de Bellmouth light buoy M23</i>	<i>Contrecoeur.</i> 45 54 09.0 073 13 06.9	<i>Fl G 4s</i>	<i>Green spar, marked "M23".</i>	<i>Year round (YRLS).</i> Chart:1311 Edn 10/22 (Q22-052)
2286.7 H2453	Île Saint-Ours South Racon - - (M) X & S Band	45 54 20.5 073 13 31.5	Iso Y 2s	15.1	5	Square skeleton tower. 6.5	Operates at night only. Year round. Chart:1311
2287	<i>Chenal de l'Île Saint-Ours light buoy M26</i>	<i>Petite Traverse de Contrecoeur.</i> 45 54 01.8 073 13 33.7	<i>Fl R 4s</i>	<i>Red spar, marked "M26".</i>	<i>Year round (YRLS).</i> Chart:1311 Edn 08/20 (Q20-131)
2288 H2454		On E. bank. 45 54 40.1 073 12 29.1	F G	16.8 Cylindrical tower, orange slatwork daymark, black vertical stripe. 7.7	Emergency mode. Visible in line of range. Year round.
2288.1	Petite Traverse range		F G	16.4	6 Cylindrical tower. 7.4	Visible from 045°30' through E. to 164°30'. Year round.
2289 H2454.1		045°43' 517.2m from front.	F G	31.9 Square skeleton tower, orange slatwork daymark, black vertical stripe. 20.5	Emergency mode. Visible in line of range. Year round.
2289.1			F G	31.6	6 Square skeleton tower. 20.2	Visible from 360°. Year round. Chart:1311 Edn 02/10 (Q10-007, 008) Edn 03/10 (Q10-012) Edn 01/11 (Q10-012) Edn 04/12 (Q12-038, 040)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, SOREL – PORT DE MONTRÉAL									
2290 H2458	Route de Contrecoeur range	On E. bank. 45 55 19.5 073 12 32.4	F	Y	26.2	20	Square skeleton tower, orange daymark, black vertical stripe. 17.4	Emergency light. Visible in line of range. Year round.
2291 H2458.1		033°10' 772.5m from front.	F	Y	42.3	20	Tripod skeleton tower, orange daymark, black vertical stripe. 25.2	Emergency light. Visible in line of range. Year round.
Chart:1311 Edn 12/11 (Q11-133, 134)									
2292 H2460	Lavaltrie range	On shore, E. side of Lavaltrie Island. 45 52 59.1 073 15 50.1	F	G	7.9	16	White square tower, orange daymark, black vertical stripe. 3.8	Emergency mode. Visible in line of range. Year round.
2293 H2460.1	Racon -. (N) X & S Band	On pier, 208°34' 560.8m from front.	F	G	19.9	16	Skeleton tower, orange slatwork daymark, black vertical stripe. 16.4	Emergency mode. Visible in line of range. Year round.
Chart:1311 Edn 02/11 (Q11-002)									
2293.5	Contrecoeur light buoy M29	45 53 34.4 073 13 57.7	Fl	G	4s	Green, marked "M29".	(Winter spar.) Year round.
Chart:1311									
2294.2	Route de Contrecoeur light buoy M32	Îles de Contrecoeur. 45 53 27.4 073 14 24.3	Fl	R	4s	Red spar, marked "M32".	Year round (YRLS).
Chart:1311 Edn 10/22 (Q22-054)									
2294.4	Contrecoeur light buoy M33	45 53 07.8 073 14 29.1	Fl	G	4s	Green, marked "M33".	(Winter spar.) Year round.
Chart:1311									
2294.6	Contrecoeur light buoy M38	Route de Contrecoeur. 45 52 35.9 073 15 12.5	Fl	R	4s	Red spar, marked "M38".	Year round (YRLS).
Chart:1311 Edn 11/20 (Q20-192)									
2294.8	Contrecoeur light buoy M41	45 51 55.3 073 15 36.8	Fl	G	4s	Green, marked "M41".	Seasonal.
Chart:1311									
2295	Contrecoeur light buoy M45	45 51 34.1 073 15 53.3	Fl	G	4s	Green, marked "M45".	(Winter spar.) Year round.
Chart:1311									
2295.2	Contrecoeur light buoy M46	Route de Contrecoeur. 45 51 38.6 073 16 06.0	Fl	R	4s	Red spar, marked "M46".	Year round (YRLS).
Chart:1311 Edn 11/20 (Q20-193)									
Small Craft Channel – Lavaltrie Channel									
2296.2	Light buoy MS9	45 53 37.3 073 15 17.9	Q	G	1s	Green, marked "MS9".	Seasonal.
Chart:1311									

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

ST. LAWRENCE RIVER, SOREL – PORT DE MONTRÉAL

Contrecoeur Traverse

2297	Light buoy MS20	45 52 17.1 073 15 51.8	Fl R 4s	Red, marked "MS20".	Seasonal.	Chart:1311
------	-----------------	---------------------------	---------	-------	-------	---------------------	-----------	------------

Île Mousseau Course

2298	Light buoy MS29	45 51 02.2 073 17 15.6	Q G 1s	Green, marked "MS29".	Seasonal.	Chart:1311
------	-----------------	---------------------------	--------	-------	-------	-----------------------	-----------	------------

Île Bouchard Peninsula Course

2299.6	Light buoy MS39	45 49 25.7 073 20 01.4	Q G 1s	Green, marked "MS39".	Seasonal.	Chart:1311
--------	-----------------	---------------------------	--------	-------	-------	-----------------------	-----------	------------

Saint-Sulpice Traverse

2301.6	Light buoy MS43	45 48 49 073 21 37.3	Q G 1s	Green, marked "MS43".	Seasonal.	Chart:1311
--------	-----------------	-------------------------	--------	-------	-------	-----------------------	-----------	------------

Repentigny Curve

2308.4	Lebel bifurcation light buoy	45 44 08.7 073 26 14.6	Fl R 6s (2+1)	Red, green and red, marked "Lebel".	Seasonal.	Chart:1311
--------	------------------------------	---------------------------	------------------	-------	-------	-------------------------------------	-----------	------------

2309	Île à la Pierre light buoy MV6	45 43 49.1 073 26 42.1	Fl R 4s	Red, marked "MV6".	Seasonal.	Chart:1310 Edn 05/14 (Q14-017)
------	--------------------------------	---------------------------	---------	-------	-------	--------------------	-----------	-----------------------------------

2311	Aiglon light buoy	W. of island. 45 42 26.4 073 28 25.2	Fl R 6s (2+1)	Red, green and red, marked "AIGLO".	Seasonal.	Chart:1310
------	-------------------	--	------------------	-------	-------	-------------------------------------	-----------	------------

2311.2	Bout-de-l'Île light buoy MV28	45 42 05.4 073 28 33.6	Fl R 4s	Red spar, marked "MV28".	Seasonal.	Chart:1310
--------	-------------------------------	---------------------------	---------	-------	-------	--------------------------	-----------	------------

Port de Montréal and Secondary Channels

2312 H2470	Traverse Contrecoeur range	45 49 55.5 073 16 54.2	Iso G 2s	16.3	20	White cylindrical tower, orange daymark, black vertical stripe. 11.5	Visible in line of range.	
2313 H2470.1		200°10' 400.4m from front.	Iso G 2s	28.0	20	Skeleton tower, orange daymark, black vertical stripe. 22.4	Visible in line of range.	Chart:1311 Edn 02/10 (Q10-005, 006) Edn 03/10 (Q10-012) Edn 01/11 (Q10-012) Edn 05/15 (Q15-052, 053)

2313.05	Light buoy M49	45 51 12.2 073 16 07.8	Fl G 4s	Green, marked "M49".	Seasonal.	Chart:1311
---------	----------------	---------------------------	---------	-------	-------	----------------------	-----------	------------

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, SOREL – PORT DE MONTRÉAL							
2313.1	Traverse de Contrecoeur light buoy M51	Îles de Contrecoeur. 45 50 48.3 073 16 20.4	Q G 1s	Green spar, marked "M51".	Year round (YRLS). Chart:1311 Edn 10/22 (Q22-053)
2313.4	Light buoy MQ32	45 50 55.6 073 16 00.9	Fl R 4s	Red, marked "MQ32".	Seasonal. Chart:1311
2313.5	Light buoy MQ27	45 51 10.4 073 14 56.9	Fl G 4s	Green, marked "MQ27".	Seasonal. Chart:1311
2314	Contrecoeur light buoy M52	Traverse de Contrecoeur. 45 50 53.3 073 16 32.7	Q R 1s	Red spar, marked "M52".	Year round (YRLS). Chart:1311 Edn 11/20 (Q20-195)
2315 H2472	On pier, Contrecoeur Islands. Contrecoeur- Verchères range	45 51 54.9 073 15 06.7	F G	9.4	14 Square tower, orange slatwork daymark, black vertical stripe. 4.1	Emergency mode. Visible in line of range. Operates at night only. Year round.
2316 H2472.1		040°24' 1723.6m from front.	F G	20.3	14 Square skeleton tower, orange slatwork daymark, black vertical stripe. 15.2	Emergency mode. Visible in line of range. Operates at night only. Year round.
2316.1			Iso G 2s	20.4	6	Square skeleton tower. 15.8	Visible from 360°. Operates at night only. Year round. Chart:1311 Edn 03/10 (Q10-012) Edn 05/10 (Q10-035) Edn 01/11 (Q10-012) Edn 12/12 (Q12-036)
2317 H2478	On S. shore. 45 47 46.2 073 19 38.6 Traverse Verchères range		F G	15.8	16 White cylindrical tower, orange rectangular daymark, black vertical stripe.	Emergency mode. Visible in line of range. Year round.
2318 H2478.1		056°03' 494.5m from front.	F G	25.8	16 White square skeleton tower, orange rectangular daymark, black vertical stripe.	Emergency mode. Visible in line of range. Year round. Chart:1311 Edn 02/11 (Q11-002)
2319 H2476		45 46 46.0 073 21 22.4 Verchères Village range	F G	10.0	16 Skeleton tower, fluorescent red daymark with black vertical stripe. 6.0	Emergency mode. Visible in line of range. Operates 24 h. Year round.
2320 H2476.1		220°21' 633.2 m from front.	F G	30.8	16 Square skeleton tower, fluorescent red daymark with black vertical stripe. 24.5	Emergency mode. Visible in line of range. Operates 24 h. Year round. Chart:1311 Edn 06/22 (Q21-058, 059)
2320.5	Contrecoeur light buoy M54	Chenal de Verchères – Contrecoeur. 45 50 33.9 073 16 52.8	Fl R 4s	Red spar, marked "M54".	Year round (YRLS). Chart:1311 Edn 11/20 (Q20-196)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
ST. LAWRENCE RIVER, SOREL – PORT DE MONTRÉAL								
2321	Contrecoeur light buoy M57	Chenal de Verchères – Contrecoeur. 45 50 29.3 073 16 43.4	Fl G 4s	Green spar, marked "M57".	Year round (YRLS). Chart:1311 Edn 11/20 (Q20-197)	
2322	Light buoy M76	45 49 48.2 073 17 48.4	Fl R 4s	Red, marked "M76".	(Winter spar.) Year round. Chart:1311	
2323	Île Bouchard light buoy M77	Chenal de Verchères – Contrecoeur. 45 49 48.9 073 17 32.6	Fl G 4s	Green spar, marked "M77".	Year round (YRLS). Chart:1311 Edn 05/21 (Q21-007)	
2323.5	Light buoy M78	45 48 49.6 073 18 59.7	Fl R 4s	Red, marked "M78".	Seasonal. Chart:1311	
2324	Île aux Boeufs light buoy M79	S. of island. 45 48 12.2 073 19 30.1	Fl G 4s	Green, marked "M79".	(Winter spar.) Year round. Chart:1311	
2325	Île aux Prunes light buoy M82	Chenal de Verchères – Contrecoeur. 45 47 26.3 073 20 40.8	Q R 1s	Red spar, marked "M82".	Year round (YRLS). Chart:1311 Edn 11/22 (Q22-070)	
2325.2	Île Marie light buoy M84	Traverse de Verchères. 45 47 07.5 073 21 10.9	Fl R 4s	Red spar, marked "M84".	Year round (YRLS). Chart:1311 Edn 11/22 (Q22-069)	
2326 H2480	Île Bouchard range	On island. 45 47 56.4 073 20 40.5	F G	14.1	14	Square skeleton tower, fluorescent red daymark, black vertical stripe. 9.9	Visible in line of range. Operates 24 h. Emergency mode. Year round.
2327 H2480.1		Facing Verchères. 037°35' 934.2 m from front.	F G	29.2	14	Square skeleton tower, fluorescent red daymark, black vertical stripe. 24.7	Visible in line of range. Operates 24 h. Emergency mode. Year round. Chart:1311 Edn 03/10 (Q10-012) Edn 01/11 (Q10-012) Edn 03/18 (Q17-054, 055)
2327.4	Verchères light buoy M87	Traverse de Verchères. 45 46 40.0 073 21 49.0	Q G 1s	Green spar, marked "M87".	Year round (YRLS). Chart:1311 Edn 08/20 (Q20-097) Edn 11/20 (Q20-198)	
2327.5	Île Marie light buoy M88	Traverse de Verchères. 45 46 37.6 073 22 14.4	Q R 1s	Red spar, marked "M88".	Year round (YRLS). Chart:1311 Edn 11/22 (Q22-064)	
2328	Course Verchères light buoy M89	45 46 20 073 22 19.4	Q G 1s	Green, marked "M89".	(Winter spar.) Year round. Chart:1311	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, SOREL – PORT DE MONTRÉAL							
2329	Light buoy M103	NE. of Île Hertel. 45 44 56.1 073 23 51.7	Fl G 4s	Green, marked "M103".	(Winter spar.) Year round. Chart:1311
2329.2	Chenal du Cap-Saint-Michel – Verchères light buoy M104	45 45 00.9 073 24 00.7	Fl R 4s	Red spar, marked "M104".	Year round (YRLS). Chart:1311 Edn 08/20 (Q20-106)
2330 H2482	Île Deslauriers range	E. side of island. 45 42 44.8 073 26 22.8	Iso G 1s	10.7	14	Square Skeleton tower, orange daymark, black vertical stripe. 6.6	Visible in line of range. Operates at night only. Year round.
2331 H2482.1		217°32' 2653.3m from front.	Iso G 1s	31.9	14	Skeleton tower, orange daymark, black vertical stripe. 26.7	Visible in line of range. Operates at night only. Year round.
2331.1			Iso G 2s	32.5	4	Skeleton tower. 27.4	Visible 360°. Operates at night only. Year round. Chart:1310 Edn 02/10 (Q09-135, 136) Edn 03/11 (Q10-169, 170) Edn 12/12 (Q12-031, 032)
2331.5	Île Bellegarde light buoy M116	45 44 05.2 073 25 01.8	Fl R 4s	Red, marked "M116".	Seasonal. Chart:1311
2332	Cap Saint-Michel light buoy M117	Chenal du Cap-Saint-Michel, Verchères. 45 43 13.8 073 25 43.9	Fl G 4s	Green spar, marked "M117".	Year round (YRLS). Chart:1310 Edn 11/20 (Q20-199)
2333	Île Saint-Laurent light buoy M118	Chenal du Cap-Saint-Michel - Verchères. 45 43 09.6 073 26 02.9	Fl R 4s	Red spar, marked "M118".	Year round (YRLS). Chart:1310 Edn 03/13 (Q13-008) Edn 04/16 (Q16-022) Edn 11/22 (Q22-068)
2333.3	Cap St-Michel light buoy M119	45 42 55.9 073 25 58.4	Q G 1s	Green, marked "M119".	Seasonal. Chart:1310
2333.4	Île Deslauriers light buoy M122	45 42 32.1 073 26 24.2	Fl R 4s	Red, marked "M122".	(Winter spar.) Year round. Chart:1310
2333.5	Varenes light buoy M123	Chenal de Varenes. 45 42 18.7 073 26 19.6	Fl G 4s	Green spar, marked "M123".	Year round (YRLS). Chart:1310 Edn 04/21 (Q20-200)
2334	Îlet Vert light buoy M124	Chenal de Varenes. 45 42 13.6 073 26 37.9	Fl R 4s	Red spar, marked "M124".	Year round (YRLS). Chart:1310 Edn 11/22 (Q22-067)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, SOREL – PORT DE MONTRÉAL							
2335 H2484		E. side of island. 45 41 06.8 073 27 32.7	F G	11.9	11	Skeleton tower, fluorescent red slatwork daymark with black vertical stripe. 6.2	Visible in line of range. Operates 24 h. Year round.
2335.1	Île Sainte-Thérèse Downstream range		F G	11.9	4		
2336 H2484.1		212°53' 152.7 m from front.	F G	18.1	11	Skeleton tower, fluorescent red slatwork daymark with black vertical stripe. 13.1	Visible in line of range. Operates 24 h. Year round. Chart:1310 Edn 01/17 (Q16-201, 202, 203) Edn 02/17 Edn 11/20 (Q20-162) Edn 02/21 (Q20-164, 165)
2337	Poulier du Calvaire light buoy M129	Chenal de Varennes. 45 41 45.6 073 26 50.2	Fl G 4s	Green spar, marked "M129".	Year round (YRLS). Chart:1310 Edn 11/22 (Q22-066)
2337.3	Île Sainte-Thérèse light buoy M130	Chenal de Varennes. 45 41 43.2 073 27 05.9	Q R 1s	Red spar, marked "M130".	Year round (YRLS). Chart:1310 Edn 11/22 (Q22-065)
2337.7	Île Sainte-Thérèse light buoy M132	Chenal de Varennes. 45 41 22.7 073 27 17.0	Fl R 4s	Red spar, marked "M132".	Year round (YRLS). Chart:1310 Edn 11/22 (Q22-062)
2338	Varennes light buoy M133	Traverse de Varennes. 45 41 15.0 073 27 06.8	Q G 1s	Green spar, marked "M133".	Year round (YRLS). Chart:1310 Edn 03/13 (Q13-009) Edn 04/21 (Q20-201)
2338.5	Île Sainte-Thérèse light buoy M138	Traverse de Varennes. 45 40 51.6 073 27 21.8	Fl R 4s	Red spar, marked "M138".	Year round (YRLS). Chart:1310 Edn 04/19 (Q19-074) Edn 04/21 (Q20-202)
2339.2	Light buoy M139	45 40 39.5 073 27 12.3	Fl G 4s	Green, marked "M139".	(Winter spar.) Year round. Chart:1310
2339.4	Île Sainte-Thérèse light buoy M140	Chenal de l'Île Sainte-Thérèse. 45 40 34.5 073 27 27.3	Q R 1s	Red spar, marked "M140".	Year round (YRLS). Chart:1310 Edn 04/21 (Q20-203)
2340 H2486		N. end of Grande Île. 45 40 03.2 073 27 23.5	F G	9.4	7	Cylindrical tower, orange slatwork daymark, black vertical stripe. 5.5	Visible in line of range. Operates at night only. Year round.
2341 H2486.1	Îles de Varennes range	186°05' 122.4m from front.	F G	15.7	7	Cylindrical tower, orange slatwork daymark, black vertical stripe. 11.9	Visible in line of range. Operates at night only. Year round. Chart:1310

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
ST. LAWRENCE RIVER, SOREL – PORT DE MONTRÉAL								
2343	Light buoy M143	45 39 53.1 073 27 38.7	Fl G 4s	Green, marked "M143".	(Winter spar.) Year round. Chart:1310	
2343.2	Île aux Vaches light buoy M144	45 39 56.7 073 27 48.8	Fl R 4s	Red spar, marked "M144".	Year round (YRLS). Chart:1310 Edn 08/20 (Q20-107)	
2344 H2487	Traverse de l'île aux Vaches range	S. shore. 45 41 12.8 073 26 32.9	F G	12.2	15	White cylindrical tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Emergency light. Year round.
2345 H2487.1		032°35' 325.8m from front.	F G	22.7	15	Square skeleton tower, orange daymark, black vertical stripe. 18.8	Visible in line of range. Emergency light. Year round.
2345.1			F G	22.3	5	Square skeleton tower. 18.4	Visible 360°. Year round. Chart:1310 Edn 02/12 (Q11-135, 138) Edn 12/12 (Q12-020)
2346 H2490		On E. shore of Île aux Vaches. 45 39 52.8 073 27 58.3	F G	11.4	10	White cylindrical tower, orange rectangular daymark. 4.0	Emergency mode. Visible in line of range. Operates at night only. Year round.
2346.1	Île Ste-Thérèse Upper range		F G	12.2	5	6.1	Visible 360°.
2347 H2490.1		024°50' 1,262.1m from front.	F G	30.2	10	Square skeleton tower, orange daymark, black vertical stripe. 21.7	Emergency mode. Visible in line of range. Operates at night only. Year round.
2347.1			F G	30.2	5	21.6	Visible 360°. Chart:1310 Edn 02/11 (Q11-002) Edn 12/11 (Q11-141, 142) Edn 02/12 (Q11-139, 142)
2348.1	Pointe aux Trembles South Cardinal light buoy PAT	Chenal de la Pointe- aux-Trembles. 45 39 03.7 073 28 36.9	Q(6) +LFI	W	15s	Yellow and black spar, marked "PAT". Year round (YRLS). Chart:1310 Edn 01/21 (Q20-234)
2349	Île Saint-Patrice light buoy M151	Chenal de la Pointe- aux-Trembles. 45 38 48.0 073 28 34.8	Fl G 4s	Green spar, marked "M151".	Year round (YRLS). Chart:1310 Edn 04/21 (Q20-204)	
2349.1	Pointe-aux- Trembles Anchorage light buoy PATB	45 38 38.4 073 28 29.6	Fl Y 4s	Yellow spar, marked "PATB".	Year round (YRLS). Chart:1310 Edn 11/22 (Q22-061)	
2349.2	Pointe-aux- Trembles Anchorage light buoy PATC	45 38 26.6 073 28 37.3	Fl Y 4s	Yellow spar, marked "PATC".	Year round (YRLS). Chart:1310 Edn 02/23 (Q22-058, 059)	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, SOREL – PORT DE MONTRÉAL							
2349.3	Pointe-aux-Trembles Anchorage light buoy PATD	45 38 14.9 073 28 45	Fl Y 4s	Yellow, marked "PATD".	(Winter spar.) Year round. Chart:1310
2349.4	Pointe aux Trembles Anchorage light buoy PATE	45 38 03.1 073 28 52.8	Fl Y 4s	Yellow spar, marked "PATE".	Year round (YRLS). Chart:1310 Edn 02/21 (Q20-140)
2349.5	Pointe-aux-Trembles light buoy M156	45 38 00.3 073 29 18.7	Fl R 4s	Red, marked "M156".	(Winter spar.) Year round. Chart:1310
2350.5	Pointe-aux-Trembles Anchorage light buoy PATG	45 37 51.4 073 29 00.5	Fl Y 4s	Yellow spar, marked "PATG".	Year round (YRLS). Chart:1310 Edn 11/22 (Q22-057)
2352	Île Dufault light buoy M157	Chenal de la Pointe-aux-Trembles. 45 37 46.9 073 29 15.1	Fl G 4s	Green spar, marked "M157".	Year round (YRLS). Chart:1310 Edn 04/21 (Q20-205)
2354	Light buoy M161	45 37 01.4 073 29 45	Fl G 4s	Green, marked "M161".	(Winter spar.) Year round. Chart:1310
2354.5	Montréal East Anchorage light buoy MEB	45 36 38.8 073 29 50.7	Fl Y 4s	Yellow, marked "MEB".	Seasonal. Chart:1310
2355	Tétreaultville light buoy M163	Chenal de la Pointe-aux-Trembles. 45 36 35.9 073 30 01.8	Q G 1s	Green spar, marked "M163".	Year round (YRLS). Chart:1310 Edn 04/21 (Q20-206)
2355.5	Tétreaultville light buoy M165	45 36 18.1 073 30 07.2	Fl G 4s	Green spar, marked "M165".	Year round (YRLS). Chart:1310 Edn 08/20 (Q20-108)
2356	Light buoy M166	45 36 24.7 073 30 24	Fl R 4s	Red, marked "M166".	Seasonal. Chart:1310
2358	Tétreaultville light buoy M167	Traverse de Longue-Pointe. 45 35 53.9 073 30 09.2	Q G 1s	Green spar, marked "M167".	Year round (YRLS). Chart:1310 Edn 04/21 (Q20-207)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, SOREL – PORT DE MONTRÉAL							
2359 H2496	Chenal de la Pointe-aux- Trembles range	Tétreaultville. 45 35 50.6 073 30 37.9	F G Iso G 1s	14.6	13	White cylindrical tower, orange daymark with black vertical stripe. 7.4	Visible in line of range. Operates 24 h. Emergency light. Year round.
2360 H2496.1		204°50' 629.8 m from front.	F G Iso G 1s	30.2	13	Cylindrical tower, orange daymark with black vertical stripe. 21.9	Visible in line of range. Operates 24 h. Emergency light. Year round.
Chart:1310 Edn 07/22 (Q22-025, 026)							
2363 H2499	Route Maisonneuve- Longue-Pointe range	S. end of Grandes battures Tailhandier. 45 35 42.3 073 29 34.2	F W F W	10.1 23.7	11 11	Square skeleton tower, orange daymark with black vertical stripe. 7.2	Visible in line of range. Operates 24 h. Year round.
2364 H2499.1		022°38' 477.1 m from front.	F W F W	10.1 23.7	11 11	Square skeleton tower, orange daymark with black vertical stripe. 18.6	Visible in line of range. Operates 24 h. Year round.
Chart:1310 Edn 03/10 (Q10-003) Edn 02/12 (Q11-136) Edn 06/12 (Q12-054) Edn 12/12 (Q12-033) Edn 02/24 (Q23-154, 155, Q24-041, 042)							
2365	Pont-tunnel Louis- Hippolyte-La Fontaine light buoy M171	Traverse de Longue-Pointe. 45 35 09.3 073 29 57.8	Q G 1s	Green spar, marked "M171".	Year round (YRLS).
Chart:1310 Edn 08/09 (Q09-061) Edn 11/20 (Q20-210)							
2365.1	Îlot de la Baronnie light buoy MT66	Boucherville channel. 45 34 32.1 073 29 22.5	Fl R 4s	Red, marked "MT66".	Seasonal.
Chart:1310 Edn 09/23 (Q23-129)							
2365.3	Îlot de la Baronnie light buoy MT68	Boucherville channel. 45 34 29.8 073 29 36.5	Fl R 4s	Red, marked "MT68".	Seasonal.
Chart:1310 Edn 09/23 (Q23-130)							
2365.4	Longue-Pointe light buoy M175	Montréal, main channel. 45 34 35.7 073 30 07.7	Fl G 4s	Green, marked "M175".	Seasonal.
Chart:1310 Edn 09/23 (Q23-131)							
2365.51	Light buoy MT1	45 41 22.1 073 26 52.5	Fl G 4s	Green, marked "MT1".	Seasonal.
Chart:1310							
2365.53	Quai Bellevue light buoy MT3	Boucherville channel. 45 41 03.1 073 26 55.5	Fl G 4s	Green, marked "MT3".	Seasonal.
Chart:1310 Edn 02/24 (Q24-073)							
2365.65	Light buoy MT31	45 38 25.8 073 27 01.5	Q G 1s	Green, marked "MT31".	Seasonal.
Chart:1310							

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, SOREL – PORT DE MONTRÉAL							
2365.69	Light buoy MT40	45 37 09.1 073 27 36.5	Q R	1s	Red, marked "MT40".	Seasonal. Chart:1310
2365.73	Île Charron light buoy MT59	Îles de Boucherville, Chenal du Sud. 45 34 57.6 073 28 30.5	FI G	4s	Green, marked "MT59".	Seasonal. Chart:1310 Edn 09/23 (Q23-041)
2365.75	Île Charron light buoy MT60	Îles de Boucherville, Chenal du Sud. 45 34 59.1 073 28 33.6	FI R	4s	Red, marked "MT60".	Seasonal. Chart:1310 Edn 09/23 (Q23-040)
2365.83	Light buoy MT69	45 34 13.9 073 30 04.3	FI G	4s	Green, marked "MT69".	Seasonal. Chart:1310
2365.9	Poulier à Gagnon light buoy M177	Montréal, main channel. 45 33 56.9 073 30 33.0	FI G	4s	Green, marked "M177".	(Winter spar.) Year round. Chart:1310 Edn 09/23 (Q23-132)
2366 H2497	Traverse de Longue-Pointe range	Pointe-du-Marigot. 45 33 42.5 073 29 41.3	Iso G	2s	14.0	17 White cylindrical tower, orange slatwork daymark with black vertical stripe. 8.9	Visible in line of range. Horizontal and vertical divergence of 9° and 3°, respectively. Operates 24 h. Emergency mode. Year round.
2367 H2497.1		169°48' 190.0 m from front.	Iso G	2s	20.6	17 White cylindrical tower, orange slatwork daymark with black vertical stripe. 13.4	Visible in line of range. Horizontal and vertical divergence of 9° and 3°, respectively. Operates 24 h. Emergency mode. Year round. Chart:1310 Edn 10/12 (Q12-124) Edn 03/13 (Q13-012, 013) Edn 01/18 (Q17-045, 046) Edn 09/23 (Q23-127, 128) Edn 02/24 (Q24-074)
2368	Longueuil B Anchorage light buoy LGLB	Montréal, main channel. 45 33 07.2 073 30 53.3	FI Y	4s	Yellow, marked "LGLB".	(Winter spar.) Year round. Chart:1310 Edn 09/23 (Q23-133)
2369.5	Longueuil light buoy M187	Haut-fond Longueuil. 45 32 52.1 073 31 15.6	Q G	1s	Green spar, marked "M187".	Year round (YRLS). Chart:1310 Edn 04/21 (Q20-208) Edn 09/23 (Q23-134)
2370	Longueuil light buoy MT79	Boucherville channel. 45 32 38.1 073 31 21.7	FI G	4s	Green, marked "MT79".	Seasonal. Chart:1310 Edn 10/12 (Q12-126) Edn 09/23 (Q23-135)
2371	Longueuil light buoy MT81	Boucherville channel. 45 32 26.8 073 31 26.6	FI G	4s	Green, marked "MT81".	Seasonal. Chart:1310 Edn 10/12 (Q12-127) Edn 09/23 (Q23-136)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE RIVER, SOREL – PORT DE MONTRÉAL							
2374	Longueuil light buoy MT85	Boucherville channel. 45 32 18.1 073 31 21.8	Fl G 4s	Green, marked "MT85".	Seasonal. Chart:1310 Edn 09/23 (Q23-137)
2377	Longueuil light buoy M189	Longueuil shoal. 45 32 16.2 073 31 36.5	Fl G 4s	Green spar, marked "M189".	Year round (YRLS). Chart:1310 Edn 11/20 (Q20-211)
2377.8	Île Sainte-Hélène North Cardinal light buoy ISH	NE. point of island. 45 32 08.5 073 31 53.7	VQ W 0.5s	Black and yellow spar, marked "ISH".	Year round (YRLS). Chart:1310 Edn 01/21 (Q20-236) Edn 07/23 (Q23-085)
2378	Cap sur Mer light buoy M191	Canal de la Rive Sud entrance. 45 32 05.4 073 31 39.8	Fl G 4s	Green spar, marked "M191".	Year round (YRLS). Chart:1310 Edn 02/12 (Q11-146) Edn 12/15 (Q15-154) Edn 11/22 (Q22-060)
2378.5	Port Sainte-Hélène bifurcation light buoy PSH	Marina. 45 31 53.2 073 31 46.9	Fl R (2+1)	6s	Red, green and red spar, marked "PSH".	Year round (YRLS). Chart:1310 Edn 11/22 (Q22-055) Edn 07/23 (Q23-084)
2379	Port Sainte-Hélène light buoy M192	Canal de la Rive Sud entrance. 45 31 43.8 073 31 42.7	Fl R 4s	Red spar, marked "M192".	Year round (YRLS). Chart:1310 Edn 02/12 (Q11-147) Edn 12/15 (Q15-155) Edn 11/22 (Q22-056)
2379.3 H2506	Pont Jacques- Cartier Bridge South	S. side of bridge. 45 31 18.9 073 32 35.1	F G	54.4	On bridge. Maintained by Les Ponts Jacques- Cartier et Champlain Inc. Operates at night only. Year round. Chart:1310
2379.4 H2506.2	Pont Jacques- Cartier Bridge North	N. side of bridge. 45 31 19.6 073 32 34.8	F G	54.4	On bridge. Maintained by Les Ponts Jacques- Cartier et Champlain Inc. Operates at night only. Year round. Chart:1310
2379.6	Pont Jacques- Cartier Bridge East	E. side of bridge. 45 31 17.4 073 31 32.9	F G	43.3	2	On bridge. Omnidirectional. Seasonal. Chart:1310 Edn 10/11 (Q11-114) Edn 04/14
2381	Light buoy M195	E. side of channel. 45 31 31.4 073 32 26.2	Fl G 4s	Green, marked "M195".	Seasonal. Chart:1310
2383	Light buoy M199	E. side of channel, S. of bridge. 45 30 58.5 073 32 32.3	Fl G 4s	Green, marked "M199".	Seasonal. Chart:1310

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

ST. LAWRENCE RIVER, SOREL – PORT DE MONTRÉAL

2384	<i>Light buoy M201</i>	45 30 43.3 073 32 34.9	<i>Fl G 4s</i>	<i>Green, marked "M201".</i>	<i>(Winter spar.) Seasonal.</i>
------	------------------------	---------------------------	----------------	-------	-------	------------------------------	-------------------------------------

Chart:1310