

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NORTHUMBERLAND STRAIT – EAST</b>							
883.2	Aulds Cove light buoy VT2	45 38 58.2 061 26 02.1	Fl R 4s	.....	.....	Red, marked "VT2".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4302 Edn 05/13 (G13-009) Edn 07/16 (G16-076) Edn 09/21 (G21-072)
883.4	Havre Boucher light buoy VQ	45 42 18.5 061 31 04.9	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "VQ".	Seasonal.  Chart:4335 Edn 06/10 (G10-044)
883.5	Havre Boucher light buoy VQ4	45 41 37.2 061 31 23.4	Fl R 4s	.....	.....	Red spar, marked "VQ4".	Seasonal.  Chart:4448 Edn 08/11 (G11-236) Edn 11/12 (G12-178)
883.6	Havre Boucher light buoy VQ5	45 41 31.4 061 31 20.8	Fl G 4s	.....	.....	Green spar, marked "VQ5".	Seasonal.  Chart:4448 Edn 08/11 (G11-237) Edn 11/12 (G12-179)
883.9	Havre Boucher light buoy VQ8	45 41 24.4 061 31 30.9	Fl R 4s	.....	.....	Red, marked "VQ8".	Seasonal.  Chart:4448 Edn 09/11 (G11-238)
884 H1230	Havre Boucher range	On SW. shore. 45 40 54.4 061 31 37.7	F G	.....	8.3	8 Square skeleton tower, white daymark with red vertical stripe. 7.5	Visible in line of range. Seasonal.
885 H1230.1		194°31' 433.2 m from front.	F G	.....	32.4	8 White pyramidal tower with red vertical stripe and red upper portion. 9.6	Visible in line of range. Seasonal.  Chart:4302 Edn 10/10 (G10-153) Edn 12/11 (G11-322, 325) Edn 09/20 (G20-147, 148)
886	Jack Shoal light and bell buoy VU4	Off shoal. 45 43 21.2 061 32 59.3	Fl R 4s	.....	.....	Red, marked "VU4".	Seasonal.  Chart:4447
887 H1231	Barrios Beach Breakwater	On shore, approach to breakwater. 45 38 44.9 061 37 32.3	Fl W 4s	16.1	9	Square skeleton tower, red and white rectangular daymark. 6.8	Flash 1 s; eclipse 3 s. Seasonal.  Chart:4447 Edn 10/16 (G16-125)
887.1	Bowman Bank North Cardinal light buoy VP	45 40 16.9 061 41 39.9	Q W 1s	.....	.....	Black and yellow spar, marked "VP".	Seasonal.  Chart:4447 Edn 12/10 (G10-010)
887.2	Barrios Beach light buoy VP2	45 39 05.7 061 37 45.8	Fl R 4s	.....	.....	Red, marked "VP2".	Seasonal.  Chart:4447
887.5	Barrios Beach light buoy VP5	45 38 36.5 061 37 32.7	Fl G 4s	.....	.....	Green, marked "VP5".	Seasonal.  Chart:4447 Edn 09/14 (G14-096)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NORTHUMBERLAND STRAIT – EAST</b>							
887.7	Barrios Beach light buoy VP13	45 38 20.5 061 37 50.6	Q G 1s	.....	.....	Green, marked "VP13".	Seasonal.  Chart:4447 Edn 10/11 (G11-276) Edn 10/14 (G14-098)
887.73	Monk Head North Cardinal light buoy VR	45 41 24.2 061 47 58.5	Q W 1s	.....	.....	Black and yellow spar, marked "VR".	Seasonal.  Chart:4447 Edn 12/10 (G10-007)
887.75	Bayfield light buoy VR2	45 39 22.3 061 44 20.9	Fl R 4s	.....	.....	Red spar, marked "VR2".	Seasonal.  Chart:4447 Edn 06/10 (G10-008)
887.8	Bayfield light buoy VR4	45 38 52.3 061 44 43.9	Fl R 4s	.....	.....	Red, marked "VR4".	Seasonal.  Chart:4447 Edn 06/10 (G10-009)
887.82	Bayfield light buoy VR8	45 38 38.8 061 45 09.6	Q R 1s	.....	.....	Red, marked "VR8".	Seasonal.  Chart:4447
888 H1232	Pomquet Island	NE. end of island. 45 39 27.5 061 44 50.6	LFI W 6s	13.7	8	White square tower. 8.2	Flash 2 s; eclipse 4 s. Seasonal.  Chart:4447 Edn 12/10 (G10-169)
888.5	Bayfield Breakwater	On the outer end of the breakwater. 45 38 40.7 061 45 11.1	Fl W 4s	.....	2	Cylindrical mast.	Seasonal.  Chart:4447 Edn 05/16 (G15-025)
889.5	Antigonish Harbour light buoy VS	Harbour entrance. 45 41 49.3 061 52 37.3	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "VS".	Seasonal.  Chart:4446
890 H1232.3	Cribbean Head Wharf	On outer end of wharf. 45 45 18.9 061 53 47	Fl R 4s	6.1	5	Pipe swing pole red triangular daymark. 3.5	Operates at night only. Seasonal.  Chart:4404 Edn 11/15 (G15-125)
890.2 H1232.35	Cribbean Head Main	45 45 25.3 061 53 43.8	Fl W 4s	20.5	10	Skeleton tower, enclosed lower portion. 3.8	Flash 2 s; eclipse 2 s. Operates at night only. Year round.  Chart:4462 Edn 01/15 (G14-198)
891 H1232.5	Ballantynes Cove Wharf	On S. side of wharf. 45 51 27.1 061 55 06.8	LFI R 6s	8.0	4	Pipe swing pole. 5.2	Flash 2 s; eclipse 4 s. Operates at night only. Seasonal.  Chart:4404 Edn 08/10 (G05-184, G10-101) Edn 02/14 (G14-001)
891.5	Cape George light and bell buoy VU2	Off cape. 45 52 34.3 061 53 13.8	Fl R 4s	.....	.....	Red, marked "VU2".	Seasonal.  Chart:4462

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NORTHUMBERLAND STRAIT – EAST</b>							
892 H1234	<b>Cape George</b>	On cape. 45 52 26.8 061 54 01.8	Fl(3) W 12s	121.3	15	White octagonal tower, red upper portion. 13.8	Flash 1 s; eclipse 2 s; flash 1 s; eclipse 2 s; flash 1 s; eclipse 5 s. Year round.  <b>Chart:4462</b>
892.5 H1234.5	Livingstone Cove	45 52 05 061 58 55.6	Fl G 4s	6.3	4	Cylindrical mast. 5.1	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.  <b>Chart:4404</b>
894.1 H1234.8	Arisaig West	45 45 37.1 062 10 21.3	LFl G 6s	10.4	5	Square skeleton tower, three green and white square daymarks, green square in center. 9.6	Daymarks facing North, West and East. Flash 2 s; eclipse 4 s. Operates in night only. Privately maintained. Seasonal.  <b>Chart:4404</b> <b>Edn 04/12 (G12-022)</b>
894.2 H1234.7	Arisaig East	45 45 37.1 062 10 19.7	Fl R 4s	3.9	3	Cylindrical mast, red, and white triangular daymark, red triangle in center. 3.0	Privately maintained. Seasonal.  <b>Chart:4404</b> <b>Edn 04/12 (G12-023)</b> <b>Edn 06/12 (G12-095)</b>
895 H1236	<b>Baillie Brook</b>	On shore near wharf. 45 42 23.5 062 16 12.9	LFl W 6s	16.8	15	Square skeleton tower, red and white rectangular daymark. 8.4	Flash 2 s; eclipse 4 s. Seasonal.  <b>Chart:4404</b>
896 H1236.3	Baileys Brook East Breakwater	On SW. corner of E. breakwater. 45 42 27.9 062 16 27.7	Fl G 4s	.....	4	Cylindrical mast, green, white and black square daymark.	Flash 1 s; eclipse 3 s. Seasonal.  <b>Chart:4404</b> <b>Edn 08/21 (G21-070)</b>
896.1 H1236.4	Baillie Brook West Breakwater	45 42 26.2 062 16 26.5	Fl R 4s	5.8	3	Cylindrical mast. 3.8	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.  <b>Chart:4404</b>
896.5	<i>Merigomish Harbour Approach light buoy SA2</i>	45 40 00.2 062 28 33.7	Fl R 4s	.....	.....	Red spar, marked "SA2".	Seasonal.  <b>Chart:4445</b>
896.6	<i>Kings Head light buoy SA6</i>	45 39 10.2 062 28 24.7	Fl R 4s	.....	.....	Red spar, marked "SA6".	Seasonal.  <b>Chart:4445</b>
896.8	<i>Merigomish Harbour light buoy SA14</i>	45 38 33.7 062 27 07.7	Q R 1s	.....	.....	Red spar, marked "SA14".	Seasonal.  <b>Chart:4940</b> <b>Edn 11/22 (G22-122)</b>
897 H1244	Pictou Island	On W. point of island. 45 48 15.0 062 36 07.2	Fl W 4s	14.0	6	Square skeleton tower, red rectangular daymark with white horizontal band. 6.9	Year round.  <b>Chart:4940</b> <b>Edn 11/18 (G18-128)</b> <b>Edn 04/24 (G24-038)</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NORTHUMBERLAND STRAIT – EAST</b>							
898 <i>H1240</i>	Pictou Island Breakwater	On SE. corner of W. breakwater. 45 48 09.5 062 35 08.4	Fl G 4s	4.9	4	Pipe swing pole, green- white-black square daymark.	Flash 1 s; eclipse 3 s. Seasonal.  Chart:4940 Edn 12/11 (G11-319) Edn 08/19 (G19-075) Edn 09/20 (G20-153) Edn 04/24 (G24-037)
898.5	Pictou Island East Breakwater	45 48 09.4 062 35 07.1	Iso R 4s	.....	4	Pipe swing pole, red, white and red triangular daymark.	Seasonal.  Chart:4404 Edn 07/18 (G18-096)
899 <i>H1237</i>	Pictou Island South	On SW. coast of island. 45 48 13.6 062 35 08.1	Iso W 4s	10.8	6	White pyramid tower with red top. 8.1	Seasonal.  Chart:4483 Edn 04/19 (G19-004) Edn 10/23 (G23-141)
899.5 <i>H1238</i>	Pictou Island	SE. point. 45 48 55.2 062 30 49.2	Fl W 4s	17.7	6	Square skeleton tower, red rectangular daymark with white horizontal band. 9.9	Flash 1 s; eclipse 3 s. Year round.  Chart:4940 Edn 11/18 (G18-129) Edn 04/24 (G24-040)
900.2	<i>Pictou Island East East Cardinal light buoy SP</i>	45 49 36.2 062 29 48.7	Q(3) W 10s	.....	.....	Black, yellow and black spar, marked "SP".	Seasonal.  Chart:4404
900.5	<i>Pictou light buoy SJ</i>	N. of Mackenzie Shoal. 45 42 30.6 062 36 51.9	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "SJ".	Seasonal.  Chart:4938 Edn 03/19 (G19-006) Edn 08/21 (G21-085)
900.8	<i>Macdonald Reef light buoy SJ2</i>	E. of reef. 45 42 44.2 062 37 25.7	Fl R 4s	.....	.....	Red spar, marked "SJ2".	Seasonal.  Chart:4938 Edn 03/19 (G19-006) Edn 10/21 (G21-084)
901	<i>Pictou Harbour light buoy SJ4</i>	S. of Cole Point. 45 41 34.8 062 38 33.0	Q R 1s	.....	.....	Red, marked "SJ4".	Seasonal.  Chart:4938 Edn 03/19 (G19-006, 010) Edn 08/21 (G21-086)
901.1	<i>Pictou Harbour light buoy SJ5</i>	45 41 27.9 062 39 01.2	Fl G 4s	.....	.....	Green spar, marked "SJ5".	Seasonal.  Chart:4938 Edn 08/21 (G21-088)
901.5	<i>Lighthouse Beach light buoy SJ7</i>	45 41 23.3 062 39 37.7	Q G 1s	.....	.....	Green spar, marked "SJ7".	Seasonal.  Chart:4938 Edn 03/19 (G19-006)
901.6	<i>Murdock Shoal light buoy SJ6</i>	45 41 27.3 062 39 30.7	Fl R 4s	.....	.....	Red, marked "SJ6".	Seasonal.  Chart:4938 Edn 06/12 (G12-088) Edn 03/19 (G19-006)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NORTHUMBERLAND STRAIT – EAST

903 H1256	Pictou Harbour range	On N. side of entrance to harbour. 45 41 18.3 062 40 42.9	F W .....	6.8	11	White square tower, red top, red vertical stripe. 7.0	Visible in line of range. Year round.
904 H1256.1		261°57' 140.6 m from front.	F W .....	16.9	11	Square skeleton tower, white daymark, red vertical stripe. 9.6	Visible in line of range. Year round.  Mariners requiring the operation of the range lights will have to select VHF channel 65A and key their microphones five (5) times in quick succession. The range lights will be in operation for 30 minutes. If additional time is required, repeat the process above.  <b>Chart:4938</b> <b>Edn 10/11 (G11-267)</b> <b>Edn 11/11 (G11-298, 299)</b> <b>Edn 12/11 (G11-299)</b> <b>Edn 11/12 (G12-199, 200)</b> <b>Edn 03/17 (G16-162, 163)</b> <b>Edn 03/19 (G19-006)</b>
905	Pictou Harbour light buoy SJ11	45 40 55.8 062 40 34.2	Fl G 4s .....	.....	.....	Green spar, marked "SJ11".	Seasonal.  <b>Chart:4938</b> <b>Edn 03/19 (G19-006)</b> <b>Edn 07/21 (G21-047)</b>
905.2	Pictou Harbour light buoy SJ12	45 40 49.4 062 41 28.1	Q R 1s .....	.....	.....	Red spar, marked "SJ12".	Seasonal.  <b>Chart:4938</b> <b>Edn 03/19 (G19-006)</b> <b>Edn 08/21 (G21-089)</b>
905.3	Pictou Landing light buoy SJ15	45 40 38.6 062 41 00.1	Q G 1s .....	.....	.....	Green spar, marked "SJ15".	Seasonal.  <b>Chart:4938</b> <b>Edn 03/19 (G19-006)</b> <b>Edn 08/21 (G21-092)</b>
905.4	Pictou Landing East	45 40 33.6 062 40 59.7	Fl G 4s .....	.....	.....	.....	Seasonal. Position is approximate. Owned by Small Craft Harbours.  <b>Chart:4938</b> <b>Edn 06/16 (G16-029)</b> <b>Edn 03/19 (G19-006)</b>
905.5	Pictou Landing West	45 40 33.5 062 41 00.7	Fl R 4s .....	.....	2	.....	Seasonal. Position is approximate. Owned by Small Craft Harbours.  <b>Chart:4938</b> <b>Edn 06/16 (G16-030)</b> <b>Edn 03/19 (G19-006)</b>
905.55	Hector Quay light buoy SJD	45 40 17.1 062 42 41.0	Fl(2) W 5s .....	.....	.....	Black, red and black spar, marked "SJD".	Seasonal.  <b>Chart:4938</b> <b>Edn 08/21 (G21-094)</b> <b>Edn 08/23 (G23-027)</b>
905.6	Norway Reach light buoy SJ19	East River of Pictou. 45 39 50.3 062 42 46.7	Q G 1s .....	.....	.....	Green spar, marked "SJ19".	Seasonal.  <b>Chart:4938</b> <b>Edn 06/18 (G18-062)</b> <b>Edn 03/19 (G19-006)</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NORTHUMBERLAND STRAIT – EAST</b>							
906.4 H1248.05	Lighthouse Beach	S. side of entrance to harbour. 45 41 14.1 062 39 48.2	Fl W 4s	8.9	6	Square skeleton tower, white rectangular daymark, red band at top and bottom.  7.2	Flash 1 s; eclipse 3 s. Radar reflector. Year round.  <b>Chart:4938 Edn 03/19 (G19-006)</b>
906.6 H1260.5	Pictou Marina	End of the floating dock. 45 40 27.9 062 42 39.4	Q G 1s	2.0	.....	.....  1.8	Private aid. Operates 24 h. Seasonal.  <b>Chart:4938 Edn 03/19 (G19-006)</b>
909	Norway Reach light buoy SJ27/3	S. of Indian Cross Point. 45 38 28.3 062 41 26.7	Fl G 4s	.....	.....	Green spar, marked "SJ27/3".	Seasonal.  <b>Chart:4938 Edn 10/13 (G13-119) Edn 08/15 (G13-119) Edn 03/19 (G19-006)</b>
909.5	Stonehouse Point light buoy SJ38	45 37 32.2 062 39 07.7	Q R 1s	.....	.....	Red spar, marked "SJ38".	Seasonal.  <b>Chart:4938 Edn 03/19 (G19-006)</b>
912.5	Caribou light buoy SQ2	45 44 40.3 062 38 32.5	Q R 1s	.....	.....	Red spar, marked "SQ2".	Seasonal.  <b>Chart:4483</b>
913	Caribou Harbour light and bell buoy SS1	S. side of channel. 45 45 08 062 39 44	Fl G 4s	.....	.....	Green, marked "SS1".	Seasonal.  <b>Chart:4483</b>
	<b>Racon - -. (G) X &amp; S Band</b>						
913.2	Caribou Harbour Entrance light buoy SS2	N. side of channel. 45 45 10 062 39 54.7	Q R 1s	.....	.....	Red spar, marked "SS2".	Seasonal (in place year round).  <b>Chart:4483 Edn 03/17 (G17-007)</b>
913.4	Caribou Harbour light buoy SS3	S. side of channel. 45 45 03.2 062 40 10.2	Fl G 4s	.....	.....	Green spar, marked "SS3".	Seasonal (in place year round).  <b>Chart:4483 Edn 03/17 (G17-007)</b>
913.6	Caribou Harbour light buoy SS6	N. side of channel. 45 45 05.4 062 40 16.8	Fl R 4s	.....	.....	Red spar, marked "SS6".	Seasonal (in place year round).  <b>Chart:4483 Edn 03/17 (G17-007)</b>
914	Caribou Harbour light buoy SS7	S. side of channel. 45 44 58.7 062 40 35.2	Q G 1s	.....	.....	Green spar, marked "SS7".	Seasonal (in place year round).  <b>Chart:4483 Edn 03/17 (G17-007)</b>
915	Caribou Harbour light buoy SS8	45 45 01.7 062 40 36.9	Q R 1s	.....	.....	Red spar, marked "SS8".	Seasonal (in place year round).  <b>Chart:4483 Edn 03/17 (G17-007)</b>
915.4	Caribou Harbour light buoy SS10	45 44 56.6 062 40 46.2	Fl R 4s	.....	.....	Red spar, marked "SS10".	Seasonal (in place year round).  <b>Chart:4483 Edn 03/17 (G17-007)</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NORTHUMBERLAND STRAIT – EAST

916	Caribou Harbour Inner light buoy SS11	Off NW. point of Doctor Island. 45 44 49.5 062 40 52.3	Q G 1s	.....	.....	Green spar, marked "SS11".	Seasonal (in place year round).  Chart:4483 Edn 03/17 (G17-007)
916.2	Caribou Harbour light buoy SS12	45 44 51.5 062 40 55.5	Q R 1s	.....	.....	Red spar, marked "SS12".	Seasonal (in place year round).  Chart:4483 Edn 03/17 (G17-007)
916.4	Caribou Harbour light buoy SS16	NW. side of channel. 45 44 36.8 062 41 09.7	Fl R 4s	.....	.....	Red spar, marked "SS16".	Seasonal (in place year round).  Chart:4483 Edn 03/17 (G17-007)
917	Caribou Harbour light buoy SS15	45 44 35.6 062 41 03.7	Fl G 4s	.....	.....	Green spar, marked "SS15".	Seasonal (in place year round).  Chart:4483 Edn 03/17 (G17-007)
918 H1272	Caribou	On Caribou Point, NE. end of Gull Island. 45 45 52.2 062 40 50.4	Fl(3) W 20s	12.7	9	White square tower, red upper portion. 12.6	Flash 1 s; eclipse 1 s; flash 1 s; eclipse 1 s; flash 1 s; eclipse 15 s. Emergency light. Year round.  Chart:4483
919	Gull Rock light and bell buoy SP2	NE. of Caribou Reef. 45 46 28.7 062 40 24.7	Fl R 4s	.....	.....	Red, marked "SP2".	Seasonal.  Chart:4483
919.1	Toney River East	On East breakwater. 45 46 24.8 062 53 21.8	Fl G 5s	.....	2	Post.	Seasonal.  Chart:4405 Edn 11/15 (G15-144)
919.6	Toney River light buoy SU1	45 46 42.2 062 53 19.7	Fl G 4s	.....	.....	Green spar, marked "SU1".	Seasonal.  Chart:4405
919.7 H1273	Toney River Wharf	Outer end of breakwater. 45 46 26 062 53 23.8	Fl R 4s	5.5	3	Cylindrical mast. 3.1	Flash 1 s; eclipse 3 s. Seasonal.  Chart:4405 Edn 11/12 (G09-030)
920.1	Skinnners Cove Wharf Light	On NE. corner of W. breakwater. 45 47 40.2 063 02 40.6	Fl R 4s	6.3	4	Square skeleton tower, red and white rectangular daymark. 5.5	Flash 1 s; eclipse 3 s. Seasonal.  Chart:4405 Edn 04/19 (G19-012)
920.5	Eastern Passage light buoy UA2	NE. of Cape John. 45 49 13.4 063 07 42.7	Fl R 4s	.....	.....	Red spar, marked "UA2".	Seasonal.  Chart:4497
920.6	Jollimore Reef light buoy UD3	45 46 15.9 063 12 59.5	Q G 1s	.....	.....	Green spar, marked "UD3".	Seasonal.  Chart:4497
920.7	Chamber Point light buoy UD4	45 45 06.4 063 14 21.7	Q R 1s	.....	.....	Red spar, marked "UD4".	Seasonal.  Chart:4497

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NORTHUMBERLAND STRAIT – EAST

920.8	Barachois Harbour light buoy UD4/2	45 44 32.8 063 15 14.2	Fl R 4s	.....	.....	Red spar, marked "UD4/2".	Seasonal.  Chart:4497
920.9	Malagash Point light buoy UE6	SW. of point. 45 47 45.4 063 13 04.7	Fl R 4s	.....	.....	Red spar, marked "UE6".	Seasonal.  Chart:4497
921 H1276	Amet Island	Centre of island. 45 50 05.4 063 10 39.7	Fl W 4s	11.9	9	Square skeleton tower, red and white rectangular daymark.  6.7	Flash 1 s; eclipse 3 s. Seasonal.  Chart:4497 Edn 07/10 (G10-091) Edn 01/22 (G21-235)
921.1	Malagash Wharf	On SE. end of wharf. 45 46 29 063 17 43.9	Iso G 2s	5.7	5	Red square skeleton tower.  5.4	Seasonal.  Chart:4497
921.2	Cape John West	45 47 50.3 063 07 25.4	Fl G 4s	.....	2	Green, White and Black square daymark.	Privately maintained. Seasonal. Operation at night only.  Chart:4404 Edn 06/16 (G16-031)
921.21	Cape John East	45 47 51.0 063 07 23.4	Fl R 4s	.....	2	Red triangular daymark.	Privately maintained. Seasonal. Operation at night only.  Chart:4404 Edn 06/16 (G16-032)
921.3	Wallace Harbour light buoy UH	E. of Oak Island Bar. 45 48 56.7 063 20 59	Mo(A) W 6s	.....	.....	Spar, red and white vertical stripes, marked "Wallace Harbour UH".	Seasonal.  Chart:4402
921.4	Oak Island Bar light buoy UH2	45 48 26.3 063 22 00.7	Q R 1s	.....	.....	Red spar, marked "UH2".	Seasonal.  Chart:4402
921.5	Horton Bank light buoy UH3	45 48 59.9 063 23 04.8	Q G 1s	.....	.....	Green spar, marked "UH3".	Seasonal.  Chart:4402
921.6	Horton Bank light buoy UH5	N. of bank. 45 49 16.9 063 24 03.9	Q G 1s	.....	.....	Green spar, marked "UH5".	Seasonal.  Chart:4402
923.3	Palmer Point light buoy UH12	Off point. 45 49 07.3 063 25 50.6	Fl R 4s	.....	.....	Red spar, marked "UH12".	Seasonal.  Chart:4402
923.5	Wallace Harbour light buoy UH16	NE. of Macfarlane Point. 45 48 56.1 063 26 58.3	Q R 1s	.....	.....	Red spar, marked "UH16".	Seasonal.  Chart:4402 Edn 12/21 (G21-236)
923.7	Macfarlane Point light buoy UH17	N. of point. 45 48 57.5 063 27 48.5	Q G 1s	.....	.....	Green, marked "UH17".	Seasonal.  Chart:4402 Edn 12/21 (G21-237)



ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NORTHUMBERLAND STRAIT – EAST

924 H1283	<b>Wallace Harbour Sector</b>	45 48 46.8 063 27 43.6	F R W G	.....	12.4	<b>21</b>	White pyramid tower, white top. 8.1	Red from 254° to 256°; AI RW from 256° to 257°; white from 257° to 258°; AI GW from 258° to 259°; green from 259° to 261°. White sector indicates preferred channel. Operates 24 h. Seasonal.  <b>Chart:4402 Edn 03/19 (G19-011, 014)</b>
925.1	Wallace Wharf	On outer end of wharf. 45 48 55.9 063 28 25.1	Fl R	3s	6.3	6	Square skeleton tower, 3 red and white triangular daymark, red triangular in center. 5.4	Flash 1 s; eclipse 2 s. Seasonal.  <b>Chart:4402 Edn 12/11 (G10-244)</b>
<b>Pugwash Harbour</b>								
925.2	<i>Pugwash Harbour light buoy UK2</i>	<i>NW. of Pugwash Point. 45 54 06.3 063 41 18.8</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "UK2".</i>	<i>Seasonal (in place year round).</i>  <b>Chart:4498 Edn 03/17 (G17-007)</b>
925.4	<i>Pugwash Harbour Entrance light buoy UK3</i>	<i>N. of Pugwash Road. 45 52 54.2 063 41 40.0</i>	<i>Q G</i>	<i>1s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "UK3".</i>	<i>Seasonal (in place year round).</i>  <b>Chart:4498 Edn 03/17 (G17-007)</b>
925.6	<i>Pugwash Reef West Cardinal light buoy UN</i>	<i>45 52 49.7 063 41 14.5</i>	<i>Q(9) W</i>	<i>15s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow, black and yellow spar, marked "UN".</i>	<i>Seasonal.</i>  <b>Chart:4498 Edn 08/12 (G12-139)</b>
927 H1292	<b>Biglow Point range</b>	On the point, eastward of point. 45 51 16 063 40 56	F G	.....	15.1	<b>16</b>	Square skeleton tower, white daymark, red vertical stripe. 5.0	Visible in line of range. Seasonal.
928 H1292.1		160°32' 479.1m from front.	F G	.....	28.2	<b>16</b>	Square skeleton tower, white daymark, red vertical stripe. 11.1	Visible in line of range. Seasonal.  <b>Chart:4498 Edn 12/10 (G10-195) Edn 05/12 (G10-196)</b>
929	<i>Pugwash Road light buoy UK7</i>	<i>45 51 57.1 063 41 14.5</i>	<i>Q G</i>	<i>1s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "UK7".</i>	<i>Seasonal (in place year round).</i>  <b>Chart:4498 Edn 08/12 (G12-138)</b>
929.2	<i>Pugwash light buoy UK8</i>	<i>45 52 05.3 063 41 23.2</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "UK8".</i>	<i>Seasonal.</i>  <b>Chart:4498 Edn 10/09 (G09-126)</b>
929.3	<i>Pugwash Road Turning light buoy UK9</i>	<i>45 51 51.2 063 41 01.8</i>	<i>Q G</i>	<i>1s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "UK9".</i>	<i>Seasonal (in place year round).</i>  <b>Chart:4498 Edn 03/17 (G17-007)</b>
929.5	<i>Pugwash Bar North light buoy UK11</i>	<i>45 51 51.6 063 40 52.3</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "UK11".</i>	<i>Seasonal (in place year round).</i>  <b>Chart:4498 Edn 03/17 (G17-007)</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NORTHUMBERLAND STRAIT – EAST</b>							
930	Pugwash Channel light buoy UK13	45 51 52.0 063 40 30.7	Q G 1s	.....	.....	Green spar, marked "UK13".	Seasonal (in place year round).  Chart:4498 Edn 03/17 (G17-007)
931 H1296	Steven Point range	On shore, N. of point. 45 51 52.3 063 40 03.4	F R	.....	9.9	5 Square skeleton tower, white daymark red vertical stripe. 5.4	Visible in line of range. Seasonal.
932 H1296.1		086°22' 470.2m from front.	F R	.....	27.3	5 Square skeleton tower, white daymark, red vertical stripe. 6	Visible in line of range. Seasonal.  Chart:4498 Edn 12/10 (G10-193) Edn 11/13 (G13-147) Edn 01/15 (G14-192, 193)
933	Pugwash Channel 1 <sup>st</sup> Turn light buoy UK16	45 51 49.8 063 40 30.3	Q R 1s	.....	.....	Red spar, marked "UK16".	Seasonal (in place year round).  Chart:4498 Edn 03/17 (G17-007)
934	Pugwash Channel light buoy UK18	45 51 44.8 063 40 22.7	Q R 1s	.....	.....	Red spar, marked "UK18".	Seasonal (in place year round).  Chart:4498 Edn 03/17 (G17-007)
935 H1300	Fishing Point range	On point. 45 52 10.5 063 40 27.2	F G	.....	8.4	10 Square skeleton tower, white daymark, red vertical stripe. 4.1	Visible in line of range. Seasonal.
936 H1300.1		350°30' 258.3m from front.	F G	.....	11.9	10 Square skeleton tower, white daymark, red vertical stripe. 8.1	Visible in line of range. Seasonal.  Chart:4498 Edn 12/10 (G10-197) Edn 11/12 (G10-198) Edn 12/13 (G13-066, 065)
937	Pugwash Channel light buoy UK19	45 51 39.7 063 40 17.9	Fl G 4s	.....	.....	Green spar, marked "UK19".	Seasonal (in place year round).  Chart:4498 Edn 03/17 (G17-007)
937.5	Pugwash Channel light buoy UK25	W. of Pineo Point. 45 51 11.3 063 40 11	Q G 1s	.....	.....	Green, marked "UK25".	(Winter spar.) Seasonal.  Chart:4498 Edn 08/12 (G12-143)
937.8	Pugwash Harbour light buoy UK28	45 51 09.8 063 40 14.3	Fl R 4s	.....	.....	Red spar, marked "UK28".	Seasonal (in place year round).  Chart:4498 Edn 03/17 (G17-007) Edn 08/21 (G21-080)
938	Page Point North light buoy UK30	N. of point. 45 51 03.9 063 40 02.0	Fl R 4s	.....	.....	Red spar, marked "UK30".	Seasonal (in place year round).  Chart:4498 Edn 03/17 (G17-007)
938.5	Page Point East light buoy UK32	NE. of point. 45 51 00.3 063 39 56.4	Q R 1s	.....	.....	Red, marked "UK32".	(Winter spar.) Seasonal.  Chart:4498

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NORTHUMBERLAND STRAIT – EAST

939 H1291	<b>Bergmans Point range</b>	On point. 45 51 41.9 063 42 30.9	Iso Y 1s	12.0	18	Square skeleton tower, white daymark with red vertical stripe. 5.0	Visible in line of range. Operates 24 h. Seasonal.
940 H1291.1		205°13' 169.3 m from front.	Iso Y 4s	16.7	16	Square skeleton tower, white daymark, red vertical stripe. 9.6	Visible in line of range. Seasonal.  <b>Chart:4498</b> <b>Edn 10/10 (G10-147, 148)</b> <b>Edn 12/10 (G10-206, 207)</b> <b>Edn 12/23</b>
940.3	Northport Fairway light buoy UP	45 56 24.2 063 50 54.7	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "UP".	Seasonal.  <b>Chart:4406</b> <b>Edn 11/13 (G13-151)</b> <b>Edn 03/14 (G13-151)</b>