

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PRINCE EDWARD ISLAND							
942	East Point Reef East Cardinal light and whistle buoy NDN	Off East reef. 46 28 04.2 061 56 14.6	Q(3) W 10s	Black, yellow and black, marked "NDN".	Seasonal. Chart:4023
943 H920	East Point	Near S. shore of point. 46 27 09.1 061 58 18.6	Fl W 5s	27.1	11	White octagonal tower, red upper portion. 19.5	Flash 2 s; eclipse 3 s. Year round. Chart:4403 Edn 12/10 (G10-182)
946	Souris Harbour light and whistle buoy NA	Entrance to Colville Bay. 46 19 46.1 062 15 23.7	Mo(A) W 6s	Red and white vertical stripes, marked "NA-Souris Harbour".	Seasonal. Chart:4419
947 H922	Souris East	On Knight Point, SE. of breakwater. 46 20 45.1 062 14 50.9	Iso W 4s	27.2	13	White square tower, red upper portion. 14.4	Operates at night only. Year round. Chart:4419
948 H924	Souris East Breakwater	On outer end of breakwater. 46 20 51.0 062 15 17.4	Fl R 4s	10.5	8	Square skeleton tower. 9.1	Flash 1 s; eclipse 3 s. Chart:4419 Edn 07/16
948.05	Rollo Bay light buoy NC1	46 19 24.2 062 19 27.7	Q G 1s	Green, marked "NC1".	Seasonal. Chart:4403
948.09	Fortune Bay Entrance light buoy NC5	46 19 33.2 062 20 11.1	Fl G 4s	Green, marked "NC5".	Seasonal. Chart:N/A Edn 06/18 (G18-048, 053)
948.1	Fortune Bay Entrance light buoy NC6	46 19 42 062 20 24	Fl R 4s	Red spar, marked "NC6".	Seasonal. Chart:4403
948.2	Fortune Bay Entrance light buoy NC8	46 19 42 062 20 42	Q R 1s	Red spar, marked "NC8".	Seasonal. Chart: N/A
948.22	Bay Fortune Entrance light buoy NC9	46 19 39.4 062 20 45.4	Q G 1s	Green, marked "NC9".	Seasonal. Chart:N/A Edn 06/19 (G18-051, 052)
948.5	Annandale light buoy NE	In Boughton Bay. 46 14 31.2 062 23 00.8	Mo(A) W 6s	Red and white vertical stripes, marked "NE".	Seasonal. Chart:4935 Edn 10/19 (G19-076)
948.6	Annandale Grand River East light buoy NE2	46 14 55.8 062 23 54.1	Fl R 4s	Red, marked "NE2".	Seasonal. Chart:4935 Edn 09/14 (G14-040) Edn 10/19 (G19-076)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PRINCE EDWARD ISLAND							
949.5	Annandale Sector Light	46 15 32.9 062 25 19.7	F R W G	9.2	13	White square tower with red top, red-white-red rectangular daymark. 5.8 Green from 304°30'00" to 303°30'00"; White from 303°30'00" to 302°30'00"; Red from 302°30'00" to 301°30'00". White sector indicates preferred channel. Operates 24 h. Seasonal. Chart:4935 Edn 02/15 (G14-208) Edn 08/19 (G19-076)
950.1	Annandale Grand River East light buoy NE5	Boughton Bay. 46 15 09.7 062 24 30.8	Fl G	4s	Green, marked "NE5". Seasonal. Chart:4935 Edn 09/14 (G14-044) Edn 10/19 (G19-076)
950.12	Annandale Grand River East light buoy NE7	46 15 18.2 062 24 51.1	Q G	1s	Green, marked "NE7". Seasonal. Chart:4935 Edn 09/14 (G14-046) Edn 10/19 (G19-076) Edn 11/22 (G22-147)
950.15	Annandale Grand River East light buoy NE9	46 15 24.3 062 25 19.9	Fl G	4s	Green spar, marked "NE9". Operates 24 h. Seasonal. Chart:4935 Edn 05/16 (G16-041) Edn 10/19 (G19-076)
950.2	Annandale Grand River East light buoy NE10	SE. of Annandale wharf. 46 15 26.8 062 25 20.8	Fl R	4s	Red, marked "NE10". Seasonal. Chart:4935 Edn 09/14 (G14-049) Edn 10/19 (G19-076) Edn 11/22 (G22-148)
950.3 H0928.15	Annandale Breakwater West	46 15 29.0 062 25 29.0	Q G	1s	3.9	1	Pipe swing pole, green- white-green square daymark. 3.3 Seasonal. Chart:4935 Edn 02/13 (G12-217) Edn 08/19 (G19-076)
951 H0930	Launching Pond Breakwater	On outer end of N. breakwater. 46 13 13.3 062 24 32.6	Fl R	3s	5.4	4	Cylindrical mast. 3.7 Flash 1 s; eclipse 2 s. Privately maintained. Seasonal. Chart:4421 Edn 08/09 (G09-043) Edn 04/15 (G15-017) Edn 06/15 (G15-037)
951.2 H0931	Launching Pond South Breakwater	46 13 12.3 062 24 33.6	Fl G	4s	4.5	4	Cylindrical mast. 3.6 Privately maintained. Seasonal. Chart:4421 Edn 08/09 (G09-044) Edn 04/15 (G15-018)
951.5	Launching Point light buoy NY2	46 13 06.2 062 24 05.8	Fl R	4s	Red spar, marked "NY2". Seasonal. Chart:4935 Edn 10/19 (G19-076)
951.6	Cardigan River light buoy NJ2	Cardigan Bay. 46 12 03.2 062 29 51.2	Fl R	4s	Red, marked "NJ2". Seasonal. Chart:4935 Edn 10/19 (G19-076)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PRINCE EDWARD ISLAND							
951.7	MacPhee Shoal light buoy NJ3	Cardigan Bay. 46 12 02.7 062 30 20.7	Fl G 4s	Green, marked "NJ3".	Seasonal. Chart:4935 Edn 10/19 (G19-076)
951.75	Cardigan River light buoy NJ7	Morrison Beach. 46 12 52.5 062 32 07.1	Fl G 4s	Green, marked "NJ7".	Seasonal. Chart:4935 Edn 03/14 (G13-142) Edn 04/14 (G13-142) Edn 10/19 (G19-076)
951.8	Cardigan River light buoy NJ14	46 13 24.2 062 33 48.7	Fl R 4s	Red, marked "NJ14".	Seasonal. Chart:4935 Edn 03/14 (G14-008) Edn 10/19 (G19-076)
951.85	Cardigan River (Wilson's Point) light buoy NJ15	46 13 23.7 062 34 16.6	Q G 1s	Green, marked "NJ15".	Seasonal. Carte:4422 Edn 03/14 (G14-009)
951.9	Cardigan River (Crawford's Point) light buoy NJ18	46 13 24.2 062 34 52.6	Q R 1s	Red, marked "NJ18".	Seasonal. Carte:4422 Edn 03/14 (G14-011)
951.91	Cardigan River (Owen's Flats) light buoy NJ23	46 14 00.0 062 36 33.6	Q G 1s	Green, marked "NJ23".	Seasonal. Chart:4935 Edn 08/14 Edn 12/21 (G21-240)
951.95	Cardigan River light buoy NJ25	Owen's Point. 46 13 58.8 062 36 38.4	Fl G 4s	Green, marked "NJ25".	Seasonal. Chart:4935 Edn 02/14 (G14-012) Edn 12/21 (G21-241)
952	Cardigan River light buoy NJ30	46 13 55 062 36 44.1	Q R 1s	Red, marked "NJ30".	Seasonal. Chart:4422 Edn 02/14 (G14-010)
952.5	Georgetown light buoy NH	In Cardigan Bay. 46 09 15.2 062 27 01.6	Mo(A) W 6s	Red and white vertical stripes, marked "NH".	Seasonal. Chart:4422
953 H0932	Panmure Head	SE. extremity of Cardigan Bay. 46 08 39.2 062 27 59.7	Fl W 4s	25.0	19	White octagonal tower with red top. 18.6	Year round. Chart:4935 Edn 04/10 (G10-018) Edn 08/19 (G19-076)
953.4	Cardigan Shoal light buoy NH4	46 09 41.6 062 29 53.9	Fl R 4s	Red spar, marked "NH4".	Seasonal (in place year round). Operates 24 h. Carte:4422 Edn 08/16 (G16-113)
953.5	Wheeler Bar light buoy NH3	E. of bar. 46 09 30.2 062 29 41.4	Fl G 4s	Green spar, marked "NH3".	Seasonal (in place year round). Chart:4935 Edn 07/15 (G15-041) Edn 08/22 (G22-063)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PRINCE EDWARD ISLAND							
953.7	Georgetown Range light buoy NH9	Georgetown Harbour. 46 09 45.7 062 31 10.2	Q G 1s	Green spar, marked "NH9".	Year round. Chart:4935 Edn 08/15 (G15-054) Edn 08/22 (G22-064)
954	St. Andrews Point light buoy NH10	46 09 55.2 062 31 13.7	Q R 1s	Red spar, marked "NH10".	Seasonal (in place year round). Chart:4422 Edn 03/17 (G17-007)
956.15	Gaudin Point light buoy NH14	Georgetown. 46 10 33.3 062 32 25.7	Fl R 4s	Red spar, marked "NH14".	Seasonal. Chart:4935 Edn 09/23 (G23-045)
956.2	Thrumcap Spit light buoy NH12	Off spit. 46 10 08.7 062 31 33.7	Fl R 4s	Red, marked "NH12".	Seasonal. Chart:4935 Edn 01/24
956.3	Aitken Point light buoy NH15	Montague River entrance. 46 10 34.2 062 33 03.7	Q G 1s	Green, marked "NH15".	Seasonal. Chart:4935 Edn 01/24
956.4	Brudenell Point light buoy NH18	46 10 34.2 062 33 36.7	Q R 1s	Red spar, marked "NH18".	Seasonal. Chart:4422
957 H0939	Lower Montague Wharf	NW. corner of wharf. 46 10 14.2 062 33 46.5	Fl G 4s	6.0	4	Pipe swing pole. 5.1	Flash 1 s; eclipse 3 s. Seasonal. Chart:4935 Edn 08/19 (G19-076) Edn 10/21 (G21-209)
957.3	Montague River light buoy NH22	46 10 30.2 062 35 58.7	Fl R 4s	Red, marked "NH22".	Seasonal. Chart:4935 Edn 01/24
957.4	Montague River light buoy NH23	46 10 30.2 062 36 21.7	Q G 1s	Green, marked "NH23".	Seasonal. Chart:4935 Edn 01/24
957.41	Montague River light buoy NH27	46 10 16.2 062 36 57.6	Fl G 4s	Green spar, marked "NH27".	Seasonal. Chart:4422
957.5	Montague River light buoy NH30	46 10 06.2 062 37 13.7	Q R 1s	Red, marked "NH30".	Seasonal. Chart:4935 Edn 01/24
957.7	Montague River light buoy NH38	46 09 58.9 062 37 49.9	Fl R 4s	Red spar, marked "NH38".	Seasonal. Chart:4935 Edn 08/20 (G20-080)
957.8	Montague River light buoy NH43	46 10 02.1 062 38 14.8	Q G 1s	Green spar, marked "NH43".	Seasonal. Chart:4935 Edn 09/23 (G23-046)
957.9	Montague River light buoy NH45	46 09 58.4 062 38 30.5	Fl G 4s	Green spar, marked "NH45".	Seasonal. Chart:4935 Edn 01/23 (G22-160)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
PRINCE EDWARD ISLAND								
958.5	Graham Ledge light buoy NP	46 05 45.2 062 25 57.7	Mo(A) W 6s	Red and white vertical stripes, marked "NP".	Seasonal. Chart:4403	
959 H0949	Graham Pond	On outer end of N. breakwater. 46 05 46.7 062 27 04.5	Iso R 4s	6.0	3	Square skeleton tower. 5.1	Seasonal. Chart:4935 Edn 09/10 (G10-145) Edn 12/21 (G21-242)	
960 H0949.2	Graham Pond South Breakwater	On S. breakwater. 46 05 45.8 062 27 05.5	Fl G 4s	4	Pipe tower, green, white and black square daymark.	Flash 1 s; eclipse 3 s. Seasonal. Chart:4935 Edn 06/10 (G10-089) Edn 08/21 (G21-039)	
960.1 H0949.3	Graham Pond West Breakwater	46 05 47.7 062 27 03.4	Fl Y 4s	3.6	2	Cylindrical mast. 2.6	Privately maintained. Seasonal. Chart:4403	
960.2 H0949.4	Graham Pond East Breakwater	46 05 46.8 062 27 01.2	Fl R 4s	3.2	3	Pipe swing pole, red-white- red triangular daymark. 2.6	Flash 1 s; eclipse 3 s. Seasonal. Chart:4935 Edn 07/19 (G19-041)	
961	Murray Harbour light buoy NM	Off harbour entrance. 46 02 05.2 062 27 08.2	Mo(A) W 6s	Red and white vertical stripes spar, marked "NM".	Seasonal. Chart:4935 Edn 01/24	
963	Murray Harbour Entrance light buoy NM3	E. of Oldstore Point. 46 01 40.2 062 27 46.2	Fl G 4s	Green marked "NM3".	Seasonal. Chart:4420 Edn 08/11 (G11-218) Edn 08/13 (G13-092) Edn 09/14 (G14-082)	
963.5	Murray Harbour light buoy NM6	Off Oldstore Point. 46 01 31.6 062 28 18.8	Fl R 4s	Red, marked "NM6".	Seasonal. Chart:4420 Edn 09/10 (G10-115)	
963.6	Murray Harbour light buoy NM7	46 01 21.6 062 28 39.0	Q G 1s	Green, marked "NM7".	Seasonal. Chart:4420 Edn 10/10 (G10-120) Edn 08/11 (G11-219) Edn 09/14 (G14-080)	
964 H0954	Murray Harbour range	On Beach Point, S. side of harbour. 46 01 17.5 062 28 41.7	F R	6.3	10	White square tower with red top and red vertical stripe. 7.2	Visible in line of range. Operates 24 h. Seasonal.
965 H0954.1		234°04' 1360.9 m from front.	F R	17.8	10	White pyramid tower with red top and red vertical stripe. 13.6	Visible in line of range. Operates 24 h. Seasonal. Chart:4935 Edn 08/19 (G19-076)
964.1	Sable Point light buoy NM6/2	46 01 13.2 062 28 56.4	Fl R 4s	Red spar, marked "NM6/2".	Seasonal. Chart:4935 Edn 09/20 (G20-149) Edn 11/21 (G21-175)	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PRINCE EDWARD ISLAND							
966	Sable Point light buoy NM8	46 01 10.2 062 29 04.2	Fl R 4s	Red, marked "NM8".	Seasonal. Chart:4935 Edn 08/11 (G11-220) Edn 11/21 (G21-176)
966.5	Beach Point light buoy NM11	46 01 07.2 062 29 13.6	Fl G 4s	Green, marked "NM11".	Seasonal. Chart:4420 Edn 08/11 (G11-221)
966.6	Murray Harbour light buoy NM12	46 01 09.5 062 29 12.7	Q R 1s	Red, marked "NM12".	Seasonal. Chart:4420 Edn 09/10 (G10-119)
967 H0956	Beach Point Breakwater	On outer end, E. breakwater. 46 01 00.3 062 29 12.9	Fl G 4s	4	Pipe swing pole. 10.2	Seasonal. Chart:4935 Edn 08/19 (G19-076) Edn 10/21 (G21-208)
968	Penny Point light buoy NM13	On S. side of dredged cut. 46 01 04.9 062 29 37.9	Fl G 4s	Green, marked "NM13".	Seasonal. Chart:4420 Edn 08/11 (G11-213)
968.1	Murray Harbour light buoy NM14	46 01 07.4 062 29 42.6	Fl R 4s	Red, marked "NM14".	Seasonal. Chart:4420 Edn 08/11 (G11-214)
968.3	Murray Harbour light buoy NM16	46 01 07.7 062 29 59.2	Fl R 4s	Red, marked "NM16".	Seasonal. Chart:4420 Edn 08/11 (G11-216)
969	Machons Point light buoy NM15	SE. of point. 46 01 06 062 30 03	Q G 1s	Green, marked "NM15".	Seasonal. Chart:4420 Edn 10/14 (G14-083)
969.5 H0958	Murray Harbour Village range	On shore line. 46 00 24.2 062 31 25.1	Iso R 1s	6.4	13	Square skeleton tower, white daymark with red vertical stripe. 6.0	Visible in line of range. Seasonal.
969.6 H0958.1		233°44' 100.9 m from front.	Iso R 4s	9.5	14	Square skeleton tower, white daymark with red vertical stripe. 6.7	Visible in line of range. Seasonal. Chart:4935 Edn 12/10 (G10-139) Edn 09/18 (G18-115, 116) Edn 08/19 (G19-076)
969.7	Sharams Point light buoy NM24	N. of point. 46 01 30.7 062 31 12.6	Q R 1s	Red boat type, marked "NM24".	Seasonal. Chart:4420
969.8	Reynolds Island light buoy NM30	W. of island. 46 02 04.2 062 31 41.4	Q R 1s	Red, marked "NM30".	Seasonal. Chart:4420 Edn 10/14 (G14-081)
969.9	Fairchild Point light buoy NM33	NE. of point. 46 02 34.7 062 31 46.7	Q G 1s	Green, marked "NM33".	Seasonal. Chart:4935 Edn 01/24

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PRINCE EDWARD ISLAND							
970.4	Bear Reef East Cardinal light buoy NN	46 00 44.2 062 26 17.2	Q(3) W 10s	Black, yellow and black spar, marked "NN".	Flash 0.3 s; eclipse 0.7 s; flash 0.3 s; eclipse 0.7 s; flash 0.3 s; eclipse 7.7 s. Seasonal. Chart:4420 Edn 07/13 (G13-085)
971 H0950	Cape Bear	On the headland. 46 00 11.1 062 27 34.0	LFI Y 6s	16.7	10	Square skeleton tower, red-white-red rectangular daymark. 8.3	Flash 2 s; eclipse 4 s. Year round. Chart:4935 Edn 07/11 (G11-165) Edn 10/11 Edn 12/11 (G11-309) Edn 08/19 (G19-076)
972.5	Wood Islands Harbour Entrance light buoy NS2	45 56 46.4 062 44 59.4	Q R 1s	Red spar, marked "NS2".	Seasonal. Chart:4405 Edn 01/24
975 H0964.5	Wood Islands Harbour West Breakwater	On W. breakwater. 45 56 54 062 45 08.1	FI G 3s	6.0	5	Square skeleton tower, red and white rectangular daymark, green square in centre. 5.2	Flash 1 s; eclipse 2 s. Seasonal. Chart:4483
975.1 H0964	Wood Islands Harbour East Breakwater	On E. breakwater. 45 56 54.2 062 45 04.8	FI R 3s	6.0	5	Square skeleton tower, red and white rectangular daymark, red triangle in centre. 5.2	Flash 1 s; eclipse 2 s. Seasonal. Chart:4483
976 H962	Wood Islands	On S. side of E. portion. 45 56 59.5 062 44 46.1	Iso W 10s	21.8	12	White square tower, red upper portion. 15.3	Year round. Chart:4405 Edn 11/10 (G10-183)
977	Bell Point light and whistle buoy N8	SW. of rocks. 45 54 54.2 062 49 11.5	FI R 4s	Red, marked "N8".	Seasonal. Chart:4940 Edn 11/22 (G22-121)
980.5	Pinette Harbour light buoy NV4	46 02 46.2 062 57 15.5	Q R 1s	Red spar, marked "NV4".	Seasonal. Chart:4466 Edn 08/14 (G14-055) Edn 09/23 (G23-049)
983 H982	Prim Point	SE. extremity of Hillsborough Bay, near point. 46 03 00.7 063 02 20.5	FI W 5s	20.7	18	White cylindrical tower, red upper portion. 18.6	Flash 0.2 s; eclipse 4.8 s. Year round. Operates at night only. Chart:4466 Edn 04/10 (G10-017)
983.4	St. Peters Island light buoy C1	46 05 00.2 063 13 45.7	FI G 4s	Green, marked "C1".	Seasonal. Chart:4466
983.5	Spithead East Cardinal light buoy CJB	46 09 12.9 063 07 45.4	Q(3) W 10s	Black-yellow-black, marked "CJB".	Seasonal. Chart:4466 Edn 06/20 (G20-037)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

PRINCE EDWARD ISLAND

984	Prim Reefs light buoy C2	Off W. extremity of reefs. 46 02 40.3 063 06 47.6	Q R 1s	Red spar, marked "C2".	Year round. Chart:4466 Edn 05/20 (G20-029) Edn 04/21 (G21-023) Edn 03/23 (G23-002)
-----	-----------------------------	--	--------	-------	-------	------------------------	--

Hillsborough Bay

989	Fitzroy Rock light buoy C4	SW. of rock. 46 07 05.8 063 06 39.5	Fl R 4s	Red, marked "C4".	(Winter spar.) Seasonal. Chart:4466 Edn 05/20 (G20-030)
-----	-------------------------------	---	---------	-------	-------	-------------------	--

990	Spithead light buoy C5	46 08 54.2 063 06 01.7	Q G 1s	Green, marked "C5".	Seasonal (in place year round). Chart:4466 Edn 12/19 (G19-138)
-----	---------------------------	---------------------------	--------	-------	-------	---------------------	--

991 H1006	Haszard Point range	E. side of entrance to Charlottetown Harbour. 46 11 39.8 063 04 25.2	F W	18.3	15	Red pyramid tower with red top, black vertical stripe. 17.3	Visible in line of range. Operates 24 h. Year round.
992 H1006.1		019°19' 650.1 m from front.	F W	46.3	15	Red pyramid tower with red top, black vertical stripe. 14.0	Visible in line of range. Operates 24 h. Year round. Chart:4466 Edn 08/18 (G18-113, 114)

Charlottetown Harbour

993 H1008	Blockhouse Point	W. side of entrance to harbour. 46 11 26.1 063 07 45.7	LFl W 6s	18.3	10	White pyramidal tower with red upper portion. 12.6	Flash 2 s; eclipse 4 s. Operates 24 h. Year round. Chart:4460 Edn 01/23 (G22-159)
--------------	------------------	---	----------	------	----	--	---

993.5	Blockhouse Point light buoy C7	46 11 36.6 063 07 32.6	Fl G 4s	Green, marked "C7".	Seasonal. Chart:4460 Edn 06/18 (G18-054)
-------	-----------------------------------	---------------------------	---------	-------	-------	---------------------	--

994 H1012	Brighton Beach range	On crib on E. side of Yorke River. 46 13 50.5 063 08 51.2	F Y	11.0	19	White square tower, red upper portion, red vertical stripe. 12.4	Visible in line of range. Year round.
995 H1012.1		336°56' 398m from front.	F Y	26.3	19	White hexagonal tower, red vertical stripe. 18.4	Visible in line of range. Year round. Chart:4460 Edn 12/12 (G12-211, 212)

995.1 H1013	Peakes Quay Marina	Entrance to Peakes Quay Marina. 46 13 51.4 063 07 15.4	Q G 1s	3	Cylindrical mast. 2.2	Flash 0.3 s; eclipse 0.7 s. Privately maintained. Operates at night only. Seasonal. Chart:4460
----------------	-----------------------	---	--------	-------	---	--------------------------	--

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PRINCE EDWARD ISLAND							
996 H1016	Warren Cove range	W. side of harbour, N. of Blockhouse Point. 46 11 56.4 063 08 17.6	F Y	17.3	12	White square tower, red upper portion, red vertical stripe. 11.2	Year round.
997 H1016.1		197°39' 327.4m from front.	F Y	21.4	12	White square tower, red upper portion, red vertical stripe. 7.7	Year round. Chart:4460
998	Battery Point light buoy C8	W. of point. 46 12 14.7 063 07 51.7	Fl R 4s	Red spar, marked "C8".	(Winter spar.) Seasonal (in place year round). Chart:4460 Edn 03/18 (G18-029)
998.5	Canceaux Spit light buoy C9	E. of spit. 46 12 37.2 063 08 06.3	Fl G 4s	Green, marked "C9".	Seasonal. Chart:4460 Edn 06/19 (G18-055)
999	Rosebank Point Outer light buoy C12	46 12 54.2 063 07 48.7	Fl R 4s	Red spar, marked "C12".	(Winter spar.) Seasonal (in place year round). Chart:4460 Edn 03/18 (G18-025)
999.2	Old Battery Point light buoy C13	SE. of point. 46 13 16.6 063 07 49.4	Fl G 4s	Green, marked "C13".	Seasonal. Chart:4460 Edn 06/18 (G18-056)
999.5	Rosebank Point Centre light buoy C14	NW. of point. 46 13 28.2 063 07 23.2	Fl R 4s	Red, marked "C14".	Seasonal. Chart:4460
1001	Charlottetown Harbour light buoy C15	Off outer S. corner of wharf. 46 13 40.2 063 07 30.2	Q G 1s	Green spar, marked "C15".	Seasonal. Chart:4460 Edn 08/09 (G09-083)
1003	Charlottetown Railway Wharf Turning light buoy C18	Off S. corner of railway wharf. 46 13 46.7 063 06 44.7	Q R 1s	Red spar, marked "C18".	(Winter spar.) Seasonal (in place year round). Chart:4460 Edn 03/18 (G18-028)
1005.03	Rocky Point light buoy CH3	West River. 46 12 48.2 063 09 04.7	Fl G 4s	Green spar, marked "CH3".	Seasonal. Chart:4460 Edn 07/22 (G22-038)
1005.04	West River light buoy CH4	46 12 30.2 063 09 51.7	Q R 1s	Red, marked "CH4".	Seasonal. Chart:4460 Edn 07/22 (G22-033)
1005.05	West River light buoy CH5	46 12 20.7 063 10 39.7	Q G 1s	Green, marked "CH5".	Seasonal. Chart:4460 Edn 07/22 (G22-034)
1005.08	West River light buoy CH8	46 11 58.2 063 11 28.7	Fl R 4s	Red, marked "CH8".	Seasonal. Chart:4466 Edn 07/22 (G22-035)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PRINCE EDWARD ISLAND							
1005.09	West River light buoy CH9	46 11 47.2 063 12 00.7	Fl G 4s	Green, marked "CH9".	Seasonal. Chart:4466 Edn 07/22 (G22-036)
1005.12	West River light buoy CH12	46 11 18.2 063 12 42.7	Q R 1s	Red, marked "CH12".	Seasonal. Chart:4466 Edn 07/22 (G22-037)
1005.13	West River light buoy CH13	46 11 29.2 063 13 12.7	Q G 1s	Green, marked "CH13".	Seasonal. Chart:4466 Edn 08/22 (G22-039)
1005.16	West River light buoy CH16	46 11 19.2 063 13 37.7	Fl R 4s	Red, marked "CH16".	Seasonal. Chart:4466 Edn 08/22 (G22-040)
1006 H0998	Nine Mile Creek Wharf	On outer S. corner of wharf. 46 08 53.0 063 13 03.7	Fl R 4s	5.4	5	Pipe swing pole, red and white rectangular daymark, red triangle in center. 5.0	Flash 1 s; eclipse 3 s. Seasonal. Chart:4466 Edn 05/12 (G12-047) Edn 03/16 Edn 07/16 (G16-075)
1007 H996	St. Peters Island	On SE. side of island. 46 07 01.1 063 10 49.5	Fl W 4s	20.6	10	White square tower, red upper portion. 9.1	Flash 1 s; eclipse 3 s. Operates at night only. Year round. Chart:4466
Victoria Harbour							
1008.2	Victoria Harbour Wharf light	46 12 44.7 063 29 20.3	Fl G 4s	6	Pipe swing pole, green- white-black square daymark.	Flash 1 s; eclipse 3 s. Seasonal. Chart:4405 Edn 02/20 (G19-119)
1009.11	Victoria Harbour Fairway light buoy NX	46 10 35.2 063 28 00.6	Mo(A) W 6s	Spar, red and white vertical stripes, marked "NX".	Seasonal. Chart:4405 Edn 05/11 (G11-114)
1009.12	Cameron Point Shoal light buoy NX4	46 11 26.2 063 28 31.9	Fl R 4s	Red, marked "NX4".	Seasonal. Chart:4405 Edn 05/11 (G11-116)
1009.13	Victoria Harbour light buoy NX5	46 11 39 063 28 36.9	Fl G 4s	Green, marked "NX5".	Seasonal. Chart:4405 Edn 06/12 (G12-058)
1009.17	Victoria Harbour light buoy NX9	46 11 50.9 063 28 41	Fl G 4s	Green, marked "NX9".	Seasonal. Chart:4405 Edn 06/12 (G12-057)
1009.2	Victoria Harbour light buoy NX12	46 12 15.5 063 29 20.3	Fl R 4s	Red, marked "NX12".	Seasonal. Chart:4405 Edn 07/09 (G09-069) Edn 07/11 (G11-164) Edn 06/12 (G12-054) Edn 10/20 (G20-173)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PRINCE EDWARD ISLAND							
1011.1	Victoria Harbour light buoy NX11	46 11 56.2 063 28 47.7	Q G 1s	Green, marked "NX11".	Seasonal. Chart:4405 Edn 07/09 (G09-070)
1011.14	Victoria Harbour light buoy NX17	46 12 20.4 063 29 21.7	Fl G 4s	Green, marked "NX17".	Seasonal. Chart:N/A Edn 12/09 (G09-071) Edn 06/12 (G12-053) Edn 10/20 (G20-174)
1011.145	Victoria Harbour light buoy NX17/3	46 12 22.5 063 29 21.7	Q G 1s	Green, marked "NX17/3".	Seasonal. Chart:N/A Edn 10/20 (G20-172)
1011.15	Victoria Harbour light buoy NX18	46 12 26.0 063 29 22.7	Q R 1s	Red, marked "NX18".	Seasonal. Chart:N/A Edn 06/12 (G12-052) Edn 10/20 (G20-175)
1011.155	Victoria Harbour light buoy NX18/2	46 12 28.4 063 29 22.0	Fl R 4s	Red, marked "NX18/2".	Seasonal. Chart:N/A Edn 10/20 (G20-178)
1011.175	Victoria Harbour light buoy NX19	46 12 25.9 063 29 24.2	Q G 1s	Green, marked "NX19".	Seasonal. Chart:N/A Edn 10/20 (G20-179)
1011.18	Victoria Harbour light buoy NX19/5	46 12 32.1 063 29 22.2	Fl G 4s	Green, marked "NX19/5".	Seasonal. Chart:4405 Edn 06/12 (G12-067) Edn 09/19 (G19-095) Edn 10/20 (G20-180)
1011.19	Victoria Harbour light buoy NX20	46 12 35.5 063 29 19.9	Fl R 4s	Red, marked "NX20".	Seasonal. Chart:4405 Edn 12/09 (G09-155) Edn 09/19 (G19-096) Edn 10/20 (G20-181)
1011.21	Victoria Harbour light buoy NX21	46 12 40.1 063 29 20.8	Fl G 4s	Green, marked "NX21".	Seasonal. Chart:4405 Edn 06/12 (G12-060) Edn 10/20 (G20-182)
1011.22	Victoria Harbour light buoy NX22	46 12 40.8 063 29 19.5	Fl R 4s	Red, marked "NX22".	Seasonal. Chart:4405 Edn 06/12 (G12-051) Edn 10/20 (G20-183)
1014	Tryon Shoals light and bell buoy N14	Off S. extremity of shoal. 46 09 39.2 063 31 42.7	Fl R 4s	Red spar, marked "N14".	Seasonal. Chart:4405
1015 H1044	Port Borden Breakwater	SW. end of breakwater. 46 14 38.9 063 41 50.3	Fl R 4s	4.5	3	Cylindrical mast. 2.8	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal. Chart:4905

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PRINCE EDWARD ISLAND							
1017.5 H1039	Port Borden Pier	On outer end of Ferry Pier. 46 14 42.5 063 41 58	Iso G 4s	10.0	7	White square tower, red upper portion. 8.5	Operates at night only. Seasonal. Chart:4905 Edn 10/10 (G10-163)
1017.69 H1039.4	Confederation Bridge	Mid span on each side of navigation span. 46 12 35.9 063 45 07.8	Iso 2W 6s	50.5	13	On bridge.	Privately maintained by Strait Crossing Bridge Ltd. Year round. Chart:4406
1017.7	<i>Strait Crossing light and whistle buoy XF</i>	46 17 00.3 063 52 15.7	Mo(A) W 6s	Red and white vertical stripes, marked "XF".	Seasonal. Chart:4406
1017.71	<i>Strait Crossing light buoy XB2</i>	46 11 03.3 063 42 27.7	Fl R 4s	Red, marked "XB2".	Seasonal. Chart:4406
1017.72	<i>Strait Crossing light buoy XB3</i>	46 11 00.2 063 42 36.7	Fl G 4s	Green, marked "XB3".	Seasonal. Chart:4406
1017.73	<i>Strait Crossing light buoy XB4</i>	46 14 24.2 063 47 54.7	Fl R 4s	Red, marked "XB4".	Seasonal. Chart:4406
1017.74	<i>Strait Crossing light buoy XB5</i>	46 14 18.2 063 48 00.7	Fl G 4s	Green, marked "XB5".	Seasonal. Chart:4406
1017.75	<i>Strait Crossing light and whistle buoy XB</i>	46 09 24.2 063 39 51.7	Mo(A) W 6s	Red and white vertical stripes, marked "XB".	Seasonal. Chart:4406
1017.76 H1039.5	Confederation Bridge S.E.	46 12 35.8 063 45 07.7	F R W G	64.0	On bridge. Red from 308°39' to 310°39'; white from 310°39' to 311°39'; green from 311°39' to 313°39'. White sector indicates preferred channel. Privately maintained by Strait Crossing Bridge Ltd. Year round. Chart:4406
1017.77 H1039.6	Confederation Bridge N.W.	46 12 36.0 063 45 08.0	F G W R	64.0	On bridge. Green from 129°08' to 131°08'; white from 131°08' to 132°08'; red from 132°08' to 134°08'. White indicates preferred channel. Privately maintained by Strait Crossing Bridge Ltd. Year round. Chart:4406
1017.78 H1039.7	Confederation Bridge Racon -... (B) X & S Bands	On either side of pier 22. 46 12 33.8 063 45 13.1	F G	16.5	11	On bridge.	Privately maintained by Strait Crossing Bridge Ltd. Year round. Chart:4406

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PRINCE EDWARD ISLAND							
1017.781 H1039.75	Confederation Bridge	On either side of pier 22. 46 12 32 063 45 10.1	F G	16.5	11	On bridge.	Privately maintained by Strait Crossing Bridge Ltd. Year round. Chart:4406
1017.79 H1039.8	Confederaton Bridge Racon – (T) X & S Bands	On each side of pier 21. 46 12 39.9 063 45 05.5	F R	16.5	11	On bridge.	Privately maintained by Strait Crossing Bridge Ltd. Year round. Chart:4406
1017.791 H1039.85	Confederaton Bridge	On each side of pier 21. 46 12 38.1 063 45 02.5	F R	16.5	11	On bridge.	Privately maintained by Strait Crossing Bridge Ltd. Year round. Chart:4406
1018 H1046	Seacow Head	On outer end of point. 46 18 57.7 063 48 35.9	Fl(2) W 12s	26.8	12	White octagonal tower, red upper portion. 18.3	Flash 2 s; eclipse 2 s; flash 2 s; eclipse 6 s. Year round. Chart:4406
1018.1 H1049	Summerside Outer range	W. side of Summerside River. 46 23 43.1 063 48 35.0	F R	9.3	16	White tower, white daymark with red vertical stripe. 9.0	Operates 24 h. Visible in line of range. Year round.
1018.2 H1049.1		028°57' 430.3m from front.	F R	14.8	18	White square tower, white daymark, red vertical stripe. 10.1	Visible in line of range. Year round. Chart:4459 Edn 02/22 (G21-255)
1018.3	Miscouche Shoal light buoy DE	Bedeque Bay. 46 19 50.2 063 51 18.7	Mo(A) W 6s	Red and white vertical stripes, marked "DE".	Seasonal. Chart:4459 Edn 08/18 (G18-104) Edn 09/18 (G18-124)
1018.4	Miscouche Shoal light buoy DE1	Summerside. 46 20 47.5 063 51 24.0	Fl G 4s	Green, marked "DE1".	Seasonal. Chart:4459 Edn 08/18 (G18-075, 085) Edn 09/18 (G18-125)
1018.5	Summerside Harbour light buoy DE3	46 21 58.2 063 50 01.7	Fl G 4s	Green, marked "DE3".	Seasonal. Chart:4459
1018.6	Summerside Harbour light buoy DE4	46 22 20.2 063 49 39.2	Fl R 4s	Red, marked "DE4".	Seasonal. Chart:4459
1019	Summerside Harbour light buoy DE6	46 22 42.2 063 49 21.7	Q R 1s	Red spar, marked "DE6".	(Winter spar.) Seasonal (in place year round). Chart:4459 Edn 03/17 (G17-007) Edn 11/22 (G22-120)
1019.1	Summerside Harbour light buoy DE7	46 22 49.2 063 49 20.2	Fl G 4s	Green spar, marked "DE7".	Year round. Chart:4459 Edn 08/18 (G18-077)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PRINCE EDWARD ISLAND							
1020 H1048	Summerside Harbour Wharf Light	On outer end of breakwater. 46 22 47.0 063 49 01.1	Iso W 10s	14.0	White octagonal tower with red upper portion. 12.9	Year round. Chart:4459 Edn 12/10 (G10-189) Edn 11/22 (G22-119)
1020.1	Summerside Harbour light buoy DE8	46 22 49.2 063 49 08.7	Fl R 4s	Red spar, marked "DE8".	Year round. Chart:4459 Edn 07/18 (G18-080)
1020.2	Summerside Harbour light buoy DE10	46 22 56.2 063 48 36.7	Fl R 4s	Red spar, marked "DE10".	(Winter spar.) Seasonal (in place year round). Chart:4459 Edn 03/18 (G18-027)
1020.3	Summerside Harbour light buoy DE11	46 23 03.7 063 48 15.7	Fl G 4s	Green, marked "DE11".	(Winter spar.) Seasonal. Chart:4459
1020.35	Summerside Harbour light buoy DE12	Summerside. 46 23 02.7 063 48 07.2	Fl R 4s	Red spar, marked "DE12".	Seasonal. Chart:4459 Edn 08/18 (G18-076, 086)
1020.4	Summerside Harbour light buoy DE14	46 23 08.2 063 47 43.7	Q R 1s	Red spar, marked "DE14".	(Winter spar.) Seasonal (in place year round). Chart:4459 Edn 03/18 (G18-032)
1020.7	Summerside Harbour light buoy DE16	Summerside. 46 23 01.4 063 47 23.5	Fl R 4s	Red spar, marked "DE16".	Year round. Chart:4459 Edn 08/18 (G18-078, 087)
1020.8	Summerside Harbour light buoy DE18	Summerside. 46 23 06.7 063 47 09.7	Fl R 4s	Red spar, marked "DE18".	Year round. Chart:4459 Edn 08/18 (G18-079, 088)
1021 H1050	Summerside range	Near outer end of wharf. 46 23 14.4 063 47 21.2	F G	10.8	14	Square skeleton tower, white daymark with red vertical stripe. 9.4	Visible in line of range. Operates 24 h. Year round.
1022 H1050.1		072°04' 1436.3 m from front.	F G	24.8	16	White pyramid tower with red top, red vertical stripe. 20.1	Visible in line of range. Operates 24 h. Year round. Chart:4459 Edn 10/20 (G20-215, 216)
1022.5 H1054	Summerside Marina	On outer end of breakwater. 46 23 18.2 063 47 14.6	Fl R 4s	5.3	5	Pipe swing pole, red and white rectangular daymark with red triangle in the centre.	Flash 1 s; eclipse 3 s. Visible from 269° through W. and N. to 029°. Seasonal. Chart:4459 Edn 12/22 (G22-113)
1023	Abrams Village fairway light buoy DH	46 27 18.7 064 08 25.9	Mo(A) W 6s	Red and white vertical striped spar, marked "DH".	Seasonal. Chart:4905 Edn 10/20 (G20-166)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PRINCE EDWARD ISLAND							
1023.1	Abrams Village light buoy DH2	46 27 09.1 064 07 42.8	Fl R 4s	Red spar, marked "DH2".	Seasonal. Chart:N/A Edn 03/13 Edn 10/20 (G20-169)
1023.2	Abrams Village light buoy DH6	46 27 06.9 064 07 25.4	Fl R 4s	Red spar, marked "DH6".	Seasonal. Chart:N/A Edn 11/10 (G10-168) Edn 12/10 (G10-168) Edn 10/11 (G11-288) Edn 03/13 Edn 10/20 (G20-170)
1023.3	Abrams Village light buoy DH8	Egmont Bay South. 46 27 05.6 064 07 15.1	Q R 1s	Red spar, marked "DH8".	Seasonal. Chart:N/A Edn 03/13 (G12-195) Edn 10/20 (G20-168)
1023.4	Abrams Village light buoy DH9	46 27 04.9 064 07 12.5	Fl G 4s	Green spar, marked "DH9".	Seasonal. Chart:N/A Edn 03/13 (G12-196) Edn 10/20 (G20-208)
1023.5	Abrams Village light buoy DH10	46 27 04.0 064 07 12.1	Fl R 4s	Red spar, marked "DH10".	Seasonal. Chart:N/A Edn 03/13 (G12-197) Edn 10/20 (G20-171)
1023.52	Abrams Village light buoy DH16	Egmont Bay South. 46 26 50.6 064 06 58.6	Q R 1s	Red spar, marked "DH16".	Seasonal. Chart:N/A Edn 10/20 (G20-221)
1023.7	Abrams Village light buoy DH5	Egmont Bay South. 46 27 08.8 064 07 28.4	Fl G 4s	Green spar, marked "DH5".	Seasonal. Chart:N/A Edn 10/20 (G20-165)
1024 H1056	Cape Egmont	On point. 46 24 06.6 064 08 02.4	Fl W 5s	19.8	12	White square tower, red upper portion. 12.4	Flash 2 s; eclipse 3 s. Year round. Chart:4406
1024.5	Fishing Cove light buoy DG2	46 24 09.8 064 08 46.5	Q R 1s	Red, marked "DG2".	Seasonal. Chart:4406 Edn 08/20 (G20-079)
1025 H1057	Fishing Cove	On outer end of breakwater. 46 24 26.2 064 08 04.9	LFl R 6s	7.5	4	Pipe swing pole, red and white triangular daymark. 6.9	Flash 2 s; eclipse 4 s. Seasonal. Chart:4406 Edn 09/20 (G20-098)
1025.5 H1057.5	Fishing Cove West Breakwater	On S. end of W. breakwater. 46 24 26.1 064 08 06.7	Fl G 4s	3.2	4	Cylindrical mast. 2.8	Flash 1 s; eclipse 3 s. Seasonal. Chart:4406 Edn 06/15 (G15-038) Edn 02/20 (G19-146)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PRINCE EDWARD ISLAND							
1027.31 H1060	Abram-Village Wharf Light	46 26 25.9 064 06 48.4	Fl G 4s	3	Pipe swing pole, green- white-black square daymark.	Flash 1 s; eclipse 3 s. Seasonal. Chart:4905 Edn 07/12 (G12-112) Edn 11/20 (G20-225) Edn 11/22 (G22-116)
1027.42	Higgins Wharf light buoy DJ16	46 33 25.1 064 05 38.0	Q R 1s	Red, marked "DJ16".	Seasonal. Chart:N/A Edn 05/20 (G20-022)
1027.425	Higgins Wharf light buoy DJ15	46 33 26.8 064 05 39.7	Fl G 4s	Green, marked "DJ15".	Seasonal. Chart:N/A Edn 05/12 (G10-179) Edn 05/20 (G20-021)
1027.43	Higgins Wharf light buoy DJ30	46 33 19.3 064 05 11.0	Fl R 4s	Red, marked "DJ30".	Seasonal. Chart:N/A Edn 05/20 (G20-020)
1027.45	Higgins Wharf light buoy DJ	46 33 23.1 064 06 38.5	Mo(A) W 6s	Red and white vertical stripes, marked "DJ".	Seasonal. Chart:4905 Edn 06/19 (G19-039) Edn 05/20 (G20-019)
1027.6	Howards Cove light buoy DN2	46 44 28 064 23 26	Q R 1s	Red spar, marked "DN2".	Seasonal. Chart:4906
1027.7	West Point light buoy DM1	46 36 30 064 22 50	Fl G 4s	Green spar, marked "DM1".	Seasonal. Chart:4905
1027.8	West Point light buoy DM2	46 36 30 064 22 15	Fl R 4s	Red spar, marked "DM2".	Seasonal. Chart:4905
1028.2 H1062.1	West Point Wharf	End of wharf. 46 37 04.1 064 22 17.7	Fl G 4s	4	Cylindrical mast, green- white-black square daymark.	Flash 1 s; eclipse 3 s. Seasonal. Chart:4905 Edn 12/16 (G16-134) Edn 09/21 (G21-111)
1029 H1062	West Point	On Sand Beach. 46 37 13.1 064 23 12.3	Iso W 12s	20.1	12	White square tower, red upper portion, black horizontal bands. 20.7	Privately maintained by West Point Development Corp. Year round. Chart:4905
1030	West Point light and whistle buoy D8	N. of point. 46 40 06 064 30 01	Fl R 4s	Red, marked "D8".	Seasonal. Chart:4905
1031 H1068	Seal Point (Howards Cove) Wharf	On wharf. 46 44 22.9 064 22 46.3	Iso R 2s	8.3	4	Square skeleton tower, red and white rectangular daymark with red triangle in centre. 6.4	Year round. Chart:4906 Edn 09/20 (G20-126)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PRINCE EDWARD ISLAND							
1031.5 H1068.5	Howards Cove Breakwater	On the outermost extremity of the port hand breakwater. 46 44 25.5 064 22 46	Q G 1s	5.9	2	Cylindrical mast. 2.6	Operates at night only. Seasonal. Chart:4906
1032 H1068.1	Howards Cove	Near Seal Point. 46 44 25.1 064 22 36.5	LFI W 6s	14.2	12	White square tower, red upper portion. 5.8	Flash 2 s; eclipse 4 s. Seasonal. Chart:4906
1032.05	Miminegash fairway light buoy DP	NE. of reef. 46 54 02.2 064 14 17.8	Mo(A) W 6s	Red and white vertical stripes, marked "DP".	Seasonal. Chart:4906 Edn 07/23 (G23-029)
1032.1	Miminegash light buoy DP3	46 53 30.5 064 14 06.6	Fl G 4s	Green, marked "DP3".	Operates 24 h. Seasonal. Chart:N/A Edn 07/17 (G17-027)
1032.2	Miminegash light buoy DP6	46 53 16.7 064 14 17.4	Fl R 4s	Red, marked "DP6".	Operates 24 h. Seasonal. Chart:N/A Edn 07/17 (G17-028)
1032.35	Miminegash East Cardinal light buoy DPB	46 52 51.5 064 14 21.0	Q(3) W 10s	Black, yellow and black spar, marked "DPB".	Operates 24 h. Seasonal. Chart:4906 Edn 07/17 (G17-043, 051, 079) Edn 08/17 Edn 10/17 (G17-081)
1032.45	Miminegash South Cardinal light buoy DPA	46 52 37.9 064 14 36.3	Q(6) W 15s + LFI	Yellow and black spar, marked "DPA".	Operates 24 h. Seasonal. Chart:4906 Edn 07/17 (G17-044) Edn 08/17 Edn 10/17 (G17-080) Edn 09/21 (G21-074)
1032.55	Miminegash East Cardinal light buoy DPC	46 53 08.6 064 14 12.6	Q(3) W 10s	Black, yellow and black spar, marked "DPC".	Operates 24 h. Seasonal. Chart:N/A Edn 10/17 (G17-086) Edn 09/21 (G21-075)
1033.5 H1072	Miminegash North Breakwater Light	46 52 49.0 064 14 06.9	Fl G 4s	4	Square skeleton tower, green and white rectangular daymark.	Flash 1 s; eclipse 3 s. Operates 24 h. Seasonal. Chart:4906 Edn 07/17 (G17-014, 073, 076)
1035 H1074	Skidders Pond	N. end of S. breakwater. 46 57 58.3 064 07 35.1	Fl R 4s	4.4	4	Cylindrical mast, red and white triangular daymark. 2.8	Flash 1 s; eclipse 3 s. Seasonal. Chart:4906 Edn 03/11 (G10-232) Edn 06/17 (G17-024) Edn 01/22 (G21-257)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PRINCE EDWARD ISLAND							
1035.5 H1074.4	Skinnners Pond North Breakwater	On outer end of N. breakwater. 46 57 59.2 064 07 33.1	Fl G 4s	4.2	4	Cylindrical mast, green- white-black square daymark. 3.2	Seasonal. Chart:4906 Edn 03/11 Edn 01/22 (G21-256)
1036 H1076	North Cape	On cape. 47 03 27.7 063 59 48.8	Fl Y 5s	23.7	18	White octagonal tower, red upper portion. 19.5	Flash 1 s; eclipse 4 s. Year round. Chart:4906
1036.1	Seacow Pond North	47 01. 45.7 063 59 19.8	Fl R 4s	Privately maintained. Seasonal. Operates at night only. Position is approximate. Owned by Small Craft Harbours. Chart:4906 Edn 06/16 (G16-033)
1037	<i>North Cape Reef North Cardinal light and bell buoy DS</i>	<i>N. of North Cape. 47 05 00 064 00 03</i>	<i>Q W 1s</i>	<i>.....</i>	<i>.....</i>	<i>Black and yellow, marked "DS".</i>	<i>Seasonal.</i> Chart:4906 Edn 03/13 (G12-201)
1037.6	<i>ODAS light buoy IML-6</i>	<i>E. of Shippegan Island. 47 47 00 064 02 00</i>	<i>Fl(5) Y 20s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow, marked "IML-6".</i>	<i>Seasonal.</i> Chart:4024
1038.5	<i>North Lake Harbour Fairway light buoy JA</i>	<i>N. of harbour. 46 28 56.2 062 03 27.6</i>	<i>Mo(A) W 6s</i>	<i>.....</i>	<i>.....</i>	<i>Red and white vertical stripes, marked "JA".</i>	<i>Seasonal.</i> Chart:4023
1039 H1173	North Lake Harbour range	On outer end of E. breakwater. 46 28 06.9 062 04 05.1	Iso G 1s	7.5	11	Square skeleton tower, white daymark, red vertical stripe. 5.0	Visible in line of range. Seasonal.
1039.1 H1173.1		204°34' 328.5m from front.	Iso G 4s	14.5	15	Square skeleton tower, white daymark, red vertical stripe. 11.0	Visible in line of range. Seasonal. Chart:4023 Edn 03/11 (G11-012)
1039.5 H1174	North Lake Harbour West	On outer end of W. breakwater. 46 28 09.0 062 04 05.0	Iso R 2s	7.1	5	Pipe swing pole, red, white and red triangular daymark. 5.1	Seasonal. Chart:4023 Edn 09/10 (G10-150) Edn 02/12 (G12-008) Edn 07/18 (G18-095)
1040.05	<i>Naufrage Harbour Fairway light buoy JC</i>	<i>N. of Shipwreck Point. 46 29 00.2 062 24 40.6</i>	<i>Mo(A) W 6s</i>	<i>.....</i>	<i>.....</i>	<i>Red and white vertical stripes, marked "JC".</i>	<i>Seasonal.</i> Chart:4023
1040.2 H1170.3	Naufrage Harbour East Breakwater Light	On outer end of E. breakwater. 46 28 08.2 062 25 00.3	Fl G 4s	5.0	4	Pipe swing pole, green- white-black square daymark. 3.6	Flash 1 s; eclipse 3 s. Seasonal. Chart:4023 Edn 07/09 (G09-081) Edn 11/17 (G17-113) Edn 08/20 (G20-152)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PRINCE EDWARD ISLAND							
1040.5 H1170.4	Naufrage West Breakwater	Outer end of W. breakwater. 46 28 11.3 062 24 59.7	Fl R 4s	5.1	4	Pipe swing pole, red, white and red triangular daymark. 3.6	Flash 1 s; eclipse 3 s. Seasonal. Chart:4023 Edn 11/18 (G18-134, 135)
1041.1 H1170.5	Naufrage Harbour Bridge	On the bridge. 46 28 04.0 062 25 02.5	Iso W 4s	6.0	6	White rectangular daymark with red bands. 6.0	Seasonal. Chart:4023 Edn 09/11 Edn 11/18 (G18-140)
1042 H1168	Shipwreck Point	On the point. 46 28 07.2 062 25 22.6	Oc W 5s	25.6	9	White octagonal tower with red upper portion. 13.5	Flash 3 s; eclipse 2 s. Operates 24 h. Year round. Chart:4023 Edn 12/22 (G22-114)
1043.1	St. Peters Harbour fairway light buoy JD	46 27 09.2 062 44 21.7	Mo(A) W 6s	Red and white vertical stripes, marked "JD".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 04/15 (G15-001) Edn 07/21 (G21-034) Edn 07/23 (G23-035)
1044.1	St. Peters Harbour light buoy JD5	46 27 00.2 062 44 10.6	Fl G 4s	Green, marked "JD5".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 05/11 (G11-113)
1044.2	St. Peters Harbour light buoy JD6	46 26 58.2 062 44 24.6	Fl R 4s	Red, marked "JD6".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 05/11 (G11-113)
1044.3	St. Peters Harbour light buoy JD8	46 26 51.7 062 44 18.6	Fl R 4s	Red, marked "JD8".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 05/11 (G11-113)
1044.4	St. Peters Harbour light buoy JD9	46 26 48.2 062 44 17.6	Fl G 4s	Green, marked "JD9".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 05/11 (G11-113) Edn 11/12 (G12-194) Edn 07/20 (G20-061)
1044.5	St. Peters Harbour light buoy JD10	46 26 45.2 062 44 18.6	Fl R 4s	Red, marked "JD10".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 05/11 (G11-113) Edn 01/14 (G13-021)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

PRINCE EDWARD ISLAND

1046.04	St. Peters Harbour light buoy JD9.5	46 26 42.2 062 44 14.6	Fl G 4s	Green, marked "JD9.5".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 05/11 (G11-119)
1046.05	St. Peters Harbour light buoy JD11.5	At harbour entrance. 46 26 39.2 062 44 12.1	Q G 1s	Green, marked "JD11.5".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 05/11 (G11-119) Edn 04/24 (G24-034)
1046.06	St. Peters Harbour light buoy JD12	46 26 44.4 062 44 16.0	Fl R 4s	Red, marked "JD12".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 06/09 (G09-057) Edn 05/11 (G11-113) Edn 02/20 (G19-135)
1046.1	St. Peters Bay light buoy JD13	46 26 35.2 062 43 52.6	Q G 1s	Green, marked "JD13".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 05/11 (G11-119)
1046.15	St. Peters Harbour light buoy JD16	46 26 31.2 062 43 29.6	Q R 1s	Red, marked "JD16".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 05/11 (G11-119)
1046.2	St. Peters Bay light buoy JD18	46 26 26.7 062 43 17.6	Q R 1s	Red, marked "JD18".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 05/11 (G11-119)
1046.3	St. Peters Bay light buoy JD21	46 26 07.2 062 42 50.6	Fl G 4s	Green, marked "JD21".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 05/11 (G11-119)
1046.4	St. Peters Harbour light buoy JD23	46 26 06.6 062 42 37.8	Q G 1s	Green, marked "JD23".	Buoy may be repositioned due to shifting channel. Operates at night only. Seasonal. Chart: N/A Edn 09/14 (G14-079) Edn 04/15 (G15-001)
1046.5 H1164	Red Head Wharf	46 25 59.7 062 42 46.5	Q G 1s	3.5	2	Cylindrical mast. 2.6	Seasonal. Chart:4425
1046.81	Savage Harbour Fairway light buoy JE	Off harbour. 46 26 46.2 062 49 29.6	Mo(A) W 6s	Red and white vertical stripes, marked "JE".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 04/15 (G15-001)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

PRINCE EDWARD ISLAND

1047 H1160	Savage Harbour	46 26 00.9 062 49 56.1	Fl W 4s	4.9	3	Pipe Swing Pole. 3.3	Operates at night only. Seasonal. Chart:4425 Edn 02/11 (G10-233)
1047.01	Savage Harbour light buoy JE6	46 26 10.2 062 49 53.6	Fl R 4s	Red spar, marked "JE6".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 05/11 (G11-113)
1047.011	Savage Harbour light buoy JE7/1	46 25 49.6 062 50 00.6	Q G 1s	Green, marked "JE7/1".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 06/11 (G11-124) Edn 09/11
1047.02	Savage Harbour light buoy JE8	46 25 58.4 062 49 58.9	Fl R 4s	Red, marked "JE8".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 05/11 (G11-113)
1047.021	Savage Harbour light buoy JE8/2	46 25 47.4 062 50 01.4	Q R 1s	Red, marked "JE8/2".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 05/11 (G11-113)
1047.028	Savage Harbour light buoy JE9	46 25 44.5 062 50 05	Fl G 4s	Green, marked "JE9".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 11/10 (G10-176) Edn 05/11 (G11-113)
1047.03	Savage Harbour Entrance light buoy JE10	46 25 46.1 062 50 03.3	Q R 1s	Red, marked "JE10".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 05/11 (G11-113)
1047.04	Savage Harbour light buoy JE12	46 25 49.7 062 50 12.5	Fl R 4s	Red spar, marked "JE12".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 05/11 (G11-113)
1047.051	Savage Harbour light buoy JE14	46 25 50 062 50 04.4	Fl R 4s	Red, marked "JE14".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 05/11 (G11-113)
1047.06	Savage Harbour light buoy JE17	46 25 45.2 062 50 13.4	Fl G 4s	Green spar, marked "JE17".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 05/11 (G11-113)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PRINCE EDWARD ISLAND							
1047.1	Savage Harbour light buoy JE15	46 25 49.2 062 50 08.6	Q G 1s	Green, marked "JE15".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 05/11 (G11-113)
1047.15	Savage Harbour light buoy JE7	46 26 09.2 062 49 48.6	Fl G 4s	Green spar, marked "JE7".	Seasonal. Chart:N/A Edn 07/18 (G18-107)
1047.2	Savage Harbour light buoy JE16	46 25 39.2 062 50 15.6	Q R 1s	Red, marked "JE16".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 05/11 (G11-113)
1047.51	North Tracadie Fairway light buoy JH	N. of harbour entrance. 46 26 03.2 063 02 01.6	Mo(A) W 6s	Red and white vertical stripes, marked "JH".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 04/15 (G15-001)
1049.09	Grand Tracadie light buoy JH5	46 24 58.8 063 00 47.4	Fl G 4s	Green, marked "JH5".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 11/12 (G12-206) Edn 07/16 (G16-061)
1049.1	Grand Tracadie light buoy JH6	46 24 58.2 063 00 51.6	Fl R 4s	Red, marked "JH6".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 05/11 (G11-113) Edn 11/12 (G12-202) Edn 07/16 (G16-056)
1049.11	Grand Tracadie light buoy JH1	46 25 10.2 063 00 58.2	Fl G 4s	Green, marked "JH1".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 07/16 (G16-071)
1049.121	Grand Tracadie light buoy JH2	46 25 09.6 063 01 01.8	Fl R 4s	Red, marked "JH2".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 07/16 (G16-054)
1049.131	Grand Tracadie light buoy JH3	46 25 04.2 063 00 51.6	Fl G 4s	Green, marked "JH3".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 07/16 (G16-068)
1049.14	Grand Tracadie light buoy JH4	46 25 03.6 063 00 55.8	Fl R 4s	Red, marked "JH4".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 07/16 (G16-069)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PRINCE EDWARD ISLAND							
1049.15	Grand Tracadie light buoy JH7	46 24 52.8 063 00 41.4	Fl G 4s	Green, marked "JH7".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 07/16 (G16-065)
1049.16	Grand Tracadie light buoy JH8	46 24 51.6 063 00 45.0	Fl R 4s	Red, marked "JH8".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 07/16 (G16-064)
1049.2	Grand Tracadie light buoy JH9	46 24 50.4 063 00 39.0	Fl G 4s	Green, marked "JH9".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 10/09 (G09-140) Edn 05/11 (G11-113) Edn 07/16 (G16-057)
1049.21	Grand Tracadie light buoy JH10	46 24 45.6 063 00 38.4	Fl R 4s	Red, marked "JH10".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 05/11 (G11-113) Edn 11/12 (G12-203) Edn 07/16 (G16-058)
1049.211	Grand Tracadie light buoy JH11	46 24 47.4 063 00 37.8	Fl G 4s	Green, marked "JH11".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 07/16 (G16-067)
1049.22	Grand Tracadie light buoy JH12	46 24 38.4 063 00 24.0	Q R 1s	Red, marked "JH12".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 07/16 (G16-062)
1049.24	Grand Tracadie light buoy JH19	46 24 22.2 062 59 58.2	Fl G 4s	Green spar, marked "JH19".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 07/16 (G16-055)
1049.26	Grand Tracadie light buoy JH22	46 24 05.0 063 00 17.0	Q R 1s	Red, marked "JH22".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 07/16 (G16-070)
1049.27	Grand Tracadie light buoy JH26	46 24 06.1 063 01 11.7	Fl R 4s	Red, marked "JH26".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 07/16 (G16-066)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PRINCE EDWARD ISLAND							
1049.275	Grand Tracadie light buoy JH29	46 24 06.0 063 01 35.4	Fl G 4s	Green, marked "JH29".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 10/18 (G18-118)
1049.28	Grand Tracadie light buoy JH30	46 24 08.1 063 01 42.4	Q R 1s	Red, marked "JH30".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 07/16 (G16-063) Edn 12/23
1049.4	Grand Tracadie light buoy JH16	Tracadie Bay, 46 24 19.2 062 59 59.0	Q R 1s	Red spar, marked "JH16".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 05/11 (G11-113) Edn 07/16 (G16-059) Edn 03/21 (G20-271)
1049.6	Grand Tracadie light buoy JH21	46 24 02.6 063 00 23.6	Fl G 4s	Green spar, marked "JH21".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 05/11 (G11-113) Edn 07/16 (G16-060)
1050.05	Covehead Fairway light buoy JJ	N. of Cape Stanhope. 46 26 54.2 063 08 18.6	Mo(A) W 6s	Red and white vertical stripes, marked "JJ".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 04/15 (G15-001)
1050.1	Covehead Harbour light buoy JJ3	46 26 07.9 063 08 36.7	Q G 1s	Green, marked "JJ3".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 09/09 (G09-131) Edn 10/10 (G10-122) Edn 05/11 (G11-113)
1050.12	Covehead Harbour light buoy JJ4	46 26 08.5 063 08 39.2	Fl R 4s	Red, marked "JJ4".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 10/10 (G10-158) Edn 05/11 (G11-113)
1050.13	Covehead Harbour light buoy JJ5	46 26 02.9 063 08 39	Fl G 4s	Green, marked "JJ5".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 10/10 (G10-159) Edn 05/11 (G11-113)
1050.2	Covehead Harbour light buoy JJ6	46 26 02 063 08 43.1	Q R 1s	Red spar, marked "JJ6".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 03/12 (G10-161) Edn 04/15 (G15-001)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PRINCE EDWARD ISLAND							
1050.3	Covehead Harbour light buoy JJ7	46 25 55.3 063 08 44.3	Q G 1s	Green, marked "JJ7".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 09/09 (G09-132) Edn 10/10 (G10-129) Edn 05/11 (G11-113)
1050.5	Covehead Harbour light buoy JJ8	46 25 55.7 063 08 45.4	Fl R 4s	Red, marked "JJ8".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 09/09 (G09-133) Edn 10/10 (G10-131) Edn 05/11 (G11-113)
1050.9	Covehead Harbour light buoy JJ9	46 25 51 063 08 45.8	Fl G 4s	Green, marked "JJ9".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 10/10 (G10-132) Edn 05/11 (G11-113)
1050.91	Covehead Harbour light buoy JJ10	46 25 50.8 063 08 47.1	Fl R 4s	Red, marked "JJ10".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4425 Edn 03/12 (G10-162) Edn 04/15 (G15-001)
1051 H1150	Covehead Harbour	On Cape Stanhope. 46 25 48.2 063 08 35.3	Fl W 5s	11.0	11	White square tower, red upper portion. 8.2	Flash 0.5 s; eclipse 4.5 s. Seasonal. Horn - Blast 3 s; sil. 27 s. Horn points 005°. Privately maintained by Local Harbour Authority. Chart:4425
1053.5 H1149	Covehead Bridge	46 25 46.2 063 08 47.4	Fl W 4s	8.5	5	Cylindrical mast. 2.8	Operates at night only. Seasonal. Chart:4425 Edn 11/10 (G10-174)
1054	North Rustico Fairway light buoy JK	NE. entrance to harbour. 46 27 54 063 16 30	Mo(A) W 6s	Red and white vertical stripes, marked "JK".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4467 Edn 04/15 (G15-001)
1054.1	North Rustico light buoy JK3	46 27 24.8 063 17 06.4	Fl G 4s	Green spar, marked "JK3".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4467 Edn 07/09 (G09-067) Edn 06/10 (G10-076) Edn 05/11 (G11-113)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PRINCE EDWARD ISLAND							
1054.11	North Rustico light buoy JK4	46 27 24.2 063 17 12.6	Fl R 4s	Red spar, marked "JK4".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4467 Edn 07/09 (G09-068) Edn 06/10 (G10-077) Edn 05/11 (G11-113)
1054.3	Rustico Harbour light buoy JK7	46 27 25 063 17 18	Fl G 4s	Green, marked "JK7".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 05/11 (G11-113)
1054.4	Rustico light buoy JK9	46 27 24.2 063 17 11.8	Fl G 4s	Green, marked "JK9".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4467 Edn 05/11 (G11-113)
1054.6	Rustico light buoy JK12	46 27 17.2 063 17 26.1	Q R 1s	Red, marked "JK12".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4467 Edn 05/11 (G11-113)
1054.9	Rustico Harbour light buoy JK13	46 27 20.2 063 17 54.8	Fl G 4s	Green, marked "JK13".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4467 Edn 05/11 (G11-113)
1055 H1140	Rustico Harbour Northern Breakwater	On outer end of N. breakwater. 46 27 25.2 063 17 16.9	Fl R 3s	2.7	3	Cylindrical mast. 1.8	Flash 1 s; eclipse 2 s. Seasonal. Chart:4467 Edn 02/11 (G10-234) Edn 06/12 (G12-106)
1056 H1141	North Rustico Harbour	46 27 19.1 063 17 31.7	Fl W 5s	12.4	13	White pyramid tower with red top. 10.4	Flash 1 s; eclipse 4 s. Visible in line of range. Year round. Chart:4467 Edn 12/23 (G23-174)
1057 H1142	North Rustico Inner Breakwater	On SE. corner of inner breakwater. 46 27 14 063 17 29.1	Iso R 4s	7.5	4	Pipe swing pole. 6.8	Seasonal. Chart:4467 Edn 09/10 (G10-143)
1057.5	North Rustico Landing Wharf	On outer end of wharf. 46 27 22.3 063 18 27.9	Iso R 4s	6.0	3	Square skeleton tower. 5.3	Seasonal. Chart:4467
1058	New London Fairway light buoy JM	N. of entrance to New London Bay. 46 31 41.1 063 28 18	Mo(A) W 6s	Red and white vertical stripes, marked "JM".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4467 Edn 04/15 (G15-001)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PRINCE EDWARD ISLAND							
1060.01 H1130.05	New London	46 30 37.4 063 29 13.9	Iso W 4s	13.2	7	White square tower, red upper portion. 13.3	Seasonal. Chart:4467 Edn 02/11 (G10-235)
1060.1	Southwest River Outer light buoy JM7	46 30 59.2 063 28 54.8	Fl G 4s	Green, marked "JM7".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4467 Edn 04/15 (G15-001)
1060.15	New London light buoy JM11	46 30 37.6 063 28 56.5	Q G 1s	Green, marked "JM11".	Buoy may be repositioned due to shifting channel. Operates 24 h. Seasonal. Chart: 4467 Edn 07/15(G15-058)
1060.2	Southwest River light buoy JN	46 30 42.1 063 28 57.9	Fl G 6s (2+1)	Green, red and green, marked "JN".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4467 Edn 04/15 (G15-001)
1060.3	Southwest River light buoy JMA	46 30 23 063 29 24.8	Fl R 6s (2+1)	Red, green and red, marked "JMA".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4467 Edn 04/15 (G15-001)
1060.4	Southwest River light buoy JM20	46 29 50.7 063 29 25.5	Fl R 4s	Red boat type, marked "JM20".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4467 Edn 04/15 (G15-001)
1060.45	New London Harbour light buoy JM6	46 30 59.7 063 28 55.8	Fl R 4s	Red, marked "JM6".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4467 Edn 05/11 (G11-113)
1060.5	Southwest River light buoy JM25	46 29 03.2 063 29 52.8	Fl G 4s	Green boat type, marked "JM25".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4467 Edn 04/15 (G15-001)
1060.55	Southwest River light buoy JN1	46 30 36.7 063 28 58.6	Fl G 4s	Green, marked "JN1".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4467 Edn 05/11 (G11-113)
1060.57	New London light buoy JN3	46 30 24.5 063 28 43.8	Fl G 4s	Green spar, marked "JN3".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 10/09 (G09-125) Edn 05/11 (G11-113) Edn 08/16 (G16-115)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PRINCE EDWARD ISLAND							
1060.6	Southwest River light buoy JN4	46 30 24.9 063 28 16.2	Q R 1s	Red spar, marked "JN4".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 05/11 (G11-119) Edn 08/16 (G16-114)
1060.8	Stanley Bridge Channel light buoy JN15	46 29 50.7 063 27 46.8	Q G 1s	Green, marked "JN15".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4467 Edn 04/15 (G15-001) Edn 08/20 (G20-046)
1060.9	Stanley Bridge Channel light buoy JN17	46 28 55.7 063 27 29.8	Fl G 4s	Green, marked "JN17".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4467 Edn 04/15 (G15-001) Edn 08/20 (G20-047)
1061 H1129	Cape Tryon	On extremity of cape. 46 32 02.3 063 30 21.9	LFl W 6s	33.4	12	White tower with red upper portion. 12.4	Flash 2 s; eclipse 4 s. Seasonal. Chart:4467 Edn 07/22 (G22-032)
1065.05	Malpeque Harbour Fairway light buoy JP	N.E. of McKay Point. 46 35 00.2 063 37 07.7	Mo(A) W 6s	Red and white vertical stripe, marked "JP".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4491 Edn 04/15 (G15-001)
1065.1	Malpeque Harbour light buoy JP1	Malpeque and Damley. 46 34 09.9 063 38 23.5	Fl G 4s	Green, marked "JP1".	Seasonal. Chart:4491 Edn 06/18 (G18-057) Edn 05/21 (G21-011)
1065.2	Malpeque West cautionary light buoy JPA	46 34 30.7 063 39 09.6	Fl Y 4s	Yellow spar, marked "JPA".	Seasonal. Chart:4491 Edn 07/20 (G20-096)
1065.3	Malpeque Harbour light buoy JP4	Malpeque and Damley. 46 34 20.0 063 39 32.1	Q R 1s	Red, marked "JP4".	Seasonal. Chart:4491 Edn 06/18 (G18-060) Edn 05/21 (G21-012)
1065.6	Royalty Point light buoy JP9	46 33 48.2 063 43 00.7	Fl G 4s	Green spar, marked "JP9".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4491 Edn 04/15 (G15-001)
1069.5	Damley Basin Outer light buoy JU3	Basin entrance. 46 33 48.0 063 41 56.4	Q G 1s	Green spar, marked "JU3".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4491 Edn 04/15 (G15-001) Edn 07/15 (G15-057) Edn 11/18 (G18-137)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PRINCE EDWARD ISLAND							
1069.65	Darnley Basin light buoy JU5	46 33 28.2 063 40 57.7	Q G 1s	Green, marked "JU5".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4491 Edn 05/11 (G11-113)
1069.66	Darnley Basin light buoy JU6	46 33 20 063 41 15.1	Fl R 4s	Red, marked "JU6".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4491 Edn 08/11 (G11-226) Edn 10/11
1069.7	Darnley Basin light buoy JU7	46 33 20.2 063 41 16.7	Fl G 4s	Green, marked "JU7".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4491 Edn 05/11 (G11-113)
1069.8	Darnley Basin light buoy JU8	46 33 19.2 063 41 42.7	Q R 1s	Red, marked "JU8".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4491 Edn 05/11 (G11-113)
1069.9	Darnley Basin light buoy JU9	46 33 21.2 063 41 57.7	Q G 1s	Green, marked "JU9".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4491 Edn 05/11 (G11-113)
1071.1	Darnley Basin light buoy JT4	46 32 18.2 063 40 12.7	Fl R 4s	Red spar, marked "JT4".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4491 Edn 04/15 (G15-001)
1071.2 H1123	Darnley Bridge	On center span of bridge. 46 32 02.8 063 40 17.7	F W	3.5	6	On bridge. Seasonal. Chart:4491 Edn 03/12
1071.35	Hardys Channel Fairway light buoy JS	NW. of inlet. 46 39 15.4 063 51 18.1	Mo(A) W 6s	Red and white vertical striped spar, marked "JS".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4491 Edn 06/10 (G10-025) Edn 07/10 (G10-090) Edn 04/15 (G15-001) Edn 10/20 (G20-184) Edn 12/21 (G21-251) Edn 09/22 (G22-102) Edn 10/23 (G23-146)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PRINCE EDWARD ISLAND							
1071.39	Hardys Channel light buoy JS2	46 39 12.5 063 51 26.0	Fl R 4s	Red spar, marked "JS2".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4491 Edn 06/10 (G10-027) Edn 05/11 (G11-113) Edn 10/20 (G20-185) Edn 09/22 (G22-103) Edn 10/23 (G23-147)
1071.41	Hardys Channel light buoy JS3	46 39 11.3 063 51 23.9	Q G 1s	Green spar, marked "JS3".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4491 Edn 06/10 (G10-028) Edn 05/11 (G11-113) Edn 10/20 (G20-186) Edn 09/22 (G22-104) Edn 10/23 (G23-148)
1071.42	Hardys Channel light buoy JS4	46 39 07.9 063 51 30.5	Fl R 4s	Red spar, marked "JS4".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4491 Edn 06/10 (G10-034) Edn 05/11 (G11-113) Edn 10/20 (G20-187) Edn 09/22 (G22-105) Edn 10/23 (G23-149)
1071.45	Hardys Channel light buoy JS5	46 39 06.9 063 51 29.3	Fl G 4s	Green spar, marked "JS5".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4491 Edn 06/10 (G10-029) Edn 05/11 (G11-113) Edn 10/20 (G20-188) Edn 09/22 (G22-106) Edn 10/23 (G23-150)
1071.5	Hardys Channel light buoy JS7	46 39 05.3 063 51 35.5	Fl G 4s	Green spar, marked "JS7".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4491 Edn 06/10 (G10-035) Edn 05/11 (G11-113) Edn 10/20 (G20-189) Edn 09/22 (G22-107) Edn 10/23 (G23-151)
1071.52	Hardys Channel light buoy JS8	46 39 00.0 063 51 49.5	Fl R 4s	Red spar, marked "JS8".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4491 Edn 06/10 (G10-080) Edn 05/11 (G11-113) Edn 10/20 (G20-190) Edn 09/22 (G22-108) Edn 10/23 (G23-152)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PRINCE EDWARD ISLAND							
1071.89	Hardys Channel light buoy JS12	46 38 56.6 063 52 00.6	Fl R 4s	Red, marked "JS12".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4491 Edn 06/10 (G10-041) Edn 05/11 (G11-113) Edn 07/12 (G12-130) Edn 10/20 (G20-193) Edn 11/22 (G22-139) Edn 10/23 (G23-145)
1071.9	Hardys Channel light buoy JS13	46 39 14.2 063 52 28.0	Fl G 4s	Green spar, marked "JS13".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4491 Edn 06/10 (G10-042) Edn 05/11 (G11-113) Edn 10/20 (G20-191) Edn 11/22 (G22-155)
1071.95	Hardys Channel light buoy JS14	46 39 14.8 063 52 26.6	Q R 1s	Red spar, marked "JS14".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4491 Edn 06/10 (G10-052) Edn 05/11 (G11-113) Edn 10/20 (G20-192) Edn 11/22 (G22-156)
1071.96	Hardys Channel light buoy JS21	46 39 24.6 063 52 46.3	Q G 1s	Green, marked "JS21".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4491 Edn 06/10 (G10-053) Edn 05/11 (G11-113) Edn 10/20 (G20-194) Edn 11/22 (G22-142)
1071.961	Hardys Channel light buoy JS22	46 39 25.2 063 52 45.2	Q R 1s	Red, marked "JS22".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4491 Edn 06/10 (G10-054) Edn 05/11 (G11-113) Edn 10/20 (G20-195) Edn 11/22 (G22-143)
1071.962	Hardys Channel light buoy JS23	46 39 32.8 063 52 54.6	Q G 1s	Green, marked "JS23".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4491 Edn 06/10 (G10-055) Edn 05/11 (G11-113) Edn 10/20 (G20-196) Edn 11/22 (G22-144)
1071.963	Hardys Channel light buoy JS24	46 39 33.2 063 52 53.6	Fl R 4s	Red, marked "JS24".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4491 Edn 06/10 (G10-056) Edn 05/11 (G11-113) Edn 10/20 (G20-197) Edn 11/22 (G22-149)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PRINCE EDWARD ISLAND							
1071.977	Hardys Channel light buoy JS27	46 39 43.6 063 53 05.3	Q G 1s	Green, marked "JS27".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4491 Edn 06/10 (G10-059) Edn 05/11 (G11-113) Edn 10/20 (G20-198) Edn 11/22 (G22-153)
1071.98	Hardys Channel light buoy JS32	46 39 38.5 063 53 29.4	Q R 1s	Red, marked "JS32".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4491 Edn 06/10 (G10-060) Edn 05/11 (G11-113) Edn 10/20 (G20-199) Edn 11/22 (G22-150)
1071.99	Hardys Channel light buoy JS33	46 39 36.7 063 53 44.5	Q G 1s	Green, marked "JS33".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4491 Edn 06/10 (G10-061) Edn 05/11 (G11-113) Edn 11/22 (G22-140)
1072.1	Hardys Channel light buoy JS39	46 39 24.5 063 53 46.3	Q G 1s	Green, marked "JS39".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4491 Edn 06/10 (G10-062) Edn 05/11 (G11-113) Edn 11/22 (G22-151)
1072.4	Hardys Channel light buoy JS42	46 39 21.5 063 54 05.2	Fl R 4s	Red, marked "JS42".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4491 Edn 06/10 (G10-064) Edn 05/11 (G11-113) Edn 10/20 (G20-200) Edn 11/22 (G22-152)
1072.5	Hardys Channel light buoy JS43	46 39 20.5 063 54 26.6	Q G 1s	Green, marked "JS43".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4491 Edn 06/10 (G10-065) Edn 05/11 (G11-113) Edn 10/20 (G20-201) Edn 11/22 (G22-138)
1072.59	Hardys Channel light buoy JS40	46 39 25.4 063 53 47.4	Fl R 4s	Red, marked "JS40".	Buoy may be repositioned due to shifting channel. Operates 24 h. Seasonal. Chart:4491 Edn 07/15 (G15-052) Edn 06/17 (G16-168) Edn 11/22 (G22-157)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PRINCE EDWARD ISLAND							
1072.6	Hardys Channel light buoy JS44	46 39 21.7 063 54 26.4	Fl R 4s	Red, marked "JS44".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4491 Edn 06/10 (G10-066) Edn 05/11 (G11-113) Edn 10/20 (G20-202) Edn 11/22 (G22-154)
1075.05	Cascumpeque Harbour Fairway light buoy JV	E. of harbour entrance. 46 47 44.3 063 59 38.2	Mo(A) W 6s	Red and white vertical stripes, marked "JV".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4492 Edn 04/15 (G15-001)
1075.2	Cascumpeque light buoy JV4	46 48 12.4 064 00 47	Fl R 4s	Red spar, marked "JV4".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4492 Edn 05/11 (G11-113)
1075.3	Cascumpeque light buoy JV5	46 48 07.6 064 00 51.6	Fl G 4s	Green, marked "JV5".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4492 Edn 05/11 (G11-113)
1075.32	Cascumpeque light buoy JV8	46 48 15.7 064 01 20.7	Fl R 4s	Red spar, marked "JV8".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4492 Edn 05/11 (G11-113)
1075.33	Cascumpeque light buoy JV6	46 48 13.2 064 01 05.7	Q R 1s	Red spar, marked "JV6".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4492 Edn 05/11 (G11-113)
1075.34	Cascumpeque light buoy JV7	46 48 07.8 064 01 08.2	Q G 1s	Green spar, marked "JV7".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4492 Edn 05/11 (G11-113)
1075.4	Cascumpeque light buoy JV9	46 48 08.5 064 01 37.6	Fl G 4s	Green spar, marked "JV9".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4492 Edn 05/11 (G11-113)
1075.5	Alberton Harbour light buoy JV10	46 48 12.9 064 01 55.4	Q R 1s	Red spar, marked "JV10".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4492 Edn 05/11 (G11-113)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
PRINCE EDWARD ISLAND							
1075.6	Alberton Harbour light buoy JV15	46 48 00.6 064 02 31.8	Fl G 4s	Green spar, marked "JV15".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4492 Edn 05/11 (G11-113)
1075.7	Alberton Harbour light buoy JV12	46 47 47.2 064 03 17.8	Q R 1s	Red, marked "JV12".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4492 Edn 05/11 (G11-113)
1075.805	Alberton Harbour light buoy JV17	Cascumpeque. 46 47 42.6 064 03 12.2	Fl G 4s	Green, marked "JV17".	Seasonal. Chart:N/A Edn 06/17 (G17-025)
1081 H1094	Northport range	Near outer end of railway wharf. 46 47 42.2 064 03 32.5	Iso G 1s	9.2	15	Square skeleton tower, white rectangular daymark, red vertical stripe. 8.2	Visible in line of range. Seasonal.
1082 H1094.1		244°54' 277.3m from front.	Iso G 4s	12.8	15	White square tower, red vertical stripe. 11.8	Visible in line of range. Seasonal. Chart:4492 Edn 02/11 (G10-230, 231)
1082.1 H1095	Alberton Breakwater	Outer end of breakwater. 46 47 38.9 064 03 35.2	Fl W 3s	6.0	2	Cylindrical mast. 2.6	Privately maintained. Operates at night only. Seasonal. Chart:4492 Edn 03/11 (G10-204) Edn 06/16 (G16-034)
1083 H1081.4	Big Tignish Breakwater	46 57 01.9 063 59 28.9	Iso R 1s	7.0	5	Cylindrical mast. 5.4	Operates at night only. Seasonal. Chart:4023
1083.5 H1081.5	Big Tignish South Breakwater	46 57 01.8 063 59 33.9	Iso G 1s	3.1	2	Cylindrical mast. 2.6	Operates at night only. Seasonal. Chart:4023
1084.52	Tignish Inner light buoy JX5	46 57 09.3 063 59 55.1	Fl G 4s	Green, marked "JX5".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4023 Edn 05/11 (G11-113)
1084.53	Tignish Inner light buoy JX7	46 57 12.6 063 59 58.3	Fl G 4s	Green, marked "JX7".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4023 Edn 05/11 (G11-113)
1084.54	Tignish Inner light buoy JX9	46 57 12 064 00 09.2	Fl G 4s	Green, marked "JX9".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4023 Edn 05/11 (G11-113)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

PRINCE EDWARD ISLAND

1084.7 H1078	Seacow Pond South Breakwater Light	On outer end of S. breakwater. 47 01 45.6 063 59 22.0	Fl G 3s	6.5	5	Pipe swing pole, green and white square daymark. 4.6	Flash 1 s; eclipse 2 s. Seasonal.
							Chart:4023 Edn 09/11 (G11-258) Edn 08/20 (G20-125)