

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE SUPERIOR</b>							
1082	Ile Parisienne	On SW. extremity of island. 46 38 42.9 084 43 26.5	Fl W 10s	16.1	9	White hexagonal tower with red upper portion. 16.6	Flash 1 s; eclipse 9 s. Seasonal.  Chart:14884(U.S.) Edn 02/24 (D24-005)
1083	Goulais Bay	On point. 46 41 46.4 084 31 22.9	Fl W 4s	11.7	4	Cylindrical mast, red and white rectangular daymark. 5.8	Seasonal.  Chart:2315 Edn 02/24 (D24-006)
1084	Maple Island	On W. side of island. 46 46 07.7 084 34 51.9	Fl W 4s	6.3	5	Cylindrical mast, red and white rectangular daymark. 4.9	Seasonal.  Chart:14962(U.S.) Edn 02/24 (D24-004)
1087	Coppermine Point	On extremity of point. 46 59 02.8 084 47 14.7	Fl W 4s	14.4	5	Cylindrical mast, red and white rectangular daymark. 5.5	Seasonal.  Chart:2307 Edn 02/24 (D24-007)
1088	Mamainse Harbour  <b>Racon - - (M) X &amp; S Bands</b>	On N. point of largest island off Mamainse Point. 47 02 15.1 084 47 11.5	F R .....	11.3	9	Red and white cylindrical tower, red and white triangular daymark. 9.1	Seasonal.  Chart:2315 Edn 02/24 (D24-008)
1089	Montreal Point	On high bluff on point at Montreal River entrance. 47 14 27.4 084 39 02.4	Fl W 10s	39.3	5	Cylindrical mast, red and white rectangular daymark. 8.1	Flash 1 s; eclipse 9 s. Seasonal.  Chart:2307 Edn 02/24 (D24-009)
1089.5	Sinclair Island	SW. side of island. 47 22 29.6 084 42 33.2	Fl W 4s	16.2	4	Cylindrical mast, red and white rectangular daymark. 5.5	Seasonal.  Chart:2315 Edn 03/24 (D24-010)
1090	Rowe Island	At NE. tip of island. 47 26 24.7 084 47 41.7	Fl W 4s	8.5	4	Cylindrical mast, red and white rectangular daymark. 6.5	Seasonal.  Chart:2307 Edn 03/24 (D24-011)
1091	Gargantua	On summit of Gargantua Island. 47 33 29.6 084 57 48.9	Fl W 4s	24.0	4	Cylindrical mast, red and white rectangular daymark. 5.3	Seasonal.  Chart:2315 Edn 03/24 (D24-012)
1092	Hursley Island	47 35 47.9 085 02 31.0	Fl W 4s	13.6	4	Cylindrical mast, red and white rectangular daymark. 5.5	Seasonal.  Chart:2307 Edn 03/24 (D24-013)
1092.5	Michipicoten River Entrance	On rock. 47 55 59.6 084 51 06.8	Iso W 4s	5.7	6	Cylindrical mast. 4.0	Seasonal.  Chart:2315 Edn 03/24 (D24-014)

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE SUPERIOR</b>							
1093	Michipicoten Harbour	On SE. extremity of Perkwakwia Point. 47 56 32.9 084 54 26.7	Fl W 10s	26.8	.....	Square tower. 12.7	Flash 1 s; eclipse 9 s. Visible 360°. Seasonal.  <b>Chart:2315 Edn 12/17 (D17-003)</b>
1094	Michipicoten Harbour range	On shore, N. of inner end of wharf. 47 57 41.9 084 54 04.3	F R .....	12.6	.....	Mast.	Lights in line lead to Commercial pier. Maintained by Algoma Central Railway. Seasonal.
1095		355°30' 86.5m from front.	F R .....	27.1	.....	Mast.	Lights in line lead to Commercial pier. Maintained by Algoma Central Railway. Seasonal.  <b>Chart:2315</b>
1096	Caribou Island	On small island SW. of Caribou Island. 47 20 23 085 49 32	Fl W 10s	36.9	9	White hexagonal tower. 35.1	Flash 1 s; eclipse 9 s. Seasonal.  <b>Chart:2310 Edn 09/14 (D14-010)</b>
<b>Michipicoten Island</b>							
1097	Michipicoten Island	On NE. extremity of island. 47 45 13.6 085 35 48.6	Fl W 10s	25.6	9	White hexagonal tower. 24.3	Flash 1 s; eclipse 9 s. Seasonal.  <b>Chart:2309 Edn 03/24 (D24-015)</b>
1098	<b>Davieaux Island</b>	On summit of island, S. of Québec Harbour, Michipicoten Island. 47 41 40.9 085 48 40.6	Fl W 20s	39.3	15	White hexagonal tower, red top.	Flash 0.5 s; eclipse 19.5 s. Visible 360°. Seasonal.  <b>Chart:2315 Edn 03/18 (D18-001)</b>
1099	<b>Quebec Harbour range</b>	On N. shore of harbour. 47 43 00.5 085 47 54.3	F R .....	6.4	17	Square skeleton tower, white daymark with orange vertical stripe.	Visible in line of range. Operates 24 h. Seasonal.
1100		000°51' 214.0 m from front.	F R .....	20.1	17	Square skeleton tower, white daymark with orange vertical stripe.	Visible in line of range. Operates 24 h. Seasonal.  <b>Chart:2315 Edn 03/24 (D24-017, 018)</b>
1101	Michipicoten Island West End	On small island, SW. of Cotton Cove. 47 43 07.1 085 57 21.7	Fl W 4s	9.1	4	Cylindrical mast, red and white rectangular daymark. 5.9	Seasonal.  <b>Chart:2308 Edn 03/24 (D24-019)</b>
1102	Otter Island	On NW. extremity of island. 48 06 42.2 086 04 00.1	Fl W 10s	29.6	9	White hexagonal tower with red top. 6.3	Flash 1 s; eclipse 9 s. Seasonal.  <b>Chart:2308 Edn 03/24 (D24-020)</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE SUPERIOR</b>							
1106	Hawkins Island	On SW. of island. 48 43 10.0 086 25 54.0	Fl W 4s	27.1	4	Skeleton tower, white slatwork daymark. 12.8	Seasonal (in place year round).  Chart:2306 Edn 03/24 (D24-021)
1107	Skin Island	On SW. corner of island. 48 43 41.8 086 23 40.8	Fl W 4s	13.4	4	Cylindrical mast, red and white rectangular daymark. 4.9	Seasonal (in place year round).  Chart:2306 Edn 03/24 (D24-022)
1108	<i>Slate Islands ODAS light buoy 45136</i>	48 31 57.4 086 56 14.0	<i>F(5) Y 20s</i>	.....	.....	<i>Yellow ODAS, marked "45136".</i>	<i>Maintained by Environment Canada. (Winter spar.) Seasonal.</i>  Chart:2303 Edn 08/20 (D20-020)
1110	Jackfish Bay	On SW. extremity of St. Patrick Island. 48 47 18.4 086 58 55.0	Fl W 4s	12.5	6	Cylindrical mast, red and white rectangular daymark. 5.3	Seasonal.  Chart:2305 Edn 03/24 (D24-023)
1111	<b>Slate Islands</b>	On S. extremity of Patterson Island. 48 37 16.0 086 59 45.0	Fl(2) W 15s	68.3	15	White octagonal tower with red top. 10.5	Flash 0.5 s; eclipse 4.5 s; flash 0.5 s; eclipse 9.5 s. Operates 24 h. Seasonal (in place year round).  Chart:2303 Edn 03/24
1111.1	Terrace Bay	48 46 08 087 07 14	Fl W 4s	4.9	.....	White cylindrical mast. 4.8	Privately maintained by the Township of Terrace Bay. Seasonal.  Chart:2303
1112	Rosspport	On wharf. 48 50 00.9 087 31 11.0	F R .....	4.9	5	Cylindrical mast. 3.7	Seasonal.  Chart:2312 Edn 03/24 (D24-023)
1113	Rosspport Harbour Entrance	On small island at entrance to harbour. 48 49 30.2 087 31 23.7	Fl W 4s	11.3	4	Cylindrical mast, red and white rectangular daymark. 5.6	Seasonal.  Chart:2312 Edn 04/24 (D24-025)
1114	Rosspport Point	On point. 48 49 29.9 087 32 51.9	Fl W 4s	8.6	5	Cylindrical mast, red and white rectangular daymark. 6.5	Seasonal.  Chart:2312 Edn 01/10 (D09-050)
<b>Nipigon Bay</b>							
1117	Battle Island	On W. end of island. 48 45 06.4 087 33 26.0	Fl W 10s	36.0	10	White octagonal tower with red top. 13.1	Flash 1 s; eclipse 9 s. Seasonal.  Chart:2312 Edn 10/19 (D18-012)
1120	Crichton Island	At SE. end of island. 48 57 07.5 088 06 16.4	Fl W 4s	8.1	5	Cylindrical mast, red and white rectangular daymark. 4.9	Seasonal.  Chart:2312 Edn 01/10 (D09-049)

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE SUPERIOR</b>							
1121	Burnt Island	48 54 57.5 088 11 46.2	Fl W 4s	19.0	4	Cylindrical mast, red and white rectangular daymark.	Seasonal.  Chart:2312 Edn 04/24 (D24-026)
1124	Nipigon Strait range	48 41 56.4 088 06 03.5	F R .....	8.3	.....	Cylindrical mast, white daymark, orange vertical stripe.  6.3	Seasonal.
1125		013°11' 83.2m from front.	F R .....	10.4	.....	Cylindrical mast, white daymark, orange vertical stripe.  6.3	Seasonal.  Chart:2312
1126	Lamb Island	Centre of island. 48 36 12.4 088 08 34.5	Fl W 5s	30.2	.....	Tower.  13.6	Flash every 5 s. Seasonal.  Chart:2312
1127	Shaganash	On W. end of island No. 10, W. of Shaganash Island. 48 26 10.0 088 28 50.0	Fl W 4s	11.0	5	White tower with red top.	Private aid. Privately maintained by the Canadian Lighthouses of Lake Superior. Seasonal.  Chart:2302 Edn 01/24 (D23-038)
1128	Point Porphyry	On SW. extremity of island, entrance to Black Bay. 48 20 24.0 088 38 54.0	Fl W 10s	25.0	9	White skeleton tower.  18.3	Flash 1 s; eclipse 9 s. Seasonal.  Chart:2301 Edn 04/24 (D24-027)
1129	Trowbridge Island	On summit of island. 48 17 34.0 088 52 22.0	Fl W 5s	34.7	9	White octagonal tower.  11.5	Flash every 5 s. Seasonal.  Chart:2326 Edn 02/24 (D24-002)
1130	Angus Island	Near N. end of islands. 48 14 07.9 089 00 26.7	Fl W 10s	24.7	9	Skeleton tower.  15.9	Flash 1 s; eclipse 9 s. Seasonal.  Chart:2326 Edn 12/19 (D19-012) Edn 02/24 (D24-003)
1131	Thunder Cape	W. side of cape. 48 18 06.4 088 56 17.3	Fl W 4s	10.7	5	Cylindrical mast, red and white rectangular daymark.  6.5	Seasonal.  Chart:2326 Edn 12/19 (D19-013) Edn 05/23 (D23-012)
1132	Hare Island light buoy A2	W. of Thunder Cape. 48 17 54.0 088 59 12.0	Fl R 4s	.....	.....	Red spar, marked "A2".	Year round.  Chart:2301 Edn 08/22 (D22-029)
1133	Welcome Island	On NE. extremity of the eastern island. 48 22 10 089 07 14	Fl W 10s	.....	.....	Skeleton tower.	Flash 1 s; eclipse 9 s. Seasonal.  Chart:2314

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE SUPERIOR</b>							
1133.5	Welcome Islands light buoy AA1	W. of islands. 48 21 38.0 089 09 40.2	Fl G 4s	.....	.....	Green spar, marked "AA1".	Year round.  Chart:2314 Edn 07/23 (D23-025)
<b>Thunder Bay</b>							
1135	Mission Channel Approach light buoy AA4	48 21 14.5 089 10 33.9	Fl R 4s	.....	.....	Red spar, marked "AA4".	Seasonal (in place year round).  Chart:2314
1136	Mission Channel Entrance	At outer corner of breakwater. 48 21 00.3 089 12 04	Fl G 4s	9.3	7	White cylindrical tower, green upper portion. 7.3	Seasonal.  Chart:2314 Edn 05/16 (D15-003)
1137	Mission Channel light buoy A8	On N. side of channel at entrance. 48 21 05.2 089 12 01.2	Fl R 4s	.....	.....	Red spar, marked "A8".	Year round.  Chart:2314 Edn 07/23 (D23-026)
1138	Mission River Entrance Breakwater	On inner end of breakwater. 48 21 14.1 089 13 01.7	Fl G 4s	6.4	5	Cylindrical mast, red and white rectangular daymark with black square in centre. 4.9	Seasonal.  Chart:2314 Edn 10/22 (D22-035)
1138.5	Mission River Entrance Inner light buoy A14	On N. side of channel. 48 21 19.0 089 13 01.9	Fl R 4s	.....	.....	Red spar, marked "A14".	Seasonal (in place year round).  Chart:2314 Edn 07/23 (D23-021)
1138.6	Mission Basin light buoy AD1	48 21 15.4 089 13 17.9	Fl G 4s	.....	.....	Green spar, marked "AD1".	Seasonal (in place year round).  Chart:2314 Edn 07/23 (D23-022)
1138.7	Mission Basin light buoy AD2	48 21 19.0 089 13 26.9	Fl R 4s	.....	.....	Red spar, marked "AD2".	Seasonal (in place year round).  Chart:2314 Edn 07/23 (D23-023)
1138.8	Mission Basin light buoy AD3	48 21 09.0 089 13 25.0	Fl G 4s	.....	.....	Green spar, marked "AD3".	Seasonal (in place year round).  Chart:2314 Edn 07/23 (D23-024)
1139	Mission Channel range	At mouth of Mission River. 48 21 25 089 13 33	F R	.....	11.3	Cylindrical mast, white daymark, red vertical stripe. 9.1	Visible in line of range. Seasonal.
1140		289°05' 259.1m from front.	F R	.....	17.1	Square skeleton tower, white daymark, red vertical stripe. 13.7	Seasonal.  Chart:2314
1141	Old Dumping Ground Shoal light buoy P2	NE. of McKellar Island. 48 23 08.5 089 10 41.7	Fl R 4s	.....	.....	Red spar, marked "P2".	Seasonal (in place year round).  Chart:2314

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE SUPERIOR</b>							
1143.3	Kaministiquia River Entrance light buoy D1	E. side of river entrance. 48 23 45.5 089 11 57.2	Fl G 4s	.....	.....	Green spar, marked "D1".	Seasonal (in place year round).  <b>Chart:2314</b>
1144	Kaministiquia River Entrance	On breakwater at N. side of river entrance. 48 23 53 089 12 00	Fl R 10s	6.7	.....	Mast on a building.	Flash 4 s; eclipse 6 s. Emergency light. Floodlit. Seasonal.  <b>Chart:2314</b>
1144.1	Kaministiquia River Terminal Entrance light buoy D7	48 23 35.5 089 12 39.2	Q G 1s	.....	.....	Green spar, marked "D7".	Seasonal (in place year round).  <b>Chart:2314</b>
1144.3	Kaministiquia River Entrance Inner	N. side of Old Elevator wharf. 48 23 37.5 089 12 54.5	Fl R 5s	7.7	.....	Cylindrical mast, red and white rectangular daymark. 6.1	Flash 1 s; eclipse 4 s. Seasonal.  <b>Chart:2314</b>
1144.4	Kaministiquia River Entrance South	48 23 32 089 12 50	F G	.....	4.5	Mast.	Privately maintained. Year round.  <b>Chart:2314</b>
1145	Kaministiquia River	On S. bank of river. 48 21 43 089 15 22.4	Iso G 8s	12.9	.....	Cylindrical mast, red and white rectangular daymark. 6.2	Seasonal.  <b>Chart:2314</b>
1146	Kaministiquia River Water Mains Crossing North	On N. side of river. 48 21 47.9 089 15 31.7	Iso R 8s	10.1	.....	Cylindrical mast. 6.3	Visible from 285° through N. and E. to 105°. Seasonal.  <b>Chart:2314</b>
1147	Kaministiquia River Water Mains Crossing South	On S. side of river. 48 21 43.3 089 15 35.4	Iso G 8s	7.9	.....	Cylindrical mast, red and white rectangular daymark. 6.2	Seasonal.  <b>Chart:2314</b>
1150	Thunder Bay South Entrance, North	On N. side of S. entrance to harbour. 48 24 43.5 089 12 21	Fl R 4s	9.4	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 6.1	Seasonal.  <b>Chart:2314</b>
1150.3	Thunder Bay South Entrance, South	On breakwater, S. side of S. entrance. 48 24 38 089 12 18	Fl G 5s	8.2	.....	Mast on building.	Flash 1 s; eclipse 4 s. Floodlit. Seasonal.  <b>Chart:2314</b>
1151	Thunder Bay Central Entrance, South	On breakwater, S. side of main entrance. 48 25 53.8 089 11 51.8	Fl G 4s	7.0	5	Cylindrical mast, red and white rectangular daymark with black square in centre. 6.1	Seasonal.  <b>Chart:2314 Edn 04/22 (D22-014)</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE SUPERIOR</b>							
1152	<b>Thunder Bay Main</b>	On end of breakwater, N. side of Central entrance. 48 25 58 089 11 45	Fl R 5s	14.9	<b>16</b>	White square tower. 9.4	Flash every 5 s. Floodlit. Seasonal.  <b>Horn</b> - Blast 2 s; sil. 3 s; blast 2 s; sil. 3 s; blast 2 s; sil. 48 s.  Mariners requiring horn to be turned on can activate it clicking radio mike five times within a five (5) second window on channel 19 - 156.95 VHF. Horn can be activated with 1 watt power at 3 NM range. Horn will stay activated for 30 minutes and can be reactivated as required.  <b>Chart:2314</b>
1153	<i>Thunder Bay light buoy E3</i>	<i>W. of main entrance. 48 25 56 089 12 14.3</i>	<i>Q G 1s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "E3".</i>	<i>Seasonal (in place year round).</i>  <b>Chart:2314</b>
1156	Thunder Bay North Entrance South	Near N. end of S. breakwater. 48 26 38 089 10 38	Fl G 4s	9.4	.....	Mast on a building.	Floodlit. Emergency light. Seasonal.  <b>Chart:2314</b>
1157	Thunder Bay North Entrance North	Near SW. end of N. breakwater. 48 26 42 089 10 32	Fl R 4s	8.5	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre.	Floodlit. Seasonal.  <b>Chart:2314</b>
1158	Pie Island	On point of island. 48 13 40.9 089 10 28.6	Fl W 4s	8.3	5	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal.  <b>Chart:2326 Edn 12/19 (D19-014) Edn 07/23 (D23-015)</b>
1159	Mink Point	On point. 48 08 20.2 089 18 09.3	Fl W 4s	9.1	5	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal.  <b>Chart:2326 Edn 07/23 (D23-016)</b>
1160	Jarvis Rock	W. side of Spar Channel. 48 06 07.8 089 17 37.9	Fl W 4s	12.2	5	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal.  <b>Chart:2326 Edn 07/23 (D23-017)</b>
1161	Victoria Island	Extremity of point at NW. end of island. 48 04 52.6 089 21 36.5	Fl W 4s	18.0	5	Skeleton tower, red and white trapezoidal daymarks. 9.1	Seasonal.  <b>Chart:2326 Edn 06/23 (D23-018)</b>