

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

| No.                 | Name                               | Position<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics |   |       | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground | Remarks<br>-----<br>Fog Signals   |
|---------------------|------------------------------------|---|--------------------------|---|-------|--|-----------------------|--|---|
| <b>OTTAWA RIVER</b> |                                    |   |                          |   |       |  |                       |  |   |
| 1255                | Carillon Lock<br>(Foot of Lock)    | On end of dyke at<br>SE. entrance.<br>45 34 07.7<br>074 22 47.1 | F                        | R | ..... | 6.1  | .....                 | Mast.  | Maintained by Parks Canada.<br>Seasonal.<br><br><b>Chart:1510</b>                                     |
| 1256                | Carillon Lock<br>(Upper Entrance)  | At NW. entrance.<br>45 34 16<br>074 22 57.6                     | F                        | R | ..... | 3.8  | .....                 | Mast.  | Maintained by Parks Canada.<br>Seasonal.<br><br><b>Chart:1514</b>                                     |
| 1259.5              | Light buoy H216                    | 45 35 48.6<br>074 28 32.4                                       | Fl                       | R | 4s    | .....                                      | .....                 | Red, marked "H216".                                      | Privately maintained.<br>Seasonal.<br><br><b>Chart:1514</b>   |
| 1263                | Pont Long-Sault                    | 45 37 09.1<br>074 35 51.1                                       | F                        | R | ..... | .....                                      | .....                 | On bridge.   | Maintained by Ontario Ministry of<br>Transport.<br>Year round.<br><br><b>Chart:1514</b>               |
| 1263.5              | Pont Long-Sault                    | 45 37 07.6<br>074 35 52.3                                       | F                        | G | ..... | .....                                      | .....                 | On bridge.   | Maintained by Ontario Ministry of<br>Transport.<br>Year round.<br><br><b>Chart:1514</b>               |
| 1264.6              | Hawkesbury Wharf<br>light buoy HK3 | 45 36 59.2<br>074 36 04.6                                       | Fl                       | G | 4s    | .....                                      | .....                 | Green, marked "HK3".                                     | Privately maintained by<br>Hawkesbury Township.<br>Seasonal.<br><br><b>Chart:1514</b>                 |
| 1264.7              | Hawkesbury Wharf<br>light buoy HK4 | 45 37 00.2<br>074 36 05.6                                       | Fl                       | R | 4s    | .....                                      | .....                 | Red, marked "HK4".                                       | Privately maintained by<br>Hawkesbury Township.<br>Seasonal.<br><br><b>Chart:1514</b>                 |
| 1266                | Grenville light<br>buoy H245       | 45 37 25.2<br>074 36 30.6                                       | Fl                       | G | 4s    | .....                                      | .....                 | Green, marked "H245".                                    | (Winter spar.)<br>Seasonal.<br><br><b>Chart:1514</b><br>Edn 03/13<br>Edn 04/23 (Q23-002)<br>Edn 05/23 |
| 1268                | Grenville light<br>buoy H247       | 45 37 24.2<br>074 37 05.7                                       | Fl                       | G | 4s    | .....                                      | .....                 | Green, marked "H247".                                    | (Winter spar.)<br>Seasonal.<br><br><b>Chart:1514</b><br>Edn 03/13<br>Edn 04/23 (Q23-003)<br>Edn 05/23 |
| 1270.5              | Grants Point light<br>buoy H258    | 45 38 14.6<br>074 38 17.8                                       | Fl                       | R | 4s    | .....                                      | .....                 | Red, marked "H258".                                      | Seasonal.<br><br><b>Chart:1514</b><br>Edn 03/13<br>Edn 04/23 (Q23-004)                                |
| 1271                | Grants Point light<br>buoy H259    | 45 38 15.2<br>074 38 46.7                                       | Fl                       | G | 4s    | .....                                      | .....                 | Green, marked "H259".                                    | Seasonal.<br><br><b>Chart:1514</b><br>Edn 03/13<br>Edn 04/23 (Q23-013)                                |

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

| No.                 | Name  | Position<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground | Remarks<br>-----<br>Fog Signals   |
|---------------------|---|--|--------------------------|--|-----------------------|--|---|
| <b>OTTAWA RIVER</b> |   |  |                          |  |                       |  |   |
| 1283.1              | Île Ste-Rosalie<br>light buoy H311                        | 45 38 19.1<br>074 56 59.0                        | Fl G 4s                  | .....                                      | .....                 | Green, marked "H311".                                    | Seasonal.<br><br>Chart:1514<br>Edn 03/13<br>Edn 04/23 (Q23-006)                           |
| 1284.31             | Light buoy PAP  | 45 36 48.6<br>074 59 15.5                        | Fl R<br>(2+1)            | 6s   | .....                 | Red, green and red,<br>marked "PAP".                     | Maintained by Municipalité du<br>village de Papineauville.<br>Seasonal.<br><br>Chart:1514 |
| 1284.32             | Baie de la<br>Pentecôte<br>Entrance light<br>buoy HP9     | 45 36 55.1<br>074 59 25.9                        | Fl G 4s                  | .....                                      | .....                 | Green, marked "HP9".                                     | Maintained by Municipalité du<br>village de Papineauville.<br>Seasonal.<br><br>Chart:1514 |
| 1284.34             | Papineauville<br>Wharf light buoy<br>HP30                 | 45 36 42.5<br>075 00 47.6                        | Fl R 4s                  | .....                                      | .....                 | Red, marked "HP30".                                      | Maintained by Municipalité du<br>village de Papineauville.<br>Seasonal.<br><br>Chart:1514 |
| 1288.5              | Îles Thurso light<br>buoy H356                            | 45 34 44.9<br>075 09 14.7                        | Fl R 4s                  | .....                                      | .....                 | Red, marked "H356".                                      | Seasonal.<br><br>Chart:1515<br>Edn 03/13<br>Edn 04/23 (Q23-007)                           |
| 1288.7              | Île Fer à Cheval<br>light buoy H361                       | 45 35 10.2<br>075 10 05.7                        | Fl G 4s                  | .....                                      | .....                 | Green, marked "H361".                                    | Seasonal.<br><br>Chart:1515<br>Edn 03/13<br>Edn 07/23 (Q23-008)                           |
| 1289.9              | Clarence Island<br>light buoy H373                        | 45 35 07.2<br>075 14 18.7                        | Fl G 4s                  | .....                                      | .....                 | Green, marked "H373".                                    | Seasonal.<br><br>Chart:1515<br>Edn 03/13<br>Edn 04/23 (Q23-009)                           |
| 1291.1              | Rockland light<br>buoy H388                               | 45 33 11.1<br>075 18 28.9                        | Fl R 4s                  | .....                                      | .....                 | Red, marked "H388".                                      | Seasonal.<br><br>Chart:1515<br>Edn 03/13<br>Edn 04/23 (Q23-010)                           |
| 1293.9              | Battures Way light<br>buoy H424                           | 45 30 07.2<br>075 31 01.2                        | Fl R 4s                  | .....                                      | .....                 | Red, marked "H424".                                      | Seasonal.<br><br>Chart:1515<br>Edn 03/13<br>Edn 05/23 (Q23-011)                           |
| 1295.1              | Battures Green<br>light buoy H435                         | 45 28 22.2<br>075 35 40.8                        | Fl G 4s                  | .....                                      | .....                 | Green, marked "H435".                                    | Seasonal.<br><br>Chart:1515<br>Edn 03/13<br>Edn 05/23 (Q23-012)                           |
| 1295.6              | Bifurcation light<br>buoy KET                             | 45 28 25.6<br>075 37 23.8                        | Fl R<br>(2+1)            | 6s   | .....                 | Red, green and red,<br>marked "KET".                     | Seasonal.<br><br>Chart:1515   |
| 1295.82             | Rockcliffe Yacht<br>Club – Information<br>light buoy PRIV | 45 27 54.2<br>075 38 40.7                        | Fl Y 4s                  | .....                                      | .....                 | White and orange, marked<br>"PRIV, NO WAKE".             | Private aid.<br>Seasonal.<br><br>Chart:1515<br>Edn 10/18 (Q18-024)                        |

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

| No.                 | Name  | Position<br>-----<br>Latitude N.<br>Longitude W.       | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground | Remarks<br>-----<br>Fog Signals   |
|---------------------|---|--|--------------------------|--|-----------------------|--|---|
| <b>OTTAWA RIVER</b> |   |  |                          |  |                       |  |   |
| 1295.84             | Rockcliffe Yacht Club – Information light buoy PRIV | 45 27 58.0<br>075 38 41.6                              | Fl Y 4s                  | .....                                      | .....                 | White and orange, marked "PRIV, NO WAKE".                | Private aid.<br>Seasonal.<br><br>Chart:1515<br>Edn 10/18 (Q18-025)          |
| 1295.86             | Rockcliffe Yacht Club – Information light buoy PRIV | 45 27 59.8<br>075 38 32.9                              | Fl Y 4s                  | .....                                      | .....                 | White and orange, marked "PRIV, NO WAKE".                | Private aid.<br>Seasonal.<br><br>Chart:1515<br>Edn 10/18 (Q18-026)          |
| 1295.88             | Rockcliffe Yacht Club – Information light buoy PRIV | 45 28 01.7<br>075 38 25.6                              | Fl Y 4s                  | .....                                      | .....                 | White and orange, marked "PRIV, NO WAKE".                | Private aid.<br>Seasonal.<br><br>Chart:1515<br>Edn 10/18 (Q18-027)          |
| 1295.9              | Rockcliffe Yacht Club – Information light buoy PRIV | 45 27 57.7<br>075 38 25.9                              | Fl Y 4s                  | .....                                      | .....                 | White and orange, marked "PRIV, NO WAKE".                | Private aid.<br>Seasonal.<br><br>Chart:1515<br>Edn 10/18 (Q18-028)          |
| 1295.92             | Rockcliffe Yacht Club – Information light buoy PRIV | 45 27 56.4<br>075 38 32.4                              | Fl Y 4s                  | .....                                      | .....                 | White and orange, marked "PRIV, NO WAKE".                | Private aid.<br>Seasonal.<br><br>Chart:1515<br>Edn 10/18 (Q18-029)          |
| 1296.2              | South Cardinal light buoy OTT                       | 45 27 48.1<br>075 40 38.8                              | Q(6)<br>+LFl             | W 15s                                      | .....                 | .....  | Black and yellow, marked "OTT".<br>Seasonal.<br><br>Chart:1515              |
| 1296.30             | Rockcliffe Information light buoy Priv              | Rockcliffe, Ottawa River.<br>45 27 27.3<br>075 41 11.7 | Fl Y 4s                  | .....                                      | .....                 | White and Orange.  | Privately maintained.<br>Seasonal.<br><br>Chart:1515<br>Edn 04/16 (Q16-057) |
| 1296.31             | Rockcliffe Information light buoy Priv              | Rockcliffe, Ottawa River.<br>45 27 27.3<br>075 41 6.8  | Fl Y 4s                  | .....                                      | .....                 | White and Orange.  | Privately maintained.<br>Seasonal.<br><br>Chart:1515<br>Edn 04/16 (Q16-058) |
| 1296.32             | Rockcliffe Information light buoy Priv              | Rockcliffe, Ottawa River.<br>45 27 22<br>075 41 21.2   | Fl Y 4s                  | .....                                      | .....                 | White and Orange.  | Privately maintained.<br>Seasonal.<br><br>Chart:1515<br>Edn 04/16 (Q16-059) |
| 1296.33             | Rockcliffe Information light buoy Priv              | Rockcliffe, Ottawa River.<br>45 27 20.1<br>075 41 18.1 | Fl Y 4s                  | .....                                      | .....                 | White and Orange.  | Privately maintained.<br>Seasonal.<br><br>Chart:1515<br>Edn 04/16 (Q16-060) |
| 1296.34             | Rockcliffe Information light buoy Priv              | Rockcliffe, Ottawa River.<br>45 27 15.5<br>075 41 24.1 | Fl Y 4s                  | .....                                      | .....                 | White and Orange.  | Privately maintained.<br>Seasonal.<br><br>Chart:1515<br>Edn 04/16 (Q16-061) |
| 1296.35             | Rockcliffe Information light buoy Priv              | Rockcliffe, Ottawa River.<br>45 27 18.0<br>075 41 25.8 | Fl Y 4s                  | .....                                      | .....                 | White and Orange.  | Privately maintained.<br>Seasonal.<br><br>Chart:1515<br>Edn 04/16 (Q16-062) |

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

| No.                  | Name  | Position<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground                                | Remarks<br>-----<br>Fog Signals   |
|----------------------|---|--|--------------------------|--|-----------------------|---|---|
| <b>OTTAWA RIVER</b>  |   |  |                          |  |                       |   |   |
| 1296.4               | Casino de Hull<br>Information light<br>buoy | 45 27 19.2<br>075 41 28.8                        | Fl Y 4s                  | .....                                      | .....                 | White and orange marked<br>"Casino de Hull, Quai<br>d'accostage, Docking<br>Facilites". | Privately maintained.<br>Seasonal.<br><br><b>Chart:1515</b>                               |
| 1296.41              | Casino de Hull<br>Information light<br>buoy | 45 27 23.2<br>075 42 02.8                        | Fl Y 4s                  | .....                                      | .....                 | White and orange marked<br>"Casino de Hull, Quai<br>d'accostage, Docking<br>Facilites". | Privately maintained.<br>Seasonal.<br><br><b>Chart:1515</b>                               |
| 1296.42              | Casino de Hull<br>Information light<br>buoy | 45 27 25.2<br>075 42 56.8                        | Fl Y 4s                  | .....                                      | .....                 | White and orange marked<br>"Casino de Hull, Quai<br>d'accostage, Docking<br>Facilites". | Privately maintained.<br>Seasonal.<br><br><b>Chart:1515</b>                               |
| 1296.45              | Bifurcation light<br>buoy GAT               | 45 27 12<br>075 41 35                            | Fl R<br>(2+1)            | .....                                      | .....                 | Red, green and red,<br>marked "GAT".  | Seasonal.<br><br><b>Chart:1515<br/>Edn 05/10 (Q10-023)</b>                                |
| 1296.46              | Macdonald-Cartier<br>Bridge                 | 45 26 12.9<br>075 42 09.1                        | F G                      | .....                                      | 15.9                  | On bridge.  | Year round.<br><br><b>Chart:1515</b>  |
| 1296.47              | Macdonald-Cartier<br>Bridge                 | 45 26 13.8<br>075 42 13.1                        | F R                      | .....                                      | 15.9                  | On bridge.  | Year round.<br><br><b>Chart:1515</b>  |
| 1296.48              | Casino de Hull<br>Information light<br>buoy | 45 26 12.2<br>075 42 11.8                        | Fl Y 4s                  | .....                                      | .....                 | White and orange marked<br>"Casino de Hull, Quai<br>d'accostage, Docking<br>Facilites". | Privately maintained.<br>Seasonal.<br><br><b>Chart:1515</b>                               |
| 1296.49              | Pont Alexandra<br>FR                        | 45 25 48.9<br>075 42 16.2                        | F R                      | .....                                      | .....                 | .....   | Privately maintained.<br><br><b>Chart:1515<br/>Edn 08/15 (Q15-138)</b>                    |
| 1296.491             | Pont Alexandra<br>FR                        | 45 25 47.2<br>075 42 12.4                        | F G                      | .....                                      | .....                 | .....   | Privately maintained.<br><br><b>Chart:1515<br/>Edn 08/15 (Q15-139)</b>                    |
| <b>Lac Deschênes</b> |   |  |                          |  |                       |   |   |
| 1296.5               | Britannia Yacht<br>Club range               | 45 22 24.5<br>075 48 14                          | F Y                      | .....                                      | 7.0                   | Cylindrical mast.<br>5.0  | Maintained by Britannia Yacht<br>Club.<br>Floodlit.<br>Seasonal.                          |
| 1296.6               |   | 090°30' 174.1m<br>from front.                    | F Y                      | .....                                      | 10.7                  | Cylindrical mast.<br>8.8  | Maintained by Britannia Yacht<br>Club.<br>Floodlit.<br>Seasonal.<br><br><b>Chart:1550</b> |
| 1296.7               | Britannia Yacht<br>Club                     | 45 22 19.5<br>075 48 14                          | Q R 1s                   | 5.5  | .....                 | Cylindrical mast.<br>3.6  | Maintained by Britannia Yacht<br>Club.<br>Seasonal.<br><br><b>Chart:1550</b>              |



**INLAND WATERS – List of Lights, Buoys and Fog Signals**

| No.  | Name                                  | Position<br>-----<br>Latitude N.<br>Longitude W.                   | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground                           | Remarks<br>-----<br>Fog Signals   |
|--|---------------------------------------|--|--------------------------|--|-----------------------|--|---|
| <b>OTTAWA RIVER</b>                                      |                                       |  |                          |  |                       |  |   |
| 1305.4   | Litchfield                            | On wharf.<br>45 46 06.3<br>076 38 20.5                             | Fl Y 4s                  | 3.0  | .....                 | Mast.<br>2.4   | Privately maintained.<br>Seasonal.<br><br>Chart:1552  |
| 1305.5   | Davidson                              | On outer end of<br>wharf.<br>45 52 21.3<br>076 46 25.3             | Fl Y 4s                  | 3.0  | .....                 | Mast.<br>2.4   | Private aid.<br>Seasonal.<br><br>Chart:1552<br>Edn 03/19 (B19-001)  |
| 1306.1   | Waltham Municipal<br>Wharf            | On wharf.<br>45 54 23.8<br>076 56 02                               | Fl Y 4s                  | 3.0  | .....                 | Cylindrical mast.<br>2.4   | Private aid.<br>Seasonal.<br><br>Chart:1552   |
| <b>Pembroke to Rapides-des-Joachims (Allumette Lake)</b> |                                       |  |                          |  |                       |  |   |
| 1306.5   | Petawawa                              | On John Doe<br>Island.<br>45 54 05.7<br>077 13 40.8                | Fl W 4s                  | 8.0  | 5                     | White cylindrical mast,<br>orange upper portion,<br>orange rectangular<br>daymark. | Seasonal.<br><br>Chart:1553   |
| 1306.7   | Pembroke                              | On far end of<br>breakwall at marina.<br>45 49 47.2<br>077 07 02.1 | Iso G 4s                 | 10.4                                       | 5                     | White cylindrical tower with<br>green top.<br>6.1                                  | Seasonal.<br><br>Chart:1553<br>Edn 08/20 (B20-003)  |
| 1307   | Desjardinsville                       | On breakwater.<br>45 50 42.4<br>077 06 52.4                        | Fl R 6s                  | 10.1                                       | .....                 | White cylindrical tower, red<br>upper portion.<br>6.6                              | Flash every 6 s.<br>Maintained by Pontiac Waterway<br>Development Corporation.<br>Seasonal.<br><br>Chart:1553 |
| 1309   | Fort William                          | On outer end of<br>wharf.<br>45 57 03.1<br>077 16 20.5             | Fl W 4s                  | 7.6  | 5                     | White mast, orange square<br>daymark.<br>6.2                                       | Seasonal.<br><br>Chart:1553   |
| 1310.1   | Short Turn Island<br>light buoy K65/1 | 45 55 50.2<br>077 15 21.5  | Q G 1s                   | .....                                      | .....                 | Green spar, marked<br>"K65/1".   | Seasonal (in place year round).<br><br>Chart:1553<br>Edn 08/20 (B20-035)                                      |
| 1310.4   | Short Turn Island<br>light buoy K66   | Fort William.<br>45 56 28.2<br>077 16 29.4                         | Fl R 4s                  | .....                                      | .....                 | Red spar, marked "K66".  | Seasonal (in place year round).<br><br>Chart:1553<br>Edn 08/20 (B20-027)                                      |
| 1311   | Deep River Islet                      | Above islet.<br>46 00 45.8<br>077 16 49.4                          | Fl W 4s                  | 15.8                                       | 5                     | White structure.<br>9.0  | Seasonal.<br><br>Chart:1553   |
| 1312   | McQuestin Point                       | On S. shore of<br>Ottawa River.<br>46 03 52.2<br>077 22 52.7       | Fl W 4s                  | 6.4  | 5                     | White square structure.<br>6.5   | Seasonal.<br><br>Chart:1553   |
| 1313   | Deep River<br>Harbour                 | On outer end of<br>wharf.<br>46 06 26.6<br>077 29 13.2             | Fl R 4s                  | 6.3  | 5                     | White cylindrical tower, red<br>upper portion.<br>5.3                              | Seasonal.<br><br>Chart:1553   |

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

| No. | Name | Position<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground | Remarks<br>-----<br>Fog Signals |
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|

**OTTAWA RIVER**

**Rapides-des-Joachims to  
Mattawa (Holden Lake)**

|      |                   |  |         |     |   |  |                                    |
|------|-------------------|--|---------|-----|---|--|------------------------------------|
| 1314 | Marsh Lake Point  | On islet.<br>46 11 32.2<br>077 45 07.1   | Fl W 4s | 4.8 | 5 | White cylindrical mast,<br>orange square daymark.<br>3.7 | Seasonal.<br><br><b>Chart:1554</b> |
| 1315 | Mackey Point      | E. of point.<br>46 12 06.2<br>077 49 41.1  | Fl W 4s | 4.9 | 5 | White cylindrical mast,<br>orange square daymark.<br>3.7 | Seasonal.<br><br><b>Chart:1554</b> |
| 1316 | Stonecliffe       | On S. shore W. of<br>Stonecliffe.<br>46 13 08.2<br>077 54 05.1                               | Fl W 4s | 5.5 | 5 | White cylindrical mast,<br>orange square daymark.<br>3.7 | Seasonal.<br><br><b>Chart:1554</b> |
| 1317 | Bissett Bay Point | On S. shore NE. of<br>Bissett.<br>46 14 37.7<br>078 01 16.1                                  | Fl G 4s | 5.5 | 4 | White cylindrical mast,<br>orange square daymark.<br>3.7 | Seasonal.<br><br><b>Chart:1554</b> |
| 1318 | Powell Creek      | NE. of creek.<br>46 14 06.4<br>078 01 35.5   | Fl W 4s | 5.5 | 5 | White cylindrical mast,<br>orange square daymark.<br>3.7 | Seasonal.<br><br><b>Chart:1554</b> |
| 1319 | Deerhorn Rock     | On small rock islet<br>on S. side of river,<br>E. of Moose Bay.<br>46 16 28.8<br>078 09 12.2 | Fl W 4s | 4.8 | 5 | White cylindrical mast,<br>orange square daymark.<br>3.7 | Seasonal.<br><br><b>Chart:1554</b> |
| 1320 | Deux Rivières     | On NW. point of<br>island, N. of Deux<br>Rivières.<br>46 15 44.9<br>078 16 55.1              | Fl W 4s | 6.3 | 5 | White cylindrical mast,<br>orange square daymark.<br>4.5 | Seasonal.<br><br><b>Chart:1554</b> |
| 1321 | Bear Point        | On N. side of point<br>W. of Deux<br>Rivières.<br>46 15 18.3<br>078 19 10.1                  | Fl W 4s | 4.9 | 5 | White cylindrical mast,<br>orange square daymark.<br>3.7 | Seasonal.<br><br><b>Chart:1554</b> |
| 1322 | Bald Rock         | On SW. corner of<br>island.<br>46 17 02.4<br>078 22 19.2                                     | Fl R 4s | 5.5 | 3 | White cylindrical mast,<br>orange square daymark.<br>3.7 | Seasonal.<br><br><b>Chart:1554</b> |