

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE WINNIPEG</b>							
1563.1	Red River Mouth light buoy X20	S. end of lake. 50 23 41.5 096 48 31.5	Fl R 4s	.....	.....	Red spar, marked "X20".	Seasonal.  Chart:6242 Edn 01/19 (A18-034, A19-002)
1563.7	Red River Mouth light buoy X6	S. end of lake. 50 24 42.2 096 48 15.9	Fl R 4s	.....	.....	Red spar, marked "X6".	Seasonal.  Chart:6242 Edn 04/16 (A16-005) Edn 01/19 (A18-043)
1563.8	Red River Mouth light buoy X7	S. end of lake. 50 24 42.1 096 48 13.9	Fl G 4s	.....	.....	Green spar, marked "X7".	Seasonal.  Chart:6242 Edn 01/19 (A18-050)
1564	Red River Mouth light buoy X	50 25 10.1 096 48 07.6	Mo(A) W 6s	.....	.....	Red and white vertical striped spar, marked "X".	Seasonal.  Chart:6242 Edn 04/16 (A16-001) Edn 01/19 (A18-059)
1565	Winnipeg Beach Breakwall	On outer end of breakwall. 50 30 21.1 096 57 48.4	Fl R 4s	10.3	5	White square tower, red bands at top and bottom.	Position in NAD 83. Seasonal.  Chart:6251 Edn 06/18 (A18-015) Edn 08/18 (A18-025)
1565.5	Winnipeg Beach Inner range	Boundary Creek entrance. 50 30 30.0 096 58 05.9	F R	.....	5.6	16  Cylindrical mast, white daymark, orange vertical stripe.  3.3	Visible in line of range. Operates 24 h. Position in NAD 83. Seasonal.
1565.6		320° 144.8 m from front.	F R	.....	8.9	.....  Cylindrical mast, white daymark, orange vertical stripe.  6.4	Visible in line of range. Seasonal.  Chart:6251 Edn 08/18 (A18-026)
1566	Winnipeg Beach range	On shore at Winnipeg Beach. 50 30 22 096 58 03	F G	.....	6	.....  Cylindrical mast, white daymark, orange vertical stripe.  5.0	Visible in line of range. Seasonal.
1567		301°30' 89 m from front.	F G	.....	8.6	.....  Cylindrical mast, white daymark, orange vertical stripe.  7.5	Visible in line of range. Seasonal.  Chart:6251
1568	Willow Point	Eastern extremity of point. 50 35 52.1 096 56 29.2	Fl W 4s	7.7	.....	Cylindrical mast, red and white rectangular daymark.  5.0	Seasonal.  Chart:6251
1569	Gimli	On outer end of breakwater. 50 37 44.9 096 58 51.1	Fl R 4s	7.7	5	White square skeleton tower, red bands at top and bottom.	Position in NAD 83. Seasonal.  Chart:6251 Edn 07/18 (A18-014, 024)
1570	Gimli Harbour	On outer end of breakwater. 50 37 45.5 096 58 53.5	Fl G 4s	2.7	.....	Cylindrical mast.	Privately maintained by the Town of Gimli. Seasonal.  Chart:6251

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE WINNIPEG</b>							
1570.5	Lake Winnipeg South Basin cautionary light buoy North PRIV	Middle of S. basin, NE. of Gimli. 50 44 32.4 096 50 00.0	Fl Y 4s	.....	.....	Yellow spar, marked "PRIV".	Seasonal.  <b>Chart:6251 Edn 12/22 (P22-039)</b>
1571.5	Silver Harbour (Arnes Breakwater)	On outer end of breakwater. 50 48 32 096 57 27	Fl R 4s	6	.....	Cylindrical mast, red and white rectangular daymark. 5.0	Seasonal.  <b>Chart:6251</b>
1572	Hnausa	On outer end of wharf. 50 54 38 096 58 43	Fl R 4s	6.1	.....	Cylindrical mast, red and white rectangular daymark. 4.9	Seasonal.  <b>Chart:6251</b>
1573	Ironwood Point	On point. 50 39 41.6 096 36 10.3	Fl W 4s	7	.....	Cylindrical mast, red and white rectangular daymark. 4.9	Seasonal.  <b>Chart:6251</b>
1573.3	Lake Winnipeg South Basin cautionary light buoy South PRIV	Middle of S. basin, E. of Gimli. 50 39 28.8 096 43 53.4	Fl Y 4s	.....	.....	Yellow spar, marked "PRIV".	Seasonal.  <b>Chart:6251 Edn 12/22 (P22-040)</b>
1573.5	Balsam Bay Breakwater	On outer end of breakwater. 50 28 23.6 096 35 00.2	Fl G 4s	7.6	5	Cylindrical mast, white rectangular daymark, red bands at top and bottom.	Seasonal.  <b>Chart:6251 Edn 01/19 (A18-028)</b>
1574	Victoria Beach	On outer end of wharf. 50 41 39.8 096 33 34.9	Fl G 4s	7.0	6	Square skeleton tower, green and white rectangular daymark.	Seasonal.  <b>Chart:6251 Edn 04/24 (P24-017)</b>
1574.1	Elk Island	N. end of island. 50 46 50 096 31 40	Fl W 4s	18.7	6	Cylindrical mast, red and white rectangular daymark. 5.1	Seasonal.  <b>Chart:6251 Edn 07/12 (D12-001)</b>
1574.11	Devil Island	E. side of Traverse Bay, off Birch Point. 50 43 50 096 25 05	Fl W 4s	10.0	6	Cylindrical mast, red and white rectangular daymark. 5.2	Seasonal.  <b>Chart:6251 Edn 06/13 (A13-003)</b>
1574.5	Winnipeg River light buoy T4	NW. of Robinson Rock. 50 38 58 096 21 44	Fl R 4s	.....	.....	Red spar, marked "T4".	Seasonal.  <b>Chart:6243</b>
1575	Pearson Reef light buoy D12	SE. of reef. 50 57 38 096 41 48	Fl R 4s	.....	.....	Red spar, marked "D12".	Seasonal.  <b>Chart:6249</b>
1575.01	Lake Winnipeg South Basin ODAS light buoy 45140	50 47 39 096 44 00	Fl(5) Y 20s	.....	.....	Yellow, marked "45140".	Maintained by Environment Canada. Seasonal.  <b>Chart:6240</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>LAKE WINNIPEG</b>								
1575.5	Hnausa Reef light buoy DD2	50 56 30 096 46 33	Fl R 4s	.....	.....	Red spar, marked "DD2".	Seasonal.  Chart:6249	
1576.5	Icelandic River Sector	Entrance to Icelandic River. 51 01 55.9 096 58 48.0	Q G W R	1s	225.7	4	White square skeleton tower, red band at top and bottom.	Red Q1s from 283.75° to 284.25°; White F from 284.25° to 284.75°; Green Q1s from 284.75° to 285.25°. Operates 24 h. Seasonal.  Chart:6249 Edn 11/17 (A17-052)
1579.1	Hecla Island	S. end of island. 51 00 23 096 45 10	Fl W 4s	5.8	.....	Cylindrical mast, red and white rectangular daymark. 4.9	Seasonal.  Chart:6249	
1579.5	Observation Point light buoy DH1	NW. of point. 51 05 01 096 30 40.5	Fl G 4s	.....	.....	Green spar, marked "DH1".	Seasonal.  Chart:6248	
1580	Hecla Breakwater	Near outer end of breakwater. 51 07 59.9 096 39 46.0	Fl G 4s	7.4	5	Square skeleton tower, green and white daymark.	Seasonal.  Chart:6249 Edn 06/18 (A18-013) Edn 10/23 (P23-091)	
1581	Red Rock Island	On island at mouth of Manigotagan River. 51 08 02 096 23 21	Fl W 4s	7.6	.....	Cylindrical mast, red and white rectangular daymark. 6.4	Seasonal.  Chart:6248	
1582	Clements Point	Extreme westerly end of point. 51 09 23 096 24 33	Fl W 4s	10.9	5	Cylindrical mast, red and white rectangular daymark. 6.6	Seasonal.  Chart:6248	
1582.5	Black Island light buoy D9	Off SW. end of island. 51 09 59 096 36 20	Fl G 4s	.....	.....	Green spar, marked "D9".	Seasonal.  Chart:6249	
1583	Gull Harbour	NE. end of Hecla Island. 51 11 36 096 36 18	Fl W 5s	27.4	7	Red skeleton tower, white upper portion.	Flash 1 s; eclipse 4 s. Seasonal.  Chart:6249 Edn 06/11 (D11-010)	
1583.1	Gull Harbour Wharf	On outer end of wharf. 51 11 50 096 37 02	Fl R 4s	6.7	3	Cylindrical mast, red and white rectangular daymark. 4.8	Seasonal.  Chart:6249	
1583.5	Deer Island	SW. end of island. 51 15 39 096 37 03	Fl W 4s	7.6	5	Cylindrical mast, red and white rectangular daymark. 6.9	Seasonal.  Chart:6248	

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE WINNIPEG</b>							
1584	Grindstone Point	51 20 45.0 096 36 17.9	Fl W 4s	15.2	7	Skeleton tower.	Seasonal.  <b>Chart:6248 Edn 07/12 (D12-001) Edn 02/19</b>
1585	Loon Straits Entrance Channel range	On rock. 51 31 54 096 35 48	F W .....	5.4	.....	Cylindrical mast, white daymark, orange vertical stripe. 4.9	Seasonal.
1586		075° 137.2m from front.	F W .....	9.1	.....	Cylindrical mast, white daymark, orange vertical stripe. 6.2	Seasonal.  <b>Chart:6267</b>
1586.5	Monkman Island light buoy D7	Off reef. 51 34 06 096 39 50	Fl G 4s	.....	.....	Green spar, marked "D7".	Seasonal.  <b>Chart:6267</b>
1586.7	Calders Dock	On outer end of wharf. 51 34 22 096 43 54	Fl G 4s	5.1	.....	Cylindrical mast, red and white rectangular daymark. 4.9	Seasonal.  <b>Chart:6267</b>
1587	Bullhead	S. entrance to The Narrows. 51 36 14 096 43 38	Fl W 4s	6.3	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 4.9	Seasonal.  <b>Chart:6267</b>
1588	Pine Dock	On end of wharf. 51 38 24 096 48 08	Fl R 4s	7.0	.....	Cylindrical mast, red and white rectangular daymark. 6.2	Seasonal.  <b>Chart:6267</b>
1589.1	Matheson Island Landing North Breakwater Light	51 43 21.8 096 54 57.2	Fl G 4s	6.6	2	Mast.	Seasonal. Position in NAD83.  <b>Chart:6267 Edn 06/17 (A16-015)</b>
1589.2	Matheson Island Landing South Breakwater Light	51 43 20.5 096 54 57.7	Fl R 4s	6.6	2	Mast.	Seasonal. Position in NAD83.  <b>Chart:6267 Edn 06/17 (A16-016)</b>
1590	West Doghead Point	W. side of The Narrows. 51 44 18 096 50 12	Fl W 4s	7.2	.....	Cylindrical mast, red and white rectangular daymark. 4.9	Seasonal.  <b>Chart:6267</b>
1591	Matheson Island	On breakwater. 51 44 29.1 096 55 12.1	Fl G 4s	7.5	5	Square skeleton tower, green and white daymark.	Seasonal.  <b>Chart:6267 Edn 06/18 (A18-012) Edn 10/23 (P23-092)</b>
1591.1	Matheson Island Harbour light buoy D4	SW. side of harbour. 51 44 30.0 096 55 10.5	Q R 1s	.....	.....	Red spar, marked "D4".	Seasonal.  <b>Chart:6267 Edn 10/18 (A18-030)</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE WINNIPEG</b>									
1592	Black Bear Island	On E. end of island. 51 46 53.8 096 52 59.2	Q	R	1s	14.1	7	Square skeleton tower, red and white rectangular daymark with red triangle in the center. 7.1	Seasonal.  <b>Chart:6267 Edn 06/23 (P23-003)</b>
1593	<b>Bloodvein River Entrance range</b>	At mouth of river. 51 47 21.5 096 43 36.8	F	G	.....	9.0	<b>15</b>	Square skeleton tower, white daymark with red vertical stripe.	Visible in line of range. Seasonal.
1593.2		109°27' 756.4 m from front.	F	G	.....	11.0	.....	Square skeleton tower, white daymark with red vertical stripe. 6.4	Visible in line of range. Seasonal.  <b>Chart:6267 Edn 05/23 (P23-001, 002)</b>
1594	Fisher River	At entrance of river. 51 26 17.9 097 17 16.0	Fl	W	4s	6.3	5	White square tower, red bands at top and bottom.	Operates 24 h. Seasonal.  <b>Chart:6267 Edn 06/18 (A18-016)</b>
1594.1	<i>Fisher River light buoy DK3</i>	<i>At entrance of river. 51 26 31.5 097 16 51.4</i>	<i>Fl</i>	<i>G</i>	<i>4s</i>	.....	.....	<i>Green spar, marked "DK3".</i>	<i>Seasonal.  Chart:6267 Edn 08/17 (A17-042)</i>
1595	Rabbit Point	Harbour entrance. 51 51 33.2 096 52 26.4	Fl	W	4s	9.7	.....	Cylindrical mast, red and white rectangular daymark. 5.0	Seasonal.  <b>Chart:6267</b>
1596	Little Tamarack Island	NE. corner of island. 51 51 42.0 097 02 39.0	Fl	W	4s	9.1	6	White square skeleton tower with red bands. 5.1	Seasonal.  <b>Chart:6267 Edn 07/12 (D12-002) Edn 03/23 (P23-032)</b>
1597	<i>Dowling Reef light buoy DM2</i>	<i>SE. from reef. 51 59 42.0 097 05 41.7</i>	<i>Fl</i>	<i>R</i>	<i>4s</i>	.....	.....	<i>Red spar, marked "DM2".</i>	<i>Seasonal.  Chart:6267 Edn 09/16 (A16-014) Edn 10/16 Edn 08/18 (A18-027)</i>
1597.01	<i>Lake Winnipeg Narrows ODAS light buoy 45145</i>	<i>51 52 00 096 58 00</i>	<i>Fl(5)</i>	<i>Y</i>	<i>20s</i>	.....	.....	<i>Yellow, marked "45145".</i>	<i>Maintained by Environment Canada. Seasonal.  Chart:6240</i>
1597.3	<b>Catfish Creek range 1</b>	52 07 54 097 00 47	F	W	.....	8.6	.....	Cylindrical mast, white daymark, orange vertical stripe. 6.4	Seasonal.
1597.4		033° 285m from front.	F	W	.....	13.3	.....	Skeleton tower, white daymark, orange vertical stripe. 12.5	Seasonal.  <b>Chart:6267</b>
1597.5	<i>Catfish Creek light buoy D1</i>	<i>52 05 28 097 03 24</i>	<i>Fl</i>	<i>G</i>	<i>4s</i>	.....	.....	<i>Green spar, marked "D1".</i>	<i>Seasonal.  Chart:6267</i>

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE WINNIPEG</b>							
1597.6	Cattfish Creek range 2	52 07 57 097 01 11	F G .....	6.0	.....	Cylindrical mast, white daymark, orange vertical stripe. 5.0	Seasonal.
1597.7		356° 81m from front.	F G .....	8.5	.....	Cylindrical mast, white daymark, orange vertical stripe. 6.2	Seasonal.  <b>Chart:6267</b>
1597.8	Cattfish Creek range 3	52 07 56 097 01 02	F R .....	5.9	.....	Cylindrical mast, white daymark, orange vertical stripe. 5.0	Seasonal.
1597.9		016° 103m from front.	F R .....	7.1	.....	Cylindrical mast, white daymark, orange vertical stripe. 6.1	Seasonal.  <b>Chart:6267</b>
1598	<i>Crowduck Reef light buoy DM4</i>	<i>NE. of Stoney Point. 52 01 55 097 16 45</i>	<i>Fl R 4s</i>	.....	.....	<i>Red spar, marked "DM4".</i>	<i>Seasonal.</i>  <b>Chart:6267</b>
1598.2	Willow Point range	52 02 54 097 21 38	F W .....	8.8	.....	Cylindrical mast, white daymark, orange vertical stripe. 7.6	Visible in line of range. Seasonal.
1598.3		288° 68.4m from front.	F W .....	16.5	.....	Skeleton tower, white daymark, orange vertical stripe. 15.5	Visible in line of range. Seasonal. Visible from all points of marine approach.  <b>Chart:6267</b>
1598.5	McBeth Point range	W. shore, Lake Winnipeg. 52 07 36 097 29 54	F W .....	7.6	.....	Cylindrical mast, white daymark, orange vertical stripe. 5.1	Visible in line of range. Seasonal.
1598.6		305° 121.9m from front.	F W .....	9.8	.....	Square skeleton tower, white daymark, orange vertical stripe. 7.6	Visible in line of range. Seasonal.  <b>Chart:6267</b>
1599	McBeth Point	On N. end of point. 52 07 54.0 097 29 24.0	Fl W 4s	11.6	5	White square skeleton tower with red bands at top and bottom.	Seasonal.  <b>Chart:6267 Edn 04/23 (P23-039)</b>
1599.5	<i>Pigeon Point light buoy C59</i>	<i>Off Pigeon Point reef. 52 15 28 097 10 50</i>	<i>Fl G 4s</i>	.....	.....	<i>Green spar, marked "C59".</i>	<i>Seasonal.</i>  <b>Chart:6267</b>
1600	Cox Reef	On the reef, E. of Berens Island. 52 19 18 097 13 01	Fl W 4s	15.2	.....	Skeleton tower, white daymark, facing S. and red and white daymark facing E.	Seasonal.  <b>Chart:6268</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE WINNIPEG</b>							
1601	Pelican Island	N. end of island. 52 20 13 097 25 18	Fl W 4s	5.8	.....	Cylindrical mast, red and white rectangular daymark. 4.9	Seasonal.  <b>Chart:6267</b>
1602	Berens Island	NE. extremity of island. 52 22 03 097 15 29	Fl W 4s	14.0	.....	Skeleton tower. 13.3	Seasonal.  <b>Chart:6268</b>
1603	Barrel Rock	On rock at mouth of Berens River. 52 22 50 097 07 13	Q W 1s	7.8	.....	Cylindrical mast, white daymark, orange vertical stripe. 4.9	Seasonal.  <b>Chart:6268</b>
1603.5	<i>Berens River Entrance light buoy CK</i>	<i>Off Kemp Rock. 52 23 03 097 06 58</i>	<i>Mo(A) W 6s</i>	.....	.....	<i>Red and white vertically striped spar, marked "CK".</i>	<i>Seasonal.</i>  <b>Chart:6268</b>
1604	Berens River South Side range	On shoal W. of Sheep Island. 52 22 07 097 04 59	F W .....	4.6	.....	Cylindrical mast, white daymark, orange vertical stripe. 5.2	Visible in line of range. Seasonal.
1605		127° 3940m from front.	F W .....	15.4	.....	Skeleton tower, white daymark, orange vertical stripe. 14.3	Visible in line of range. Seasonal.  <b>Chart:6268</b>
1606	Berens River North Side range	On small island, N. of Sigurdsson Island. 52 21 45 097 03 26	F G .....	5.5	.....	Cylindrical mast, white daymark, orange vertical stripe. 5.2	Visible in line of range. Seasonal.
1607		109° 1585m from front.	F G .....	7.6	.....	Cylindrical mast, white daymark, orange vertical stripe. 7.9	Visible in line of range. Seasonal.  <b>Chart:6268</b>
1608	George Island	On E. extremity of island. 52 49 11 097 36 50	Fl W 5s	20.1	9	Red rectangular skeleton tower. 15.5	Visible from all points of marine approach, except in the line of islands and shoals extending NW. from George Island. Seasonal.  <b>Chart:6241 Edn 05/13 (A13-006)</b>
1609	George Island range	SE. side of George Island. 52 49 04 097 38 10	F W .....	7.3	.....	Cylindrical mast, white daymark, orange vertical stripe. 6.2	Visible in line of range. Seasonal.
1610		357° 36.6m from front.	F W .....	7.6	.....	Cylindrical mast, white daymark, orange vertical stripe. 6.5	Visible in line of range. Seasonal.  <b>Chart:6241</b>
1611	Poplar Point Reef	On reef, E. side of the lake. 53 00 07.8 097 39 02.3	Fl W 4s	7.4	.....	Square tower, red and white rectangular daymark.	Radar reflector. Operates 24 h. Seasonal.  <b>Chart:6241 Edn 04/24 (P24-014)</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE WINNIPEG</b>							
1611.2	Poplar River range	53 00 18	F W .....	6.2	.....	Cylindrical mast, red and white rectangular daymark, green square in centre. 5.0	Visible in line of range. Visible from all points of marine approach. Seasonal.
		097 23 30	Q G 1s	6.3	.....		
1611.3		105°30' 5510m from front.	F W .....	7	.....	Cylindrical mast, red and white rectangular daymark. 6.4	Visible in line of range. Seasonal.
1611.5	Poplar River Entrance light buoy CJ3	53 02 22.1 097 32 27.7	Fl G 4s	.....	.....	Green spar, marked "CJ3".	Position in NAD83. Seasonal.
<b>Chart:6241</b>							
<b>Edn 12/17 (A17-067)</b>							
1612	Little Sandy Island	On centre of NW. island of Sandy Islands. 52 59 00 098 00 20	Fl W 4s	27.1	.....	Skeleton tower. 18.9	Seasonal.
<b>Chart:6241</b>							
1612.3	Wicked Point light buoy CL3	S. of Long Point. 52 48 30 098 48 00	Fl G 4s	.....	.....	Green spar, marked "CL3".	Seasonal.
<b>Chart:6241</b>							
1612.4	Gull Bay light buoy CL4	S. of Long Point. 52 55 00 098 52 25	Fl R 4s	.....	.....	Red spar, marked "CL4".	Seasonal.
<b>Chart:6241</b>							
1613	Long Point	At end of point. 53 02 45 098 26 15	Fl W 4s	17.1	6	Skeleton tower, red and white rectangular daymark. 15.5	Seasonal.
<b>Chart:6241</b>							
1615	Scots Point	NW. side of the lake. 53 11 59.0 099 13 30.0	Fl W 4s	17.1	7	Square skeleton tower, red and white rectangular daymark.	Seasonal.
<b>Chart:6241</b>							
<b>Edn 03/23 (P23-011)</b>							
1616.5	Eating Point	On point. 53 15 50 099 14 15	Fl W 4s	6.6	6	Cylindrical mast, red and white rectangular daymark.	Seasonal.
<b>Chart:6241</b>							
1617	Horse Island Harbour	On S. end of breakwater. 53 21 50 099 07 05	Fl W 4s	6.9	5	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal.
<b>Chart:6241</b>							
1617.2	Horse Island North End	N. end of island. 53 22 10 099 05 30	Fl W 4s	7.9	5	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal.
<b>Chart:6241</b>							
1619.01	Lake Winnipeg North ODAS light buoy 45144	53 23 00 098 29 00	Fl(5) Y 20s	.....	.....	Yellow, marked "45144".	Maintained by Environment Canada. Seasonal.
<b>Chart:6241</b>							



**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE WINNIPEG</b>							
1619.3	Spider Islands	53 29 15 097 44 45	Fl W 4s	7.4	5	Cylindrical mast, red and white rectangular daymark. 4.9	Year round.  <b>Chart:6241</b>
1619.7	Purvis Island range	Nelson River entrance. 53 42 21.8 097 51 22	F G .....	9.9	.....	Cylindrical mast, white daymark, orange vertical stripe. 5.1	Visible in line of range. Seasonal.
1619.8		026° 165m from front.	F G .....	12.4	.....	Cylindrical mast, white daymark, orange vertical stripe. 6.4	Visible in line of range. Seasonal.  <b>Chart:6258 Edn 02/14 (A13-028, 029)</b>
1620	Warren Landing Lower range	On SW. end of Purvis Island, head of Nelson River. 53 42 01.5 097 50 58	F W .....	7.5	.....	White square tower, white daymark, black vertical stripe. 5.9	Visible in line of range. Seasonal.
1621		033°30' 780m from front.	F W .....	17.0	.....	Square skeleton tower, white daymark, red vertical stripe. 13.8	Visible in line of range. Seasonal.  <b>Chart:6258</b>
1621.5	Warren Landing Wharf	S. end of wharf. 53 41 50 097 52 09	Fl R 4s	7.5	3	Cylindrical mast red and white rectangular daymark. 4.9	Seasonal.  <b>Chart:6258</b>
1622	Warren Landing Upper range	W. side of entrance to Nelson River. 53 41 40 097 52 12	F W .....	9.0	.....	White square tower, orange vertical stripe. 5.9	Visible in line of range. Seasonal.
1623		003°30' 240m from front.	F W .....	15.0	.....	Square skeleton tower, white daymark, orange vertical stripe. 14.0	Visible in line of range. Seasonal.  <b>Chart:6258</b>
1623.5	Warren Landing light buoy C35	Warren Landing entrance. 53 37 10 097 56 17.4	Fl G 4s	.....	.....	Green spar, marked "C35".	Seasonal.  <b>Chart:6258 Edn 04/16 (A16-002)</b>
1624.4	Playgreen Lake light buoy P9	Jack River entrance. 53 53 32.8 097 58 42.8	Fl G 4s	.....	.....	Green spar, marked "P9".	Seasonal (In place year round).  <b>Chart:6263 Edn 12/22 (P22-037)</b>
1624.5	Playgreen Lake light buoy P11	53 53 12.3 097 58 47.9	Q G 1s	.....	.....	Green spar, marked "P11".	Seasonal.  <b>Chart:6263 Edn 12/22 (P22-036)</b>
1624.7	Playgreen Lake light buoy P16	SW. of Birch Islands. 53 52 09.8 097 58 57.9	Fl R 4s	.....	.....	Red spar, marked "P16".	Seasonal (In place year round).  <b>Chart:6259 Edn 12/22 (P22-038)</b>

