

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>ST. LAWRENCE SEAWAY, LAC SAINT-LOUIS</b>							
4	Île Tékakwitha	45 24 36.5 073 42 38.2	F Y .....	.....	.....	.....	Maintained by St. Lawrence Management Corporation. Seasonal.  Chart:1429 Edn 09/11 (Q11-090)
5	Kahnawake Dyke	45 24 31.6 073 43 13.9	F Y .....	.....	.....	.....	Maintained by St. Lawrence Management Corporation. Seasonal.  Chart:1429 Edn 09/11 (Q11-090)
5.2	Pointe Bell light buoy A1	Lac Saint-Louis. 45 24 26.2 073 43 11.3	Fl G 4s	.....	.....	Green spar, marked "A1".	Seasonal (in place year round).  Chart:1429 Edn 09/11 (Q11-091) Edn 10/11 Edn 03/20 (Q20-022)
5.3	Pointe Bell light buoy A2	45 24 27.7 073 43 24.2	Q R 1s	.....	.....	Red spar, marked "A2".	Seasonal (in place year round).  Chart:1429 Edn 09/11 (Q11-091) Edn 10/11 Edn 02/16 (Q15-151) Edn 04/18 (Q18-018) Edn 05/20 (Q20-024)
6	Pointe Johnson light buoy A3	45 24 17.1 073 43 44.1	Q G 1s	.....	.....	Green spar, marked "A3".	Seasonal (in place year round).  Chart:1429 Edn 09/11 (Q11-091) Edn 10/11 Edn 05/20 (Q20-027)
7	Pointe Johnson light buoy A4	45 24 22.7 073 43 51.9	Q R 1s	.....	.....	Red spar, marked "A4".	Seasonal (in place year round).  Chart:1429 Edn 09/11 (Q11-091) Edn 10/11 Edn 05/20 (Q20-028)
8.2	Pointe Johnson	45 24 03 073 44 44.7	Iso Y 2s	7.6	14	Grey cylindrical tower. 4.4	Fl 1s Ec 1s Visible on a bearing of 248°30'. Operates at night only. Seasonal.  Chart:1430 Edn 03/11 (Q11-001) Edn 11/13 (Q13-068)
9	Pointe Johnson light buoy A7	45 24 15.2 073 44 30.4	Fl G 4s	.....	.....	Green spar, marked "A7".	Seasonal (in place year round).  Chart:1430 Edn 09/11 (Q11-091) Edn 10/11 Edn 08/20 (Q20-029)
10	Île Saint-Nicolas light buoy A8	45 24 21.2 073 44 31.1	Fl R 4s	.....	.....	Red spar, marked "A8".	Seasonal (in place year round).  Chart:1430 Edn 09/11 (Q11-091) Edn 10/11 Edn 07/20 (Q20-030)

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>ST. LAWRENCE SEAWAY, LAC SAINT-LOUIS</b>							
11	Île Saint-Bernard light buoy A9	45 24 13.2 073 45 21.2	Fl G 4s	.....	.....	Green spar, marked "A9".	Seasonal (in place year round).  Chart:1430 Edn 09/11 (Q11-091) Edn 10/11 Edn 05/20 (Q20-031)
12	Île Saint-Bernard light buoy A10	45 24 19.1 073 45 22.4	Fl R 4s	.....	.....	Red spar, marked "A10".	Seasonal (in place year round).  Chart:1430 Edn 09/11 (Q11-091) Edn 10/11 Edn 06/18 (Q18-019) Edn 07/20 (Q20-032)
13	Île Saint-Bernard light buoy A13	45 24 10.7 073 46 22.1	Q G 1s	.....	.....	Green spar, marked "A13".	Seasonal (in place year round).  Chart:1430 Edn 09/11 (Q11-091) Edn 10/11 Edn 05/20 (Q20-043)
14	Île Saint-Bernard West Cardinal light buoy LACHINA	45 24 17.3 073 46 04.7	Q(9) W 15s	.....	.....	Yellow-black-yellow spar, marked "LACHINA".	Seasonal (in place year round).  Chart:1430 Edn 09/11 (Q11-091) Edn 10/11 Edn 07/20 (Q20-057)
14.2	Dorval Course range	SW. of Dorval Island. 45 25 08.3 073 45 36.2	F G	.....	11.0	11 Orange cylindrical tower, orange rectangular daymark, black vertical stripe. 4.4	Visible in line of range. Operates at night only. Seasonal.
14.3		043°52' 1068.6m from front.	F G	.....	24.2	11 White cylindrical tower, orange daymark, black vertical stripe. 17.0	Visible in line of range. Operates at night only. Seasonal.  Chart:1430 Edn 09/11 (Q11-091)
15	Île Saint-Bernard light buoy A17	45 24 04.7 073 46 48.2	Q G 1s	.....	.....	Green spar, marked "A17".	Seasonal (in place year round).  Chart:1430 Edn 09/11 (Q11-091) Edn 05/20 (Q20-044)
16	Île Saint-Bernard light buoy A18	45 24 15.3 073 46 55.3	Q R 1s	.....	.....	Red spar, marked "A18".	Seasonal (in place year round).  Chart:1430 Edn 09/11 (Q11-091) Edn 08/20 (Q20-048)
16.1	Kahnawake range	45 24 10.3 073 47 45.7	F G	.....	9.9	5 Orange cylindrical tower, orange rectangular daymark, black vertical stripe. 4.8	Operates at night only. Seasonal.
16.2		266°36' 513.4m from front.	F G	.....	19.0	7 White cylindrical tower, orange daymark, black vertical stripe. 12.8	Visible in line of range. Operates at night only. Seasonal.  Chart:1430 Edn 09/11 (Q11-091)
	Racon --. (G) X & S Bands						

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>ST. LAWRENCE SEAWAY, LAC SAINT-LOUIS</b>							
17	Île Saint-Bernard light buoy A21	45 23 54.8 073 47 10.6	Q G 1s	.....	.....	Green spar, marked "A21".	Seasonal (in place year round).  Chart:1430 Edn 09/11 (Q11-091) Edn 10/11 Edn 05/20 (Q20-049)
18	Île Saint-Bernard light buoy A20	45 23 54.1 073 47 23.2	Fl R 4s	.....	.....	Red spar, marked "A20".	Seasonal (in place year round).  Chart:1430 Edn 09/11 (Q11-091) Edn 10/11 Edn 05/20 (Q20-045)
19	Lac Saint-Louis light buoy A25	45 23 10.7 073 48 10.6	Fl G 4s	.....	.....	Green spar, marked "A25".	Seasonal (in place year round).  Chart:1430 Edn 09/11 (Q11-091) Edn 10/11 Edn 08/16 (Q16-050) Edn 07/20 (Q20-051)
19.5	Lac Saint-Louis light buoy A24	45 23 15.9 073 48 15.2	Fl R 4s	.....	.....	Red spar, marked "A24".	Seasonal (in place year round).  Chart:1430 Edn 09/11 (Q11-091) Edn 10/11 Edn 02/16 (Q15-152) Edn 07/20 (Q20-050)
20	Île Ronde light buoy A29	45 22 39.0 073 48 53.8	Fl G 4s	.....	.....	Green spar, marked "A29".	Seasonal (in place year round).  Chart:1430 Edn 08/20 (Q20-035)
20.5	Île Ronde light buoy A30	45 22 42.7 073 49 00.4	Fl R 4s	.....	.....	Red spar, marked "A30".	Seasonal (in place year round).  Chart:1430 Edn 08/20 (Q20-036)
22	Pointe à Penny light buoy A33	45 22 06.5 073 49 38.1	Fl G 4s	.....	.....	Green spar, marked "A33".	Seasonal (in place year round).  Chart:1430 Edn 09/11 (Q11-091) Edn 07/20 (Q20-052)
23	Pointe à Penny light buoy A34	45 22 10.8 073 49 43.8	Fl R 4s	.....	.....	Red spar, marked "A34".	Seasonal (in place year round).  Chart:1430 Edn 09/11 (Q11-091) Edn 07/20 (Q20-053)
23.5	Îles de la Paix light buoy A35	45 21 47.3 073 50 03.2	Fl G 4s	.....	.....	Green spar, marked "A35".	Seasonal (in place year round).  Chart:1430 Edn 09/11 (Q11-091) Edn 07/20 (Q20-054)
24	Pointe du Moulin light buoy A38	45 21 37.2 073 50 29.6	Q R 1s	.....	.....	Red spar, marked "A38".	Seasonal (in place year round).  Chart:1430 Edn 04/11 (Q11-042) Edn 07/20 (Q20-055)
25	Îles de la Paix light buoy A39	45 21 22.1 073 50 36.5	Q G 1s	.....	.....	Green spar, marked "A39".	Seasonal (in place year round).  Chart:1430 Edn 09/11 (Q11-091) Edn 07/20 (Q20-061)

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>ST. LAWRENCE SEAWAY, LAC SAINT-LOUIS</b>							
26	<i>Pointe du Moulin light buoy A40</i>	45 21 25.4 073 50 51.5	Q R 1s	.....	.....	Red spar, marked "A40".	Seasonal (in place year round).  Chart:1430 Edn 09/11 (Q11-091) Edn 07/20 (Q20-059)
27	<i>Îles de la Paix light buoy A45</i>	45 20 57.0 073 51 42.4	Fl G 4s	.....	.....	Green spar, marked "A45".	Seasonal (in place year round).  Chart:1430 Edn 09/11 (Q11-091) Edn 07/20 (Q20-060)
28	<i>Pointe-du-Moulin light buoy A46</i>	45 21 04.1 073 51 47.3	Fl R 4s	.....	.....	Red spar, marked "A46".	Seasonal (in place year round).  Chart:1430 Edn 09/11 (Q11-091) Edn 10/11 Edn 02/16 (Q15-153) Edn 08/20 (Q20-062)
29	<i>Îles de la Paix light buoy A51</i>	45 20 29.2 073 52 55.0	Q G 1s	.....	.....	Green spar, marked "A51".	Seasonal (in place year round).  Chart:1430 Edn 09/11 (Q11-091) Edn 10/11 Edn 07/20 (Q20-063)
30	<i>Pointe à Péladeau light buoy A52</i>	45 20 35.8 073 53 01.2	Fl R 4s	.....	.....	Red spar, marked "A52".	Seasonal (in place year round).  Chart:1430 Edn 09/11 (Q11-091) Edn 10/11 Edn 07/20 (Q20-064)
30.5	Pointe Fortier	Île Perrot (South). 45 21 10.9 073 53 45.4	F Y	.....	16.6	12 Square skeleton tower, orange rectangular daymark.  10.7	Visible on a bearing of 024°. Visible at the centre of the E. entrance to Beauharnois Lock. Operates at night only. Seasonal.  Chart:1430 Edn 09/11 (Q11-091)
31	<i>Pointe Fortier light buoy BEAA</i>	45 20 22.9 073 54 19.4	Fl Y 4s	.....	.....	Yellow spar, marked "BEAA".	Seasonal (in place year round).  Chart:1430 Edn 10/11 (Q11-091) Edn 09/20 (Q20-065)
31.5	<i>Pointe Thibaudeau light buoy BEAC</i>	Beauharnois anchorage. 45 19 44.2 073 53 19.6	Fl Y 4s	.....	.....	Yellow spar, marked "BEAC".	Seasonal (in place year round).  Chart:1430 Edn 08/20 (Q20-037)
32	<i>Pointe Fortier light buoy BEAB</i>	45 19 58.9 073 54 55.3	Fl Y 4s	.....	.....	Yellow spar, marked "BEAB".	Seasonal (in place year round).  Chart:1430 Edn 10/11 (Q11-091) Edn 09/20 (Q20-066)
32.1	Beauharnois lower lock	On point of N. pier. 45 19 26.6 073 54 58.7	F R	.....	6.0	5 .....	Seasonal (in place year round).  Chart:1430 Edn 03/21 (Q20-217)

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

ST. LAWRENCE SEAWAY, LAC SAINT-LOUIS

32.3 H2522.6	Melocheville range	45 19 10.3 073 56 33.0	F G .....	10.8	14	Square skeleton tower, orange daymark with black vertical stripe. 8.0	Visible in line of range. Operates 24 h. Seasonal.
-----------------	--------------------	---------------------------	-----------	------	----	--	--

32.4 H2522.61		241°29' 1294 m from front.	F G .....	29.6	14	Square skeleton tower, orange daymark with black vertical stripe. 14.1	Visible in line of range. Operates 24 h. Seasonal.
------------------	--	-------------------------------	-----------	------	----	---	--

Chart:1430  
Edn 10/11 (Q11-112, 113)  
Edn 11/22 (Q22-078, 079)