

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NORTH CHANNEL – LAKE HURON</b>							
983	Campbell Rock light buoy J12	On W. side of rock, NE. of Cape Smith. 45 49 36.7 081 33 22.8	Fl R 4s	.....	.....	Red spar, marked "J12".	Seasonal (in place year round).  <b>Chart:2245</b>
984	Cape Smith	On shore. 45 47 03.9 081 34 40.4	Fl W 4s	7.0	.....	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal.  <b>Chart:2245</b>
985	Burnt Island Bank light buoy J13	E. of bank. 45 54 17.2 081 35 21.3	Fl G 4s	.....	.....	Green spar, marked "J13".	Seasonal (in place year round).  <b>Chart:2245</b>
987	Badgeley Island	On SE. point of island. 45 55 42.5 081 36 07.5	Fl W 4s	12.9	7	White cylindrical tower with red band at top. 9.2	Seasonal (in place year round).  <b>Chart:2245 Edn 08/22 (D22-021)</b>
988	Centre Island Bank light buoy J16	S. of Centre Island. 45 55 09.9 081 39 20.7	Fl R 4s	.....	.....	Red spar, marked "J16".	Seasonal (in place year round).  <b>Chart:2245</b>
989	Creak Island Shoal	On shoal SW. of island. 45 56 35 081 41 43.3	Fl W 4s	7.9	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 7.4	Seasonal.  <b>Chart:2205</b>
989.3	Caroline Rocks light buoy EE6	W. of rocks. 46 00 08.8 081 43 13.3	Fl R 4s	.....	.....	Red spar, marked "EE6".	Seasonal (in place year round).  <b>Chart:2245</b>
989.4	Duncan City Rock light buoy EE5	E. of rock. 46 00 14 081 43 26.6	Fl G 4s	.....	.....	Green spar, marked "EE5".	Seasonal (in place year round).  <b>Chart:2245</b>
989.5	McGregor Point range	Entrance to bay. 46 01 12.5 081 44 39.5	F R	.....	6.4	Mast, red daymark, yellow vertical stripe in centre. 3.8	Privately maintained. Seasonal.
989.6		317°18' 96.3m from front.	F R	.....	14.4	On silo, red daymark, yellow vertical stripe in centre.	Privately maintained. Seasonal.  <b>Chart:2245</b>
990	Heywood Island	On Wharton Point. 45 55 30.2 081 47 14.7	Fl W 4s	8.2	.....	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal.  <b>Chart:2205</b>
991	Manitowaning	On the hill in the village, Manitoulin Island. 45 44 41.4 081 48 18.5	F G	.....	24.4	White tower. 10.4	Seasonal.  <b>Chart:2245</b>
992	Sheguiandah	On outer end of wharf. 45 53 42.6 081 54 45.6	Fl W 4s	7.0	.....	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal.  <b>Chart:2205</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NORTH CHANNEL – LAKE HURON</b>							
994	Strawberry Island light buoy J17	Off Langevin Rock. 45 56 42 081 49 01.9	Fl G 4s	.....	.....	Green spar, marked "J17".	Seasonal (in place year round).  Chart:2205
996	Strawberry Island	Northernmost point. 45 58 24.6 081 51 15.2	Fl W 4s	14.6	.....	White tower. 12.3	Seasonal.  Chart:2205
997	Gibbons Point range	S. of point. 45 58 04.1 081 54 23.8	F G	.....	9.1	16 Cylindrical mast, white daymark with orange vertical stripe. 5.2	Operates 24 h. Seasonal (in place year round).
998		259°09' 100.7m from front.	F G	.....	15.2	..... Cylindrical mast, white daymark, orange vertical stripe. 6.5	Seasonal.  Chart:2207 Edn 04/21 (D21-012)
999	Long Point light buoy J24	N. of point. 45 58 12.6 081 53 34.9	Q R 1s	.....	.....	Red spar, marked "J24".	Seasonal (in place year round).  Chart:2207
1000	Gibbons Point Turning light buoy J31	NW. of point. 45 58 40.1 081 54 17.8	Q G 1s	.....	.....	Green spar, marked "J31".	Seasonal (in place year round).  Chart:2207
1001	Goat Island range	On S. side of Goat Island, E. of Mallard Cove. 45 58 51.3 081 54 24.1	F R	.....	7.3	..... Cylindrical mast, white daymark, orange vertical stripe. 6.2	Seasonal.
1002		319° 253.3m from front.	F R	.....	11.4	..... Cylindrical mast, white daymark, orange vertical stripe. 7.9	Seasonal.  Chart:2207
1003	Little Current Swing Bridge	Between Goat Island and Manitoulin Island, E. of Little Current. 45 58 48.9 081 54 50.5	F R W G	.....	.....	.....	(Private - Railway). Seasonal.  Chart:2207
1005	Magazine Point light buoy J44	45 58 57.5 081 55 30.2	Fl R 4s	.....	.....	Red, marked "J44".	(Winter spar.) Seasonal.  Chart:2207
1007	Picnic Island light buoy J56	N. of island. 45 59 33.5 081 56 44.6	Fl R 4s	.....	.....	Red spar, marked "J56".	Seasonal (in place year round).  Chart:2207
1008	Picnic Island	On NW. side of island. 45 59 28.2 081 56 51.7	Fl G 4s	9.0	5	Cylindrical mast, red and white rectangular daymark with green square in centre. 6.9	Seasonal (in place year round).  Chart:2207 Edn 03/24

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NORTH CHANNEL – LAKE HURON</b>							
1009	Narrow Island	On NW. side of island. 45 59 27.6 081 58 42.4	Fl W 4s	14.7	4	Skeleton tower, red and white slatwork daymarks on 3 sides of tower. 10.3	Seasonal.  <b>Chart:2207 Edn 03/24</b>
1009.5	Whitefish River	At river entrance on small island. 46 06 28.1 081 44 01.0	Fl W 4s	6.1	5	Cylindrical mast, red and white rectangular daymark with green square in centre. 3.9	Seasonal (in place year round).  <b>Chart:2207 Edn 09/20 (D20-014)</b>
1010	James Foote Patch light buoy J66	On SW. edge of patch. 45 58 55.3 082 05 00.7	Fl R 4s	.....	.....	Red spar, marked "J66".	Seasonal (in place year round).  <b>Chart:2207</b>
1012	Cartwright Point	On NE. extremity of point. 46 03 01 082 12 25.9	Fl W 4s	9.4	.....	Cylindrical mast, red and white rectangular daymark. 7.5	Seasonal.  <b>Chart:2257</b>
1013	Little Detroit	On NE. point of Aird Island. 46 08 57 082 22 32	Fl W 4s	13.8	.....	Cylindrical mast, white daymark, orange vertical stripe. 6.6	Seasonal.  <b>Chart:2268</b>
1013.3	Spanish River light buoy UV2	At river entrance. 46 10 50.5 082 22 28.5	Fl R 4s	.....	.....	Red spar, marked "UV2".	Seasonal (in place year round).  <b>Chart:2268 Edn 01/16 (D15-008)</b>
1014	Robertson Rock light buoy J72	Off rock. 46 03 27.2 082 13 28.6	Fl R 4s	.....	.....	Red spar, marked "J72".	Seasonal (in place year round).  <b>Chart:2257</b>
1015	Clapperton Island	At N. point of island. 46 03 17.1 082 14 14.7	Fl W 4s	15.2	.....	Square skeleton tower, white slatwork daymarks on 3 sides of tower. 10.5	Seasonal.  <b>Chart:2257</b>
1015.5	Middle Bank light buoy JD14	SW. of bank. 45 59 42.1 082 19 02.7	Fl R 4s	.....	.....	Red spar, marked "JD14".	Seasonal (in place year round).  <b>Chart:2257</b>
1017	Meredith Rock	S. of Clapperton Island. 45 58 57.3 082 14 24.9	Fl R 4s	6.7	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 6.1	Seasonal.  <b>Chart:2257</b>
1018	Gooseberry Island	On NE. point of island, E. side of entrance to Mudge Bay. 45 57 02.8 082 13 58.4	Fl W 4s	9.1	.....	Cylindrical mast red and white rectangular daymark. 7.2	Seasonal.  <b>Chart:2257</b>
1019	Kagawong	W. of wharf. 45 54 35.4 082 15 37.4	F R .....	13.4	.....	White tower. 9.4	Seasonal.  <b>Chart:2257</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NORTH CHANNEL – LAKE HURON</b>							
1020	Boyd Island	On island. 46 07 28 082 20 13	Fl W 4s	14.8	.....	Skeleton tower, 3 red and white horizontally striped square daymarks on SW side of tower. 10.4	Seasonal.  <b>Chart:2268</b>
1021	Innes Island light buoy J74	S. of island. 46 02 07.1 082 21 10.7	Fl R 4s	.....	.....	Red spar, marked "J74".	Seasonal (in place year round).  <b>Chart:2257</b>
1022	Gore Bay light buoy JE2	Off breakwater. 45 55 17.3 082 27 27.4	Fl R 4s	.....	.....	Red spar, marked "JE2".	Seasonal (in place year round).  <b>Chart:2257 Edn 08/18 (D18-013)</b>
1023	Gore Bay	On Janet Head. 45 56 45.0 082 28 48.6	Oc W 5s	15.0	7	White square tower with red upper portion. 10.6	Flash 3 s; eclipse 2 s. Seasonal (in place year round).  <b>Chart:2257 Edn 01/10 (D09-046) Edn 05/23 (D23-004)</b>
1025.7	North Channel ODAS light buoy 45154	North Channel, E. end. 46 03 00 082 38 12	Fl(5) Y 20s	.....	.....	Yellow, marked "45154".	Maintained by Environment Canada. Seasonal.  <b>Chart:2259</b>
1026	Cape Robert	Near northern extremity of the cape. 45 59 48 082 48 37	Fl W 4s	16.2	.....	Skeleton tower, white slatwork daymarks on 3 sides of tower. 9.1	Seasonal.  <b>Chart:2259</b>
1027	Mills Island	46 07 49.9 082 41 45.9	Fl W 4s	10.4	5	Mast, red and white cylindrical daymark. 5.1	Seasonal (in place year round).  <b>Chart:2259 Edn 09/21 (D21-032)</b>
1028	Whitcher Island range	46 08 26.6 082 41 33.9	F R .....	14.9	.....	Cylindrical mast, white daymark, orange vertical stripe. 6.0	Seasonal.
1028.5		030°23' 118.5m from front.	F R .....	18.3	.....	Cylindrical mast, white daymark, orange vertical stripe. 6.0	Seasonal.  <b>Chart:2259</b>
1029	Decelles Island range	46 07 58 082 40 53	F G .....	7.7	.....	Cylindrical mast, white daymark, orange vertical stripe. 6.0	Seasonal.
1029.5		122°56' 115.6m from front.	F G .....	10.0	.....	Cylindrical mast, white daymark, orange vertical stripe. 7.2	Seasonal.  <b>Chart:2259</b>
<b>Blind River</b>							
1031	Blind River light buoy UP9	46 10 51 082 57 29	Fl G 4s	.....	.....	Green spar, marked "UP9".	Seasonal (in place year round).  <b>Chart:2268</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**NORTH CHANNEL – LAKE HURON**

1032	Comb Point	On point. 46 10 23 082 58 02	Iso W 4s	9.1	.....	Cylindrical mast, red and white rectangular daymark. 7.2	Seasonal.  <b>Chart:2268</b>
1033	Mississagi Island	On S. end of island. 46 06 27.3 083 00 26.8	Fl W 4s	20.9	4	Skeleton tower, white rectangular daymark. 18.0	Obscured from 139° through S. to 209°. Seasonal (in place year round).  <b>Chart:2259 Edn 09/20 (D20-015)</b>
1034	Batture Island	Near NW. point of island, E. side of entrance Meldrum Bay. 45 58 13 083 04 15	Fl W 4s	7.6	.....	Cylindrical mast, red and white rectangular daymark. 6.1	Seasonal.  <b>Chart:2251</b>
1035.1	Meldrum Bay breakwater	Eastern point of rubble breakwater. 45 55 32.6 083 06 43.9	Fl Y 4s	3.9	.....	Cylindrical mast. 0.9	Privately maintained. Seasonal.  <b>Chart:2251 Edn 06/16 (D15-006)</b>
1037	Cockburn Island Breakwater	On outer end of breakwater. 45 57 35 083 18 58	Fl R 4s	6.4	.....	Cylindrical mast, red and white rectangular daymark. 4.9	Seasonal.  <b>Chart:2251</b>
1037.4	Monk Point	On point. 45 59 09 083 24 36	Fl R 4s	8.5	.....	Cylindrical mast, red and white rectangular daymark. 6.1	Visible from 050° through E. and S. to 253°. Seasonal.  <b>Chart:2251</b>
1038	Sulphur Island	S. end of island. 46 08 41 083 36 28	Fl W 4s	18.0	.....	Skeleton tower, 4 red and white horizontally striped square daymarks on E. and W. side of tower. 12.2	Seasonal.  <b>Chart:2251</b>
1039	<i>Perrique Island light buoy KE2</i>	<i>S. of island. 46 08 02 083 45 49</i>	<i>Fl R 4s</i>	.....	.....	<i>Red spar, marked "KE2".</i>	<i>Seasonal (in place year round).</i>  <b>Chart:2251</b>
1041	Koshkawong Point	On point. 46 07 45 083 48 46	Fl R 4s	8.5	.....	Cylindrical mast, 2 red and white rectangular daymarks placed in a V shape, red triangle in centre of each. 6.1	Seasonal.  <b>Chart:2251</b>