

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|------------------------|---|--|--------------------------|--|-----------------------|--|---|
| SOUTHWEST COAST | | | | | | | |
| 121 | Coomb's Cove | On Bull Point. 47 27 22.5 055 37 52.4 | Fl G 4s | 10.0 | 5 | Square skeleton tower, red and white rectangular daymark. 4.3 | Year round. Chart:4830 |
| 122 | Wreck Cove Wharf | 47 29 51 055 36 28 | Fl R 4s | 4.4 | 4 | Cylindrical mast. 2.6 | Year round. Chart:4830 |
| 122.5 | Inner Shoal light buoy VW3 | 47 29 59.9 055 36 43.1 | Fl G 4s | | | Green spar, marked "VW3". | Year round. Chart:4830 |
| 122.6 | Bufford Cove South Cardinal light buoy VW | Great Bay de l'Eau. 47 31 01.4 055 35 42.6 | Q(6) +LFl | W 15s | | | Yellow and black, marked "VW". Chart:4830 Edn 10/11 (N11-074) |
| 123 | Shag Rock Sunker light and bell buoy VS2 | 47 26 57.5 055 40 02.5 | Fl R 4s | | | Red, marked "VS2". | Year round. Chart:4830 |
| 124 | Rocky Point (Harbour Breton) | On point. 47 28 46.3 055 47 34.4 | Fl W 4s | 16.2 | 9 | Red and white cylindrical tower, red and white daymark. 7.6 | Year round. Chart:4830 |
| 125 | Harbour Rock light buoy VB1 | N. of rock. 47 29 02.9 055 47 56 | Fl G 4s | | | Green, marked "VB1". | Year round. Chart:4830 |
| 126 | Southwest Arm light buoy VB3 | 47 28 53.4 055 48 18 | Fl G 4s | | | Green, marked "VB3". | Year round. Chart:4830 |
| 126.1 H0295 | Harbour Breton Wharf Light | 47 28 44.6 055 48 38.8 | Fl R 4s | | 2 | Mast. 2.6 | Year round. Chart:4830 Edn 08/18 (N18-039) |
| 127.4 H0288.2 | Hermitage Wharf Light | 47 33 37.3 055 55 40.0 | Fl R 4s | 4.3 | 4 | Mast. | Flash 1 s; eclipse 3 s. Year round. Chart:4644 Edn 03/22 (N22-031) |
| 127.5 | Hermitage light buoy VH3 | 47 33 27.9 055 55 27.1 | Fl G 4s | | | Green, marked "VH3". | Year round. Chart:4644 |
| 127.51 | Hermitage West Breakwater Light | 47 33 26.9 055 55 29.9 | Fl R 4s | | 2 | Mast. | Flash 1 s; eclipse 3 s. Operates 24 h. Year round. Chart:4644 Edn 03/22 (N22-034) |
| 127.52 | Hermitage East Breakwater Light | 47 33 27.0 055 55 28.6 | Fl G 4s | | 2 | Mast. | Flash 1 s; eclipse 3 s. Operates 24 h. Year round. Chart:4644 Edn 03/22 (N22-033) |

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|------------------------|-------------------------------------|---|--------------------------|--|-----------------------|---|--|
| SOUTHWEST COAST | | | | | | | |
| 127.7 H0288.4 | Little Fox Island Light | Hermitage. 47 34 49.4 055 55 26.3 | Fl R 4s | 6.4 | 7 | Mast. 2.6 | Year round. Chart:4644 Edn 01/11 (N10-066) Edn 07/22 (N22-070) |
| 127.8 | Black Rock | On rock. 47 34 28.4 055 56 54.3 | Fl R 6s | 11.6 | 5 | Square skeleton tower, red and white rectangular daymark. 4.7 | Flash 1 s; eclipse 5 s. Year round. Chart:4644 |
| 128 H0288 | Fox Island Light (Hermitage Bay) | Hermitage. 47 33 55.1 055 58 23.2 | Fl W 4s | 22.6 | 7 | Square skeleton tower, red and white rectangular daymark. 4.7 | Year round. Chart:4644 Edn 07/22 (N22-069) |
| 129 H0286 | Pass Island Light | 47 29 24.3 056 11 46.7 | Fl W 10s Fl R 4s | 85.6 84.0 | 12 4 | White skeleton tower. 9.4 | Flash 1 s; eclipse 9 s. Obscured from 77° to 298° in a clockwise direction through E., S. and W. Year round. Chart:4644 Edn 08/14 (N14-041) Edn 11/19 |
| 130 | Pass Island Fog Signal | SW. end of island. 47 28 56.3 056 11 52.8 | | | | Skeleton tower, white rectangular daymark, black horizontal stripe. | Horn - Blast 3 s; sil. 27 s. Horn points 259°06'. Year round. Chart:4644 Edn 05/11 (N11-020) |
| 130.31 | Net Rocks light buoy V23 | Seal Cove, Fortune Bay. 47 28 35.2 056 02 22.2 | Fl G 4s | | | Green spar, marked "V23". | Year round. Chart:4827 Edn 01/10 Edn 12/14 (N14-074) Edn 02/15 (N14-077) |
| 130.32 | Sunker Rock light buoy V30 | Seal Cove, Fortune Bay. 47 28 52 056 01 58.3 | Q R 4s | | | Red spar, marked "V30". | Year round. Chart:4827 Edn 12/09 (N09-049) Edn 12/14 (N14-075) |
| 130.33 | Divers Shoal light buoy V25 | 47 28 59 056 02 31.8 | Q G 1s | | | Green, marked "V25". | Year round. Chart:4827 Edn 12/14 (N14-078) |
| 130.34 | Sunken Rock light buoy VSC | Seal Cove, South Coast. 47 28 57.4 056 01 23.8 | Q (6) +LFI W | 15s | | Yellow – black, marked "VSC". | Year round. Chart:4827 Edn 12/14 (N14-068) Edn 09/15 Edn 11/15 (N15-071) |
| 130.4 | Seal Cove Breakwater | 47 29 16.2 056 02 54 | Fl G 4s | 5.0 | 4 | Mast. 3.1 | Year round. Chart:4827 |
| 130.8 | Goose Rock light buoy VU2 | Off rock. 47 36 19.8 055 53 59.9 | Fl R 4s | | | Red spar, marked "VU2". | Year round. Chart:4644 |

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|------------------------|-----------------------------------|--|--------------------------|--|-----------------------|--|--|
| SOUTHWEST COAST | | | | | | | |
| 130.82 | Gaultois light buoy VU4 | 47 36 26.7 055 54 03.4 | Fl R 4s | | | Red spar, marked "VU4". | Year round. Chart:4644 |
| 131 | Gaultois Harbour | On rock awash near West Head. 47 36 17.8 055 54 03.1 | Fl G 3s | 5.5 | 5 | Square skeleton tower, green and white rectangular daymark. 4.7 | Flash 0.5 s; eclipse 2.5 s. Year round. Chart:4644 |
| 131.5 | Gaultois Dolphin | 47 36 23.7 055 54 07.1 | Fl G 4s | | 5 | Mast. 2.6 | Year round. Chart:4644 Edn 01/11 (N10-066) |
| 132 H0287 | Little Bay Light (Tinker Rock) | 47 36 49.7 056 03 08.1 | Fl W 4s | 14.6 | 7 | Square skeleton tower, red and white rectangular daymark. 3.6 | Year round. Chart:4644 Edn 10/21 (N21-117) |
| 132.5 H0279 | St. Alban's Wharf Light | 47 51 46.9 055 50 06.5 | Fl Y 4s | 4.0 | 6 | Mast. 2.5 | Flash 1 s; eclipse 3 s. Year round. Chart:4644 Edn 03/22 (N22-032) |
| 132.51 H0279.5 | Conne River Wharf Light | 47 51 44.2 055 46 20.2 | Fl R 5s | 3.2 | 5 | Pipe tower. 2.6 | Flash 1 s; eclipse 4 s. Operates 24 h. Year round. Chart:4644 Edn 08/22 (N22-134) |
| 133 H0278 | Roti Point Light | S. of St. Alban's, Bay d'Espoir. 47 47 26.8 055 50 28.9 | Fl G 5s | 6.7 | 6 | Square skeleton tower, green and white rectangular daymark. | Flash 1 s; eclipse 4 s. Year round. Chart:4644 Edn 05/18 (N18-020) Edn 11/22 (N22-242) |
| 133.1 | Margery Rock light buoy VG1/1 | Little Passage, South Coast. 47 36 44.1 055 52 43.0 | Q G 1s | | | Green spar, marked "VG1/1". | Operates 24 h. Year round. Chart:4644 Edn 12/14 (N14-057) Edn 12/17 (N17-071) |
| 133.11 | Roti Bay light buoy VR1 | 47 47 12.4 055 51 46.1 | Fl G 4s | | | Green spar, marked "VR1". | Privately maintained. Year round. Chart:4644 |
| 133.12 | Roti Bay light buoy VR2 | 47 47 29.5 055 51 39.7 | Fl R 4s | | | Red spar, marked "VR2". | Privately maintained. Year round. Chart:4644 |
| 133.13 | Roti Bay light buoy VR3 | 47 47 35.3 055 52 07.4 | Fl G 4s | | | Green spar, marked "VR3". | Privately maintained. Year round. Chart:4644 |
| 133.14 | Roti Bay light buoy VR4 | 47 47 47.5 055 52 22.4 | Fl R 4s | | | Red spar, marked "VR4". | Privately maintained. Year round. Chart:4644 |

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|------------------------|--|---|--------------------------|--|-----------------------|--|---|
| SOUTHWEST COAST | | | | | | | |
| 133.15 | Roti Bay light buoy VR5 | 47 47 43 055 52 25 | Fl G 4s | | | Green spar, marked "VR5". | Privately maintained. Year round. Chart:4644 |
| 133.16 | Roti Bay light buoy VR7 | 47 47 59.1 055 52 50.1 | Fl G 4s | | | Green spar, marked "VR7". | Privately maintained. Year round. Chart:4644 |
| 133.17 | Roti Bay light buoy VR6 | 47 48 11 055 53 07.1 | Fl R 4s | | | Red spar, marked "VR6". | Privately maintained. Year round. Chart:4644 |
| 133.19 | Roti Bay light buoy VR9 | 47 48 19.7 055 53 34.7 | Fl G 4s | | | Green spar, marked "VR9". | Privately maintained. Year round. Chart:4644 |
| 133.2 H0277 | Cape Mark Light | E. of Bois Island. 47 44 32.0 055 52 06.9 | Fl R 5s | 7.9 | 6 | Square skeleton tower, red and white square daymark. 4.3 | Flash 1 s; eclipse 4 s. Year round. Chart:4644 Edn 11/22 (N22-241) |
| 133.4 H0282 | Day Point Light | Bay d'Espoir. 47 41 20.9 055 55 21.0 | Fl W 5s | 10.1 | 6 | Square skeleton tower, red and white square daymark. | Flash 1 s; eclipse 4 s. Year round. Chart:4644 Edn 11/22 (N22-240) |
| 133.6 H0283 | Little Island Light | E. of Stickland Cove. 47 39 34.9 055 56 04.0 | Fl R 5s | 10.4 | 6 | Square skeleton tower, red and white square daymark. | Flash 1 s; eclipse 4 s. Year round. Chart:4644 Edn 11/22 (N22-239) |
| 133.66 | Riches Island light buoy VG6 | Dawson Point. 47 46 35.7 055 50 55.5 | Q R 1s | | | Red, marked "VG6". | Operates 24 h. Year round. Chart:4644 Edn 12/14 (N14-065) Edn 11/22 (N22-232) |
| 133.78 | Pigeon Island Shoal light buoy Q22 | 47 38 06 056 09 18 | Fl R 4s | | | Red spar, marked "Q22". | Year round. Chart:4644 |
| 133.8 | McCallum (Whale Rock) light and whistle buoy Q23 | 47 36 38.9 056 12 07.1 | Fl G 4s | | | Green, marked "Q23". | Year round. Chart:4644 |
| 134 | Dawson's Point | On point. 47 38 35.9 056 08 57.6 | Fl W 5s | 16.8 | 16 | Square skeleton tower, red and white rectangular daymark. | Flash every 5 s. Year round. Chart:4644 Edn 04/14 (N14-022) |
| 135 | Salmon Point | 47 37 02.9 056 12 01.4 | Fl W 4s | 21.9 | 7 | Square skeleton tower, red and white rectangular daymark. 4.3 | Year round. Chart:4644 |

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|------------------------|--|---|--------------------------|--|-----------------------|--|--|
| SOUTHWEST COAST | | | | | | | |
| 135.1 | McCallum Marine Wharf Light | On the ferry wharf. 47 37 52.9 056 13 36.4 | Fl Y 4s | | 2 | Mast. | Flash 1 s; eclipse 3 s. Operates 24 h. Year round. Chart:4644 Edn 11/21 (N21-101) |
| 136.9 | François Entrance light and bell buoy QL4 | 47 33 47 056 43 23.4 | Fl R 4s | | | Red, marked "QL4". | Year round. Chart:4826 Edn 03/11 (N10-016) Edn 05/11 (N11-020) |
| 137 H0270 | West Point Light Station | François. 47 33 35.7 056 44 02.1 | Fl G 6s | 46.0 | 12 | White square tower with green band on top. 4.7 | Flash 1 s; eclipse 5 s. Visible 240°. Year round. Chart:4826 Edn 05/11 (N11-020) Edn 12/22 (N22-218) |
| 137.1 | François West Wharf Light | 47 34 41.5 056 44 39.9 | Fl G 4s | | | Pipe tower. 2.1 | Operates 24 h. Year round. Chart:4826 Edn 01/24 (N23-241) |
| 137.15 | François North Wharf Light | 47 34 50.7 056 44 37.1 | Fl G 4s | | | Pipe tower. | Operates 24 h. Year round. Chart:4826 Edn 01/24 (N23-242) |
| 137.23 | Lower Rock South Cardinal light buoy QLC | S. of New Harbour. 47 34 50.4 056 38 57.8 | Q (6) + LFI | W 15s | | | Yellow and black spar, marked "QLC". Year round. Chart:4826 Edn 03/11 (N10-016) Edn 05/11 (N11-020) |
| 138 H0268 | Cape La Hune Light | 47 31 44.8 056 51 47.0 | Fl R 6s | 25.0 | 8 | Square skeleton tower, red and white square daymark. | Flash 1 s; eclipse 5 s. Year round. Chart:4826 Edn 05/11 (N11-020) Edn 07/23 (N23-066) |
| 138.5 | Watch Rock North Cardinal light and whistle buoy QLB | E. of Penquin Islands. 47 23 23.9 056 50 06 | Q W 1s | | | Black and yellow, marked "QLB". | Year round. Chart:4826 Edn 05/11 (N11-020) |
| 139 H0266 | Harbour Island Light | 47 23 00.6 056 58 39.1 | Fl W 10s | 21.9 | 17 | Square skeleton tower, red and white rectangular daymark. 5.8 | Flash 0.2 s; eclipse 9.8 s. Operates 24 h. Year round. Chart:4826 Edn 05/11 (N11-020) Edn 11/23 (N23-218) |
| 139.1 | Penguin Island North Cardinal light and whistle buoy QLE | 47 23 41.4 056 56 55.6 | Q W 1s | | | Black and yellow, marked "QLE". | Year round. Chart:4826 Edn 03/11 (N10-016) Edn 05/11 (N11-020) |

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|------------------------|---|--|--------------------------|--|-----------------------|--|--|
| SOUTHWEST COAST | | | | | | | |
| 139.2 | Penguin Island West Cardinal light and whistle buoy QLW | E. of island. 47 23 03.3 057 00 53.9 | Q(9) W 15s | | | Yellow, black and yellow, marked "QLW". | Year round. Chart:4826 Edn 03/11 (N10-016) Edn 05/11 (N11-020) |
| 139.21 | Grey River Rocks North Cardinal light and whistle buoy QGR | 47 28 26.4 057 05 35.4 | Q W 1s | | | Black and yellow, marked "QGR". | Year round. Chart:4826 Edn 12/09 (N09-051) Edn 12/13 (N13-038) Edn 02/14 (N14-001) |
| 139.3 | Grey River light and bell buoy QJ | SW. of Grey River Point. 47 33 51.5 057 06 43.7 | Mo(A) W 6s | | | Red and white vertical stripes, marked "QJ". | Year round. Chart:4826 Edn 06/10 (N10-016) Edn 05/11 (N11-020) |
| 139.5 | Grey River Point | W. side of entrance. 47 34 24.9 057 06 47.4 | Q G 1s | 27.1 | 4 | Square skeleton tower, green and white rectangular daymark. 4.3 | Year round. Chart:4826 Edn 05/11 (N11-020) |
| 139.51 | Grey River Wharf | 47 35 20 057 06 05.3 | Fl G 4s | | 2 | Mast. 2.6 | Year round. Chart:4826 Edn 05/11 (N11-020) |
| 139.7 | Eastern Passage light and whistle buoy QA | 47 32 04.8 057 22 13.1 | Fl G 6s (2+1) | | | Green, red and green, marked "QA". | Year round. Chart:4825 |
| 139.8 | Ramea (Browns Rock) | 47 31 32.2 057 22 38.4 | Fl R 4s | 3.7 | 4 | Cylindrical mast. 2.6 | Year round. Chart:4825 |
| 139.82 | Art Coley's Rock light buoy QA2 | 47 31 27.2 057 22 43.2 | Fl R 4s | | | Red spar, marked "QA2". | Year round. Chart:4825 |
| 139.84 | Ship Cove Ferry Wharf | 47 31 16.7 057 23 06.5 | Fl R 4s | 3.9 | | Cylindrical mast. 2.6 | Year round. Chart:4825 |
| 139.85 | Ship Cove Wharf | Ramea Harbour. 47 31 15.2 057 23 12.7 | Fl G 4s | 4.3 | 2 | Cylindrical mast. | Year round. Chart:4825 Edn 10/11 (N11-060) |
| 140.5 | Bad Rock light buoy QQ2 | Off Ramea Islands. 47 29 55.7 057 21 48.1 | Fl R 4s | | | Red spar, marked "QQ2". | Year round. Chart:4825 |
| 140.51 | Turnip Island Rock light buoy QR2 | 47 30 46.2 057 22 32.5 | Fl R 4s | | | Red spar, marked "QR2". | Year round. Chart:4825 |
| 140.52 | Ramea South Bank light buoy QR3 | 47 25 53.4 057 19 34.8 | Fl G 4s | | | Green, marked "QR3". | Year round. Chart:4826 Edn 05/11 (N11-020) |
| 140.53 | Shoal Northwest light buoy QR5 | 47 31 22.2 057 22 38.9 | Fl G 4s | | | Green spar, marked "QR5". | Year round. Chart:4825 |

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|------------------------|---------------------------------------|---|--------------------------|--|-----------------------|--|--|
| SOUTHWEST COAST | | | | | | | |
| 140.54 | Ramea Inner light buoy QR5/1 | 47 31 19.4 057 22 50.6 | Fl G 4s | | | Green spar, marked "QR5/1". | Year round. Chart:4825 |
| 140.6 | Bengy light buoy QQ4 | 47 29 06 057 26 15 | Fl R 4s | | | Red, marked "QQ4". | Year round. Chart:4825 |
| 140.7 | Southwest Rock light buoy QS2 | 47 30 16.8 057 25 04.1 | Fl R 4s | | | Red spar, marked "QS2". | Year round. Chart:4825 |
| 141 | Northwest Head | On Northwest Island. 47 30 44.9 057 24 31.5 | Fl W 3s | 38.1 | 14 | White cylindrical tower, white and red spiral bands. 7.3 | Flash 0.06 s; eclipse 2.94 s. Year round. Horn - Blast 3 s; sil. 27 s. Horn points 237°06'. Chart:4825 |
| 142 | West Flat Island | Burgeo Islands. 47 34 53 057 42 22.5 | Fl W 4s | 10.7 | 6 | Square skeleton tower, red and white rectangular daymark. 4.5 | Year round. Chart:4825 |
| 142.5 | Bay de Loup Point | 47 37 31.1 057 33 05.1 | Fl W 4s | 22.7 | 7 | Square skeleton tower, red and white rectangular daymark. 4.9 | Year round. Chart:4825 |
| 143 | Boar Rock light and bell buoy QG2 | S. of rock. 47 35 32.5 057 33 42.5 | Fl R 4s | | | Red, marked "QG2". | Year round. Chart:4825 |
| 143.5 | Fish Island Rock light buoy QG3 | E. of Burgeo. 47 37 03.7 057 35 06.9 | Fl G 4s | | | Green, marked "QG3". | Operates 24 h. Year round. Chart:4825 Edn 04/23 (N23-054) |
| 143.7 | Short Reach light buoy QG5 | 47 37 10.8 057 35 29.9 | Fl G 4s | | | Green, marked "QG5". | Year round. Chart:4825 |
| 143.71 | Shoal Short Reach light buoy QG5.1 | NE. of Burgeo. 47 37 01.4 057 36 26.6 | Q G 1s | | | Green spar, marked "QG5.1". | Operates 24 h. Year round. Chart:4825 Edn 04/23 (N23-055) |
| 143.72 | Short Reach light buoy QG6 | 47 37 09 057 37 57 | Fl R 4s | | | Red, marked "QG6". | Year round. Chart:4825 |
| 143.74 | Harbour Shoal light buoy QG5/3 | Burgeo. 47 36 49.4 057 36 25.5 | Fl G 4s | | | Green spar, marked "QG5/3". | Operates 24 h. Seasonal. Chart:4825 Edn 02/22 (N21-186) |
| 144 | Boar Island | E. extremity of Burgeo Islands. 47 36 23.2 057 35 12.2 | Fl W 5s | 63.1 | 15 | Skeleton tower. 10.0 | Flash 0.2 s; eclipse 4.8 s. Year round. Horn - Blast 2 s; sil. 18 s. Horn points 140°12'. Chart:4825 |

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|------------------------|--|---|--------------------------|--|-----------------------|--|---|
| SOUTHWEST COAST | | | | | | | |
| 144.512 | Stern Rock light buoy QV2.2 | 47 35 17.2 057 40 17.3 | Fl R 4s | | | Red spar, marked "QV2.2". | Year round. Chart:4825 |
| 144.52 | Marchand Rock light buoy QV2.4 | 47 35 28 057 39 35 | Fl R 4s | | | Red spar, marked "QV2.4". | Year round. Chart:4825 |
| 144.53 | Sandbanks # 1 light buoy QV2.6 | 47 35 48 057 38 58.2 | Fl R 4s | | | Red spar, marked "QV2.6". | Year round. Chart:4825 |
| 144.54 | Sandbanks #2 light buoy QV3.7 | Burgeo Islands. 47 35 55.2 057 38 45.0 | Fl G 4s | | | Green spar, marked "QV3.7". | Operates 24 h. Year round. Chart:4825 Edn 03/22 (N22-012) |
| 144.55 | North of Douglas light buoy QV2.8 | 47 36 03 057 37 42.1 | Fl R 4s | | | Red spar, marked "QV2.8". | Year round. Chart:4825 |
| 144.56 | Morgan Island light buoy QV4 | Burgeo Islands. 47 36 16.7 057 36 53.6 | Fl R 4s | | | Red spar, marked "QV4". | Operates 24 h. Year round. Chart:4825 Edn 05/22 (N22-048) Edn 11/22 (N22-234) |
| 144.57 | Eclipse Island light buoy QV5 | Burgeo Islands. 47 36 23.6 057 36 38.3 | Fl G 4s | | | Green spar, marked "QV5". | Operates 24 h. Year round. Chart:4825 Edn 04/21 (N21-030P) |
| 144.58 | Cuttail Island #1 light buoy QV7 | Burgeo. 47 36 24.6 057 35 41.4 | Fl G 4s | | | Green, marked "QV7". | Year round. Chart:4825 Edn 10/11 (N11-077) |
| 144.59 | Cuttail Island #2 light buoy QV8 | Burgeo. 47 36 24.6 057 35 37.2 | Fl R 4s | | | Red, marked "QV8". | Year round. Chart:4825 Edn 10/11 (N11-078) |
| 144.6 | Cuttail Island #3 light buoy QV9 | Burgeo. 47 36 15.5 057 35 23.5 | Fl G 4s | | | Green, marked "QV9". | Year round. Chart:4825 Edn 10/11 (N11-076) |
| 144.8 H0259 | Rencontre Island Light | E. of Burgeo Islands. 47 35 13.0 057 36 29.3 | Fl W 4s | 57.3 | 8 | Square skeleton tower, red and white rectangular daymark. 4.7 | Flash 1 s; eclipse 3 s. Operates 24 h. Year round. Chart:4825 Edn 11/21 (N21-166) |
| 145 | Burgeo Ferry Wharf | 47 36 30.6 057 36 31.8 | Fl R 4s | 4.0 | 4 | Cylindrical mast. 2.4 | Year round. Chart:4825 |
| 145.8 | La Poile Approach light and bell buoy QE2 | 47 37 37.3 058 23 11.4 | Fl R 4s | | | Red, marked "QE2". | Year round. Chart:4824 Edn 05/20 (N20-030) |
| 145.81 | Offer Seal Island West Rock light buoy QE2.2 | 47 37 13.7 058 35 55.1 | Q R 1s | | | Red spar, marked "QE2.2". | Year round. Chart:4824 Edn 11/12 (N12-027) |

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|------------------------|---|--|--------------------------|--|-----------------------|--|---|
| SOUTHWEST COAST | | | | | | | |
| 145.82 | Cox Rock light buoy QE3 | 47 37 53.4 058 25 50.4 | Fl G 4s | | | Green, marked "QE3". | Year round. Chart:4824 |
| 145.83 | Lapoile North Shore light buoy QE4 | 47 41 01.4 058 23 23 | Fl R 4s | | | Red spar, marked "QE4". | Year round. Chart:4824 Edn 07/12 (N12-018) |
| 145.84 | Seal Rocks light buoy QE5 | 47 40 57 058 23 20.6 | Fl G 4s | | | Green spar, marked "QE5". | Year round. Chart:4824 |
| 145.85 | Tooth Rock light buoy QE4.2 | La Poile Harbour. 47 40 56.7 058 22 45.6 | Fl R 4s | | | Red spar, marked "QE4.2". | Operates 24 h. Year round. Chart:4824 Edn 11/12 (N12-028) Edn 11/17 (N17-059) |
| 145.86 | Naked Man North Cardinal light buoy QEN | 47 38 42.6 058 22 37 | Q W 1s | | | Black and yellow, marked "QEN". | Year round. Chart:4824 |
| 145.9 | Reubans Rock light buoy QF2 | 47 36 33.6 057 36 17 | Fl R 4s | | | Red, marked "QF2". | Year round. Chart:4825 |
| 146 | Ireland Island | On E. side of entrance to La Poile Bay. 47 38 00.3 058 22 10.7 | Fl W 6s | 18.6 | 7 | Square skeleton tower, red and white rectangular daymark. 7.1 | Flash 1 s; eclipse 5 s. Year round. Chart:4824 |
| 147 H0254 | Grand Bruit Light | 47 38 31.9 058 13 29.3 | Fl W 4s | 11.0 | 7 | Square skeleton tower, red and white rectangular daymark. 4.6 | Flash 1 s; eclipse 3 s. Year round. Chart:4824 Edn 11/21 (N21-119) |
| 148 | Little Harbour (La Poile) | On Christmas Head. 47 40 40 058 23 14 | Q G 1s | 12.1 | 4 | Square skeleton tower, green and white rectangular daymark. 4.6 | Flash 0.3 s; eclipse 0.7 s. Year round. Chart:4824 |
| 148.4 | Lapoile Wharf | 47 41 02.2 058 23 43.6 | Fl R 4s | | | Cylindrical mast. | Year round. Chart:4824 |
| 148.9 | Rose Blanche light buoy QRB | 47 35 28.1 058 41 42.8 | Mo(A) W 6s | | | Red and white vertical stripes, marked "QRB". | Operates 24 h. Year round. Chart:4639 Edn 05/20 (N20-012) |
| 149.09 | Rose Blanche Shoal light buoy QR1/1 | 47 35 44 058 42 07.2 | Fl G 4s | | | Green, marked "QR1/1". | Year round. Chart:4639 |
| 149.2 H0243 | Harbour Le Cou Breakwater Light | 47 37 28.0 058 40 55.0 | Fl G 2.5s | 3.5 | 2 | Mast. 2.3 | Flash 0.5 s; eclipse 2.0 s. Seasonal. Chart:4639 Edn 04/24 (N24-010) |

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|------------------------|--|--|--------------------------|--|-----------------------|--|--|
| SOUTHWEST COAST | | | | | | | |
| 149.3 | Calapoose Rocks light buoy QT8 | Harbour Le Cou. 47 37 24.2 058 40 29.3 | Fl R 4s | | | Red spar, marked "QT8". | Seasonal. Chart:4639 Edn 12/23 (N23-231) |
| 150 H0242.1 | Rose Blanche East Wharf Light | 47 36 35.0 058 41 37.2 | Fl R 3s | 3.2 | 4 | Mast. 2.6 | Flash every 3 s. Seasonal. Chart:4639 Edn 12/23 (N23-230) |
| 150.1 | Rose Blanche Ferry Wharf | 47 36 53 058 41 58.5 | Fl R 4s | 4.2 | | Cylindrical mast. 2.4 | Year round. Chart:4639 |
| 150.19 | Rose Blanche | 47 36 06.7 058 41 40.9 | Fl R 10s | 29.0 | 13 | Tower. | Flash 0.5 s; eclipse 9.5 s. Year round. Chart:4823 |
| 150.2 | Burnt Islands Deep Water Wharf | 47 35 45.3 058 53 16.2 | Fl R 4s | 2.9 | | Cylindrical mast. 2.3 | Year round. Chart:4823 |
| 150.3 | Burnt Islands West Wharf | 47 35 50.2 058 53 13.5 | Fl R 4s | 2.4 | 2 | Cylindrical mast. 2.3 | Year round. Chart:4823 |
| 151.07 | Cain's Island | 47 36 08.1 058 42 05.4 | Fl R 6s | 1.9 | 3 | Mast. | Flash 0.5 s; eclipse 5.5 s. Year round. Chart:4639 Edn 11/12 (N12-032) Edn 04/14 (N14-023) |
| 151.2 | Rose Blanche light buoy QR6 | 47 36 33.3 058 41 38.5 | Fl R 4s | | | Red spar, marked "QR6". | Seasonal. Chart:4639 Edn 12/23 (N23-229) |
| 151.4 | North Shoal Shag Rock light buoy QH2 | 47 35 46.7 058 43 57.1 | Fl R 4s | | | Red spar, marked "QH2". | Seasonal. Chart:4639 |
| 151.5 | Green Island Sunker light buoy QH1 | 47 35 27.7 058 44 31.1 | Fl G 4s | | | Green spar, marked "QH1". | Seasonal. Chart:4823 |
| 151.6 | Diamond Cove (Rose Blanche) light buoy QD2 | 47 36 31.9 058 42 07.2 | Fl R 4s | | | Red spar, marked "QD2". | Year round. Chart:4639 |
| 152 H0152 | Goose Island light buoy QD3 | Diamond Cove. 47 36 31.1 058 42 10.4 | Fl G 4s | | | Green spar, marked "QD3". | Year round. Chart:4639 Edn 03/15 (N15-010) Edn 11/17 (N17-065) |
| 153 | Cuff Island light buoy QD5 | Off Island. 47 36 42.1 058 42 06.7 | Fl G 4s | | | Green spar, marked "QD5". | Year round. Chart:4639 |
| 153.6 | Burnt Islands light and bell buoy QB1 | 47 35 01.9 058 54 33.3 | Fl G 4s | | | Green, marked "QB1". | Year round. Chart:4823 |

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | | | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|------------------------|---|--|--------------------------|---|-------|--|-----------------------|--|--|
| SOUTHWEST COAST | | | | | | | | | |
| 154 | Burnt Islands range | On Stickland Point. 47 35 51.4 058 53 32.4 | F | R | | 16.2 | 13 | Skeleton tower, white daymark, red vertical stripe. 4.5 | Visible in line of range. Year round. |
| 155 | | 034°25' 37.5m from front. | F | R | | 20.4 | 13 | Skeleton tower, white daymark, red vertical stripe. 4.5 | Visible in line of range. Year round. Chart:4823 |
| 156 H0238 | Colombier Islands Light Station and Fog Signal | 47 35 30.9 058 53 50.3 | Fl | W | 5s | 18.3 | 15 | Square skeleton tower. 11.3 | Flash 0.5 s; eclipse 4.5 s. Operates 24 h. Year round. Horn – Blast 3 s; sil. 27 s. Horn points 186°. Chart:4823 Edn 01/11 (N10-066) Edn 10/19 (N19-080) |
| 156.2 | Burnt Islands light buoy QB3 | 47 35 40.9 058 53 27.9 | Fl | G | 4s | | | Green spar, marked "QB3". | Seasonal. Chart:4823 |
| 156.3 | Bad Neighbour light and bell buoy Q34 | S. of the rock. 47 34 29.4 058 54 15.6 | Fl | R | 4s | | | Red, marked "Q34". | Year round. Chart:4823 |
| 156.8 H0232.4 | Isle aux Morts Wharf Light | 47 34 56.0 058 58 42.4 | Fl | G | 4s | 3.8 | 4 | Mast. 2.6 | Flash 1 s; eclipse 3 s. Year round. Chart:4640 Edn 11/22 (N22-198) |
| 157 H0232 | Pitman's Island Light | Isle aux Morts. 47 34 48.4 058 58 49.0 | Fl | W | 5s | 9.1 | 7 | Square skeleton tower, red and white rectangular daymark. | Flash 1 s; eclipse 4 s. Year round. Chart:4640 Edn 02/23 (N22-202, N23-033) |
| 157.5 | Fish Point light buoy QX2 | SW. of point. 47 34 23 058 58 37.5 | Fl | R | 4s | | | Red, marked "QX2". | Year round. Chart:4640 |
| 158 | Isle aux Morts light and whistle buoy QX | Eastern Passage Entrance. 47 34 02.7 058 58 26.5 | Mo(A) | W | 6s | | | Red and white vertical stripes, marked "QX". | Year round. Chart:4640 |
| 158.3 | Harrys Rock light buoy QXX | Isle Aux Morts. 47 34 54.0 058 58 58.5 | Q(9) | W | 15s | | | Yellow, black and yellow spar, marked "QXX". | Year round. Chart:4640 Edn 12/22 (N22-254) |
| 158.31 | Potato Island light buoy QX9 | Isle aux Morts. 47 34 56.3 058 59 03.9 | Fl | G | 4s | | | Green spar, marked "QX9". | Operates 24 h. Year round. Chart:4640 Edn 02/22 (N21-225) |
| 158.4 | White Sunkers Inner light buoy QX5 | NE. of White Sunkers. 47 34 38.5 058 58 52.6 | Fl | G | 4s | | | Green, marked "QX5". | Year round. Chart:4640 |

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|------------------------|---|--|--------------------------|--|-----------------------|--|--|
| SOUTHWEST COAST | | | | | | | |
| 158.41 | Pittmans Island Inner light buoy QX6 | 47 34 43.5 058 58 51.2 | Fl R 4s | | | Red spar, marked "QX6". | Year round. Chart:4640 |
| 158.42 | Isle aux Morts light buoy QX7 | 47 34 53.2 058 58 46.3 | Fl G 4s | | | Green spar, marked "QX7". | Year round. Chart:4640 |
| 158.71 | Two Foot Shoal light buoy QW4 | 47 34 37 059 00 24.6 | Fl R 4s | | | Red spar, marked "QW4". | Year round. Chart:4640 |
| 158.72 | Five Foot Shoal light buoy QW2 | Isle aux Morts. 47 34 02.5 059 01 57.4 | Fl R 4s | | | Red, marked "QW2". | Seasonal. Chart:4640 Edn 04/23 (N23-056) |
| 158.721 | Dead Head Shoal light buoy QW3 | 47 34 32.6 059 00 46.2 | Fl G 4s | | | Green spar, marked "QW3". | Year round. Chart:4640 |
| 158.74 | Little Grave Island Rock light buoy QW5 | 47 34 43.4 059 00 12.9 | Fl G 4s | | | Green spar, marked "QW5". | Year round. Chart:4640 |
| 158.75 H0233.3 | Isle aux Morts North Wharf Light | 47 35 18.0 058 58 47.0 | Fl R 4s | 3.1 | 4 | Mast. | Flash 1 s; eclipse 3 s. Year round. Chart:4640 Edn 01/11 (N10-066) Edn 12/22 (N22-197) |
| 158.76 | Big Sunkers Outer light buoy QX1 | 47 34 20.3 058 58 44.8 | Fl G 4s | | | Green spar, marked "QX1". | Year round. Chart:4640 |
| 158.77 | Middle Sunker light buoy QX3 | 47 34 29.9 058 58 51.4 | Fl G 4s | | | Green spar, marked "QX3". | Year round. Chart:4640 |
| 159.1 | Black Rock Shoal light buoy QM2.2 | Margaree. 47 33 57.0 059 04 02.0 | Fl R 4s | | | Red spar, marked "QM2.2". | Seasonal. Chart:4640 Edn 04/23 (N23-057) |
| 159.11 | Net Shoal light buoy QM1 | Margaree. 47 33 44.7 059 04 06.1 | Fl G 4s | | | Green, marked "QM1". | Year round. Chart:4640 Edn 04/23 (N23-058) |
| 159.12 | Shag Rock light buoy QM2.4 | Margaree. 47 34 13.8 059 03 51.5 | Q R 1s | | | Red spar, marked "QM2.4". | Seasonal. Chart:4640 Edn 03/22 (N22-010) |
| 159.13 | Margaree Harbour light buoy QM4 | 47 34 17.2 059 03 49.3 | Fl R 4s | | | Red spar, marked "QM4". | Seasonal. Chart:4640 |
| 159.14 H0231 | Margaree Wharf Light | 47 34 25.0 059 03 48.8 | Fl Y 4s | 2.9 | 2 | Mast. 2.2 | Flash 1 s; eclipse 3 s. Year round. Chart:4640 Edn 01/11 (N10-066) Edn 12/22 (N22-196) |
| 159.2 | Flat Islands light buoy QM2 | 47 34 07 059 04 00.5 | Fl R 4s | | | Red spar, marked "QM2". | Seasonal. Chart:4640 |

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|------------------------|--|---|--------------------------|--|-----------------------|--|--|
| SOUTHWEST COAST | | | | | | | |
| 159.3 | Western Island light buoy QM3 | SSE. of island, Margaree Harbour. 47 34 15.7 059 03 50.2 | Q G 1s | | | Green spar, marked "QM3". | Seasonal. Chart:4640 Edn 02/10 (N10-005) Edn 12/18 (N18-092) Edn 03/22 (N22-009) |
| 159.42 | Margaree Ruin light buoy QM6 | 47 34 23.6 059 03 49.1 | Fl R 4s | | | Red spar, marked "QM6". | Seasonal. Chart:4640 |
| 159.5 H0230 | Margaree Point Light | Margaree. 47 34 13.0 059 04 01.4 | Fl W 4s | 6.4 | 7 | Square skeleton tower, red and white rectangular daymark. 4.3 | Flash 1 s; eclipse 3 s. Year round. Chart:4641 Edn 08/22 (N22-136) Edn 12/22 (N22-203) |
| 160 H222 | Channel Head Light Station Racon -- (C) X & S Bands | Port aux Basques. 47 33 57.0 059 07 24.6 | Fl W 10s | 29.0 | 17 | White cylindrical tower. | Flash 1 s; eclipse 9 s. Year round. Chart:4641 Edn 03/22 (N22-029) |
| 160.1 | Motherlake Bay West light buoy QK2 | W. of Port aux Basques. 47 33 42.9 059 08 36.9 | Fl R 4s | | | Red spar, marked "QK2". | Seasonal. Chart:4641 Edn 08/22 (N22-086) |
| 160.2 | Channel Gut Five Foot Rock light buoy QG1 | 47 33 51.6 059 08 15.0 | Fl G 4s | | | Green spar, marked "QG1". | Seasonal. Chart:4641 Edn 08/22 (N22-087) |
| 160.3 | 4 Foot Shoal light buoy QK4 | Motherlake Bay. 47 33 50.0 059 08 36.8 | Fl R 4s | | | Red spar, marked "QK4". | Seasonal. Chart:4641 Edn 08/22 (N22-088) |
| 160.7 | Channel Gut Wharf | 47 33 57.6 059 07 34.6 | Fl R 4s | 3.6 | 2 | Mast. 2.4 | Year round. Chart:4641 Edn 01/11 (N10-066) |
| 161 | East Baldwin Rock light and bell buoy QP2 | Port aux Basques. 47 34 23.8 059 07 32.1 | Fl R 4s | | | Red, marked "QP2". | Operates 24 h. Year round. Chart:4641 Edn 01/18 (N17-078) |
| 162 | Graveyard Point Breakwater | On outer end of breakwater. 47 34 23.5 059 07 45.2 | Fl W 4s | 9.5 | 5 | Cylindrical mast. 2.5 | Outer end of breakwater is floodlit. Year round. Chart:4641 |
| 162.5 | Graveyard Point Breakwater light buoy QP3 | Port Aux Basques. 47 34 25.2 059 07 46.8 | Fl G 4s | | | Green, marked "QP3". | Year round. Chart:4641 Edn 03/11 (N11-004) |
| 163 | Vardys Island (Rhode Island) | On SW. point of island. 47 34 37.6 059 08 12.3 | Fl R 4s | 5.8 | 7 | Square skeleton tower, red and white rectangular daymark. 4.4 | Year round. Chart:4641 |

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|------------------------|--|---|--------------------------|--|-----------------------|--|--|
| SOUTHWEST COAST | | | | | | | |
| 164 | Vardys Island light buoy QP10 | Off W. side of island. 47 34 39 059 08 14.8 | Fl R 4s | | | Red, marked "QP10". | Year round. |
| | | | | | | | Chart:4641 |
| 165 | Pikes Island West light buoy QP12 | W. of island. 47 34 47.5 059 08 02.8 | Fl R 4s | | | Red spar, marked "QP12". | Year round. |
| | | | | | | | Chart:4641 |
| 166 H0223 | Port aux Basques range | 47 34 45.9 059 08 33.0 | F G | | 38.8 | 14 Square skeleton tower, red daymark, white vertical stripe. 6.3 | Visible in line of range. Operates 24 h. Year round. |
| 167 H0223.1 | | 300°43' 202.0m from front. | F G | | 67.3 | 14 Square skeleton tower, red daymark, white vertical stripe. 6.3 | Visible in line of range. Operates 24 h. Year round. |
| | | | | | | | Chart:4641 Edn 07/17 (N17-015, 016) |
| 168 | Channel Head light and whistle buoy QP | E. of Channel Head light. 47 33 55.5 059 06 35.9 | Fl R (2+1) | | | Red, green and red, marked "QP". | Year round. |
| | | | | | | | Chart:4641 |
| 169 | Middle Baldwin light and bell buoy QP4 | 47 34 27.5 059 07 41.7 | Fl R 4s | | | Red, marked "QP4". | Year round. |
| | | | | | | | Chart:4641 |
| 170 | Pikes Island Breakwater | On outer end of breakwater. 47 34 32.7 059 07 55.7 | Fl R 4s | 17.0 | 5 | Triangular mast, red and white rectangular daymark. 10.0 | Year round. |
| | | | | | | | Chart:4641 |
| 170.5 | Pikes Island Breakwater light buoy QP6 | Port aux Basques. 47 34 31.8 059 07 56.0 | Fl R 4s | | | Red, marked "QP6". | Year round. |
| | | | | | | | Chart:4641 Edn 12/13 (N13-018) Edn 09/21 (N21-098) |
| 171 | Point Pleasant light buoy QP7 | Off point. 47 34 30.9 059 08 10.4 | Fl G 4s | | | Green spar, marked "QP7". | Year round. |
| | | | | | | | Chart:4641 |
| 172 | Pancake Rock light buoy QP9 | Port aux Basques. 47 34 34.8 059 08 22.0 | Fl G 4s | | | Green spar, marked "QP9". | Year round. |
| | | | | | | | Chart:4641 Edn 10/19 (N19-047) |