

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>WEST COAST</b>							
173 H220	<b>Cape Ray</b>	On W. side of cape. 47 37 16 059 18 14.1	Fl W 15s	36.0	17	White octagonal tower, red daymark, white horizontal band.  17.7	Flash 1 s; eclipse 14 s. Year round.  <b>Horn</b> - Blast 4 s; sil. 56 s. Horn points 224°.
							<b>Chart:4823</b>
173.1	<i>Brandies Rock West Cardinal light buoy QBR</i>	<i>W. of Cape Ray. 47 37 12.2 059 20 11.8</i>	<i>Q(9) W 15s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow, black and yellow, marked "QBR".</i>	<i>Seasonal.</i>
							<b>Chart:4823 Edn 01/10</b>
173.12	<i>Halibut Rocks West Cardinal light buoy QHR</i>	<i>SE. of Cape Ray. 47 34 59.5 059 15 39.6</i>	<i>VQ(9) W 10s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow, black and yellow, marked "QHR".</i>	<i>Seasonal.</i>
							<b>Chart:4823 Edn 01/10</b>
173.5	<i>Codroy light buoy XY</i>	<i>47 52 03 059 23 25.5</i>	<i>Mo(A) W 6s</i>	<i>.....</i>	<i>.....</i>	<i>Red and white vertical stripes, marked "XY".</i>	<i>Seasonal.</i>
							<b>Chart:4682</b>
174	Codroy	At S. end of Codroy Island. 47 52 14.2 059 24 06.3	Fl G 6s	7.1	4	Square skeleton tower, green and white rectangular daymark. 4.9	Flash 1 s; eclipse 5 s. Year round.
							<b>Chart:4682</b>
174.1	<i>Codroy Island Outer light buoy XY1</i>	<i>47 52 24.5 059 23 37.8</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "XY1".</i>	<i>Seasonal.</i>
							<b>Chart:4682</b>
174.12	<i>Codroy light buoy XY3</i>	<i>47 52 39.3 059 23 49.0</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "XY3".</i>	<i>Seasonal.</i>
							<b>Chart:4682 Edn 11/22 (N22-260) Edn 09/23 (N23-107)</b>
174.2	<i>Codroy Outer light buoy XY2</i>	<i>47 52 27.1 059 23 32.6</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "XY2".</i>	<i>Seasonal.</i>
							<b>Chart:4682 Edn 11/22 (N22-256)</b>
174.3	<i>Beach Point light buoy XY4</i>	<i>Codroy. 47 52 41.0 059 23 46.6</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "XY4".</i>	<i>Seasonal.</i>
							<b>Chart:4682 Edn 12/22 (N22-255) Edn 09/23 (N23-106)</b>
174.5	Codroy Breakwater	On breakwater. 47 52 46.5 059 23 55	Fl R 4s	4.0	4	Cylindrical mast. 2.5	Year round.
							<b>Chart:4682</b>
174.6	Codroy Outer Breakwater Light	47 52 45.0 059 23 48.1	Fl R 4s	.....	2	Cylindrical mast. 2.3	Flash 1 s; eclipse 3 s. Operates 24 h. Year round.
							<b>Chart:4682 Edn 12/13 (N13-034) Edn 11/17 (N17-054)</b>
175 H218	<b>Cape Anguille</b>	N. of Shoal Point. 47 54 02 059 24 40.5	Fl W 5s	24.7	15	White octagonal tower. 17.8	Flash 0.1 s; eclipse 4.9 s. Year round.  <b>Horn</b> - Blast 3 s; sil. 27 s. Horn points 289°.
							<b>Chart:4682</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>WEST COAST</b>							
175.98	Fischells Entrance Outer light buoy XE2	At the entrance to harbour. 48 19 23.1 058 42 23.2	Fl R 4s	.....	.....	Red spar, marked "XE2".	Seasonal.  Chart:N/A Edn 07/09 (N09-017) Edn 08/21 (N21-054)
175.99	Fischells Entrance Inner light buoy XE1	Harbour entrance. 48 19 24.0 058 42 21.5	Fl G 4s	.....	.....	Green spar, marked "XE1".	Seasonal.  Chart:N/A Edn 07/09 (N09-018) Edn 08/21 (N21-055)
176	Crabbes River Entrance light buoy XD2	48 13 15.2 058 51 57.8	Fl R 4s	.....	.....	Red spar, marked "XD2".	Seasonal.  Chart:4022 Edn 09/11 (N11-041) Edn 02/22 (N21-265)
176.1	Crabbes River Harbour light buoy XD5	48 13 11.6 058 51 48.6	Fl G 4s	.....	.....	Green spar, marked "XD5".	Seasonal.  Chart:4022 Edn 03/16 (N16-001) Edn 11/22 (N22-259) Edn 09/23 (N23-105)
176.11	Crabbes River light buoy XD3	48 13 14.9 058 51 53.2	Fl G 4s	.....	.....	Green spar, marked "XD3".	Seasonal.  Chart:4022 Edn 06/11 (N11-034) Edn 02/22 (N21-266)
176.12	Crabbes River Channel #2 light buoy XD1	48 13 17.3 058 51 57.5	Fl G 4s	.....	.....	Green spar, marked "XD1".	Seasonal.  Chart:4022 Edn 09/11 (N11-042) Edn 03/22 (N22-008) Edn 09/22 (N22-137)
176.2	Crabbes River Harbour light buoy XD4	48 13 13.7 058 51 54.7	Fl R 4s	.....	.....	Red spar, marked "XD4".	Seasonal.  Chart:4022 Edn 11/22 (N22-257) Edn 04/24 (N24-044)
176.3	Crabbes River Channel light buoy XD6	48 13 10.7 058 51 49.7	Fl R 4s	.....	.....	Red spar, marked "XD6".	Seasonal.  Chart:4022 Edn 06/11 (N11-033) Edn 09/23 (N23-104)
176.4	Crabbes River Inner Cautionary light buoy X	48 13 07.7 058 51 44.4	Fl Y 4s	.....	.....	Yellow spar, marked "X".	Seasonal.  Chart:N/A Edn 11/22 (N22-258) Edn 09/23 (N23-119)
178	Harbour Point	St. George's Harbour. 48 27 26 058 29 20.4	Fl W 6s	10.7	6	Cylindrical tower, red and white horizontal bands. 10.2	Flash 1 s; eclipse 5 s. Seasonal.  Chart:4885
178.12	St. George's Harbour Outer light buoy XG1	48 26 06.5 058 29 16.4	Fl G 4s	.....	.....	Green spar, marked "XG1".	Seasonal.  Chart:4885
178.13	St. George's Harbour Outer light buoy XG2	48 26 06.5 058 29 21.4	Fl R 4s	.....	.....	Red spar, marked "XG2".	Seasonal.  Chart:4885

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>WEST COAST</b>							
178.14	St. George's Harbour Inner light buoy XG3	48 25 54 058 29 17.4	Fl G 4s	.....	.....	Green spar, marked "XG3".	Seasonal.  Chart:4885
178.15	St. George's Harbour Inner light buoy XG4	48 25 54 058 29 20.9	Fl R 4s	.....	.....	Red spar, marked "XG4".	Seasonal.  Chart:4885
179.3 H206	<b>Port Harmon range</b>	48 32 00.1 058 31 23.1	F G	.....	42.8	14 Square skeleton mast, red daymark white vertical stripe. 27.1	Visible in line of range. Year round.
179.4 H206.1		024° 243.6m from front.	F G	.....	55.7	15 Square skeleton mast, red daymark, white vertical stripe. 27.1	Visible in line of range. Year round.  Chart:4885
179.5	Port Harmon light buoy XS	48 29 44 058 32 52.4	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "XS".	Seasonal.  Chart:4885
180	Port Harmon Entrance light buoy XS1	S. side of breakwater. 48 30 20.5 058 32 32.4	Fl G 4s	.....	.....	Green spar, marked "XS1".	Year round.  Chart:4885
180.1	Port Harmon Breakwater	On outer end of breakwater. 48 30 27 058 32 30.4	Fl W 3s	5.2	5	Cylindrical mast. 2.5	Flash every 3 s. Year round.  Chart:4885
180.2	Port Harmon Channel light buoy XS2	48 30 30.4 058 32 21.4	Fl R 4s	.....	.....	Red spar, marked "XS2".	Year round.  Chart:4885
180.51	Port Harmon Channel light buoy XS3	48 30 34.7 058 32 22.9	Fl G 4s	.....	.....	Green spar, marked "XS3".	Year round.  Chart:4885
180.52	Port Harmon Inner light buoy XS5	48 30 49.0 058 32 13.0	Q G 1s	.....	.....	Green spar, marked "XS5".	Year round.  Chart:4885 Edn 03/18 (N18-005) Edn 08/22 (N22-125)
180.53	Port Harmon Channel light buoy XS6	48 30 49.6 058 32 08.5	Fl R 4s	.....	.....	Red spar, marked "XS6".	Year round.  Chart:4885 Edn 03/18 (N18-006)
180.54	Port Harmon Channel light buoy XS7	48 31 09.0 058 31 59.4	Fl G 4s	.....	.....	Green spar, marked "XS7".	Year round.  Chart:4885 Edn 03/18 (N18-004)
180.55	Port Harmon Channel light buoy XS8	48 31 09.6 058 31 54.6	Fl R 4s	.....	.....	Red spar, marked "XS8".	Year round.  Chart:4885 Edn 03/18 (N18-003)

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>WEST COAST</b>							
180.6	Port Harmon Turn Basin light buoy XS9	48 31 30.5 058 31 45.4	Q G 1s	.....	.....	Green spar, marked "XS9".	Year round.  Chart:4885 Edn 04/22 (N22-038)
180.61	Port Harmon East Turning Basin light buoy XS10	48 31 34.3 058 31 34.7	Fl R 4s	.....	.....	Red spar, marked "XS10".	Year round.  Chart:4885 Edn 07/20 (N20-060)
180.62	Port Harmon West Turning Basin light buoy XS11	48 31 45.6 058 31 48.6	Fl G 4s	.....	.....	Green spar, marked "XS11".	Year round.  Chart:4885 Edn 03/18 (N18-002)
183 H0214	St. George's Cautionary Light	48 25 53.9 058 29 08.1	Fl Y 4s	3.0	.....	Mast. 2.6	Flash 1 s; eclipse 3 s. Seasonal.  Chart:4885 Edn 01/11 (N10-066) Edn 05/20 (N20-006)
183.1	St. George's Breakwater	48 26 06 058 29 37	F G	.....	3.5	Square tower, yellow and red horizontal bands. 1.4	Privately maintained. Year round.  Chart:4885
183.2	St. George's Breakwater North	48 26 15 058 29 57.4	Fl R 3s	5.1	.....	Square tower, yellow and red horizontal bands. 1.4	Flash every 3 s. Privately maintained. Seasonal.  Chart:4885
183.5	Flintkote Wharf	On N. end of wharf. 48 26 35.5 058 28 32.4	Fl G 4s	6.4	4	Skeleton tower.	Privately maintained. Seasonal.  Chart:4885
183.7	Lower Cove light buoy XLC	Pigeon Head. 48 30 57.1 059 01 21.1	Fl(2) W 10s	.....	.....	Black, red and black, marked "XLC".	Seasonal.  Chart:4021 Edn 05/23 (N23-046)
183.82 H0203	Rouzes Brook West Breakwater Light	Cape St. George. 48 28 36.2 059 11 58.8	Fl G 5s	.....	4	Mast. 2.6	Flash 1 s; eclipse 4 s. Seasonal.  Chart:4021 Edn 11/22 (N22-189, 195)
184 H202	Red Island	Off Cape St. George. 48 33 52 059 13 45	Fl W 3s	65.0	7	Skeleton tower, white daymark. 6.6	Flash 0.5 s; eclipse 2.5 s. Year round.  Chart:4021
184.83 H0204	Rouzes Brook East Breakwater Light	Cape St. George. 48 28 37.6 059 11 57.7	Fl R 5s	.....	4	Mast. 2.6	Flash 1 s; eclipse 4 s. Seasonal.  Chart:4021 Edn 11/22 (N22-190, 194)
185	Long Point	Port au Port Bay Entrance. 48 46 52.5 058 46 22	Fl W 6s	14.6	5	Skeleton tower, red slatwork daymark. 11.0	Flash 0.5 s; eclipse 5.5 s. Year round.  Chart:4659
185.2	Beach Point Breakwater	48 45 52 058 47 20	Fl R 4s	4.4	4	Cylindrical mast. 2.6	Year round.  Chart:4659

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>WEST COAST</b>							
185.3	Beach Point South	48 45 49 058 47 26.5	Fl G 4s	4.3	4	Cylindrical mast. 2.6	Year round.  <b>Chart:4659</b>
185.5	Shoal Point light buoy XU3	Off point. 48 40 43 058 50 49	Fl G 4s	.....	.....	Green, marked "XU3".	Seasonal.  <b>Chart:4659</b>
185.7	Head Harbour Wharf (Pic à Denis Harbour)	On outer end of wharf. 48 34 35.8 058 54 06.1	Fl R 4s	3.0	4	Cylindrical mast. 2.6	Seasonal.  <b>Chart:4659</b>
185.8	Fox Brook South Wharf	48 41 42.6 058 40 51.6	Fl R 3s	3.1	2	Cylindrical mast.	Flash 0.5 s; eclipse 2.5 s. Seasonal.  <b>Chart:4659</b> <b>Edn 12/10 (N10-060)</b>
185.9 H201	Fox Brook	48 41 44 058 40 53.1	Fl G 3s	2.0	3	Cylindrical mast. 2.6	Flash 0.5 s; eclipse 2.5 s. Year round.  <b>Chart:4659</b>
188	Broad Cove	On point, Port au Port Bay. 48 45 41 058 37 57	Fl W 4s	42.7	7	Square skeleton tower, red and white rectangular daymark. 5.8	Seasonal.  <b>Chart:4659</b>
189	Shag Island	On island. 48 52 18 058 35 25	Fl W 4s	31.7	6	Square skeleton tower, red rectangular daymark, white vertical stripe. 3.7	Seasonal.  <b>Chart:4659</b> <b>Edn 02/10 (N09-058)</b>
190	Eagle Island (Bay of Islands)	N. of Middle Arm Pt. 49 09 42.1 058 08 47.1	Fl W 6s	33.2	6	Square skeleton tower, red rectangular daymark, white vertical stripe. 3.7	Flash 1 s; eclipse 5 s. Seasonal.  <b>Chart:4653</b> <b>Edn 02/10 (N09-059)</b>
191	Middle Arm Point	On edge of cliff. 49 07 54.1 058 08 45.1	Fl W 4s	21.9	6	Square skeleton tower, red and white rectangular daymark. 4.2	Seasonal.  <b>Chart:4653</b>
192 H192	South Head	Entrance to Bay of Islands. 49 08 48.1 058 22 11.1	Fl W 4s	34.5	6	Cylindrical tower, red with white bands. 10.9	Year round.  <b>Chart:4653</b> <b>Edn 09/10 (N10-044)</b>
193 H190	White Point	Entrance to Bay of Islands. 49 08 32.1 058 21 09.1	Fl W 6s	30.5	6	Skeleton tower, white daymark. 5.3	Flash 1 s; eclipse 5 s. Year round.  <b>Chart:4653</b>
193.4	Lark Harbour Entrance light buoy XL1	Bay of Islands. 49 06 23.2 058 20 36.1	Q G 1s	.....	.....	Green spar, marked "XL1".	Seasonal.  <b>Chart:4654</b> <b>Edn 07/20 (N20-061)</b>
193.5	Lark Harbour Spit light buoy XL2	49 05 51.7 058 22 16.5	Fl R 4s	.....	.....	Red spar, marked "XL2".	Seasonal.  <b>Chart:4654</b> <b>Edn 11/09 (N09-040)</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>WEST COAST</b>							
194.5	Allen's light buoy XCB2	48 57 57.7 058 01 12.6	Fl R 4s	.....	.....	Red spar, marked "XCB2".	Seasonal.  Chart:4652 Edn 10/09
194.6	Corner Brook Breakwater West	48 57 55.7 058 01 13.6	Fl R 4s	.....	2	Cylindrical mast.	Year round.  Chart:4653
194.7	Corner Brook Breakwater East	48 57 54.5 058 01 11.9	Fl G 4s	.....	.....	Cylindrical mast.	Year round.  Chart:4653
194.8	Corner Brook East Cardinal light buoy XCB	48 57 33.1 057 57 02.6	Q(3) W 10s	.....	.....	Black, yellow and black spar, marked "XCB".	Operates 24 h. Year round.  Chart:4652 Edn 08/22 (N22-124) Edn 01/23 (N22-292)
195	Meadows Point H180	In Humber Arm. 48 59 32.6 058 03 38.1	Fl G 3s	20.4	5	Square skeleton tower, green and white rectangular daymark. 9.7	Flash 0.5 s; eclipse 2.5 s. Seasonal.  Chart:4652
196	Little Port Head Light H0194	Bay of Islands. 49 06 31.1 058 25 41.2	Fl W 4s	67.4	5	Square skeleton tower, red and white rectangular daymark. 4.3	Flash 1 s; eclipse 3 s. Operates 24 h. Seasonal.  Chart:4653 Edn 10/17 (N17-035) Edn 10/21 (N21-118)
196.1	Little Port light buoy XLH1	49 06 34.6 058 25 31.3	Fl G 4s	.....	.....	Green, marked "XLH1".	Seasonal.  Chart:4653 Edn 11/20 (N20-062) Edn 09/23 (N23-108)
196.6	Lark Harbour Wharf Light	On wharf. 49 06 04.3 058 21 48.3	Fl R 4s	.....	2	Mast.	Flash 1 s; eclipse 3 s. Operates 24 h. Seasonal.  Chart:4654 Edn 10/21 (N21-102)
197	Woods Island Light H0188	Bay of Islands. 49 05 40.1 058 13 19.1	Iso W 4s	11.0	6	Square skeleton tower, red rectangular daymark, white band. 4.6	Year round.  Chart:4653 Edn 06/17 (N16-061, N17-010)
197.5	Peter Point Shoal South Cardinal light buoy XWC	Woods Island. 49 04 48.4 058 09 46.4	Q(6) W +LFI	15s	.....	Yellow and black, marked "XWC".	Seasonal.  Chart:4653
198	Frenchman's Head Light H0186	Entrance to Humber Arm. 49 03 27.1 058 09 28.1	Fl W 5s	82.6	.....	Skeleton tower, white rectangular daymark with red band at top and bottom. 9.8	Flash 1 s; eclipse 4 s. Year round.  Chart:4653 Edn 07/19 (N19-034)

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>WEST COAST</b>							
199 H0175	Trout River Light	49 28 58.7 058 07 58.4	Fl W 5s	24.3	6	Square skeleton tower, white and red rectangular daymark.  4.3	Flash 1 s; eclipse 4 s. Year round.  <b>Chart:4881</b> <b>Edn 03/19 (N18-100)</b> <b>Edn 10/19 (N19-052)</b> <b>Edn 10/20 (N20-077)</b> <b>Edn 12/23 (N23-223)</b>
199.1	Trout River Point Rock light buoy XT2	49 28 57.1 058 07 52.8	Fl R 4s	.....	.....	Red spar, marked "XT2".	Seasonal.  <b>Chart:4661</b>
199.2	Trout River Bay Shoal light buoy XT3	49 28 56.2 058 07 52	Fl G 4s	.....	.....	Green spar, marked "XT3".	Seasonal.  <b>Chart:4661</b>
199.4 H0176	Trout River Wharf Light	49 28 51.1 058 07 57.2	Fl G 3s	2.6	3	Mast.  2.2	Flash 1 s; eclipse 2 s. Seasonal.  <b>Chart:4881</b> <b>Edn 01/11 (N10-066)</b> <b>Edn 12/13 (N13-036)</b> <b>Edn 09/19 (N19-019, 051)</b> <b>Edn 09/20 (N20-078)</b> <b>Edn 11/22 (N22-193)</b>
200 H0168	Woody Point Light	Bonne Bay. 49 30 17.2 057 54 44.9	LFl W 6s	13.7	4	White pyramid tower with red top.  7.3	Flash 2 s; eclipse 4 s. Visible 180°. Seasonal.  <b>Chart:4881</b> <b>Edn 03/19 (N18-101, N19-008)</b> <b>Edn 09/19 (N19-053)</b> <b>Edn 10/20 (N20-079)</b>
200.1	Curzon Village Light	Outer corner of the wharf. 49 30 32.2 057 55 01.9	Fl Y 4s	.....	4	Mast.	Flash 1 s; eclipse 3 s. Operates 24 h. Seasonal.  <b>Chart:4881</b> <b>Edn 11/21 (N21-159)</b>
200.2	Rocky Harbour Entrance light buoy XR2	49 35 34.8 057 56 42.6	Fl R 4s	.....	.....	Red spar, marked "XR2".	Seasonal.  <b>Chart:4658</b>
200.3 H0165	Rocky Harbour Wharf Light	49 35 27.4 057 55 08.1	Fl G 4s	.....	2	Mast.  2.6	Flash 1 s; eclipse 3 s. Seasonal.  <b>Chart:4881</b> <b>Edn 03/19 (N18-103)</b> <b>Edn 09/20 (N20-080)</b>
201 H0164	Lobster Cove Head Light	Bonne Bay. 49 36 10.2 057 57 21.1	Iso W 4s	35.0	12	White lighthouse.  8.4	Year round.  <b>Chart:4658</b> <b>Edn 03/19 (N18-104, N19-009)</b>
202.2	Cow Head Wharf	E., SE. corner of wharf. 49 55 23.3 057 48 14	Fl R 4s	4.6	4	Cylindrical mast.  2.6	Seasonal.  <b>Chart:4663</b>

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>WEST COAST</b>							
202.3	Harbour Rock light buoy XW2	Cow Head Hr. 49 55 31.1 057 48 22.9	Fl R 4s	.....	.....	Red spar, marked "XW2".	Seasonal.  Chart:4663 Edn 10/17 (N17-041)
202.4	Cow Head Harbour light buoy XW3	49 55 30.7 057 48 13.0	Fl G 4s	.....	.....	Green spar, marked "XW3".	Seasonal.  Chart:4663 Edn 10/17 (N17-039)
202.5	Cow Head Outer light buoy XW4	49 55 28.3 057 48 11.8	Q R 1s	.....	.....	Red spar, marked "XW4".	Seasonal.  Chart:4663 Edn 10/17 (N17-042)
202.6	Cow Head Harbour light buoy XW1	49 55 32.7 057 48 21.0	Fl G 4s	.....	.....	Green spar, marked "XW1".	Seasonal.  Chart:4663 Edn 10/17 (N17-040)
203.1	Parson's Pond Entrance #2 light buoy XPP2	50 02 01.4 057 42 51.2	Fl R 4s	.....	.....	Red spar, marked "XPP2".	Seasonal.  Chart:4663
203.2	Parson's Pond Entrance #1 light buoy XPP1	50 02 02.5 057 42 50.9	Fl G 4s	.....	.....	Green spar, marked "XPP1".	Seasonal.  Chart:4663
204	Norris Point	49 30 55.2 057 52 39.8	Fl G 4s	7.6	4	Square skeleton tower, white rectangular daymark, red vertical stripe. 5.6	Seasonal.  Chart:4658 Edn 12/13 (N13-035)
205	Gadds Point	S. side of The Tickle. 49 30 41 057 52 34.9	Fl W 4s	14.3	5	Square skeleton tower, red and white rectangular daymark. 4.3	Seasonal.  Chart:4658
207.2	Daniel's Harbour light buoy XDH2	50 14 33.6 057 35 16.3	Fl R 4s	.....	.....	Red spar, marked "XDH2".	Seasonal.  Chart:4663 Edn 06/12 (N12-009)
207.5	River of Ponds Breakwater	50 31 42.6 057 23 46.2	Fl R 4s	5.0	2	Mast. 2.3	Seasonal.  Chart:4021 Edn 09/10 (N10-048)
208 H156	<b>Keppel Island</b>	NW. side of island. 50 37 58.9 057 19 19.9	Fl W 15s	36.5	17	Square skeleton tower, red daymark, white horizontal band. 11.3	Flash 1 s; eclipse 14 s. <b>Horn</b> - Blast 3 s; sil. 27 s. Horn points 143°. Seasonal.  Chart:4679
208.05	Cotton Shoal light buoy XPS2	50 38 28.3 057 16 38.8	Fl R 4s	.....	.....	Red spar, marked "XPS2".	Seasonal.  Chart:4679
208.06 H155	Port Saunders Wharf	50 38 43 057 16 26.9	Fl G 4s	2.1	.....	Cylindrical mast.	Year round.  Chart:4679



**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**WEST COAST**

208.2 H156.1	Keppel Island Fog Signal	NW. side of island. 50 37 58.6 057 19 19.8	.....	.....	.....	.....	<b>Horn</b> - Blast 3 s; sil. 27 s. Horn points 143°. Year round.
-----------------	-----------------------------	--	-------	-------	-------	-------	--

**Chart:4679**