

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>STRAIT OF BELLE ISLE</b>							
211 <i>H154</i>	<b>Pointe Riche</b>	50 41 54.6 057 24 36.8	FI W 5s	29.3	15	White octagonal tower, red upper portion. 19.8	Flash 0.2 s; eclipse 4.8 s. Seasonal.  Chart:4679 Edn 07/10
211.1	<i>Port au Choix light buoy XLP1</i>	<i>Northern peninsula.</i> 50 43 06.6 057 22 22.3	Q G 1s	.....	.....	<i>Green spar, marked "XLP1".</i>	<i>Operates 24 h. Seasonal.</i>  Chart:4679 Edn 11/15 (N15-045) Edn 12/18 (N18-091)
211.15	<i>Barbace Point North Cardinal light buoy XPB</i>	50 44 00.2 057 20 37.2	VQ W 0.5s	.....	.....	<i>Black and yellow, marked "XPB".</i>	<i>Operates 24 h. Seasonal.</i>  Chart:4679 Edn 09/21 (N21-072)
211.2	<i>Port aux choix Light buoy XP2.2</i>	50 43 10.2 057 20 12.5	FI R 4s	.....	.....	<i>Red spar, marked "XP2.2".</i>	<i>Seasonal.</i>  Chart:4679 Edn 02/15 (N14-073)
211.3	<i>Querré Island light buoy XP1</i>	<i>Port au Choix.</i> 50 43 17.9 057 19 55.0	Q G 1s	.....	.....	<i>Green spar, marked "XP1".</i>	<i>Seasonal.</i>  Chart:4679 Edn 02/15 (N14-072) Edn 11/19
211.5	<i>Port au Choix light buoy XP2</i>	50 44 17.9 057 20 04.2	FI R 4s	.....	.....	<i>Red, marked "XP2".</i>	<i>Seasonal.</i>  Chart:4679 Edn 09/21 (N21-134)
211.6	<i>Querré Island Shoal light buoy XP3</i>	<i>Port au Choix.</i> 50 43 07.9 057 20 10.5	FI G 4s	.....	.....	<i>Green spar, marked "XP3".</i>	<i>Seasonal.</i>  Chart:4679 Edn 01/14 (N13-031) Edn 11/17 (N17-067) Edn 11/19 (N19-043) Edn 09/21 (N21-132)
211.7	<i>Ardent Rock light buoy XP4</i>	<i>Port au Choix entrance.</i> 50 43 17.3 057 20 01.2	Q R 1s	.....	.....	<i>Red spar, marked "XP4".</i>	<i>Seasonal.</i>  Chart:4679 Edn 09/21 (N21-074P)
211.74	<i>Back Arm light buoy XP6</i>	50 42 37.8 057 20 58.9	FI R 4s	.....	.....	<i>Red spar, marked "XP6".</i>	<i>Seasonal.</i>  Chart:4679
211.81 <i>H0153.5</i>	Back Arm North Wharf Light	Port au Choix Harbour. 50 42 27.7 057 20 55.2	LFI G 6s	3.5	2	Mast. 2.6	Flash 2 s; eclipse 4 s. Seasonal.  Chart:4679 Edn 10/20 (N20-081)
211.815	Back Arm Wharf Light	Port au Choix Harbour. 50 42 21.9 057 21 06.1	FI G 4s	.....	2	Pipe tower.	Flash 1 s; eclipse 3 s. Operates 24 h. Seasonal.  Chart:4679 Edn 12/21 (N21-160)
211.82 <i>H0153.6</i>	Back Arm South cautionary light	Port au Choix Harbour. 50 42 19.5 057 21 07.0	FI Y 4s	3.5	2	Mast. 2.6	Flash 1 s; eclipse 3 s. Seasonal.  Chart:4679 Edn 10/20 (N20-082)

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>STRAIT OF BELLE ISLE</b>							
211.83 H0153.7	Back Arm West Wharf Light	Port au Choix Harbour. 50 42 27.4 057 21 23.2	Fl R 4s	3.5	2	Mast. 2.6	Flash 1 s; eclipse 3 s. Seasonal.  Chart:4679 Edn 09/20 (N20-083)
212 H152	Port au Choix	On Querre Island. 50 43 13.6 057 19 58.6	Fl W 6s	8.5	6	Square skeleton tower, red and white rectangular daymark. 4.9	Flash 1 s; eclipse 5 s. Seasonal.  Chart:4679
212.1	Port au Choix range	50 42 13 057 21 32.5	F R .....	20.6	13	Skeleton tower, red daymark, white vertical stripe. 8.8	Seasonal.
212.2		224°30' 233m from front.	F R .....	25.1	13	Skeleton tower, red daymark, white vertical stripe. 9.3	Seasonal.  Chart:4679
212.5	Flowers Cove light buoy XF	51 17 55.3 056 46 27	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "XF".	Seasonal.  Chart:4667
212.54	Capstan Point light buoy XF3	Flowers Cove entrance. 51 17 46.8 056 45 18.6	Fl G 4s	.....	.....	Green spar, marked "XF3".	Seasonal.  Chart:4667 Edn 11/17 (N17-049)
212.55	Seal Ledges light buoy XF2	Flowers Cove entrance. 51 17 43.2 056 45 43.8	Fl R 4s	.....	.....	Red spar, marked "XF2".	Seasonal.  Chart:4667 Edn 11/17 (N17-048)
212.56 H0142	<b>Nameless Point Light</b>	Nameless Cove approaches. 51 18 44.5 056 44 30.0	Fl W 10s	12.8	17	Square skeleton tower, white rectangular daymark with red band at top and bottom. 9.1	Flash 0.2 s; eclipse 9.8 s. Seasonal.  Chart:4667 Edn 05/19 (N18-076)
213	Flowers Cove	Centre of Rocky Island. 51 17 41.5 056 44 42	Fl G 3s	5.5	4	Square skeleton tower, green and white rectangular daymark. 4.7	Flash every 3 s. Seasonal.  Chart:4667
213.51	Flowers Cove Outer light buoy XF6	51 17 48.6 056 44 21.0	Fl R 4s	.....	.....	Red spar, marked "XF6".	Seasonal.  Chart:4667 Edn 11/17 (N17-050)
213.58	Flowers Cove Inner light buoy XF8	51 17 52.5 056 44 15.1	Fl R 4s	.....	.....	Red spar, marked "XF8".	Seasonal.  Chart:4667 Edn 09/19 (N19-042)
213.59	Flowers Cove Wharf	51 17 57.8 056 44 09.1	Fl G 4s	.....	.....	Cylindrical mast.	Seasonal.  Chart:4667

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>STRAIT OF BELLE ISLE</b>							
214	Flowers Cove range	On shore, S. side of harbour. 51 17 34.7 056 44 32	F R .....	4.9	13	Skeleton tower, orange daymark, black vertical stripe. 4.0	Seasonal.
215		107° 114.3m from front.	F R .....	7.9	13	Skeleton tower, orange daymark, black vertical stripe. 5.8	Seasonal.  Chart:4667
215.1	Savage Cove Wharf	On outer end of wharf. 51 19 52 056 42 08.6	Fl G 4s	3.6	4	Mast. 2.6	Seasonal.  Chart:4667 Edn 02/10 Edn 01/11 (N10-066)
215.3	Anchor Cove	51 13 58.8 056 47 54	Fl R 6s	7.0	3	Cylindrical mast. 2.5	Flash 1 s; eclipse 5 s. Seasonal.  Chart:4667
215.4	Anchor Point	51 13 59.3 056 47 55.8	Fl G 4s	7.0	3	Mast. 2.6	Seasonal.  Chart:4667 Edn 02/10
215.41	Anchor Point light buoy XA2	51 13 48.7 056 48 01.1	Fl R 4s	.....	.....	Red spar, marked "XA2".	Seasonal.  Chart:4667 Edn 01/14 (N13-028)
215.42	Anchor Point Inner light buoy XA3	51 13 51.9 056 48 11.1	Q G 1s	.....	.....	Green spar, marked "XA3".	Seasonal.  Chart:4667 Edn 01/14 (N14-032)
215.43	Anchor Point Outer light buoy XA1	51 13 40.6 056 48 32.9	Fl G 4s	.....	.....	Green spar, marked "XA1".	Seasonal.  Chart:4667 Edn 01/14 (N14-033)
215.8	St. Barbe range	51 12 30 056 46 03	F G .....	9.0	11	Square skeleton tower, white daymark, black vertical stripe. 6.4	Seasonal.
215.9		105° 140m from front.	F G .....	13.0	11	Square skeleton tower, white daymark, black vertical stripe. 3.7	Seasonal.  Chart:4667 Edn 02/10 (N09-060,061)
215.99	Bird Cove Wharf	51 03 10.2 056 56 06.5	Fl G 4s	4.0	2	Mast. 2.3	Seasonal.  Chart:4665 Edn 12/10 (N10-065)
216 H0145	Harbour Point Light	N. of St Barbe wharf. 51 12 22.8 056 46 33.2	Fl R 4s	6.1	4	Skeleton tower, orange daymark. 5.2	Flash 1 s; eclipse 3 s. Year round.  Chart:4667 Edn 09/20 (N20-084)
216.09	St Barbe Outer light buoy XB1	At the entrance. 51 12 50.5 056 46 56.8	Fl G 4s	.....	.....	Green, marked "XB1".	Seasonal.  Chart:4667 Edn 02/10 Edn 03/22 (N21-264)

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>STRAIT OF BELLE ISLE</b>							
216.1	St Barbe light buoy XB2	At St Barbe entrance. 51 12 43.3 056 46 56.4	Q R 1s	.....	.....	Red, marked "XB2".	Seasonal.  Chart:4667 Edn 02/10 Edn 09/21 (N21-057, 138)
216.12	St Barbe Inner light buoy XB3	At St Barbe entrance. 51 12 23.3 056 46 15.1	Fl G 4s	.....	.....	Green spar, marked "XB3".	Seasonal.  Chart:4667 Edn 02/10 Edn 03/11 (N10-016) Edn 09/21 (N21-056) Edn 01/23 (N22-296)
216.13	Harbour Point light buoy XB4	At St Barbe entrance. 51 12 24.5 056 46 24.2	Fl R 4s	.....	.....	Red spar, marked "XB4".	Seasonal.  Chart:4667 Edn 02/10 Edn 01/23 (N22-297)
216.3 H0146	St. Barbe Harbour Light	51 12 15.3 056 46 22.0	Fl Y 6s	3.4	4	Mast. 2.6	Flash 1 s; eclipse 5 s. Year round.  Chart:4667 Edn 01/11 (N10-066) Edn 10/20 (N20-085)
216.35 H0146.5	Black Duck Cove Wharf Light	51 11 50.1 056 47 55.3	F R	.....	2	Mast. 3.0	Seasonal.  Chart:4667 Edn 01/17 (N16-059)
216.4	Black Duck Cove light buoy XK3	51 11 51.7 056 47 53.5	Fl G 4s	.....	.....	Green spar, marked "XK3".	Seasonal.  Chart:4667
216.5	West Shoal light buoy XK2	Approaches to Black Duck Cove. 51 11 52.6 056 48 03.4	Fl R 4s	.....	.....	Red spar, marked "XK2".	Seasonal.  Chart:4667 Edn 02/10
216.55	Black Duck Cove Inner light buoy XK4	51 11 50.5 056 47 56.4	Fl R 4s	.....	.....	Red spar, marked "XK4".	Seasonal.  Chart:4667 Edn 11/17 (N13-039, N17-063)
216.6	East Shoal light buoy XK1	Approaches to Black Duck Cove. 51 11 55.4 056 47 59.3	Fl G 4s	.....	.....	Green spar, marked "XK1".	Seasonal.  Chart:4667 Edn 02/10 Edn 07/22 (N22-080)
216.9	Old Ferolle Entrance light buoy XFF1	51 04 21 056 54 26.4	Fl G 4s	.....	.....	Green spar, marked "XFF1".	Seasonal.  Chart:4666
217.1	New Ferolle Outer light buoy XFG2	51 02 05.1 057 03 08.9	Q R 1s	.....	.....	Red spar, marked "XFG2".	Operates 24 h. Seasonal.  Chart:4667 Edn 11/23 (N23-200)
217.11	New Ferolle Inner light buoy XFG4	51 01 38.3 057 03 09.6	Fl R 4s	.....	.....	Red spar, marked "XFG4".	Operates 24 h. Seasonal.  Chart:4667 Edn 11/23 (N23-199)

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>STRAIT OF BELLE ISLE</b>							
217.12	Shoal Cove West Breakwater Light	51 01 26.8 057 01 33.7	Fl G 4s	.....	2	Pipe tower.	Flash 1 s; eclipse 3 s. Operates 24 h. Seasonal.  Chart:4665 Edn 08/22 (N22-097)
217.13	Reefs Harbour light buoy XFG6	51 00 43.0 057 00 14.5	Fl R 4s	.....	.....	Red spar, marked "XFG6".	Operates 24 h. Seasonal.  Chart:4667 Edn 11/23 (N23-201)
219.5 H0137	Raleigh Breakwater Light	Raleigh harbour. 51 33 50.3 055 43 57.4	Fl G 4s	4.5	2	Mast.  2.4	Flash 1 s; eclipse 3 s. Seasonal.  Chart:4509 Edn 08/20 (N20-068, 075) Edn 11/22 (N22-207)
219.6	Raleigh light buoy XR1	Raleigh Harbour. 51 34 00.4 055 43 56.1	Fl G 4s	.....	.....	Green spar, marked "XR1".	Operates 24 h. Seasonal.  Chart:4020 Edn 06/18 (N18-035)
220 H0148	<b>New Ferolle Peninsula Light Station and Fog Signal</b>	51 01 22.1 057 05 44.5	Fl(4) W 7.5s	27.7	20	White octagonal tower with red upper portion. 19.2	Flash 0.25 s; eclipse 0.75 s; flash 0.25 s; eclipse 0.75 s; flash 0.25 s; eclipse 0.75 s; flash 0.25 s; eclipse 4.25 s. Operates 24 h. Year round.  Horn - Blast 4 s; sil. 56 s. Horn points 314°30'.  Chart:4665 Edn 03/22 Edn 04/24 (N24-038)
221	White Island	Approaches to Bartletts Harbour. 50 55 52.8 057 01 21.8	Fl W 6s	9.4	7	Square skeleton tower, red rectangular daymark white vertical stripe. 6.7	Flash 1 s; eclipse 5 s. Seasonal.  Chart:4680 Edn 01/11 (N10-066)
221.31	Bartletts Cove Wharf	50 56 28.5 056 59 29.2	Fl G 4s	3.5	.....	Cylindrical skeleton mast.	Year round.  Chart:4680
221.32 H0151	Castor River North Wharf Light	50 55 54.0 056 56 36.0	Fl G 4s	4.0	2	Mast.  2.3	Seasonal.  Chart:4680 Edn 10/10 (N10-047) Edn 12/23
222.1	Sandy Cove Wharf	On wharf. 51 20 35.8 056 40 36.8	Fl R 4s	3.6	3	Mast.  2.6	Seasonal.  Chart:4667 Edn 02/10
222.12	Cooper Island light buoy XV2	51 19 55.0 056 42 17.8	Fl R 4s	.....	.....	Red spar, marked "XV2".	Seasonal.  Chart:4667 Edn 02/10 (N10-002) Edn 11/22 (N22-237)

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>STRAIT OF BELLE ISLE</b>							
223 H140	<b>Cape Norman</b>	On the cliff, W. of Cape. 51 38 04.0 055 54 37.5	Fl(3) W 30s	38.7	21	White octagonal tower. 15.2	Flash 0.5 s; eclipse 5.5 s; Flash 0.5 s; eclipse 5.5 s; Flash 0.5 s; eclipse 17.5 s. Year round.  Chart:4509 Edn 04/14 (N14-024)
225 H132	<b>Cape Bauld</b>	N. point of Quirpon Island. 51 38 24.2 055 25 35.9	Fl W 15s	53.9	17	Red hexagonal tower. 14.6	Flash 0.5 s; eclipse 14.5 s. Year round.  Chart:4512 Edn 09/09 Edn 04/14 (N14-026)
226.3	Green Island Cove Wharf	51 23 03 056 34 44.2	Fl R 6s	3.4	4	Cylindrical tower. 2.6	Flash 1 s; eclipse 5 s. Seasonal.  Chart:4668
226.5 H0117	L'Anse au Clair Wharf Light	Harbour. 51 25 24.0 057 04 01.0	Fl G 5s	4.9	4	Mast. 2.6	Flash 1 s; eclipse 4 s. Seasonal.  Chart:4020 Edn 01/11 (N10-066) Edn 10/12 (N12-022) Edn 11/18 (N18-085) Edn 11/23 (N23-205)
226.55	Pointe L'Anse au Clair light buoy NL1	51 24 37.2 057 04 42.0	Fl G 4s	.....	.....	Green, marked "NL1".	Seasonal.  Chart:4020 Edn 10/17 (N17-026) Edn 11/18 (N18-083)
226.6	L'Anse au Clair light buoy NL2	51 24 43.9 057 03 33.0	Fl R 4s	.....	.....	Red, marked "NL2".	Seasonal.  Chart:4020 Edn 08/10 (N10-016) Edn 10/17 (N17-023) Edn 11/18 (N18-084)
226.8	Green Island Brook Wharf	51 24 00.2 056 31 20.4	Fl R 4s	5.5	3	Cylindrical mast. 3.1	Seasonal.  Chart:4020
227 H0114	<b>Amour Point</b>	Amour Point Labrador. 51 27 37.7 056 51 29.3	Oc W 20s	46.3	24	White cylindrical tower, black horizontal band. 33.3	Flash 16 s; eclipse 4 s. Seasonal.  Chart:4670 Edn. 05/16 (N16-002)
228 H0116	Forteau Wharf Light	Harbour. 51 28 09.9 056 57 11.9	Fl Y 4s	5.0	4	Mast. 2.6	Seasonal.  Chart:4670 Edn 09/19 (N19-045, 062) Edn 11/23 (N23-206)
228.1 H0112.55	L'Anse au Loup Inner Wharf Light	51 31 20.0 056 49 44.0	Fl R 4s	.....	2	Mast. 2.4	Operates 24 h. Year round.  Chart:4668 Edn 02/11 (N11-001) Edn 11/18 (N18-077)
228.2 H0112.6	L'Anse au Loup Outer Wharf Light	51 31 03.8 056 49 43.0	Fl G 4s	5.1	2	Mast. 2.6	Year round.  Chart:4668 Edn 02/11 (N11-002) Edn 11/18 (N18-078)

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>STRAIT OF BELLE ISLE</b>							
228.3	L'Anse-au-Diable light buoy ND2	At entrance. 51 33 25.2 056 45 35.5	Fl R 4s	.....	.....	Red spar, marked "ND2".	Seasonal.  Chart:4020 Edn 03/11 (N10-016) Edn 02/20 (N20-003)
228.4	L'Anse-au-Diable light buoy ND1	At entrance. 51 33 25.1 056 45 39.9	Fl G 4s	.....	.....	Green spar, marked "ND1".	Seasonal.  Chart:N/A Edn 02/20 (N20-002)
229.1	Soldiers Rock light buoy NPW2	51 37 30.6 056 37 01	Fl R 4s	.....	.....	Red, marked "NPW2".	Seasonal.  Chart:4668
229.6	Saddle Island light buoy NR6	51 43 41.8 056 26 04.6	Fl R 4s	.....	.....	Red spar, marked "NR6".	Seasonal.  Chart:4669
229.65	Penney Island light buoy NR7	51 43 49.0 056 25 57.4	Fl G 4s	.....	.....	Green, marked "NR7".	Operates 24 h. Seasonal.  Chart:4669 Edn 08/22 (N22-128)
229.7	The Basin light buoy NR8	51 44 03.8 056 25 55.2	Fl R 4s	.....	.....	Red, marked "NR8".	Operates 24 h. Seasonal.  Chart:4669 Edn 08/22 (N22-129)
229.8	The Louse light buoy NR3	51 42 20.8 056 26 20.6	Fl G 4s	.....	.....	Green, marked "NR3".	Seasonal.  Chart:4669
230	<b>Red Bay</b>	On Saddle Island. 51 43 28.6 056 26 09.0	Fl W 5s	36.0	15	Square skeleton tower. 6.7	Flash every 5 s. Seasonal.  Chart:4669 Edn 04/14 (N14-025)
230.1	Scab Rock light buoy NR4	51 43 08.3 056 25 28.3	Fl R 4s	.....	.....	Red, marked "NR4".	Seasonal.  Chart:4669
230.2	Thistle Rock South Cardinal light buoy NR	51 43 10.1 056 23 43.6	Q(6) +LFl W	15s	.....	Yellow and black, marked "NR".	Seasonal.  Chart:4669
232 H0096	<b>Belle Isle, North End Light Station</b>	52 00 49.1 055 16 49.3	Fl W 10s	39.1	17	Square skeleton tower, red rectangular daymark, white horizontal band.	Flash 0.2 s; eclipse 9.8 s. Seasonal.  Chart:4020 Edn 11/15 (N15-051) Edn 11/17 (N17-062)
233 H0102	<b>Belle Isle, South End Upper Light Station</b>	51 52 48.1 055 22 54.4	Fl W 20s	137.1	18	Square skeleton tower, red rectangular daymark, white horizontal band.	Flash 1 s; eclipse 19 s. Visible from 240° through W., N. and E. to 110°30'. Seasonal.  Chart:4020 Edn 11/15 (N15-050) Edn 11/17 (N17-069)
233.14	Norman Rock light buoy XC2	51 37 29.0 055 49 51.1	Fl R 4s	.....	.....	Red, marked "XC2".	Operates 24 h. Seasonal.  Chart:4509 Edn 01/23 (N22-294)

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>STRAIT OF BELLE ISLE</b>							
233.15 H0138	Schooner Island Light	Approaches to Cooks Harbour, N. of island. 51 36 21.8 055 50 21.8	Fl W 6s	10.4	5	Square skeleton tower, red and white rectangular daymark. 4.9	Flash 1 s; eclipse 5 s. Seasonal.  Chart:4509 Edn 10/19 (N18-079)
233.17	Cooks Harbour Outer light buoy XC6	51 36 23.5 055 50 58.5	Q R 1s	.....	.....	Red spar, marked "XC6".	Seasonal.  Chart:N/A Edn 11/10 (N10-016) Edn 07/20 (N20-055)
233.18	Cooks Harbour Outer light buoy XC4	51 36 30.1 055 50 41.1	Fl R 4s	.....	.....	Red spar, marked "XC4".	Seasonal.  Chart:N/A Edn 10/10 (N10-016) Edn 07/20 (N20-056)
233.2	Green Island light buoy XC1	Cooks Harbour entrance. 51 36 53.6 055 49 05.9	Fl G 4s	.....	.....	Green spar, marked "XC1".	Seasonal.  Chart:4509 Edn 03/22 (N22-018)
233.21	Cooks Harbour Middle light buoy XC5	51 36 20.0 055 51 21.3	Fl G 4s	.....	.....	Green spar, marked "XC5".	Seasonal.  Chart:4509 Edn 10/10 (N10-016) Edn 03/22 (N22-017)
233.22	Cooks Harbour light buoy XC7	51 36 19.7 055 51 39.0	Fl G 4s	.....	.....	Green spar, marked "XC7".	Seasonal.  Chart:4509 Edn 11/10 (N10-016) Edn 03/22 (N22-020)
233.25	Cooks Harbour Wharf Light	On outer edge of wharf. 51 36 23.7 055 51 43.6	Fl R 4s	.....	2	Mast.	Flash 1 s; eclipse 3 s. Operates 24 h. Seasonal.  Chart:4509 Edn 10/21 (N21-161)
234 H104	<b>Belle Isle, South End (Lower)</b>	SW. from main light. 51 52 38 055 23 03	Fl W 20s	49.7	18	Red cylindrical structure.	Flash 1 s; eclipse 19 s. Seasonal.  Chart:4020