

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NEWFOUNDLAND AND LABRADOR COAST</b>							
269.99	Twelve Foot Rock West Cardinal light buoy (Henely Hr.) NJT	W. of Chateau. 51 58 52.8 055 51 48	VQ(9) W 10s	.....	.....	Yellow, black and yellow spar, marked "NJT".	Seasonal.  Chart:5030 Edn 02/10 (N10-003)
270 H0108	Chateau Point Light	Henley Harbour entrance. 51 58 19.9 055 51 11.3	Fl W 6s	20.0	5	Square skeleton tower, red and white rectangular daymark.  4.3	Flash 0.5 s; eclipse 5.5 s. Seasonal.  Chart:5030 Edn 07/20 (N20-037) Edn 11/23 (N23-213)
270.01	Flat Island Rock light buoy NJ1	Henley Hr Entrance. 51 59 14.9 055 51 58.6	Fl G 4s	.....	.....	Green spar, marked "NJ1".	Seasonal.  Chart:5030 Edn 09/15 Edn 12/15 (N15-065)
270.02	Freezer Rock light buoy NJ2	51 59 37.7 055 51 57	Fl R 4s	.....	.....	Red spar, marked "NJ2".	Seasonal.  Chart:5030
270.03	Allen Shoal East Cardinal light buoy NP	52 03 58.2 055 38 52.8	Q(3) W 10s	.....	.....	Black, yellow and black, marked "NP".	Seasonal.  Chart:5030
270.1 H0086.8	Cape St. Francis Light	E. of Granby Island. 52 33 51.0 055 42 13.8	Fl W 5s	39.4	4	Square skeleton tower, red and white rectangular daymark.	Flash 1 s; eclipse 4 s. Seasonal.  Chart:5179 Edn 01/11 (N10-066) Edn 08/22 (N22-099) Edn 12/23 (N23-237)
270.2	Williams Harbour light buoy NW5	52 33 14.8 055 46 17.2	Fl G 4s	.....	.....	Green, marked "NW5".	Seasonal.  Chart:5179 Edn 08/10 (N10-016)
270.23	Leg Island light buoy NW6	Williams Harbour Run. 52 34 11.4 055 51 00.2	Fl R 4s	.....	.....	Red spar, marked "NW6".	Seasonal.  Chart:5179 Edn 07/10 (N10-016)
270.25	Main Tickle Shoal light buoy NW7	52 33 48.8 055 52 54.6	Fl G 4s	.....	.....	Green spar, marked "NW7".	Seasonal.  Chart:5179 Edn 09/15 (N15-066)
270.3	Shinney Rock light buoy NW3	Williams Harbour entrance. 52 32 19.9 055 44 39.2	Fl G 4s	.....	.....	Green, marked "NW3".	Seasonal.  Chart:5179 Edn 07/10 (N10-016)
270.4	Red Point Bank East Cardinal light buoy NWW	NE. of Red Point, Denbigh Island. 52 31 21.7 055 44 21.7	Q(3) W 10s	.....	.....	Black, yellow and black, marked "NWW".	Seasonal.  Chart:5179 Edn 09/21 (N21-066P)
270.45	Mad Moll Rocks light buoy NA1/1	Alexis Bay. 52 30 28.8 055 43 51.0	Fl G 4s	.....	.....	Green, marked "NA1/1".	Seasonal.  Chart: 5179 Edn 09/21 (N21-097)

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NEWFOUNDLAND AND LABRADOR COAST</b>							
270.5 H0087	Bobs Island Light	Alexis Bay. 52 30 47.0 055 45 54.0	Fl R 5s	19.8	4	Square skeleton tower, red and white rectangular daymark.  4.3	Flash 1 s; eclipse 4 s. Seasonal.  Chart:5179 Edn 08/22 (N22-100) Edn 12/23 (N23-236)
270.7	Gull Rock light buoy NA1	52 31 42.6 055 51 26	Fl G 4s	.....	.....	Green spar, marked "NA1".	Seasonal.  Chart:5179
270.9	Northern Ship light buoy NA3	52 32 11.5 055 59 37.2	Fl G 4s	.....	.....	Green spar, marked "NA3".	Seasonal.  Chart:5179 Edn 09/15 Edn 11/15 (N15-067)
270.92	Brandies Shoal light buoy NA5	Northern Ships Run. 52 32 35.6 056 02 24.9	Fl G 4s	.....	.....	Green spar, marked "NA5".	Seasonal.  Chart:5179 Edn 03/11 (N10-016) Edn 11/21 (N21-100)
270.93	Groves Island Tickle light buoy NA7	52 32 22.2 056 09 15	Fl G 4s	.....	.....	Green spar, marked "NA7".	Seasonal.  Chart:5179
271	Grove Island Tickle North light buoy NA8	E. of island. 52 32 22.9 056 09 21.5	Fl R 4s	.....	.....	Red spar, marked "NA8".	Seasonal.  Chart:5179 Edn 10/21 (N21-136)
271.5	Groves Island Tickle light buoy NA10	52 32 11.8 056 10 46	Fl R 4s	.....	.....	Red spar, marked "NA10".	Seasonal.  Chart:5179
272	Grove Island Tickle South light buoy NA9	SE. of island. 52 32 06.7 056 09 35.8	Fl G 4s	.....	.....	Green spar, marked "NA9".	Seasonal.  Chart:5179 Edn 10/21 (N21-137)
272.5	Seal Rocks light buoy NA11	Port Hope Simpson. 52 32 23.0 056 12 08.3	Fl G 4s	.....	.....	Green spar, marked "NA11".	Operates 24 h. Seasonal.  Chart:5179 Edn 10/17 (N17-046) Edn 03/18 (N17-093)
272.7	Port Hope Simpson light buoy NA13	At the entrance. 52 32 26.7 056 13 41.3	Fl G 4s	.....	.....	Green spar, marked "NA13".	Operates 24 h. Seasonal.  Chart:5179 Edn 09/21 (N21-069)
273 H0088	Grove Island, East-West range	Entrance to Port Hope Simpson. 52 31 56.3 056 09 31.4	Iso R 8s	7.9	11	Square skeleton tower, white daymark, red vertical stripe.  6.3	Visible in line of range. Seasonal.
274 H0088.1		106°26' 269.1 m from front.	Iso R 8s	15.8	11	Square skeleton tower, white daymark, red vertical stripe.  3.3	Visible from channel approach only. Seasonal.  Chart:5179 Edn 10/17 (N17-044, 045) Edn 05/18 (N18-015, 016)

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**NEWFOUNDLAND AND LABRADOR COAST**

275 H0089	Grove Island, North-South range	Entrance to Port Hope Simpson. 52 31 49.4 056 09 57.4	Iso R 8s	9.2	11	Square skeleton tower, white daymark, red vertical stripe. 7.8	Visible from channel approach only. Seasonal.
276 H0089.1		216°13' 134.7 m from front.	Iso R 8s	14.5	11	Square skeleton tower, white daymark, red vertical stripe. 6.3	Visible from channel approach only. Seasonal.
							<b>Chart:5179 Edn 10/17 (N17-037, 038) Edn 12/17 (N17-074, 075)</b>
276.1	Port Hope Simpson Wharf Light	52 32 14.6 056 16 47.1	Fl G 5s	.....	2	Pipe tower.	Flash 1 s; eclipse 4 s. Operates 24 h. Seasonal.
							<b>Chart:5031 Edn 08/22 (N22-094) Edn 11/23 (N23-182)</b>
276.2	Spear Point	52 26 41.5 055 37 48.3	Fl W 3s	39.1	5	Cylindrical mast, red and white daymark. 2.4	Flash 0.5 s, eclipse 2.5 s. Seasonal.
							<b>Chart:5031</b>
276.3	Fox Harbour light buoy NF1	At the harbour entrance. 52 21 37.2 055 41 49.6	Fl G 4s	.....	.....	Green spar, marked "NF1".	Operates 24 h. Seasonal.
							<b>Chart:5031 Edn 12/21 (N21-067P)</b>
276.4	Fox Harbour light buoy NF2	52 21 35.7 055 41 41.4	Fl R 4s	.....	.....	Red, marked "NF2".	Seasonal.
							<b>Chart:5031</b>
276.5	Fox Harbour light buoy NF3	52 21 55 055 41 04.5	Fl G 4s	.....	.....	Green, marked "NF3".	Seasonal.
							<b>Chart:5031</b>
276.55	Shag Rocks light buoy NMS2	St. Lewis Sound. 52 20 27.7 055 44 34.1	Fl R 4s	.....	.....	Red, marked "NMS2".	Operates 24 h. Seasonal.
							<b>Chart:5031 Edn 12/21 (N21-095)</b>
276.7	Captain Jacks light buoy NMS1	52 19 47.4 055 46 48.6	Fl G 4s	.....	.....	Green, marked "NMS1".	Seasonal.
							<b>Chart:5031</b>
276.75	Duck Island Shoal light buoy NS2	52 18 10.2 055 46 42	Fl R 4s	.....	.....	Red spar, marked "NS2".	Seasonal.
							<b>Chart:5031</b>
276.77	Burnt Point Shoal light buoy NMH2	52 18 48.0 055 49 0.5	Fl R 4s	.....	.....	Red spar, marked "NMH2".	Seasonal.
							<b>Chart:5031 Edn 09/15 (N15-068) Edn 01/16 (N15-068)</b>
276.771	Mary's Harbour (Inner Harbour) light buoy NMH4	52 18 37 055 50 02.9	Fl R 4s	.....	.....	Red spar, marked "NMH4".	Seasonal.
							<b>Chart:5031</b>
276.78	Mary's Harbour (Inner Harbour) light buoy NMH3	52 18 35.1 055 50 01.8	Fl G 4s	.....	.....	Green spar, marked "NMH3".	Seasonal.
							<b>Chart:5031 Edn 09/15 (N15-069)</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NEWFOUNDLAND AND LABRADOR COAST</b>							
276.8	Marley Rocks light buoy NS1	52 17 43.8 055 45 44.4	Fl G 4s	.....	.....	Green, marked "NS1".	Seasonal.  Chart:5031
276.81 H0089.7	Cape St. Lewis Light	Entrance to St. Lewis Sound. 52 22 04.8 055 37 48.0	Fl W 4s	40.7	4	Square skeleton tower, red and white rectangular daymark.	Flash 1 s; eclipse 3 s. Seasonal.  Chart:5031 Edn 08/22 (N22-101)
276.85 H0091	Killick Island Light	Entrance to Battle Harbour. 52 16 40.0 055 35 33.0	Fl G 5s	6.3	2	Square skeleton tower, green and white rectangular daymark. 4.5	Flash 1 s; eclipse 4 s. Seasonal.  Chart:5031 Edn 09/11 Edn 08/22 (N22-121) Edn 11/23 (N23-215)
276.87 H0089.8	Green Island Light	St. Lewis Sound. 52 17 38.0 055 41 02.0	Fl W 5s	13.7	5	Square skeleton tower, red and white rectangular daymark. 4.5	Flash 1 s; eclipse 4 s. Seasonal.  Chart:5031 Edn 07/22 (N22-102) Edn 11/23 (N23-217)
276.89 H0091.5	Tilcey Point Light	52 16 42.0 055 35 58.0	Fl R 5s	11.3	2	Pipe tower. 2.4	Flash 1 s; eclipse 4 s. Seasonal.  Chart:5031 Edn 01/11 (N10-066) Edn 02/23 (N22-103) Edn 11/23 (N23-216)
277 H0090	Copper Island Light	Caribou Run. 52 15 50.1 055 40 11.6	Fl W 3s	9.1	7	Square skeleton tower, red and white rectangular daymark. 4.3	Flash 0.5 s; eclipse 2.5 s. Seasonal.  Chart:5031 Edn 12/22 (N16-093)
277.2	Caribou Run South light buoy NU2	52 14 51.4 055 38 57.9	Fl R 4s	.....	.....	Red spar, marked "NU2".	Seasonal.  Chart:5031 Edn 09/15
277.3	Caribou Run Inner light buoy NU1	52 14 50 055 39 01.5	Fl G 4s	.....	.....	Green spar, marked "NU1".	Seasonal.  Chart:5031
277.4	Caribou Run North light buoy NU4	52 15 32.3 055 39 51	Fl R 4s	.....	.....	Red spar, marked "NU4".	Seasonal.  Chart:5031
277.5 H0093	Wall Island Point Light	52 13 10.2 055 36 48.4	Fl G 5s	30.6	4	Square skeleton tower, green and white rectangular daymark. 4.5	Flash 1 s; eclipse 4 s. Seasonal.  Chart:5030 Edn 07/22 (N22-120) Edn 11/23 (N23-214)
277.56	Caribou Run Mid Rock light buoy NU6	52 15 55.2 055 39 49.2	Fl R 4s	.....	.....	Red spar, marked "NU6".	Seasonal.  Chart:5031
277.6	St. Charles Inner light buoy NUC2	52 13 13.2 055 36 17.4	Fl R 4s	.....	.....	Red, marked "NUC2".	Seasonal.  Chart:5031

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**NEWFOUNDLAND AND LABRADOR COAST**

278 H92	<b>Double Island</b>	On island. 52 15 18 055 33 16.4	Fl W 6s	38.4	7	White cylindrical tower, black and white horizontal bands.  9.1	Flash 1 s; eclipse 5 s. Seasonal.   <b>Chart:5031</b>
278.1	<i>Hussey Shoal light buoy NUB1</i>	<i>Battle Harbour. 52 17 27.0 055 35 24.0</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "NUB1".</i>	<i>Operates 24 h. Seasonal.</i>  <b>Chart:5031 Edn 12/21 (N21-094)</b>
279 H0094	<b>Camp Islands Light Station</b>	Strait of Belle Isle, Labrador side. 52 10 00.7 055 38 24.8	Fl W 5s	41.3	15	White octagonal tower with red upper portion.  9.9	Flash 0.2 s; eclipse 4.8 s. Seasonal.  <b>Chart:5030 Edn 08/22 (N22-122)</b>
279.282	<i>Long Island light buoy NMP2</i>	<i>52 42 08.2 055 51 02.6</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "NMP2".</i>	<i>Seasonal.</i>  <b>Chart:5032</b>
279.283	<i>Pinsent's Arm light buoy NMP1</i>	<i>52 42 06.3 055 50 06.8</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "NMP1".</i>	<i>Seasonal.</i>  <b>Chart:5032</b>
279.285	<i>Pinsent's Arm Entrance light buoy NMP4</i>	<i>52 41 18 055 53 03.3</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "NMP4".</i>	<i>Seasonal.</i>  <b>Chart:5032</b>
279.286	<i>Pinsents Arm light buoy NMP3</i>	<i>52 41 14.4 055 53 04.2</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "NMP3".</i>	<i>Seasonal.</i>  <b>Chart:5032 Edn 03/22 (N22-021)</b>
279.287	<i>Pinsent's Arm Inner light buoy NMP6</i>	<i>52 41 17.0 055 53 13.7</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "NMP6".</i>	<i>Operates 24 h. Seasonal.</i>  <b>Chart:5032 Edn 09/21 (N21-070)</b>
279.29	<i>Mad Moll Rock light buoy NM2</i>	<i>St. Michaels Bay. 52 42 45 055 48 00.5</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "NM2".</i>	<i>Seasonal.</i>  <b>Chart:5032 Edn 08/10 (N10-041)</b>
279.3 H0086.7	Twin Islands Light	N. of Ship Harbour Head. 52 40 18.0 055 44 50.0	Fl W 5s	30.8	4	Pipe tower, red and white cylindrical daymark.  3.0	Flash 1 s; eclipse 4 s. Seasonal.  <b>Chart:4701 Edn 03/21 (N21-006) Edn 08/22 (N22-117) Edn 11/23 (N23-197)</b>
279.31 H0086.65	Pigeon Island Light	St. Michaels Bay. 52 43 01.7 055 51 25.1	Fl G 5s	11.5	4	Square skeleton tower, green and white rectangular daymark.	Flash 1 s; eclipse 4 s. Seasonal.  <b>Chart:5032 Edn 03/21 (N21-003) Edn 11/23 (N23-196)</b>
279.4 H0086.4	Deepwater Island Light	St. Michaels Bay. 52 43 34.0 055 53 50.9	Fl W 5s	7.6	5	Square skeleton tower, red and white rectangular daymark.  4.6	Flash 1 s; eclipse 4 s. Visible 180°. Seasonal.  <b>Chart:5032 Edn 03/21 (N21-004) Edn 11/23 (N23-195)</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**NEWFOUNDLAND AND LABRADOR COAST**

279.45	St. Michaels Bay light buoy NM5	52 44 00.8 055 54 54.5	Fl G 4s	.....	.....	Green spar, marked "NM5".	Seasonal.  Chart:5032 Edn 09/15 (N06-034) Edn 05/17 (N17-002) Edn 12/21 (N21-196) Edn 12/22 (N22-283)
279.5	St. Michaels Bay light buoy NM6	52 44 12.0 055 55 20.6	Fl R 4s	.....	.....	Red spar, marked "NM6".	Seasonal.  Chart:5032 Edn 12/21 (N21-197) Edn 12/22 (N22-284)
279.58	Curlew Island North light buoy NM9	St. Michaels Bay. 52 44 28.2 055 56 02.8	Fl G 4s	.....	.....	Green spar, marked "NM9".	Seasonal.  Chart:5032 Edn 12/21 (N21-198) Edn 12/22 (N22-287)
279.59	Narrows Island South light buoy NM8	St. Michaels Bay. 52 44 31.0 055 55 56.2	Fl R 4s	.....	.....	Red spar, marked "NM8".	Seasonal.  Chart:5032 Edn 12/21 (N21-199) Edn 12/22 (N22-286)
279.6	St. Michaels Bay North light buoy NM7	52 44 20.4 055 55 35.5	Fl G 4s	.....	.....	Green spar, marked "NM7".	Operates 24 h. Seasonal.  Chart:5032 Edn 12/21 (N21-200) Edn 12/22 (N22-285)
279.62	Narrows Island light buoy NM10	St. Michaels Bay. 52 44 37.2 055 56 08.8	Fl R 4s	.....	.....	Red spar, marked "NM10".	Seasonal.  Chart:5032 Edn 12/21 (N21-201) Edn 12/22 (N22-288)
279.65	Charlottetown Inner light buoy NM12	52 46 34.7 056 06 56	Fl R 4s	.....	.....	Red spar, marked "NM12".	Seasonal.  Chart:5032 Edn 09/15 Edn 11/15 (N15-070)
279.66	Charlottetown Breakwater Light	52 46 25.6 056 07 16.5	Fl R 5s	.....	2	Pipe tower.	Flash 1 s; eclipse 4 s. Operates 24 h. Seasonal.  Chart:5032 Edn 08/22 (N22-096) Edn 11/23 (N23-181)
279.7 H0086.6	Goose Island Light	Charlottetown Harbour entrance. 52 47 36.0 056 06 09.0	Fl W 5s	7.6	5	Square skeleton tower, red and white rectangular daymark.  4.3	Flash 1 s; eclipse 4 s. Seasonal.  Chart:5032 Edn 03/21 (N21-007) Edn 11/23 (N23-194)
279.72	Bar Tickle Shoal West Cardinal light buoy NM	52 46 33.5 055 54 18.3	VQ(9) W 10s	.....	.....	Yellow, black and yellow spar, marked "NM".	Seasonal.  Chart:5032 Edn 09/10 (N10-040) Edn 02/21 (N20-103)
279.73	Square Island South Cardinal light buoy NMS	52 46 14.4 055 54 22.2	Q(6) +LFI W 15s	.....	.....	Yellow and black spar, marked "NMS".	Seasonal.  Chart:5032 Edn 01/10 Edn 01/21 (N20-104)

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**NEWFOUNDLAND AND LABRADOR COAST**

279.74 H0086.5	Bar Tickle Light	52 46 45.0 055 54 20.0	Fl R 5s	15.3	4	Square skeleton tower, red and white rectangular daymark.  4.5	Flash 1 s; eclipse 4 s. Seasonal.  <b>Chart:5032</b> <b>Edn 03/21 (N21-005)</b> <b>Edn 11/23 (N23-193)</b>
279.8 H0086.2	Cape Bluff Light	N. of St. Michaels Bay. 52 50 13.2 055 48 24.0	Fl W 5s	54.7	4	Pipe tower, red and white daymark.	Flash 1 s; eclipse 4 s. Seasonal.  <b>Chart:5032</b> <b>Edn 02/11 (N10-066)</b> <b>Edn 03/21 (N21-002)</b> <b>Edn 10/21 (N21-129)</b> <b>Edn 11/23 (N23-192)</b>
279.809	Gull and Matthews Rock West Cardinal light buoy NGM	NNE. of Cape Bluff. 52 51 34.8 055 47 14.9	Q(9) W 15s	.....	.....	Yellow, black and yellow, marked "NGM".	Seasonal.  <b>Chart:5033</b>
279.81	Lady Arm Shoal light buoy NG2	52 56 18.4 055 53 35.8	Fl R 4s	.....	.....	Red spar, marked "NG2".	Seasonal.  <b>Chart:5033</b>
279.83	The Sisters light buoy NM4	53 43 03.7 055 49 16.7	Fl R 4s	.....	.....	Red spar, marked "NM4".	Seasonal.  <b>Chart:5032</b>
279.84	Whales Back Shoal light buoy NE1	52 56 42.6 055 49 38.2	Fl G 4s	.....	.....	Green, marked "NE1".	Seasonal.  <b>Chart:5033</b>
279.9	Barr Tickle North light buoy NMN1	St. Michaels Bay. 52 46 56.9 055 54 07.0	Q G 1s	.....	.....	Green spar, marked "NMN1".	Operates 24 h. Seasonal.  <b>Chart:5032</b> <b>Edn 09/21 (N21-092P)</b> <b>Edn 02/22 (N21-263)</b>
280	Red Island Light	SW. side of island. 53 00 37.6 055 45 36.7	Fl W 5s	28.0	4	Square skeleton tower, red and white rectangular daymark.  4.3	Flash 1 s; eclipse 4 s. Seasonal.  <b>Chart:5033</b> <b>Edn 09/15</b> <b>Edn 08/22 (N22-119)</b> <b>Edn 11/23 (N23-191)</b>
280.009	Ambush Rock South Cardinal light buoy ND	53 01 17.0 055 45 37.4	Q(6)+ LFI W 15s	.....	.....	Yellow and black, marked "ND".	Operates 24 h. Seasonal.  <b>Chart:5033</b> <b>Edn 10/23 (N23-153)</b>
280.01	Squasho North light buoy NE3	53 04 46.5 055 52 14.8	Fl G 4s	.....	.....	Green spar, marked "NE3".	Seasonal.  <b>Chart:5033</b>
280.011	Deer Pass light buoy NE2	53 04 43.9 055 52 11.7	Fl R 4s	.....	.....	Red spar, marked "NE2".	Seasonal.  <b>Chart:5033</b>
280.012	Squasho South North Cardinal light buoy NE	53 05 42 055 51 28.9	Q W 1s	.....	.....	Black and yellow spar, marked "NE".	Seasonal.  <b>Chart:5033</b> <b>Edn 09/15</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NEWFOUNDLAND AND LABRADOR COAST</b>							
280.013	Squasho South North Cardinal light buoy NEE	53 05 38.0 055 50 51.0	VQ W 0.5s	.....	.....	Black and yellow, marked "NEE".	Operates 24 h. Seasonal.  Chart:5033 Edn 10/23 (N23-150)
280.015	Locks Rock light buoy NK2	53 07 01.6 055 46 33.8	Fl R 4s	.....	.....	Red, marked "NK2".	Operates 24 h. Seasonal.  Chart:5033 Edn 10/23 (N23-151)
280.02	The Feather Bed North Cardinal light buoy NKF	N. of Big Island. 53 07 35.7 055 45 40.7	Q W 1s	.....	.....	Black and yellow, marked "NKF".	Seasonal.  Chart:4702
280.03	Old King East Cardinal light buoy NK	53 07 46.1 055 43 12.9	Q(3) W 10s	.....	.....	Black, yellow and black, marked "NK".	Seasonal.  Chart:4702
280.04	The Pippies South Cardinal light buoy NLP	53 11 36.5 055 41 32.5	Q(6)+ W LFI	15s	.....	Yellow and black, marked "NLP".	Seasonal.  Chart:4702 Edn 10/23 (N23-145)
280.05 H0085.7	Fish Island Light	53 12 45.4 055 43 13.7	Fl W 5s	17.7	5	Square skeleton tower, red rectangular daymark with white horizontal band.	Flash 1 s; eclipse 4 s. Seasonal.  Chart:5080 Edn 10/23 (N22-243)
280.09	Squasho Run light buoy NE5	53 02 58.2 055 53 40.1	Fl G 4s	.....	.....	Green spar, marked "NE5".	Operates 24 h. Seasonal.  Chart:5033 Edn 10/23 (N23-149)
280.1	Bradbury Island South Cardinal light buoy NL	53 15 27.8 055 41 22.1	Q(6)+ W LFI	15s	.....	Yellow and black, marked "NL".	Seasonal.  Chart:4702 Edn 07/10 (N10-016)
280.13	Walker Island West Cardinal light buoy NLW	53 18 50.2 055 45 06.7	VQ(9) W 10s	.....	.....	Yellow, black, yellow, marked "NLW".	Seasonal.  Chart:4703 Edn 07/10 (N10-016)
280.15	Gushue Rock East Cardinal light buoy NLG	53 20 56.6 055 43 42.4	Q(3) W 10s	.....	.....	Black, yellow and black, marked "NLG".	Seasonal.  Chart:4745 Edn 07/10 (N10-016)
280.16	Toole Rock light buoy NB2	53 23 45.8 055 45 20.5	Fl R 4s	.....	.....	Red, marked "NB2".	Seasonal.  Chart:4703
280.17	Outer Sandy Islands light buoy NLL	53 20 17.8 055 38 50.6	Fl(2) W 5s	.....	.....	Black, red and black, marked "NLL".	Operates 24 h. Seasonal.  Chart:5033 Edn 10/23 (N23-152)
280.4	Punchbowl Channel light buoy NL5	53 15 09.5 055 45 06	Fl G 4s	.....	.....	Green spar, marked "NL5".	Seasonal.  Chart:5080



**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NEWFOUNDLAND AND LABRADOR COAST</b>							
280.79	Spotted Islands Harbour light buoy NSP2	53 29 21.1 055 45 37.5	Fl R 4s	.....	.....	Red spar, marked "NSP2".	Seasonal.  <b>Chart:4744 Edn 02/10 (N10-004)</b>
280.8	Roundhill Island Light	53 26 07.4 055 36 41.0	Fl W 3s	66.5	5	Trapezoidal skeleton tower, red daymark with white horizontal band.	Flash 0.5 s; eclipse 2.5 s. Seasonal.  <b>Chart:4744 Edn 12/23 (N23-233)</b>
280.85	Saddle Bank South Cardinal light buoy NBT	53 25 06.1 055 42 43.5	Q(6)+ LFl W 15s	.....	.....	Yellow and black, marked "NBT".	Seasonal.  <b>Chart:4744</b>
280.9 H0085.7	Cod Bag Islets Light	53 25 58.9 055 44 39.5	Fl W 5s	32.6	5	Square skeleton tower, red daymark with white horizontal band.	Flash 1 s; eclipse 4 s. Seasonal.  <b>Chart:4744 Edn 12/22 (N22-244)</b>
280.91	Black Tickle light buoy NBT1	53 27 07.2 055 45 49.5	Fl G 4s	.....	.....	Green spar, marked "NBT1".	Seasonal.  <b>Chart:4745</b>
280.95 H0083	Black Tickle Wharf Light	53 27 21.7 055 45 50.5	Fl G 5s	.....	2	Mast.  2.6	Flash 1 s; eclipse 4 s. Seasonal.  <b>Chart:4744 Edn 12/22 (N22-245)</b>
281 H0084	Domino Point Light  <b>Racon -- (Y) X &amp; S Bands</b>	53 27 42.4 055 44 31.0	Fl W 5s	38.7	7	Square skeleton tower, red and white rectangular daymark.  4.3	Flash 1 s; eclipse 4 s. Seasonal.  <b>Chart:4745 Edn 08/22 (N22-116) Edn 12/23 (N23-232)</b>
281.7	St. Mary Island South light buoy N12	53 33 02.2 055 58 35.6	Fl R 4s	.....	.....	Red, marked "N12".	Seasonal.  <b>Chart:4745 Edn 11/22 (N22-235)</b>
281.8	Terra Nova Point light buoy N14	53 33 35.3 055 59 23.5	Fl R 4s	.....	.....	Red spar, marked "N14".	Seasonal.  <b>Chart:4745 Edn 07/10 (N10-016) Edn 11/22 (N22-236)</b>
281.9	White Rowsel Shoal light buoy N15	53 33 32.3 055 59 42.6	Fl G 4s	.....	.....	Green spar, marked "N15".	Seasonal.  <b>Chart:4745</b>
282 H0082	White Point Light	53 34 38.4 056 01 31.0	Fl W 5s	20.9	7	Square skeleton tower, red and white rectangular daymark.  4.6	Flash 1 s; eclipse 4 s. Visible 180°. Seasonal.  <b>Chart:4745 Edn 12/22 (N22-246)</b>
283	South Wolf Island	NE. end of island. 53 41 06.4 055 54 12.3	Fl W 6s	88.1	6	Skeleton tower.  14.0	Flash 1 s; eclipse 5 s. Seasonal.  <b>Chart:5133</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**NEWFOUNDLAND AND LABRADOR COAST**

284 H0080	Cape North Light	53 47 10.4 056 28 35.3	Fl W 5s	72.5	7	Square skeleton tower, red and white rectangular daymark. 4.3	Flash 1 s; eclipse 4 s. Visible 180°. Seasonal.  Chart:5133 Edn 08/22 (N22-115) Edn 11/23 (N23-177)
284.1	Tinker Rock South Cardinal light buoy NCT	53 48 33 056 34 54	VQ(6) W +LFI	10s	.....	Yellow and black, marked "NCT".	Seasonal.  Chart:5134
284.3	Hare Rock light buoy NC1	N. of Hare Rock. 53 46 10 056 48 42.9	Fl G 4s	.....	.....	Green, marked "NC1".	Seasonal.  Chart:5138 Edn 07/10 (N10-016)
284.35 H0079.7	Leading Mark Island Light	53 45 31.2 057 03 56.4	Fl G 5s	8.9	2	Square skeleton tower, green and white rectangular daymark. 4.5	Flash 1 s; eclipse 4 s. Seasonal.  Chart:5134 Edn 08/22 (N22-113) Edn 11/23 (N23-180)
284.351	Packs Harbour Approaches light buoy NX2	53 51 12.9 056 59 11.5	Fl R 4s	.....	.....	Red spar, marked "NX2".	Seasonal.  Chart:5134 Edn 03/11 (N10-016)
284.352	Packs Harbour Approaches light buoy NX1	53 51 18.9 056 59 18.5	Fl G 4s	.....	.....	Green spar, marked "NX1".	Seasonal.  Chart:5134 Edn 12/15 (N15-075)
284.4	Crab Head light buoy NC2	53 44 49.6 056 55 03.3	Fl R 4s	.....	.....	Red spar, marked "NC2".	Operates 24 h. Seasonal.  Chart:5138 Edn 03/11 (N10-016) Edn 01/23 (N22-293)
284.41	Crab Head Shoal light buoy NC3	53 44 37.0 056 55 07.1	Fl G 4s	.....	.....	Green spar, marked "NC3".	Operates 24 h. Seasonal.  Chart:5138 Edn 10/20 (N20-093)
284.42	Crab Island Shoals light buoy NC2/2	53 44 26.8 056 56 21.6	Fl R 4s	.....	.....	Red spar, marked "NC2/2".	Operates 24 h. Seasonal.  Chart:5138 Edn 10/20 (N20-094)
284.5	Cartwright light buoy NC5	Cartwright Harbour. 53 42 10.0 057 02 07.0	Q G 1s	.....	.....	Green, marked "NC5".	Operates 24 h. Seasonal.  Chart:5138 Edn 12/20 (N20-049)
284.51	Cartwright Fishermans Wharf Light	53 42 07.3 057 01 41.1	Fl G 5s	.....	3	Pipe tower.	Flash 1 s; eclipse 4 s. Operates 24 h. Seasonal.  Chart:5138 Edn 08/22 (N22-095) Edn 12/23 (N23-235)
284.6	Cartwright light buoy NC4	53 43 00.4 057 01 35.8	Fl R 4s	.....	.....	Red, marked "NC4".	Seasonal.  Chart:5138

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**NEWFOUNDLAND AND LABRADOR COAST**

284.71	Cartwright light buoy NC6	53 42 00.1 057 01 11.6	Fl R 4s	.....	.....	Red spar, marked "NC6".	Seasonal.  <b>Chart:5138</b> <b>Edn 07/10 (N10-016)</b>
284.72 H0079.5	Cartwright Wharf Light	53 42 11.0 057 01 16.5	Fl Y 5s	3.4	3	Pipe tower.	Flash 1 s; eclipse 4 s. Seasonal.  <b>Chart:5138</b> <b>Edn 08/22 (N22-098)</b> <b>Edn 12/23 (N23-234)</b>
284.73	Woody Island Rock light buoy NCH1	Woody Island, near Cartwright. 53 40 44.7 057 04 38.0	Fl G 4s	.....	.....	Green spar, marked "NCH1".	Operates 24 h. Seasonal.  <b>Chart:5138</b> <b>Edn 03/22 (N22-023)</b>
284.74	Woody Island light buoy NCH3	Near Cartwright. 53 40 42.3 057 04 38.3	Q G 1s	.....	.....	Green spar, marked "NCH3".	Operates 24 h. Seasonal.  <b>Chart:5138</b> <b>Edn 03/22 (N22-024)</b>
284.8	Hatten Shoal light buoy NCH2	53 39 28 057 04 24	Fl R 4s	.....	.....	Red, marked "NCH2".	Seasonal.  <b>Chart:5138</b>
284.96 H0079	Snack Cove Light	53 47 39.2 056 48 11.4	Fl W 5s	23.6	5	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 1 s; eclipse 4 s. Operates 24 h. Seasonal.  <b>Chart:5134</b> <b>Edn 07/22 (N22-106)</b> <b>Edn 11/23 (N23-178)</b>
285 H0078	Packs Harbour Light	53 51 31.2 056 59 25.4	Fl W 5s	32.3	5	Square skeleton tower, red and white rectangular daymark. 4.3	Flash 1 s; eclipse 4 s. Visible 180°. Seasonal.  <b>Chart:5134</b> <b>Edn 01/17 (N16-092)</b> <b>Edn 08/22 (N22-114)</b> <b>Edn 11/23 (N23-179)</b>
285.2	Old Man Shoal East Cardinal light buoy HM	54 09 24.1 057 18 50.6	Q(3) W 10s	.....	.....	Black, yellow and black, marked "HM".	Seasonal.  <b>Chart:5135</b>
286 H0074.5	Grappling Island Light  <b>Racon --. (G) X &amp; S Bands</b>	54 27 22.5 056 52 51.5	Fl W 4s	31.5	7	Square skeleton tower, red and white rectangular daymark. 4.1	Flash 1 s; eclipse 3 s. Operates 24 h. Seasonal.  <b>Chart:5042</b> <b>Edn 08/22 (N22-107)</b>
287 H74.7	Herring Islands	On NE. island. 54 20 11.5 057 05 32.7	Fl W 3s	35.2	7	Square skeleton tower, red and white rectangular daymark. 4.3	Flash 0.5 s; eclipse 2.5 s. Seasonal.  <b>Chart:5135</b>
287.2	George Island South Cardinal light buoy HGE	54 13 21.1 057 15 46.9	VQ(6) W + LFI	10s	.....	Yellow and black, marked "HGE".	Seasonal.  <b>Chart:5135</b> <b>Edn 01/16 (N15-096)</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**NEWFOUNDLAND AND LABRADOR COAST**

287.3	South Duck Island Shoal light buoy HD1	54 13 28.3 057 21 22	Fl G 4s	.....	.....	Green, marked "HD1".	Seasonal.  <b>Chart:5135</b> <b>Edn 07/10 (N10-016)</b>
287.4	George Island Shoal light buoy HG	W. of island. 54 14 56.8 057 22 09.7	Q W 1s	.....	.....	Black and yellow, marked "HG".	Operates 24 h. Seasonal.  <b>Chart:5135</b> <b>Edn 11/20 (N20-092)</b>
288 H75	Little Black Island	At N. end of island. 54 18 24.6 057 50 03.9	Fl W 6s	36.0	7	Square skeleton tower, red and white square daymark. 4.3	Flash 0.5 s; eclipse 5.5 s. Seasonal.  <b>Chart:5140</b>
289 H0075	Big Island Light	54 17 12.6 058 02 01.9	Fl W 4s	12.2	2	Square skeleton tower, red and white rectangular daymark. 4.3	Flash 1 s; eclipse 3 s. Operates 24 h. Seasonal.  <b>Chart:5162</b> <b>Edn 07/22 (N22-108)</b>
290	Man of War Rock light buoy H1	54 13 19.7 058 20 03.2	Fl G 4s	.....	.....	Green, marked "H1".	Seasonal.  <b>Chart:4724</b> <b>Edn 07/10 (N10-016)</b>
290.3 H0075.55	Hart Head Light	Hamilton Inlet. 54 11 40.1 058 24 36.4	Fl R 5s	7.1	4	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 1 s; eclipse 4 s. Operates 24 h. Seasonal.  <b>Chart:5163</b> <b>Edn 07/22 (N22-109)</b> <b>Edn 11/23 (N23-183)</b>
290.31	Dart Rock light buoy HR1	54 10 52.3 058 25 27.9	Fl G 4s	.....	.....	Green spar, marked "HR1".	Seasonal.  <b>Chart:4724</b>
290.5 H0075.65	Rigolet Cove Wharf Light	54 10 53.0 058 25 34.5	Fl Y 5s	4.8	3	Pipe tower. 2.4	Flash 1 s; eclipse 4 s. Seasonal.  <b>Chart:5163</b> <b>Edn 02/18 (N17-090)</b> <b>Edn 03/18 (N18-010)</b> <b>Edn 08/22 (N22-110)</b> <b>Edn 11/23 (N23-184)</b>
291 H0075.6	Rigolet Light	S. of Rigolet Point. 54 10 39.6 058 25 35.9	Fl W 5s	12.3	5	Square skeleton tower. 8.8	Flash 1 s; eclipse 4 s. Visible 180°. Seasonal.  <b>Chart:5163</b> <b>Edn 02/10 (N09-063)</b> <b>Edn 08/22 (N22-111)</b> <b>Edn 11/23 (N23-185)</b>
292 H0075.7	Snooks Cove Light	54 04 38.3 058 34 08.1	Fl W 6s	5.3	5	Square skeleton tower, red rectangular daymark with white horizontal band. 4.0	Flash 0.5 s; eclipse 5.5 s. Visible 180°. Operates 24 h. Seasonal.  <b>Chart:5163</b> <b>Edn 01/18 (N17-089)</b> <b>Edn 07/18 (N18-030)</b> <b>Edn 11/23 (N23-186)</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**NEWFOUNDLAND AND LABRADOR COAST**

293 H0075.8	Henrietta Island Light	54 04 12.2 058 33 36.6	Fl W 5s	5.5	1	Square skeleton tower, red and white rectangular daymark.	Flash 1 s; eclipse 4 s. Visible 180°. Operates 24 h. Seasonal.  <b>Chart:5163</b> <b>Edn 02/18 (N17-088)</b> <b>Edn 07/18 (N18-031)</b> <b>Edn 08/22 (N22-105)</b> <b>Edn 11/23 (N23-187)</b>
294 H0075.9	Eskimo Island Light	54 03 11.7 058 33 39.5	Fl W 3s	5.5	7	Square skeleton tower, red, white and red rectangular daymarks. 4.0	Flash 0.5 s; eclipse 2.5 s. Seasonal.  <b>Chart:4724</b> <b>Edn 02/18 (N17-087)</b>
295	Lareto Shoal light buoy H2	Off E. side of shoal. 53 58 38.4 058 45 48.6	Fl R 4s	.....	.....	Red, marked "H2".	Seasonal.  <b>Chart:4725</b>
296 H0076	Green Island Light	Lake Melville. 53 55 37.3 058 59 36.6	Fl W 5s	18.9	3	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 1 s; eclipse 4 s. Operates 24 h. Seasonal.  <b>Chart:5163</b> <b>Edn 08/22 (N22-104)</b> <b>Edn 11/23 (N23-189)</b>
296.1 H0076.2	Long Point Light	Lake Melville. 53 41 45.7 059 19 06.1	Fl W 5s	53.4	5	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 1 s; eclipse 4 s. Operates 24 h. Seasonal.  <b>Chart:5143</b> <b>Edn 07/22 (N22-112)</b> <b>Edn 11/23 (N23-188)</b>
297	Cartier Shoal light buoy H4	S. of Shoal. 53 35 48.6 059 50 53.4	Fl R 4s	.....	.....	Red, marked "H4".	Seasonal.  <b>Chart:4728</b> <b>Edn 10/10</b>
297.5	Epinette Point light buoy H7	Lake Melville, W. of point. 53 31 20.6 059 56 56.4	Fl G 4s	.....	.....	Green spar, marked "H7".	Seasonal (in place year round).  <b>Chart:5165</b> <b>Edn 03/21 (N21-039)</b>
297.51	Southern Epinette Shoal light buoy HC1	53 29 45 059 56 42	Fl G 4s	.....	.....	Green spar, marked "HC1".	Seasonal.  <b>Chart:4728</b>
297.52	Carter Basin Outside light buoy HC2	53 30 02.2 059 53 10.1	Fl R 4s	.....	.....	Red spar, marked "HC2".	Seasonal.  <b>Chart:4728</b> <b>Edn 10/23 (N23-148)</b>
297.53	Carter Basin Inside light buoy HC4	53 29 57.8 059 52 49.7	Fl R 4s	.....	.....	Red spar, marked "HC4".	Seasonal.  <b>Chart:4728</b> <b>Edn 07/10 (N10-016)</b>
297.6	North West Point light buoy H8	Lake Melville. 53 30 02.4 060 00 25.2	Fl R 4s	.....	.....	Red spar, marked "H8".	Seasonal (in place year round).  <b>Chart:5165</b> <b>Edn 12/21 (N21-202)</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**NEWFOUNDLAND AND LABRADOR COAST**

298	<i>North West River Entrance light buoy HN1</i>	<i>At entrance to river. 53 31 23.4 060 07 07.2</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "HN1".</i>	<i>Seasonal.</i>
-----	---	---	----------------	--------------	--------------	-----------------------------	------------------

Chart:4728

**Goose Bay**

298.1	Montagnais Islands Light	53 33 30.0 060 04 01.9	Fl W 5s	3.8	2	Mast.  2.6	Flash 1 s; eclipse 4 s. Operates 24 h. Seasonal.
-------	-----------------------------	---------------------------	---------	-----	---	------------------	--

Chart:4728  
Edn 12/19 (N19-057, 120)  
Edn 11/23 (N23-198)

298.2	<i>Montagnais Shoal light buoy HN</i>	<i>Outside the entrance to North West River. 53 33 50.3 060 00 52.6</i>	<i>Q(9) W 15s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow, black and yellow, marked "HN".</i>	<i>Operates 24 h. Seasonal.</i>
-------	---	---	-------------------	--------------	--------------	---	-------------------------------------

Chart:5165  
Edn 03/22 (N22-025, 037)

298.3	<i>North West River light buoy HN3</i>	<i>53 31 19.7 060 08 02.7</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "HN3".</i>	<i>Seasonal.</i>
-------	--	-----------------------------------	----------------	--------------	--------------	----------------------------------	------------------

Chart:5165  
Edn 06/12  
Edn 08/20 (N20-063)

298.5	Baikie Point	53 31 25.7 060 07 59.9	Fl R 4s	3.2	2	Cylindrical mast.	Year round.
-------	--------------	---------------------------	---------	-----	---	-------------------	-------------

Chart:4728

299 H76.4	Brule Point range	Lake Melville. 53 26 34.3 059 56 42.7	Oc G 6s	7.9	13	Square skeleton tower, trapezoid white daymark, red vertical stripe. 6.3	Flash 4 s; eclipse 2 s. Seasonal.
300 H76.5		163°30' 88.4m from front.	Oc G 6s	19.2	13	Square skeleton tower, trapezoid white daymark, red vertical stripe. 6.3	Flash 4 s; eclipse 2 s. Seasonal.

Chart:4728  
Edn 02/11 (N10-066)

301 H77	Kenamu River range	Lake Melville. 53 28 14.6 059 54 52.4	Oc G 6s	7.9	13	Square skeleton tower, white daymark, red vertical stripe. 6.4	Flash 4 s; eclipse 2 s. Visible in line of range. Seasonal.
302 H77.1		047°30' 1517.9m from front.	Oc G 6s	18.9	13	Square skeleton tower, white daymark, red vertical stripe. 18.6	Flash 4 s; eclipse 2 s. Visible in line of range. Seasonal.

Chart:4728  
Edn 02/11 (N10-066)

303	<i>Sandy Point Turning light buoy H10</i>	<i>53 27 19.5 059 57 26.5</i>	<i>Q R 1s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "H10".</i>	<i>Seasonal (in place year round).</i>
-----	---	-----------------------------------	---------------	--------------	--------------	--------------------------------	--

Chart:5165  
Edn 12/21 (N21-179, 203)

304	<i>Sandy Point Channel light buoy H12</i>	<i>53 26 13.1 059 58 43.4</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "H12".</i>	<i>Seasonal (in place year round).</i>
-----	---	-----------------------------------	----------------	--------------	--------------	--------------------------------	--

Chart:5165  
Edn 07/10 (N10-016)  
Edn 12/21 (N21-204)

305	<i>Sandy Point Channel light buoy H11</i>	<i>53 26 09.0 059 58 33.0</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "H11".</i>	<i>Seasonal (in place year round).</i>
-----	---	-----------------------------------	----------------	--------------	--------------	----------------------------------	--

Chart:5165  
Edn 12/21 (N21-205)

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**NEWFOUNDLAND AND LABRADOR COAST**

306	Sandy Point Channel light buoy H14	53 25 41.4 059 59 44.4	Fl R 4s	.....	.....	Red spar, marked "H14".	Seasonal (in place year round).  Chart:5165 Edn 12/21 (N21-206)
307	Sandy Point Channel light buoy H13	53 25 39.0 059 59 33.0	Fl G 4s	.....	.....	Green spar, marked "H13".	Seasonal (in place year round).  Chart:5165 Edn 08/10 (N10-042) Edn 12/21 (N21-207)
307.3	Sandy Point Channel light buoy H15	53 25 24.0 060 00 01.0	Fl G 4s	.....	.....	Green spar, marked "H15".	Seasonal (in place year round).  Chart:5165 Edn 07/10 (N10-016) Edn 12/21 (N21-208)
307.6	Sandy Point Channel light buoy H16	53 25 25.2 060 00 09.0	Fl R 4s	.....	.....	Red spar, marked "H16".	Seasonal (in place year round).  Chart:5165 Edn 07/10 (N10-016) Edn 12/21 (N21-209)
308	Sandy Point Channel light buoy H18	53 25 03.6 060 00 47.4	Fl R 4s	.....	.....	Red spar, marked "H18".	Seasonal (in place year round).  Chart:5165 Edn 07/10 (N10-016) Edn 12/21 (N21-210)
308.1	Goose Bay Narrows turning light buoy H18/2	53 24 29.6 060 02 00.2	Q R 1s	.....	.....	Red spar, marked "H18/2".	Operates 24 h. Seasonal (in place year round).  Chart:5165 Edn 09/18 (N18-056) Edn 12/21 (N21-211)
309	Sandy Point Channel light buoy H17	53 25 03.3 060 00 38.9	Fl G 4s	.....	.....	Green spar, marked "H17".	Seasonal (in place year round).  Chart:5165 Edn 07/10 (N10-016) Edn 12/21 (N21-212)
310	Rabbit Island East light buoy H19	53 24 36.4 060 07 16.5	Fl G 4s	.....	.....	Green spar, marked "H19".	Seasonal (in place year round).  Chart:5165 Edn 09/18 (N18-052, 066) Edn 12/21 (N21-213)
310.5	Rabbit Island West light buoy H21	53 23 53.2 060 11 29.3	Fl G 4s	.....	.....	Green spar, marked "H21".	Operates 24 h. Seasonal (in place year round).  Chart:5165 Edn 08/16 (N16-038) Edn 09/18 (N18-054, 068) Edn 12/21 (N21-214)
311	Rabbit Island North light buoy H20	53 25 04.4 060 10 45.0	Fl R 4s	.....	.....	Red spar, marked "H20".	Seasonal (in place year round).  Chart:5165 Edn 09/18 (N18-051, 067) Edn 12/21 (N21-215)
312	Birch Island light buoy H22	Goose Bay, 53 23 21.8 060 14 16.9	Fl R 4s	.....	.....	Red, marked "H22".	Seasonal.  Chart:4728 Edn 09/18 (N18-053)
313	Chaulk Point light buoy H23	Goose Bay, 53 21 51.6 060 17 38.5	Fl G 4s	.....	.....	Green, marked "H23".	Seasonal.  Chart:4728 Edn 09/18 (N18-055)

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**NEWFOUNDLAND AND LABRADOR COAST**

313.5	Grebe Point light buoy H25	E. of Groves Point Channel. 53 21 22.2 060 18 53.4	Fl G 4s	.....	.....	Green, marked "H25".	Seasonal.  <b>Chart:4728</b>
313.6	Groves Point Entrance light buoy H27	53 21 01.5 060 20 57.1	Fl G 4s	.....	.....	Green spar, marked "H27".	Seasonal (in place year round).  <b>Chart:4722 Edn 01/10 Edn 12/21 (N21-216)</b>
314	Terrington Narrows Channel light buoy H30	53 21 02.5 060 21 11.5	Fl R 4s	.....	.....	Red spar, marked "H30".	Seasonal (in place year round).  <b>Chart:4722 Edn 07/10 (N10-016) Edn 12/21 (N21-217)</b>
315	Terrington Narrows Channel light buoy H29	53 20 59.5 060 21 11.8	Fl G 4s	.....	.....	Green spar, marked "H29".	Seasonal (in place year round).  <b>Chart:4722 Edn 12/21 (N21-218)</b>
316	Terrington Narrows Channel light buoy H32	53 21 00.3 060 21 34.1	Fl R 4s	.....	.....	Red spar, marked "H32".	Seasonal (in place year round).  <b>Chart:4722 Edn 07/10 (N10-016) Edn 12/21 (N21-219)</b>
317	Terrington Narrows Channel light buoy H33	53 20 57.3 060 21 33.8	Fl G 4s	.....	.....	Green spar, marked "H33".	Seasonal (in place year round).  <b>Chart:4722 Edn 07/10 (N10-016) Edn 12/21 (N21-220)</b>
317.5	<b>Terrington Narrows Sector</b>	53 20 37.3 060 24 07.1	F Al RW Al GW	R W G	.....	10.5	<b>19</b> Square skeleton tower, red and white rectangular daymark.  10.0  Red from 255°35' to 256°55'; Al RW from 256°55' to 257°10'; white from 257°10' to 257°30'; Al GW from 257°30' to 257°45'; green from 257°45' to 259°05'. The light is visible over an arc of 003°30'. White sector indicates preferred channel. Seasonal.  <b>Chart:4722</b>
317.8	East Big Island	54 27 13.7 057 05 37.7	Fl W 3s	48.1	5	Square skeleton tower, red and white rectangular daymark.  4.5	Flash 0.5 s; eclipse 2.5 s. Seasonal.  <b>Chart:5135</b>
317.9	Run By Guess	S. of Run By Guess Island. 54 28 00.5 057 19 22.1	Fl W 3s	17.5	4	Square skeleton tower, red and white rectangular daymark.  4.7	Flash 0.5 s; eclipse 2.5 s. Seasonal.  <b>Chart:5042</b>
318 H74	Cut Throat Point	On Cut Throat Island. 54 29 25.5 057 06 26.5	Fl W 4s	28.0	7	Square skeleton tower, red and white rectangular daymark.  5.2	Seasonal.  <b>Chart:5135</b>
319	Sloop Harbour Point	NE. point of Brig Harbour Island. 54 34 05.2 057 09 15.1	Fl W 3s	20.4	7	Square skeleton tower, red and white rectangular daymark.  4.1	Flash 0.5 s; eclipse 2.5 s. Seasonal.  <b>Chart:5135</b>



**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**NEWFOUNDLAND AND LABRADOR COAST**

319.06	Holton Island	54 37 37.5 057 16 24.2	Fl W 4s	46.2	5	Red and white square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  <b>Chart:5135</b>
319.07	Pigeon Island	54 40 24 057 29 55.2	Fl W 4s	34.0	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  <b>Chart:5135</b>
319.08	Duck Island	54 43 41 057 41 23	Fl W 4s	20.1	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  <b>Chart:5043</b>
319.09	False Cape Island	54 50 08.5 057 49 50	Fl W 4s	25.8	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  <b>Chart:5043</b>
319.1	Northern Island	54 58 52.8 058 17 43.2	Mo(A) W 6s	57.8	5	Square skeleton tower, red and white rectangular daymark. 7.2	Flash 0.3 s; eclipse 0.6 s; flash 1 s; eclipse 4.1 s. Seasonal.  <b>Chart:5044</b>
319.12	<i>Quaker Hat light buoy NQ1</i>	54 59 55.9 058 30 48.7	Fl G 4s	.....	.....	<i>Green, marked "NQ1".</i>	<i>Seasonal.</i>  <b>Chart:5045</b>
319.2	Quaker Hat <b>Racon Q (- - -) X &amp; S Bands</b>	54 44 12.5 057 20 37.7	LFl W 10s	36.0	6	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 2 s; eclipse 8 s. Seasonal.  <b>Chart:5135</b>
319.21	Conical Island	54 55 39.3 058 50 33.7	Fl R 4s	30.4	4	Square skeleton tower, red and white square daymark. 7.2	Seasonal.  <b>Chart:5045</b>
319.22	Blandford Island	55 03 33.3 058 44 26.4	Q R 1s	32.9	4	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 0.3 s; eclipse 0.7 s. Seasonal.  <b>Chart:5045</b>
319.225	Double Island	55 04 20.3 058 54 44	Fl W 4s	70.6	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  <b>Chart:5045</b>
319.229	<i>Tobins Shoal light buoy NQ3</i>	<i>E. of Pomiadluk Pt. 55 07 45 058 56 52.8</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "NQ3".</i>	<i>Seasonal.</i>  <b>Chart:5045</b>
319.23	Green Island	55 07 48.3 058 53 35.4	Fl R 4s	20.9	4	Square skeleton tower, red and white rectangular daymark. 5.9	Seasonal.  <b>Chart:5045</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**NEWFOUNDLAND AND LABRADOR COAST**

319.239	North East Breaker West Cardinal light buoy NQB	55 10 42 059 07 00	VQ(9) W 10s	.....	.....	Yellow, black and yellow, marked "NQB".	Seasonal.
							<b>Chart:5045</b>
319.24	Jackos Island	55 09 46.5 059 05 08.4	Mo(A) W 6s	18.6	5	Square skeleton tower, red and white rectangular daymark. 5.9	Flash 0.3 s; eclipse 0.6 s; flash 1 s; eclipse 4.1 s. Seasonal.
							<b>Chart:5045</b>
319.25	Sisters Island	55 13 43.3 059 07 39.3	LFI W 10s	17.6	6	Square skeleton tower, red and white rectangular daymark. 5.9	Flash 2 s; eclipse 8 s. Seasonal.
							<b>Chart:5045</b>
319.254	Double Point	54 50 24 058 22 25	FI W 4s	32.2	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.
							<b>Chart:5044</b>
319.3 H71.8	Cape Harrison	54 55 30 057 56 27	FI W 4s	185.9	7	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.
							<b>Chart:5043</b>
319.31	Aillik Islands	55 13 31 059 14 15.9	Q R 1s	11.4	3	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 0.3 s; eclipse 0.7 s. Seasonal.
							<b>Chart:5046</b>
319.316	Long Island Point	55 08 38.1 059 22 19.2	FI G 3s	22.4	4	Square skeleton tower, green and white rectangular daymark. 4.7	Flash 0.5 s; eclipse 2.5 s. Seasonal.
							<b>Chart:5046</b>
319.32	Alkami Island	55 00 05.1 059 34 15.7	FI G 4s	35.2	4	Square skeleton tower, green and white rectangular daymark. 5.9	Seasonal.
							<b>Chart:5046</b>
319.321	Cape Roy	55 09 30.4 059 24 56.9	FI R 4s	23.5	4	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.
							<b>Chart:5046</b>
319.322	West Turnavik Island	55 15 40.2 059 20 05.9	FI G 3s	24.5	4	Square skeleton tower, green and white rectangular daymark. 4.7	Flash 0.5 s; eclipse 2.5 s. Seasonal.
							<b>Chart:5046</b>
319.323 H0071.2	Drunken Harbour Island Light	55 13 20.3 059 30 16.9	FI W 3s	7.3	.....	Square skeleton tower, red rectangular daymark, white band. 4.7	Flash 0.5 s; eclipse 2.5 s. Seasonal.
							<b>Chart:5046 Edn 12/16 (N16-058)</b>
319.35	Ikey's Point	55 08 58.5 059 08 33.6	FI R 4s	12.3	4	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.
							<b>Chart:5045</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NEWFOUNDLAND AND LABRADOR COAST</b>							
319.4	Harrys Reef light buoy NY1	Postville. 54 55 07.4 059 43 56.3	Fl G 4s	.....	.....	Green spar, marked "NY1".	Seasonal.  <b>Chart:5046 Edn 01/16 (N15-095)</b>
319.5	Postville Wharf	54 54 25.3 059 46 02	Fl R 4s	4.8	4	Cylindrical mast. 2.4	Seasonal.  <b>Chart:5046</b>
319.6 H0071.3	Pigeon Island Light	55 11 07.7 059 23 01.2	Fl W 4s	27.1	5	Square skeleton tower, red and white rectangular daymark. 7.2	Seasonal.  <b>Chart:5046 Edn 02/22 (N21-177) Edn 11/22 (N22-247)</b>
320 H0069	White Bear Island Light (Nanuaktok)  <b>Racon -. (N) X &amp; S Bands</b>	55 26 00.7 059 30 40.9	Fl W 6s	23.5	5	Square skeleton tower, red and white rectangular daymark. 7.6	Flash 0.5 s; eclipse 5.5 s. Seasonal.  <b>Chart:5046 Edn 07/20 (N20-039)</b>
321	Winsor Point	NE. point of Winsor Harbour Island. 55 20 54.2 059 43 55.9	Fl W 3s	27.8	5	Cylindrical tower, red and white rectangular daymark. 4.9	Flash 0.5 s; eclipse 2.5 s. Seasonal.  <b>Chart:5046</b>
321.05	Clusters Island	W. of Turnavik Island. 55 16 49.2 059 30 13.1	Fl R 4s	5.0	7	Square skeleton tower. 4.7	Seasonal.  <b>Chart:5046</b>
321.058 H0070.5	Striped Island Light	55 19 04.6 059 38 31.9	Fl W 5s	37.3	5	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 1 s; eclipse 4 s. Seasonal.  <b>Chart:5046 Edn 12/22 (N22-248)</b>
321.1	Kidialuit Island (Ironbound Islands)	55 11 58.3 058 45 36.4	Fl W 6s	143.0	7	Square skeleton tower, red and white rectangular daymark. 5.2	Flash 1 s; eclipse 5 s. Seasonal.  <b>Chart:5045</b>
321.25	Makkovik Cautionary Wharf Light	55 05 06.2 059 10 15.4	Fl Y 5s	.....	4	Pipe tower.	Flash 1 s; eclipse 4 s. Operates 24 h. Seasonal.  <b>Chart:5045 Edn 11/22 (N22-209)</b>
321.3	Makkovik Wharf	55 05 07.1 059 10 11	Fl R 4s	2.8	4	Mast. 2.4	Seasonal.  <b>Chart:5045 Edn 02/11 (N10-066) Edn 07/11 (N11-040)</b>
321.4	Hopedale Harbour light buoy NH1	55 27 13.3 060 12 55.9	Fl G 4s	.....	.....	Green spar, marked "NH1".	Seasonal.  <b>Chart:5047</b>
321.45	Hopedale Harbour light buoy NH2	55 27 22.6 060 12 59.9	Fl R 4s	.....	.....	Red spar, marked "NH2".	Seasonal.  <b>Chart:5047</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**NEWFOUNDLAND AND LABRADOR COAST**

321.5	Hopedale Harbour range	55 27 18.6 060 13 30.1	F R	.....	20.1	11	Skeleton tower, white daymark, red vertical stripe. 5.7	Visible in line of range. Seasonal.
321.6		278° 60m from front.	F R	.....	25.9	11	Skeleton tower, white daymark, red vertical stripe. 3.2	Visible in line of range. Seasonal.  <b>Chart:5047</b>
321.62	Hopedale Shoal West Cardinal light buoy NHH	55 27 23.2 060 11 54.7	Q(9) W	15s	.....	.....	Yellow, black, yellow, marked NHH.	Seasonal.  <b>Chart:5047</b>
321.7	Annaltalik Island	55 27 12.6 059 46 00.1	Fl W	6s	33.4	6	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 1 s; eclipse 5 s. Seasonal.  <b>Chart:5046</b>
321.73	Napojotalik Shoal light buoy NHH2	55 24 15.6 059 57 30	Fl R	4s	.....	.....	Red spar, marked "NHH2".	Seasonal.  <b>Chart:5047</b>
321.74	Landmark Point	55 24 55.1 060 01 51.8	Fl G	4s	34.4	4	Square skeleton tower, green and white rectangular daymark. 4.7	Seasonal.  <b>Chart:5047</b>
321.75	Satoarsook Island	55 26 09.6 060 11 22.1	LFl W	10s	10.0	6	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 2 s; eclipse 8 s. Seasonal.  <b>Chart:5047</b>
321.77	Generaluk Rock (Hopedale) East Cardinal light buoy NH	55 27 30.4 060 12 01.7	Q(3) W	10s	.....	.....	Black, yellow and black, marked "NH".	Seasonal.  <b>Chart:5047</b>
321.8 H0068.42	Umiaginak Island Light	55 28 48.2 060 12 37.5	Q R	1s	15.8	4	Square skeleton tower, red and white rectangular daymark. 2.1	Seasonal.  <b>Chart:5047</b> <b>Edn 11/23 (N23-208)</b>
321.9 H0068.4	Achvitoaksoak Island Light	55 29 34.8 060 13 42.6	Fl W	4s	48.6	5	Square skeleton tower, red and white rectangular daymarks. 4.7	Seasonal.  <b>Chart:5047</b> <b>Edn 03/17 (N16-094)</b> <b>Edn 11/23 (N23-207)</b>
322 H0068	Manuel Island Light (Napakataktalik)	55 33 06.6 060 14 54.0	Fl W	4s	35.2	5	Square skeleton tower, red and white rectangular daymark. 4.6	Seasonal.  <b>Chart:5047</b> <b>Edn 11/23 (N23-212)</b>
322.01	Cross Island	55 36 06.3 060 18 24.1	Fl W	3s	23.1	5	Square skeleton tower, red and white rectangular daymark. 4.8	Flash 0.5 s; eclipse 2.5 s. Seasonal.  <b>Chart:5047</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NEWFOUNDLAND AND LABRADOR COAST</b>							
322.02	Cant Island	55 38 22.1 060 23 42.3	Fl W 4s	22.9	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  Chart:5047
322.03 H0065	Gourley Island Light	N. of Hopedale. 55 43 26.6 060 20 31.8	Fl W 4s	11.5	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  Chart:5047 Edn 11/23 (N23-211)
322.1 H0064.3	Windy Tickle Light	55 46 35.6 060 19 38.3	Fl W 5s	7.1	5	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 1 s; eclipse 4 s. Seasonal.  Chart:5048 Edn 12/22 (N22-250)
322.2 H0064.4	Farmyard Island Light	55 49 27.9 059 54 07.7	Fl W 5s	53.9	5	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 1 s; eclipse 4 s. Seasonal.  Chart:5048 Edn 12/22 (N22-249)
322.3 H0062.2	Ukasiksalik Island Light	55 56 26.5 060 44 57.9	Fl W 5s	21.1	5	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 1 s; eclipse 4 s. Seasonal.  Chart:5048 Edn 12/22 (N22-252)
322.8	Windy Tickle light buoy NVW2	55 45 33 060 19 39.6	Fl R 4s	.....	.....	Red spar, marked "NVW2".	Seasonal.  Chart:5048
323 H0064	Cape Harrigan Light	55 50 34.0 060 18 56.8	Fl W 6s	44.0	5	Square skeleton tower, red rectangular daymark with white horizontal band. 4.3	Flash 0.5 s; eclipse 5.5 s. Visible 180°. Seasonal.  Chart:5048 Edn 11/23 (N23-210)
	<b>Racon -- (K) X &amp; S Bands</b>						
323.29	South Tikigakjuk Island	55 48 20 060 29 16.1	Fl G 4s	37.3	4	Square skeleton tower, green and white rectangular daymark. 4.7	Seasonal.  Chart:5048
323.3 H0062.5	4 Meter Islet Light	55 57 28.7 060 24 43.5	Fl W 5s	7.6	7	Square skeleton tower, red and white rectangular daymark. 4.1	Flash 1 s; eclipse 4 s. Seasonal.  Chart:5048 Edn 07/20 (N20-042, 086) Edn 12/22 (N22-251)
323.31	Katauyak Island	55 54 00.1 060 33 27.1	Fl W 4s	43.5	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  Chart:5048
323.32 H0062.7	Entry Island Light	55 51 25.7 060 43 18.7	Fl W 4s	22.9	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  Chart:5048 Edn 11/23 (N23-209)

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**NEWFOUNDLAND AND LABRADOR COAST**

323.49	Pigeon Island (Inlet) light buoy NT2	Tom Gears Run. 56 02 27.4 061 14 02.5	Fl R 4s	.....	.....	Red spar, marked "NT2".	Seasonal.  <b>Chart:5049</b> Edn 01/16 (N15-092) Edn 01/17 (N16-086)
323.491	Uyagaksuak Rock light buoy NV2	55 56 55.8 061 03 39	Fl R 4s	.....	.....	Red spar, marked "NV2".	Seasonal.  <b>Chart:5049</b>
323.492	Natuashish Wharf Light	55 56 39.2 061 05 26.5	Fl Y 5s	.....	4	Pipe tower.	Flash 1 s; eclipse 4 s. Operates 24 h. Seasonal.  <b>Chart:5049</b> Edn 12/22 (N22-208)
323.51	Pigeon Island light buoy NT1	Tom Gears Run. 56 02 23.9 061 14 20.4	Fl G 4s	.....	.....	Green spar, marked "NT1".	Seasonal.  <b>Chart:5049</b> Edn 08/10 (N10-016)
323.52	Tom Gears Run South light buoy NT3	56 06 20.4 061 14 54	Fl G 4s	.....	.....	Green spar, marked "NT3".	Seasonal.  <b>Chart:5049</b>
323.521	Tom Gears Run light buoy NT4	56 06 59.0 061 13 37.2	Fl R 4s	.....	.....	Red spar, marked "NT4".	Seasonal.  <b>Chart:5049</b> Edn 01/16 (N15-097) Edn 09/17 (N17-034)
323.53	Tom Gears Run North light buoy NT5	56 07 20.2 061 12 38.4	Fl G 4s	.....	.....	Green spar, marked "NT5".	Seasonal.  <b>Chart:5049</b> Edn 01/16 (N15-090)
323.54	Perrett's Tickle light buoy NT7	56 08 51.0 061 14 37.5	Fl G 4s	.....	.....	Green spar, marked "NT7".	Seasonal.  <b>Chart:5049</b> Edn 01/16 (N15-091)
323.55	Big Island	56 13 20.5 061 19 25	Fl W 4s	22.1	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  <b>Chart:5049</b>
323.6	The Horses Light	56 03 41.7 060 44 18.2	Fl W 3s	16.9	5	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 0.5 s; eclipse 2.5 s. Seasonal.  <b>Chart:5048</b> Edn 07/14 (N14-027)
324 H0062	Drawbucket Tickle Light	56 08 59.1 060 52 19.7	Fl W 3s	14.0	6	Rectangular skeleton tower, red rectangular daymark, white horizontal stripe. 5.8	Flash 0.5 s; eclipse 2.5 s. Seasonal.  <b>Chart:5049</b> Edn 02/17 (N17-004)
324.1	Drawbucket Tickle East	56 08 43.2 060 50 51	Q R 1s	12.7	4	Square skeleton tower, red and white square daymark. 4.7	Flash 0.3 s; eclipse 0.7 s. Seasonal.  <b>Chart:5049</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NEWFOUNDLAND AND LABRADOR COAST</b>							
324.12	Nameless Island	56 08 14.5 060 57 59.5	Fl W 4s	23.0	5	Square skeleton tower, red and white rectangular daymark. 4.7	Seasonal.  <b>Chart:5049</b>
324.14 H0060.4	Nochalik Island Light	56 19 38.2 061 22 20.6	Fl W 5s	18.5	5	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 1 s; eclipse 4 s. Seasonal.  <b>Chart:5049 Edn 12/22 (N22-226)</b>
324.19 H0060.3	Negro Islands Light	56 21 05.8 060 32 40.8	Fl W 5s	12.9	5	Square skeleton tower, red and white rectangular daymark.	Flash 1 s; eclipse 4 s. Year round.  <b>Chart:5051 Edn 12/22 (N22-216)</b>
	<b>Racon - - - (Z) X &amp; S Bands</b>						
324.2 H0060.43	Amatut Islands Light	56 21 45.0 060 51 13.7	Fl G 5s	7.1	4	Square skeleton tower, green and white rectangular daymark.	Flash 1 s; eclipse 4 s. Year round.  <b>Chart:5052 Edn 02/14 (N14-010) Edn 12/22 (N22-215)</b>
324.21 H0060.47	Potuk Island Light	56 22 47.2 060 59 52.7	Fl R 5s	20.9	5	Square skeleton tower, red and white rectangular daymark.	Flash 1 s; eclipse 4 s. Year round.  <b>Chart:5052 Edn 12/22 (N22-214)</b>
324.3 H0060.5	Crown Island Light	56 16 55.5 060 56 47.5	Fl R 5s	31.1	5	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 1 s; eclipse 4 s. Seasonal.  <b>Chart:5049 Edn 12/22 (N22-213)</b>
324.33 H0059.35	Black Island Light	56 47 40.7 061 20 02.1	Fl G 5s	52.2	5	Square skeleton tower, green and white rectangular daymark. 4.7	Flash 1 s; eclipse 4 s. Seasonal.  <b>Chart:5054 Edn 12/22 (N22-219)</b>
324.34 H0059.3	Little Fish Island Light	56 54 55.5 061 18 30.9	Fl R 5s	49.2	5	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 1 s; eclipse 4 s. Seasonal.  <b>Chart:5054 Edn 12/22 (N22-221)</b>
324.35 H0059.25	Beachy Island Light	57 08 06.3 061 20 09.5	Fl W 5s	65.9	5	Square skeleton tower, red rectangular daymark with white horizontal stripe. 4.7	Flash 1 s; eclipse 4 s. Seasonal.  <b>Chart:5055 Edn 05/11 (N11-020) Edn 11/22 (N22-222)</b>
324.4 H0059.7	Riflesight Hill Light	56 29 35.1 061 38 37.5	Fl W 5s	22.8	5	Square skeleton tower, red and white square daymark. 4.8	Flash 1 s; eclipse 4 s. Seasonal.  <b>Chart:5052 Edn 12/22 (N22-224)</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**NEWFOUNDLAND AND LABRADOR COAST**

324.5 <i>H0059.6</i>	Hen and Chickens Light  <b>Racon .- - (W) X &amp; S Bands</b>	56 30 39.5 060 38 37.5	LFI W 6s	24.2	5	Cylindrical tower, red and white horizontal band. 4.7	Flash 2 s; eclipse 4 s. Year round.  <b>Chart:5051 Edn 03/14 (N14-012) Edn 04/14 (N14-012) Edn 02/17 (N17-003) Edn 12/22 (N22-217)</b>
324.6	<i>Fairway Rock South Cardinal light buoy NN</i>	<i>Stratacona Run. 56 31 53 060 47 08.5</i>	VQ(6) W 10s +LFI	.....	.....	<i>Yellow and black, marked "NN".</i>	<i>Seasonal.</i>  <b>Chart:5052 Edn 03/11 (N10-016) Edn 03/14 (N14-014)</b>
324.61	Wood Island	56 32 23.3 060 56 23.4	FI R 4s	10.8	5	Skeleton tower, red and white rectangular daymark.	Year round.  <b>Chart:5052</b>
324.62	Dugong Island	56 30 15 061 08 47	FI R 4s	.....	4	Skeleton tower.	Privately maintained. Year round.  <b>Chart:5052</b>
324.63	Turtle Island	56 30 10 061 07 23	FI G 4s	.....	4	Skeleton tower.	Privately maintained. Year round.  <b>Chart:5052</b>
324.64	False Start Island	56 27 06.5 061 05 56	FI G 4s	.....	4	Skeleton tower.	Privately maintained. Year round.  <b>Chart:5052</b>
324.65	<i>Amushavik Islet light buoy NNA3</i>	<i>W. of Sandy Island. 56 25 22.9 061 07 10.3</i>	Q G 1s	.....	.....	<i>Green, marked "NNA3".</i>	<i>Seasonal.</i>  <b>Chart:5052 Edn 01/23 (N22-299)</b>
324.66	<i>Sandy Island Shoal light buoy NNA2</i>	<i>W. of Sandy Island. 56 23 48.2 061 07 52.4</i>	Q R 1s	.....	.....	<i>Red, marked "NNA2".</i>	<i>Seasonal.</i>  <b>Chart:5052 Edn 01/16 (N15-094)</b>
324.67	Unknown Island range	56 22 16.4 061 09 21.7	FI G 4s	18.3	.....	Square skeleton tower, white daymark, red vertical stripe.	Privately maintained. Operates 24 h. Year round.
324.671		204°45' 6645m from front.	FI G 4s	22.9	.....	Square skeleton tower, white daymark, red vertical stripe.	Privately maintained . Operates 24 h. The operation of the lights will be made remotely on channel 65A (156.275 MHz). Mariners requiring the operation of the light will have to key the microphone of the VHF radio five consecutive times at 5 second intervals on channel 65A to turn the light on. The light can be deactivated by keying the microphone of the VHF radio three times at 5 second intervals. The light can be activated within 5 nautical mile range.  <b>Chart:5052 Edn 05/15 (N15-020, 022)</b>



**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**NEWFOUNDLAND AND LABRADOR COAST**

324.672	Mount Pickle Sector	56 23 12.4 061 11 34.8	F R W G	.....	35.2	.....	Square skeleton tower, red and white rectangular daymark.	The light is visible over an arc of 003°30'. White sector indicates preferred channel. Privately maintained. The operation of the lights will be made remotely on channel 65A (156.275 MHz). Mariners requiring the operation of the light will have to key the microphone of the VHF radio five consecutive times at 5 second intervals on channel 65A to turn the light on. The light can be deactivated by keying the microphone of the VHF radio three times at 5 second intervals. The light can be activated within 5 nautical mile range. Year round.	<b>Chart:5052</b>
324.673	Uigortlek Island range	56 24 52.4 061 16 14.7	FI G	4s	18.3	.....	Square skeleton tower, white daymark, red vertical stripe.	Private aid. Year round.	
324.674		109°30' 4572m from front.	FI G	4s	25.6	.....	Square skeleton tower, white daymark, red vertical stripe.	Private aid. The operation of the lights will be made remotely on channel 65A (156.275 MHz). Mariners requiring the operation of the light will have to key the microphone of the VHF radio five consecutive times at 5 second intervals on channel 65A to turn the light on. The light can be deactivated by keying the microphone of the VHF radio three times at 5 second intervals. The light can be activated within 5 nautical miles range. Year round.	<b>Chart:5052</b> <b>Edn 05/15 (N15-023, 024)</b>
324.69 <i>H0060.2</i>	Taktok Point Light	56 24 13.5 061 27 40.3	FI W	5s	21.4	5	Square skeleton tower, red and white rectangular daymark.  4.7	Flash 1 s; eclipse 4 s. Seasonal.	<b>Chart:5052</b> <b>Edn 12/22 (N22-225)</b>
324.691	Sentinel Hill	56 25 21 061 32 24	FI R	4s	.....	4	Skeleton tower.	Privately maintained. Year round.	<b>Chart:5052</b>
324.692	Kikkertavak Island	56 24 57.5 061 45 44	FI G	4s	.....	4	Skeleton tower.	Privately maintained. Year round.	<b>Chart:5052</b>
324.693	Laura's Point	56 26 17.4 061 57 30.2	FI G	4s	.....	4	Skeleton tower.	Privately maintained. Year round.	<b>Chart:5070</b>
324.71	<i>The Bridges</i> Passage light buoy NNB3	56 27 09.6 061 33 58.2	Q G	1s	.....	.....	Green, marked "NNB3".	Seasonal.	<b>Chart:5052</b> <b>Edn 01/23 (N22-300)</b>

**NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**NEWFOUNDLAND AND LABRADOR COAST**

324.72 <i>H0060.15</i>	<i>Palungitak (Bridges Passage) light buoy NNB2</i>	56 26 58.1 061 33 24.3	Fl R 4s	.....	.....	Red spar, marked "NNB2".	Seasonal.  <b>Chart:5052</b>
324.79 <i>H0060.15</i>	Small Unnamed Island Light	Seniartlit Islands to Nain. 56 22 35.6 061 06 30.1	Fl(2) G 5s	5.0	5	Square skeleton tower, red and white rectangular daymark.	Year round.  <b>Chart:5052 Edn 04/24 (N23-202)</b>
324.83	<i>Jenks Rock light buoy NNB5</i>	<i>W. of Glasis Point. 56 28 25.5 061 39 03.3</i>	Fl G 4s	.....	.....	Green spar, marked "NNB5".	Seasonal.  <b>Chart:5052 Edn 08/10 (N10-016)</b>
324.9 <i>H0059.2</i>	Stirrup Island light	E. of Okak Islands. 57 34 12.4 061 18 49.0	LFl W 10s	74.8	6	Square skeleton tower, red and white rectangular daymark.  4.7	Seasonal.  <b>Chart:5055 Edn 05/11 (N11-020) Edn 11/20 (N20-095)</b>
325 <i>H0060</i>	Ford Harbour Light	56 28 19.9 061 10 08.4	Fl W 5s	13.7	5	Square skeleton tower, red and white rectangular daymark.  5.7	Flash 1 s; eclipse 4 s. Year round.  <b>Chart:5052 Edn 12/22 (N22-212)</b>
325.09	<i>Strathcona Run light buoy NS5</i>	56 32 30 061 27 18	Fl G 4s	.....	.....	Green, marked "NS5".	Seasonal.  <b>Chart:5052</b>
325.1	<i>Strathcona Run (Nain) light buoy NNS2</i>	56 32 10.5 061 22 07.8	Fl R 4s	.....	.....	Red, marked "NNS2".	Seasonal.  <b>Chart:5052 Edn 01/16 (N15-093)</b>
325.2	<i>Strathcona Run (Labrador) light buoy NNS3</i>	56 33 42.7 061 35 45	Fl G 4s	.....	.....	Green spar, marked "NNS3".	Seasonal.  <b>Chart:5052</b>
325.21 <i>H0059.55</i>	Nain Wharf Light	56 32 36.4 061 41 11.3	Fl R 5s	.....	4	Mast.  2.4	Flash 1 s; eclipse 4 s. Seasonal.  <b>Chart:5052 Edn 06/17 (N17-009) Edn 12/22 (N22-223)</b>
325.23 <i>H0059.5</i>	The Turnpikes Light	Nain. 56 36 04.3 061 38 09.9	Fl W 5s	17.2	4	Square skeleton tower, red and white rectangular daymark.  4.7	Flash 1 s; eclipse 4 s. Seasonal.  <b>Chart:5052 Edn 11/23 (N23-203)</b>