

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>KOOTENAY LAKE</b>							
1	Two Mile Point	On E. side of W. Arm. 49 31 14.1 117 15 41.8	Fl R 4s	9.4	5	On 3-pile dolphin, red and white triangular daymark.	Year round.  <b>Chart:3050</b>
1.3	Nelson East	NE. of bridge. 49 31 08.9 117 16 08.2	Fl G 4s	11.7	4	White square skeleton tower with green band at top, on 3-pile dolphin.	Year round.  <b>Chart:3050 Edn 04/19 (P19-040)</b>
2	Five Mile Point	NW. of point. 49 33 11.0 117 14 34.5	Q R 1s	7.6	5	Pipe tower on 3-pile dolphin, red and white triangular daymark.	Year round.  <b>Chart:3050 Edn 05/19 (P19-039)</b>
3	Seven Mile Point	N. of point. 49 34 17.7 117 12 40.1	Fl R 4s	9.2	4	Pipe tower on 3-pile dolphin, red and white triangular daymark.	Year round.  <b>Chart:3050 Edn 04/19 (P19-041)</b>
4	Nine Mile Point	E. entrance to Nine Mile Narrows, West Arm. 49 35 57.5 117 09 48.0	Q R 1s	7.9	4	Pipe tower on 3-pile dolphin, red and white triangular daymark.	Year round.  <b>Chart:3050 Edn 05/19 (P19-069)</b>
5	Kokanee Narrows	On S. side of narrows. 49 35 44.0 117 07 11.3	Q R 1s	9.4	3	Pipe tower on 3-pile dolphin, red and white triangular daymark.	Year round.  <b>Chart:3050 Edn 04/19 (P19-042)</b>
5.3	Kokanee Point East	E. entrance of Kokanee Narrows, N. side. 49 36 04.7 117 06 47.5	Q G 1s	9.3	3	Pipe tower on 3-pile dolphin, green-white-black square daymark.	Year round.  <b>Chart:3050 Edn 04/19 (P19-043)</b>
5.6	Strickland Creek East	SW. of Bradley Creek. 49 36 25.7 117 05 05.6	Fl R 4s	9.3	4	Pipe tower on 3-pile dolphin, red and white triangular daymark.	Year round.  <b>Chart:3050 Edn 04/19 (P19-044)</b>
6	Harrop Point	On N. side of Narrows, near Harrop. 49 36 39 117 02 37	Fl G 4s	4.6	3	1-pile dolphin, green, white, black square daymark.	Year round.  <b>Chart:3050</b>
6.4	Fraser Narrows	Off entrance to Narrows Creek. 49 37 03.0 116 59 33.5	Fl R 4s	7.9	4	Pipe tower on 3-pile dolphin, red and white triangular daymark.	Year round.  <b>Chart:3050 Edn 04/19 (P19-045)</b>
7	Procter Middle Ground	Entrance to W. Arm. 49 37 25.5 116 56 44	Q G 1s	6.1	4	White cylindrical tower, green band at top on 3-pile dolphin.	Year round.  <b>Chart:3050</b>

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>KOOTENAY LAKE</b>							
8.3	Procter Sector	E. of Procter, S. shore of West Arm. 49 37 18.9 116 56 47.0	See Remarks.	11.9	3	White square skeleton tower with red band at top, on 3-pile dolphin.	Fl G 4s from 213.5° to 214.5°; Q G 1s from 214.5° to 215.5°; F G from 215.5° to 216.5°; F W from 216.5° to 217.5°; F R from 217.5° to 218.5°; Q R 1s from 218.5° to 219.5°; Fl R 4s from 219.5° to 220.5°. Radar reflector. Operates 24 h. Year round.  <b>Chart:3050 Edn 06/19 (P19-036)</b>
8.5	Procter Light	E. of Procter, S. shore of West Arm. 49 37 18.9 116 56 47.0	Fl R 4s	12.1	2	White square skeleton tower with red band at top, on 3-pile dolphin. The light is mounted on the structure of the sector light.	Radar reflector. Year round.  <b>Chart:3050 Edn 06/19 (P19-037)</b>
10	Procter	Entrance to West Arm. 49 37 32.5 116 56 18.6	Fl R 4s	13.1	5	White square tower, red band at top.	Radar reflector. Year round.  <b>Chart:3050 Edn 03/19 (P19-001)</b>
10.3	West Arm Approach	49 37 27.5 116 55 41.4	Fl G 4s	7.9	5	Pipe tower on a concrete base, green-white-black square daymark.	Year round.  <b>Chart:3050 Edn 04/11 Edn 03/19 (P19-002)</b>
11.5	Sawmill Point	49 38 24.8 116 52 06.0	Fl R 4s	8.6	3	Mast, red-white-red triangular daymark. 2.0	Year round.  <b>Chart:3050 Edn 03/19 (P19-020)</b>
12	Kootenay Bay Breakwater	49 40 24.7 116 52 22.5	Fl R 4s	8.0	4	Square skeleton tower, red-white-red triangular daymark. 4.3	Year round.  <b>Chart:3050 Edn 03/19 (P19-023)</b>
13.3	Kootenay Landing Outer	S. end of lake. 49 15 56.7 116 41 28.5	Fl W 4s	9.0	6	Pipe tower on 3-pile dolphin.	Year round.  <b>Chart:3050 Edn 05/19 (P19-064)</b>
13.4	Kuskonook	On southern extremity of pile breakwater marking entrance. Kootenay Lake. 49 17 59 116 39 42	Fl W 4s	4.6	6	Mast, on pile breakwater, green, white and black square daymark.	Year round.  <b>Chart:3050 Edn 04/11</b>
13.5	Twin Bays	49 20 34.8 116 43 21.8	Q R 1s	8.0	4	Pipe tower, red-white-red triangular daymark. 6.4	Year round.  <b>Chart:3050 Edn 03/19 (P19-025)</b>
13.7	Banana Bay Reef	49 29 21.2 116 46 43.5	Fl R 4s	7.7	4	Pipe tower, red and white triangular daymark.	Year round.  <b>Chart:3050 Edn 03/19 (P19-026) Edn 05/19</b>

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>KOOTENAY LAKE</b>							
14	Rhinoceros Point	NW. of point. 49 32 51 116 50 18	Fl G 4s	8.5	4	Mast.	Year round.  Chart:3050
14.3	Cape Horn	Crawford Bay entrance. 49 36 09.5 116 49 05.4	Fl W 4s	14.5	5	Pipe tower.	Year round.  Chart:3050 Edn 03/19 (P19-027)
15	Coffee Creek	S. of creek. 49 41 35.0 116 54 19.8	Q G 1s	10.1	3	Pipe tower, green-white- black square daymark.	Year round.  Chart:3050 Edn 04/11 Edn 03/19 (P19-028)
16	Woodbury Point	On the bank. 49 47 14 116 53 12	Fl G 4s	7.6	4	White mast.	Year round.  Chart:3050
17	Kaslo	End of spit. 49 54 30.7 116 53 39.1	Fl G 4s	9.3	6	Single pile dolphin, green- white-black square daymark.	Year round.  Chart:3050 Edn 04/11 Edn 10/20 (P20-043)
18	Kaslo North	N. of Kaslo, W. side of lake. 49 55 51.7 116 53 35.4	Fl G 4s	8.8	4	Pipe tower, green-white- black square daymark.	Year round.  Chart:3050 Edn 04/11 Edn 03/19 (P19-030)
19	Schroeder Point	W. shore of lake, NE. of breakwater. 50 02 03.2 116 54 04.6	Fl G 4s	9.4	5	Pipe tower on 3-pile dolphin, green-white-black square daymark.	Year round.  Chart:3050 Edn 04/11 Edn 11/11 Edn 06/19 (P19-065)
20	Lardeau	On point, SE. of launch ramp. 50 08 38.0 116 56 49.8	Fl G 4s	10.1	4	Square skeleton tower. 1.2	Year round.  Chart:3050 Edn 05/19 (P19-031)