

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NORTHUMBERLAND STRAIT</b>							
1085	Tidnish River Entrance light buoy XA2	Off Tidnish Head. 46 00 54.2 064 02 17.5	Fl R 4s	.....	.....	Red, marked "XA2".	Seasonal.  Chart:4406
1089	Tormentine Reefs light and bell buoy X5	E. of Indian Point. 46 06 34 063 41 04	Fl G 4s	.....	.....	Green, marked "X5".	Seasonal.  Chart:4905
1090 H1308	Cape Tormentine Outer Wharf	On outer end of pier. 46 08 05.4 063 46 20	Iso R 2s	12.0	5	White square tower, white daymark, red vertical stripe. 10.1	Seasonal.  Chart:4905
1091.5 H1316	Cape Tormentine Breakwater	At NE. end of breakwater. 46 08 02.8 063 46 11.8	Fl G 3s	5.5	4	Square skeleton tower, two green and white square daymarks, black square in center.	One daymark facing 041°(T) and one facing 131°(T). Flash 1 s; eclipse 2 s. Operates at night only. Seasonal.  Chart: 4905 Edn 06/10 (G10-087) Edn 10/11 Edn 04/12 (G12-025)
1094 H1313.1	Cape Tormentine Inner Wharf	46 08 00.5 063 46 27.7	Fl R 3s	6.3	6	Cylindrical mast. 3.8	Operates at night only. Seasonal.  Chart:4905
1094.6 H1313	Cape Tormentine Fisherman's Wharf	On outer end of breakwater. 46 08 00.6 063 46 37.9	Fl G 4s	6.7	3	Pipe swing pole, green and white square daymark. 3.8	Operates at night only. Seasonal.  Chart:4905 Edn 06/12 (G12-068) Edn 03/14 (G14-022)
1095.1	Cape Tormentine light buoy XD4	46 08 09 063 46 11.6	Fl R 4s	....	.....	Red spar, marked "XD4".	Seasonal.  Chart: 4905
1096	Cape Tormentine light buoy XD5	46 07 58 063 46 25.5	Q G 1s	.....	.....	Green spar, marked "XD5".	Seasonal.  Chart: 4905
1097 H1319	Botsford Breakwater	On SE. corner of breakwater. 46 10 07.2 063 56 01.1	Iso R 2s	6.0	10	Square skeleton tower. 5.3	Operates at night only. Year round.  Chart:4406
1099.5 H1322	Little Cape Outer Breakwater	46 11 55.3 064 09 42.7	Fl R 4s	7.2	4	Square skeleton tower. 3.7	Operates at night only. Seasonal.  Chart:4905
1100 H1323	Little Cape Breakwater	On SE. corner of breakwater. 46 11 56.9 064 09 45.3	Fl R 5s	10.6	10	Square skeleton tower. 10.0	Flash 1 s; eclipse 4 s. Operates at night only. Seasonal.  Chart:4905
1100.5 1324.4	Bas-Cap-Pelé Wharf	On end of wharf. 46 14 09 064 15 39	Fl R 3s	6.1	4	Square skeleton tower. 5.2	Flash 1 s; eclipse 2 s. Operates at night only. Seasonal.  Chart:4905

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NORTHUMBERLAND STRAIT</b>							
1101 H1324	Bas-Cap-Pelé Approach	S. of breakwater, on shore. 46 14 04.3 064 15 49.6	Fl W 5s	12.6	11	Square skeleton tower, red and white rectangular daymark. 6.9	Flash 0.5 s; eclipse 4.5 s. Seasonal.  Chart:4905 Edn 03/12 (G12-011)
1102 H1325.1	Cape Bald	NW. corner of E. breakwater. 46 13 53.6 064 17 55.7	Fl G 3s	9.5	4	Square skeleton tower, green and white square daymark, black square in center. 8.3	Flash 1 s; eclipse 2 s. Operates at night only. Year round.  Chart:4905 Edn 05/10 (G10-067)
1102.1	Harshman's Brook light buoy XJ4	46 14 03.5 064 17 58.8	Fl R 4s	.....	.....	Red spar, marked "XJ4".	Seasonal.  Chart:4905 Edn 10/09 (G09-082) Edn 12/11 (G11-310) Edn 06/12 (G12-076)
1102.11	Harshman's Brook light buoy XJ5	46 14 02.7 064 17 57.3	Fl G 4s	.....	.....	Green spar, marked "XJ5".	Seasonal.  Chart:4905 Edn 10/09 (G09-100) Edn 10/11 (G11-283)
1102.12	Harshman's Brook light buoy XJ6	46 13 57.6 064 17 57.7	Fl R 4s	.....	.....	Red spar, marked "XJ6".	Seasonal.  Chart:4905 Edn 10/09 (G09-102) Edn 10/11 (G11-282)
1102.13	Harshman's Brook light buoy XJ7	46 13 59 064 17 55.6	Fl G 4s	.....	.....	Green spar, marked "XJ7".	Seasonal.  Chart:4905 Edn 10/09 (G09-103) Edn 12/11 (G11-311) Edn 06/12 (G12-077)
1102.3	Robichaud light buoy XK2	46 13 45 064 22 36	Fl R 4s	.....	.....	Red spar, marked "XK2".	Seasonal.  Chart:4905
1102.5	Robichaud light buoy XK6	N. of Robichaud wharf. 46 13 45 064 22 46	Q R 1s	.....	.....	Red, marked "XK6".	Seasonal.  Chart:4905
1103 H1326	Robichaud Wharf	On NW. corner of wharf. 46 13 29.6 064 23 02.8	Fl W 3s	6.0	6	Square skeleton tower. 5.2	Flash 1 s; eclipse 2 s. Seasonal.  Chart:4905
1105	Shediac light and bell buoy XN	On E. side of channel. 46 16 54 064 30 05.5	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "XN".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4909 Edn 04/15 (G15-001)
1105.1	Shediac light buoy XN2	46 16 43.6 064 30 22.7	Fl R 4s	.....	.....	Red spar, marked "XN2".	Operates 24 h. Seasonal.  Chart:4909 Edn 07/17 (G17-032)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NORTHUMBERLAND STRAIT</b>							
1105.2	Shediac light buoy XN3	46 16 35.2 064 30 11.3	Fl G 4s	.....	.....	Green spar, marked "XN3".	Operates 24 h. Seasonal.  Chart:4909 Edn 07/17 (G17-033)
1105.3	Shediac light buoy XN4	46 16 13.4 064 30 28.3	Fl R 4s	.....	.....	Red spar, marked "XN4".	Operates 24 h. Seasonal.  Chart:4909 Edn 07/17 (G17-034)
1105.4	Shediac light buoy XN5	46 16 01.9 064 30 16.6	Fl G 4s	.....	.....	Green, marked "XN5".	Operates 24 h. Seasonal.  Chart:4909 Edn 07/17 (G17-035)
1105.5	Shediac light buoy XN6	46 15 42.9 064 30 26.5	Fl R 4s	.....	.....	Red, marked "XN6".	Operates 24 h. Seasonal.  Chart:4909 Edn 07/17 (G17-036)
1106	Shediac light buoy XN12	46 15 26.8 064 30 34.6	Q R 1s	.....	.....	Red spar, marked "XN12".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4909 Edn 04/15 (G15-001) Edn 07/17 (G17-037)
1107 H1328	Pointe-du-Chêne range	On northernmost part of point. 46 14 26.6 064 30 42.1	F R .....	7.9	11	White square tower, red upper portion, red vertical stripe.	Visible in line of range. Seasonal.
1108 H1328.1		189°45' 148.4m from front.	F R .....	13.6	11	White square tower, red upper portion, red vertical stripe.	Seasonal.  Chart:4909
1109	Shediac light buoy XN18	On N. side of turn in channel. 46 15 23.8 064 31 24.7	Q R 1s	.....	.....	Red spar, marked "XN18".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4909 Edn 11/14 (G14-185) Edn 04/15 (G15-001)
1109.2	Shediac Harbour light buoy XN19	46 15 17.2 064 31 26.1	Q G 1s	.....	.....	Green spar, marked "XN19".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4909 Edn 04/15 (G15-001) Edn 07/17 (G17-038)
1109.4	Shediac Harbour light buoy XN20	46 15 10.5 064 31 41.5	Fl R 4s	.....	.....	Red spar, marked "XN20".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4909 Edn 04/15 (G15-001)
1109.6	Shediac Harbour light buoy XN21	46 15 03.5 064 31 32	Fl G 4s	.....	.....	Green spar, marked "XN21".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4909 Edn 04/15 (G15-001)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NORTHUMBERLAND STRAIT</b>							
1109.8	Shediac Harbour light buoy XN22	46 14 55.9 064 31 43.9	Fl R 4s	.....	.....	Red spar, marked "XN22".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4909 Edn 10/14 (G14-186) Edn 11/14 (G14-186) Edn 04/15 (G15-001)
1109.81	Shediac Harbour light buoy XP3	46 14 29.8 064 31 39.2	Q G 1s	.....	.....	Green, marked "XP3".	Operates 24 h. Seasonal.  Chart:4909 Edn 07/17 (G17-041, 074)
1109.83	Shediac light buoy XN30	46 14 38.5 064 32 10.6	Q R 1s	.....	.....	Red, marked "XN30".	Operates 24 h. Seasonal.  Chart:4909 Edn 07/17 (G17-039)
1110.5	Shediac Wharf Light	On W. end of pier, NW. of Pointe-du- Chêne. 46 14 30.0 064 31 48.4	LFl W 6s	.....	10	Square skeleton tower, red rectangular daymark, white stripe. 5.1	Flash 2 s; eclipse 4 s. Seasonal.  Chart:4909 Edn 11/17 (G17-114)
1111.1 H1329	Pointe-du-Chêne	On outer end of breakwater. 46 14 29.2 064 31 40.4	Fl R 4s	6.0	4	Cylindrical mast, red triangular daymark. 3.5	Flash 1 s; eclipse 3 s. Seasonal.  Chart:4909 Edn 04/12 (G12-019) Edn 09/16 (G16-121)
1111.2	Shediac Bay light buoy XN34	46 14 21.5 064 32 24	Fl R 4s	.....	.....	Red spar, marked "XN34".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4909 Edn 04/15 (G15-001)
1111.41	Shediac Bay light buoy XN37	46 14 03 064 32 41.5	Fl G 4s	.....	.....	Green spar, marked "XN37".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4909 Edn 04/15 (G15-001)
1111.45	Shediac Bay light buoy XN41	46 13 50 064 32 44.5	Fl G 4s	.....	.....	Green spar, marked "XN41".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4909 Edn 04/15 (G15-001)
1111.46	Shediac Bay light buoy XN42	46 13 51 064 32 46	Fl R 4s	.....	.....	Red spar, marked "XN42".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4909 Edn 04/15 (G15-001)
1111.48	Shediac Bay light buoy XN46	46 13 41.6 064 32 53.6	Q R 1s	.....	.....	Red spar, marked "XN46".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4909 Edn 04/15 (G15-001)

## ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NORTHUMBERLAND STRAIT</b>							
1111.5 H1334	Shediac Bay Yacht Club Breakwater	46 13 41.2 064 32 49.5	Fl G 4s	5.2	4	Pipe swing pole, twogreen, white and green square daymarks. 3.7	Operates at night only. Year round.  <b>Chart:4909</b> <b>Edn 08/11 (G11-227)</b>
1112 H1348	Cap-de-Caissie Breakwater	On outer end of N. breakwater. 46 18 46 064 30 34.8	Fl R 4s	5.9	4	Square skeleton tower. 4.9	Flash 1 s; eclipse 3 s. Seasonal.  <b>Chart:4909</b>
1113 H1350	Caissie Point	On point. 46 19 11.4 064 30 45.5	Fl(2) Y 12s	13.9	11	White square tower, red upper portion. 13.6	Flash 2 s; eclipse 2 s; flash 2 s; eclipse 6 s. Year round.  <b>Chart:4909</b>
1114 H1352	Cap-de-Cocagne Wharf	On SW. corner of wharf extension. 46 21 16.6 064 34 31.9	Fl W 3s	6.1	6	Square skeleton tower, red and white rectangular daymark, green square in centre. 5.2	Flash 1 s; eclipse 2 s. Operates at night only. Seasonal.  <b>Chart:4909</b>
1114.2	Cocagne light buoy XT4	46 22 22.9 064 34 08.6	Fl R 4s	.....	.....	Red, marked "XT4".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4909</b> <b>Edn 07/11 (G11-163)</b> <b>Edn 04/15 (G15-001)</b>
1114.24	Cocagne light buoy XT8	46 21 40 064 35 13	Fl R 4s	.....	.....	Red, marked "XT8".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4909</b> <b>Edn 07/10 (G10-049)</b> <b>Edn 04/15 (G15-001)</b>
1114.3	Cocagne light buoy XT13	46 20 58 064 35 34	Fl G 4s	.....	.....	Green, marked "XT13".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4909</b> <b>Edn 07/10 (G10-050)</b> <b>Edn 04/15 (G15-001)</b>
1114.5	Cocagne Bay light buoy XT18	46 20 23 064 36 42	Fl R 4s	.....	.....	Red, marked "XT18".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4909</b> <b>Edn 04/15 (G15-001)</b>
1114.8	Cocagne light buoy XT22	46 19 52.3 064 37 17	Q R 1s	.....	.....	Red spar, marked "XT22".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4909</b> <b>Edn 04/15 (G15-001)</b>
1115	Cook Point (Pacquet Point) light buoy XT2	Off point. 46 23 30.5 064 33 09	Fl R 4s	.....	.....	Red, marked "XT2".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4909</b> <b>Edn 04/15 (G15-001)</b> <b>Edn 04/15 (G15-001)</b>

## ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NORTHUMBERLAND STRAIT</b>							
1116 H1354	Cocagne range	On S. side of Cocagne River mouth. 46 20 06.8 064 36 53.7	F Y .....	7.8	13	White square tower , red upper portion, red vertical stripe. 7.7	Visible in line of range. Seasonal.
1117 H1354.1		219°37' 245m from front.	F Y .....	17.7	13	Square skeleton tower, white daymark, red vertical stripe. 13.0	Visible in line of range. Seasonal.
							<b>Chart:4909</b>
1118.5 H1359	Cocagne Bar	On SE. corner of wharf. 46 24 28.3 064 36 55.3	Fl R 3s	5.7	4	Square skeleton tower. 5.1	Flash 1 s; eclipse 2s. Seasonal.
							<b>Chart:4909</b>
1119	The Bluff light buoy XU2	46 25 06 064 34 58	Q R 1s	.....	.....	Red, marked "XU2".	Seasonal. Buoy may be repositioned due to shifting channel.
							<b>Chart:4909</b> <b>Edn 04/15 (G15-001)</b>
1119.1	The Bluff East Cardinal light buoy XVB	46 25 15.5 064 36 09.3	Q(3) W 10s	.....	.....	Black, yellow and black spar, marked "XVB".	Buoy may be repositioned due to shifting channel. Seasonal.
							<b>Chart:4909</b> <b>Edn 11/14 (G14-150)</b>
1119.2	The Dune East Cardinal light buoy XVA	46 27 23.2 064 35 41.5	VQ(3) W 5s	.....	.....	Black, yellow and black spar, marked "XVA".	Buoy may be repositioned due to shifting channel. Seasonal.
							<b>Chart:4909</b> <b>Edn 11/14 (G14-151)</b>
1119.3	Boucrouche Harbour light buoy XV10	46 27 21.2 064 38 12	Q R 1s	.....	.....	Red, marked "XV10".	Buoy may be repositioned due to shifting channel. Seasonal.
							<b>Chart:4459</b> <b>Edn 11/14 (G14-158)</b>
1119.5 H1360	St. Thomas-de- Kent	On NW. corner of wharf. 46 26 51.5 064 38 12.5	Fl G 4s	5.1	5	Square skeleton tower. 3.1	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.
							<b>Chart:4909</b>
1119.64	Boucrouche Harbour light buoy XV4	46 27 08.3 064 36 33.2	Q R 1s	.....	.....	Red, marked "XV4".	Buoy may be repositioned due to shifting channel. Seasonal.
							<b>Chart:4909</b> <b>Edn 11/14 (G14-152)</b>
1119.65	Boucrouche Harbour light buoy XV6	46 27 06.8 064 37 12.1	Fl R 4s	.....	.....	Red, marked "XV6".	Seasonal. Buoy may be repositioned due to shifting channel.
							<b>Chart:4909</b> <b>Edn 11/14 (G14-154)</b> <b>Edn 06/16 (G16-053)</b>
1122 H1362	Boucrouche Bar	On S. extremity of bar. 46 27 40.1 064 36 46.2	Fl W 4s	11.0	7	White square tower. 11.4	Flash 1 s; eclipse 3 s. Seasonal.
							<b>Chart:4909</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NORTHUMBERLAND STRAIT

1125.17	Buctouche Harbour Light buoy XV16	46 27 56.6 064 39 05.9	Fl R 4s	.....	.....	Red, marked "XV16".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart: N/A Edn 07/15
1125.18	Buctouche Harbour light buoy XV20	46 28 19.9 064 39 36.5	Fl R 4s	.....	.....	Red, marked "XV20".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4909 Edn 11/14 (G14-165)
1125.19	Buctouche Harbour light buoy XV15	46 27 41.5 064 38 52.9	Fl G 4s	.....	.....	Green, marked "XV15".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4909 Edn 11/14 (G14-165) Edn 11/14 (G14-159)
1125.21	Buctouche Harbour light buoy XV19	46 28 05.7 064 39 24.4	Q G 4s	.....	.....	Green, marked "XV19".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart: N/A Edn 07/15
1125.23	Buctouche Harbour light buoy XV23	46 28 34.0 064 40 03.0	Q G 1s	.....	.....	Green, marked "XV23".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart: N/A Edn 07/15
1125.24	Buctouche Harbour light buoy XV26	46 28 40 064 40 13.7	Fl R 4s	.....	.....	Red spar marked "XV26".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4909 Edn 10/14 (G14-089)
1125.25	Buctouche Harbour light buoy XV29	46 28 37.2 064 40 27.3	Q G 1s	.....	.....	Green spar marked "XV29".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4909 Edn 10/14 (G14-090)
1125.26	Buctouche Harbour light buoy XV32	46 28 32.9 064 40 54.4	Fl R 4s	.....	.....	Red spar, marked "XV32".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4909 Edn 10/14 (G14-145)
1125.27	Buctouche Harbour light buoy XV36	46 28 25.8 064 41 19	Fl R 4s	.....	.....	Red spar, marked "XV36".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4909 Edn 10/14 (G14-146)
1125.28	Buctouche Harbour light buoy XV37	46 28 24.2 064 41 18.2	Fl G 4s	.....	.....	Green spar, marked "XV37".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4909 Edn 10/14 (G14-147)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NORTHUMBERLAND STRAIT</b>							
1125.29	Buctouche Harbour light buoy XV41	46 28 19.7 064 41 43	Fl G 4s	.....	.....	Green spar, marked "XV41".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4909</b> <b>Edn 10/14 (G14-148)</b>
1125.3	Buctouche Harbour light buoy XV51	46 28 26.7 064 42 32.2	Q G 1s	.....	.....	Green spar, marked "XV51".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4909</b> <b>Edn 10/14 (G14-149)</b>
1125.31	Buctouche Harbour light buoy XV44	46 28 16 064 42 06	Q R 1s	.....	.....	Red spar, marked "XV44".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4909</b> <b>Edn 10/14 (G14-144)</b>
1126 H1376	Saint-Edouard-de- Kent	On SW. corner of pierhead. 46 32 26 064 41 52.5	Fl R 5s	5.3	13	Square skeleton tower, red and white rectangular daymark. 4.1	Flash 0.2 s; eclipse 4.8 s. Seasonal.  <b>Chart:4905</b> <b>Edn 11/10 (G10-184)</b> <b>Edn 10/11 (G11-277)</b>
1127 H1374	Chockpish Breakwater	On N. breakwater. 46 34 59 064 43 07.4	Fl R 4s	5.7	3	Cylindrical mast. 3.2	Seasonal.  <b>Chart:4905</b> <b>Edn 06/11 (G11-152)</b>
1127.2	Chockpish South Breakwater	On outermost end of south breakwater. 46 34 58.1 064 43 10.5	Fl G 4s	.....	3	Pipe swing Pole, Green, White and Black square daymark. 3	Privately maintained. Seasonal. Operates at night only.  <b>Chart:4905</b> <b>Edn 06/11 (G11-152)</b> <b>Edn 06/16 (G16-028)</b>
1127.5 H1375	Chockpish range	On shoreline. 46 34 58.7 064 43 21.5	F Y .....	5.0	13	Square skeleton tower. 3.6	Seasonal.
1127.6 H1127.6		271°02' 109.5m from front.	F Y .....	6.6	13	Square skeleton tower. 6.7	Visible in line of range. Seasonal.  <b>Chart:4905</b>
1128 H1376	Richibucto Head	On headland. 46 40 11.3 064 42 42	Fl W 5s	18.1	14	White square tower, red upper portion. 10.5	Flash 0.5 s; eclipse 4.5 s. Year round.  <b>Chart:4909</b>
1129 H1378	Richibucto Cape Breakwater	46 40 23.9 064 42 38.1	Fl R 4s	4.3	5	Cylindrical mast. 2.8	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.  <b>Chart:4909</b> <b>Edn 10/09 (G09-137)</b>
1131	Richibucto light and bell buoy Q	E. of Richibucto Beach. 46 43 30.2 064 44 27.7	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "Q".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4909</b> <b>Edn 04/15 (G15-001)</b>



ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NORTHUMBERLAND STRAIT

1132	Richibucto Gully Entrance light buoy Q3	46 42 54.1 064 44 46.6	Q G 1s	.....	.....	Green, marked "Q3".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4909 Edn 06/11 (G11-126) Edn 06/12 (G12-100) Edn 04/15 (G15-001) Edn 06/16 (G16-048)
1133.1	Richibucto light buoy Q5	46 42 33.7 064 45 01.1	Fl G 4s	.....	.....	Green, marked "Q5".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4909 Edn 06/12 (G12-101) Edn 04/15 (G15-001) Edn 06/16 (G16-049)
1133.6	Richibucto Gully Outer light buoy Q10	N. side of channel. 46 42 32.7 064 45 18.5	Q R 1s	.....	.....	Red, marked "Q10".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4909 Edn 09/10 (G10-114) Edn 06/11 (G11-127) Edn 06/12 (G12-080) Edn 04/15 (G15-001)
1134	Richibucto Gully Inner light buoy Q11	46 42 28.4 064 45 35.2	Q G 1s	.....	.....	Green, marked "Q11".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart: 4909 Edn 04/15 (G15-001) Edn 09/15 (G15-106)
1135	Richibucto Gully Channel light buoy Q18	46 42 40.1 064 46 12.5	Fl R 4s	.....	.....	Red, marked "Q18".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart: 4909 Edn 09/10 (G10-113) Edn 06/11 (G11-128) Edn 04/15 (G15-001) Edn 09/15 (G15-107)
1136	North Richibucto Beach Breakwater light buoy Q22	46 42 47.2 064 46 55.7	Q R 1s	.....	.....	Red, marked "Q22".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart: 4909 Edn 06/13 (G13-019) Edn 04/15 (G15-001) Edn 09/15 (G15-109)
1136.1	Richibucto North Beach light buoy Q24	46 42 53.5 064 47 34	Fl R 4s	.....	.....	Red, marked "Q24".	Seasonal. Operates 24 h.  Chart: 4909 Edn 09/15 (G15-114)

Richibucto Harbour

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NORTHUMBERLAND STRAIT</b>							
1142 H1394	North Richibucto Beach Inner Range	On shore behind breakwater. 46 42 57.5 064 47 58.9	Iso W 1s	8.1	6	Square skeleton tower, red daymark with white vertical stripe, and red rectangular daymark with white band. 6.3	Seasonal.
1143 H1394.1		042°09' 247.7m from front.	Iso W 4s	13.7	6	Square skeleton tower, red daymark, white vertical stripe. 9.3	Seasonal.  Chart:4909 Edn 07/16 (G16-096, 097) Edn 12/16 (G16-127, 128)
1144	North Richibucto Beach light buoy Q25	S. of S. end of North Richibucto Beach. 46 42 50.6 064 48 00.2	Q G 1s	.....	.....	Green, marked "Q25".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart: 4909 Edn 04/15 (G15-001) Edn 09/15 (G15-110)
1144.5	Richibucto Harbour light buoy Q28	46 42 31.8 064 48 40.2	Fl R 4s	.....	.....	Red, marked "Q28".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4909 Edn 09/14 (G14-050) Edn 04/15 (G15-001)
1145 H1400	South Richibucto Beach Inner range	On W. end of South Richibucto Beach. 46 42 29.5 064 48 02	Iso R 1s	7.7	13	Square skeleton tower, red daymark, white vertical stripe. 5.0	Visible in line of range. Seasonal.
1146 H1400.1		065°44' 296.2 m from front.	Iso R 4s	11.3	14	Square skeleton tower, red daymark, white vertical stripe. 9.6	Visible in line of range. Seasonal.  Chart:4909 Edn 03/11 (G11-007) Edn 10/11 (G11-093) Edn 07/16 (G16-098, 099)
1147	Richibucto Harbour Outer light buoy Q32	46 42 14.2 064 49 02.9	Q R 1s	.....	.....	Red, marked "Q32".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart: 4909 Edn 04/15 (G15-001) Edn 09/15 (G15-111)
1148	Richibucto Harbour light buoy QA2	N. of Pagan Point. 46 41 52.5 064 50 16	Q R 1s	.....	.....	Red spar, marked "QA2".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4909 Edn 04/15 (G15-001)
1148.4	Richibucto Harbour Northwest Branch light buoy QA6	N. of McGuires Point. 46 42 05 064 51 03	Q R 1s	.....	.....	Red spar, marked "QA6".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4909 Edn 04/15 (G15-001)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NORTHUMBERLAND STRAIT</b>							
1148.5	Richibucto Harbour Northwest Branch light buoy QA7	46 42 18 064 51 19	Q G 1s	.....	.....	Green spar, marked "QA7".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4909 Edn 04/15 (G15-001)</b>
1149	Richibucto Northwest Branch light buoy QA8	46 42 20 064 51 38	Q R 1s	.....	.....	Red, marked "QA8".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4909 Edn 04/15 (G15-001)</b>
1149.3	Pointe Lec light buoy QA11	46 43 04 064 51 58	Q G 1s	.....	.....	Green spar, marked "QA11".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4909</b>
1149.6	Richibucto Northwest Branch light buoy QA13	46 42 50.5 064 52 22	Q G 1s	.....	.....	Green spar, marked "QA13".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4909 Edn 04/15 (G15-001)</b>
1150	Pagan Point light buoy Q38	46 41 33 064 50 37	Fl R 4s	.....	.....	Red, marked "Q38".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4909 Edn 04/15 (G15-001)</b>
1150.1	Richibucto River light buoy Q39	46 41 19 064 50 56	Fl G 4s	.....	.....	Green spar, marked "Q39".	Seasonal. Operates 24 h.  <b>Chart:4909 Edn 09/15 (G15-100) Edn 10/15 (G15-101)</b>
1150.11	Richibucto River light buoy Q42	46 41 05.9 064 51 18.8	Q R 1s	.....	.....	Red, marked "Q42".	Seasonal. Operates 24 h.  <b>Chart:4909 Edn 09/15 (G15-103)</b>
1151 H1402	Richibucto Town Range	On E. side of Main Street. 46 40 48.5 064 51 45.1	Iso G 1s	15.3	13	Square skeleton tower, red daymark, white vertical stripe. 12.4	Visible in line of range. Operates 24 h. Seasonal.
1152 H1402.1		227°29' 287.4m from front.	Iso G 4s	22.7	11	Square skeleton tower, red daymark, white vertical stripe. 18.6	Visible in line of range. Operates 24 h. Seasonal.  <b>Chart:4909 Edn 12/16 (G16-129, 130)</b>
1152.5	Richibucto Wharf Light	46 40 54.2 064 51 34.7	Fl G 4s	.....	2	Pipe swing pole, green, white and black square daymark.	Flash 1 s; eclipse 3 s. Seasonal.  <b>Chart:N/A Edn 04/17 (G16-164)</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NORTHUMBERLAND STRAIT</b>							
1152.8	Blacklands Gully light buoy XX	46 46 24.2 064 50 15.7	Mo(A) W 6s	.....	.....	Spar, red and white vertical stripes, marked "XX".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4906 Edn 04/15 (G15-001)
1154	Light buoy XX4	46 46 03.8 064 50 56.8	Fl R 4s	.....	.....	Red, marked "XX4".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4906 Edn 10/11 (G11-270)
1154.1	Light buoy XX13	46 46 00.2 064 51 13	Fl G 4s	.....	.....	Green, marked "XX13".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart: N/A Edn 10/11 (G11-271) Edn 10/14 (G14-142)
1154.2	Light buoy XX19	46 46 02 064 51 34.7	Q G 1s	.....	.....	Green, marked "XX19".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart: N/A Edn 10/14 (G14-143) Edn 04/15 (G15-001)
1154.4	Light buoy XX24	46 47 15 064 52 40	Q R 1s	.....	.....	Red, marked "XX24".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart: N/A Edn 04/15 (G15-001)
1154.45	St. Louis River light buoy XX35	46 46 03.1 064 52 02.5	Fl G 4s	.....	.....	Green, marked "XX35".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4906 Edn 04/15 (G15-001)
1154.5	Light buoy XX36	46 47 15 064 52 40	Q R 1s	.....	.....	Red, marked "XX36".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:N/A Edn 04/15 (G15-001)
1154.6	St. Louis River light buoy XX37	46 47 15.2 064 52 37.7	Q G 1s	.....	.....	Green, marked "XX37".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:N/A Edn 04/15 (G15-001)
1154.8	Light buoy XX39	46 47 15 064 52 40	Q G 1s	.....	.....	Green, marked "XX39".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:N/A Edn 04/15 (G15-001)
1154.85	St. Louis River light buoy XX41	46 46 05.2 064 52 03.4	Fl G 4s	.....	.....	Green, marked "XX41".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4906 Edn 04/15 (G15-001)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NORTHUMBERLAND STRAIT</b>							
1154.9	Light buoy XX42	46 47 15 064 52 40	Q R 1s	.....	.....	Red boat type, marked "XX42".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:N/A Edn 04/15 (G15-001)
1154.95	St. Louis River light buoy XX43	46 46 01.3 064 52 07.3	Fl G 4s	.....	.....	Green, marked "XX43".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4906 Edn 04/15 (G15-001)
1157	Kouchibouguac Gully light buoy XY2	46 50 04.7 064 53 55.8	Fl R 4s	.....	.....	Red spar, marked "XY2".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4906 Edn 09/12 (G12-172) Edn 04/15 (G15-001) Edn 10/15 (G15-122)
1157.33	Kouchibouguac Gully light buoy XY4	46 50 03.4 064 54 08.4	Fl R 4s	.....	.....	Red marked "XY4".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4906 Edn 10/15 (G15-121)
1158.5	Kouchibouguac Gully light buoy XY9	46 50 03.8 064 54 28.3	Fl G 4s	.....	.....	Green, marked "XY9".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4906 Edn 09/12 (G12-170) Edn 04/15 (G15-001) Edn 10/15 (G15-123)
1158.6	Kouchibouguac Gully light buoy XY17	46 50 19 064 54 45	Fl G 4s	.....	.....	Green, marked "XY17".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:N/A Edn 04/15 (G15-001)
1159	Kouchibouguac Gully Inner light buoy XY21	46 50 34.3 064 54 49.2	Q G 1s	.....	.....	Green boat type, marked "XY21".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:N/A Edn 12/14 (G12-212) Edn 04/15 (G15-001)
1159.5 H418.5	Pointe-Sapin Outer Breakwater	SW. end of breakwater. 46 57 38.3 064 49 46.7	Fl W 4s	.....	8	Square skeleton tower red and white rectangular daymark.	Fl 0.1s Ec 3.9s. Operates at night only. Seasonal.  Chart:4906 Edn 11/12 (G09-031) Edn 10/13 (G13-141) Edn 02/14 (G14-018)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NORTHUMBERLAND STRAIT</b>							
1159.6	Pointe-Sapin Sector Light	46 57 47.3 064 49 49.9	F R W G	.....	.....	13	Square skeleton tower.  Red from 003°51'39" to 002°07'25" White from 005°51'39" to 003°51'39" Green from 023°51'39" to 005°51'39" Obstructed from 002°07'25" to 002°06'33". Seasonal. Operates 24 h.
							<b>Chart:4906</b> <b>Edn 01/14 (G13-164)</b> <b>Edn 04/14 (G14-023)</b> <b>Edn 10/14 (G14-016)</b> <b>Edn 05/15 (G15-022)</b> <b>Edn 08/15 (G15-093)</b>
1161.2	Pointe-Sapin	On end of E. breakwater. 46 57 40.2 064 49 50.1	Fl R 4s	7.4	5	Square skeleton tower Red and white rectangular daymark.  6.6	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.
							<b>Chart:4906</b> <b>Edn 11/12 (G09-032)</b> <b>Edn 10/13 (G13-140)</b> <b>Edn 02/14 (G14-017)</b>
1161.5	Sapin Ledge light buoy X25	Off Sapin Ledge. 46 58 24 064 44 38	Fl G 4s	.....	.....	Green spar, marked "X25".	Seasonal.
							<b>Chart:4906</b>
1162	Point Escuminac light and bell buoy X31	NE. of Point Escuminac. 47 07 09 064 47 06	Fl G 4s	.....	.....	Green, marked "X31".	Seasonal.
							<b>Chart:4911</b>
1162.3	Point Sapin Western Breakwater	On the end of Breakwater. 46 57 39.5 064 49 51.5	Fl G 4s	.....	5	Square skeleton tower, green and white rectangular daymark.	Flash 1 s; eclipse 3 s. Seasonal. Operates at night only.
							<b>Chart:4911</b> <b>Edn 10/13 (G13-122)</b> <b>Edn 02/14 (G14-019)</b> <b>Edn 03/14 (G13-122)</b>
1163 H1424	Point Escuminac	On point. 47 04 22.5 064 47 52.3	Fl W 3s	22	13	White hexagonal tower, red upper portion.  22.4	Flash 1 s; eclipse 2 s; Obscured from 110° to 120°. Year round.  <b>Horn</b> - Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s.
							<b>Chart:4911</b> <b>Edn 08/13 (G13-098)</b>
1165.8 H1430	Escuminac Breakwater	On outer end of middle breakwater. 47 04 57.3 064 53 14.6	LFl Y 6s	8.2	8	Square skeleton tower, red rectangular daymark, white band.  6.9	Flash 2 s; eclipse 4 s. Operates 24 h. Year round.
							<b>Chart:4911</b> <b>Edn 12/13 (G13-161)</b> <b>Edn 08/17 (G17-064)</b>
1165.9	Escuminac Outer Breakwater	47 04 58.1 064 53 16.6	Fl G 4s	.....	3	Pipe swing pole.  3	Fl 1s; Ec 3s. Seasonal.
							<b>Chart:4911</b> <b>Edn 12/13 (G13-174)</b> <b>Edn 2/14</b>