

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NOVA SCOTIA, SOUTHEAST AND SOUTHWEST COASTS</b>							
301.5	Dennis Point Shoal light buoy PB	43 37 03 065 47 02	Fl G 6s (2+1)	.....	.....	Green, red and green, marked "PB".	Year round.  Chart:4210
302.5	Pubnico light buoy P1	43 35 10.3 065 48 13.9	Fl G 4s	.....	.....	Green spar, marked "P1".	Year round.  Chart:4210
303	Johns Island Ledge light buoy ND4	W. of ledge. 43 30 30.3 065 49 10.4	Fl R 4s	.....	.....	Red, marked "ND4".	Year round.  Chart:4210
304	Cockerwit Passage light buoy D	Off W. entrance to passage. 43 29 09.3 065 46 28.9	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "D".	Year round.  Chart:4210
304.1	Robinson Ball light buoy D1	43 29 29.8 065 45 58.5	Fl G 4s	.....	.....	Green, marked "D1".	Year round.  Chart:4210
305	Outer Island North light buoy D2	Off N. end of shoal N. of Outer Island. 43 29 35.3 065 45 39.9	Q R 1s	.....	.....	Red, marked "D2".	Year round.  Chart:4210
305.5	Ball Ledge light buoy D3	43 30 00.1 065 45 18	Q G 1s	.....	.....	Green spar, marked "D3".	Year round.  Chart:4210
306	Outer Island South light buoy C	S. of Outer Island. 43 26 23.3 065 44 43.9	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "C".	Year round.  Chart:4210
306.002	Inner Island Southwest Shoal West Cardinal light buoy NF	43 28 50.1 065 43 24.4	Q(9) W 15s	.....	.....	Yellow, black and yellow spar, marked "NF".	Year round.  Chart:4210
306.003 H3792	Shag Harbour Entrance Light	43 29 20.4 065 43 04.4	Fl G 4s	4.2	6	Green cylindrical mast.	Visible 360°. Year round.  Chart:4210 Edn 07/17 (F17-024)
306.016	Shag Harbour West Turn light buoy NF16	43 29 25.7 065 42 40.7	Q R 1s	.....	.....	Red, marked "NF16".	Year round.  Chart:4210
306.023	Shag Harbour East Turn light buoy NF23	43 29 24.7 065 42 17.7	Fl G 4s	.....	.....	Green, marked "NF23".	Year round.  Chart:4210
307 H3790	Outer Island	On S. point. 43 27 23.2 065 44 36.2	Fl W 10s	13.7	10	White square tower, red upper portion.	Flash 1 s; eclipse 9 s. Year round.  Chart:4210
307.02	Cornwall Rock light buoy N2	43 22 51 065 41 49.5	Fl R 4s	.....	.....	Red, marked "N2".	Year round.  Chart:4210

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NOVA SCOTIA, SOUTHEAST AND SOUTHWEST COASTS</b>							
308.5 H3793.5	Shag Harbour Ledges	43 29 22.7 065 42 53.5	Fl R 4s	5.3	4	Red cylindrical mast.	Visible 360°. Operates 24 h. Year round.  <b>Chart:N/A Edn 08/17 (F17-019)</b>
309 H3793.6	Shag Harbour Wharf	On outer NE. end of wharf. 43 29 32.9 065 42 18	Fl R 4s	7.2	4	Cylindrical mast.	Operates at night only. Year round.  <b>Chart:4210</b>
311 H3793	Prospect Point Wharf	On outer end of wharf. 43 29 23.9 065 43 08.2	Fl Y 4s	7.8	5	Cylindrical mast. 6.6	Operates at night only. Year round.  <b>Chart:4210</b>
311.5	<i>Solomans Island light buoy D5</i>	<i>S. end of Cockerwit Passage. 43 30 30 065 45 07</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "D5".</i>	<i>Year round.</i>  <b>Chart:4210</b>
311.6	<i>Chetwyn Reef light buoy D6</i>	<i>43 30 32.6 065 45 00.1</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "D6".</i>	<i>Year round.</i>  <b>Chart:4210</b>
312 H3794	Woods Harbour	On Big Ledge. 43 31 10.5 065 44 43.1	Fl W 6s	6.3	9	White square tower, red upper portion. 6.3	Flash 1 s; eclipse 5 s. Operates at night only. Year round.  <b>Horn - Blast 3 s; sil. 27 s.</b>  <b>Chart:4210</b>
313 H3795	Lower Woods Harbour	On outer end of new breakwater. 43 31 21.9 065 44 15.2	Fl R 4s	.....	.....	Pipe swing pole, red, white and red triangular daymark. 3.2	Flash 1 s; eclipse 3 s. Year round.  <b>Chart:4210 Edn 01/17 (F16-067)</b>
315 H3796	Falls Point Wharf	On wharf extension. 43 31 45.6 065 44 23.5	Fl G 4s	8.7	1	Cylindrical mast, square green, white and green daymark. 6.6	Operates at night only. Year round.  <b>Chart:4210 Edn 07/09 (F09-038) Edn 04/11 (F11-062) Edn 01/16 (F15-040)</b>
315.2 H3796.2	The Falls	NW. end of ledge. 43 32 04.7 065 44 36.8	Fl R 4s	5.0	4	Red cylindrical mast. 6.9	Radar reflector. Operates at night only. Year round.  <b>Chart:4210</b>
315.3 H3796.3	Angels Island	43 32 11.8 065 44 36.4	LFl W 6s	4.0	1	Cylindrical mast, red rectangular daymark with white band. 4.9	Flash 2 s; eclipse 4 s. Year round.  <b>Chart:4210 Edn 02/16 (F15-042) Edn 12/16 (F16-065)</b>
315.4	Northern End Woods Harbour Breakwater Light	43 31 50.7 065 44 33.2	Fl R 4s	.....	2	Post, 2 red, white, and red triangular daymarks.	Flash 1 s; eclipse 3 s. Year round.  <b>Chart:4210 Edn 03/17 (F16-063)</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NOVA SCOTIA, SOUTHEAST AND SOUTHWEST COASTS</b>							
315.5 H3797	Northern End Ledge	N. side of ledge. 43 32 09.4 065 46 08.8	Fl G 4s	4.9	4	Square skeleton tower, green, white and black square daymark.	Radar reflector. Operates at night only. Year round.  Chart:4210 Edn 10/10(F10-027)
316 H3788	Bear Point Wharf	S. end of wharf. 43 29 10.1 065 39 19.6	Fl R 4s	4.7	.....	Cylindrical mast, red and white triangular daymark, red triangle in centre. 3.6	Operates at night only. Year round.  Chart:4210 Edn 06/09 (F09-020) Edn 04/11 (F11-059)
317	<i>Bear Point Ledge light buoy C9</i>	<i>Off ledge. 43 28 38.3 065 38 38.9</i>	<i>Fl G 4s</i>	.....	.....	<i>Green spar, marked "C9".</i>	<i>Year round.</i>  Chart:4210
317.1 H3786.7	Newellton East Breakwater	43 28 26.4 065 37 59.2	Fl G 4s	4.0	2	Pipe swing pole. 3.4	Year round.  Chart:4210 Edn 07/11 (F11-088)
318.01	<i>Salt Rock light buoy C10</i>	<i>43 28 26.9 065 38 16.9</i>	<i>Fl R 4s</i>	.....	.....	<i>Red spar, marked "C10".</i>	<i>Year round.</i>  Chart:4210
318.5 H3787.2	Newellton West Breakwater	NE. corner, new pier extension. 43 28 24.6 065 38 01.7	LFl R 6s	9.9	6	Square skeleton tower. 6.6	Flash 2 s; eclipse 4s. Operates at night only. Year round.  Chart:4210 Edn 04/11 (F11-061) Edn 07/11 (F11-089) Edn 08/13 (F13-020)
319	<i>Newellton Reef light buoy C8</i>	<i>Near NW. end of reef. 43 28 04.3 065 38 54.9</i>	<i>Fl R 4s</i>	.....	.....	<i>Red spar, marked "C8".</i>	<i>Year round.</i>  Chart:4210
319.3	<i>Apple Rock light buoy C5</i>	<i>43 27 43.3 065 39 43.9</i>	<i>Fl G 4s</i>	.....	.....	<i>Green spar, marked "C5".</i>	<i>Year round.</i>  Chart:4210
319.4	West Head Breakwater East	43 27 35.4 065 39 04.9	Fl G 4s	.....	2	.....	Privately maintained. Year round.  Chart:4210 Edn 10/16 (F16-041)
319.5 H3786.2	West Head Breakwater	On breakwater extension. 43 27 38.7 065 39 14.2	Fl R 4s	9.7	5	Square skeleton tower, three red and white rectangular daymarks. 6.1	Flash 1 s; eclipse 3 s. Operates at night only. Year round.  Chart:4210 Edn 08/11 (F11-150)
320 H3786	West Head, Cape Sable Island	On the head. 43 27 23.8 065 39 16.9	F R .....	15.6	7	Red and white cylindrical tower. 6.1	Operates at night only. Year round.  Horn - Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s. Horn points 254°.  Chart:4210 Edn 09/11 (F11-082)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NOVA SCOTIA, SOUTHEAST AND SOUTHWEST COASTS</b>							
320.01	Ryders Reef light buoy C1	43 27 22.5 065 41 05	Q G 1s	.....	.....	Green spar, marked "C1".	Year round.  <b>Chart:4210</b>
321	Hospital Reef light buoy C2	N. of reef. 43 26 46.3 065 40 19.9	Fl R 4s	.....	.....	Red, marked "C2".	Year round.  <b>Chart:4210</b>
322	Hospital Ledge light buoy CA2	Off N. end of Reef. 43 26 36.3 065 39 45.9	Q R 1s	.....	.....	Red, marked "CA2".	Year round.  <b>Chart:4210</b>
322.07	Eleazer Island light buoy CC3	43 26 05 065 38 29	Fl G 4s	.....	.....	Green, marked "CC3".	Year round.  <b>Chart:4210</b>
322.1	Hospital Reef light buoy CA1	43 26 42 065 39 40	Fl G 4s	.....	.....	Green spar, marked "CA1".	Year round.  <b>Chart:4210</b>
323 H3785	Clark's Harbour	Near end of public wharf. 43 26 33.5 065 38 08.7	Fl G 4s	7.3	4	Pipe Swing Pole. 6.1	Operates at night only. Year round.  <b>Chart:4210 Edn 01/16 (F15-041)</b>
323.07	Clark's Harbour light buoy CA5	43 26 28 065 38 34	Fl G 4s	.....	.....	Green spar, marked "CA5".	Year round.  <b>Chart:4210</b>
323.5 H3785.4	Swims Point	Outer end of wharf. 43 25 56.9 065 37 54.9	LFl G 6s	8	5	Cylindrical mast, green, white and green square daymark. 6.6	Flash 2 s; eclipse 4 s. Operates at night only. Year round.  <b>Chart:4210 Edn 06/09 (F09-019) Edn 04/11 (F11-054)</b>
323.6	Little Green Island	Clark's harbour. 43 26 06.5 065 39 13.2	Fl G 4s	.....	4	Green cylindrical mast Green white and black daymark. 3.5	Year round.  <b>Chart:4210 Edn 05/16 (F16-010)</b>
323.7 H3785.6	Fish Island	W. of N. end of island. 43 25 40.5 065 39 15.8	Fl R 4s	7.0	4	Red cylindrical mast. 6.9	Operates at night only. Year round.  <b>Chart:4210</b>
323.91 H3785.8	Pork Ledge	43 25 25.8 065 39 25.6	Fl G 4s	.....	5	Green cylindrical mast.	Year round.  <b>Chart:4210</b>
324	Doctors Channel - West Cardinal light buoy NAC	SW. of S. end of Fish Island. 43 24 59.3 065 39 18.9	Q(9) W 15s	.....	.....	Yellow, black and yellow, marked "NAC".	Year round.  <b>Chart:4210</b>
325	Cape Sable light buoy N	S. of SW. ledge. 43 20 12.3 065 40 45.9	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "N".	Year round.  <b>Chart:4210</b>
326	Ox Eye Rock light buoy NA2	S. of rock. 43 23 30.3 065 38 42.9	Fl R 4s	.....	.....	Red, marked "NA2".	Year round.  <b>Chart:4210</b>

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NOVA SCOTIA, SOUTHEAST AND SOUTHWEST COASTS

326.02	<i>Black Head Ledge light buoy NA4</i>	43 23 46.5 065 39 13	Q R 1s	.....	.....	<i>Red spar, marked "NA4".</i>	<i>Year round.</i>
							<b>Chart:4210</b>
326.5	<i>La Have Bank ODAS light buoy 44142</i>	<i>La Have.</i> 42 30 00 064 02 00	<i>Fl(5) Y 20s</i>	.....	.....	<i>Yellow, marked "44142".</i>	<i>Private. Year round.</i>
							<b>Chart: Unknown Edn 05/16 (F16-014)</b>