

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NOVA SCOTIA AND CAPE BRETON ISLAND

Chedabucto Bay

686.5	Chedabucto Bay light buoy CF	45 23 54.3 061 03 00.6	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "CF".	Year round.  Chart:4307 Edn 03/11 (G11-025)
686.7	Chedabucto Bay light buoy C2	45 25 38.1 061 06 17.3	Q R 1s	.....	.....	Red, marked "C2".	Year round.  Chart:4308 Edn 03/11 (G11-026)
686.8	Chedabucto Bay light buoy CGB	45 28 24.3 061 10 23.7	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "CGB".	Year round.  Chart:4307 Edn 03/11 (G11-027)

Strait of Canso

687.1	Argos Shoal light buoy CS1	45 29 11.3 061 12 16.6	Q G 1s	.....	.....	Green, marked "CS1".	Year round.  Chart:4307 Edn 03/11 (G11-028)
687.2	Chedabucto Bay light and bell buoy C7	45 28 07.2 061 10 49.8	Fl G 4s	.....	.....	Green, marked "C7".	Year round.  Chart:4307 Edn 03/11 (G11-029)
687.3	Chedabucto Bay light and bell buoy C8	45 28 42.3 061 09 55.6	Fl R 4s	.....	.....	Red, marked "C8".	Year round.  Chart:4307 Edn 03/11 (G11-030)
687.4	Chedabucto Bay light buoy C10	45 30 40.3 061 12 18.6	Fl R 4s	.....	.....	Red, marked "C10".	Year round.  Chart:4302 Edn 03/11 (G11-031) Edn 05/13 (G13-009)
687.5	Chedabucto Bay light and bell buoy C11	45 31 48.3 061 14 17.6	Fl G 4s	.....	.....	Green, marked "C11".	Year round.  Chart:4302 Edn 03/11 (G11-032) Edn 05/13 (G13-009)
687.7	Chedabucto Bay light buoy C13	45 32 17.8 061 15 28.6	Q G 1s	.....	.....	Green, marked "C13".	Year round.  Chart:4302 Edn 03/11 (G11-033) Edn 05/13 (G13-009)
687.8	Chedabucto Bay light buoy C14	45 32 37.3 061 15 45.6	Fl R 4s	.....	.....	Red, marked "C14".	Year round.  Chart:4302 Edn 03/11 (G11-034) Edn 05/13 (G13-009)
688	Chedabucto Bay light buoy C16	45 32 31.3 061 17 30.6	Q R 1s	.....	.....	Red, marked "C16".	Year round.  Chart:4302 Edn 03/11 (G11-035) Edn 05/13 (G13-009)
688.1	Chedabucto Bay light buoy C17	45 32 39.3 061 18 27.6	Fl G 4s	.....	.....	Green, marked "C17".	Year round.  Chart:4302 Edn 07/12 (G12-123) Edn 05/13 (G13-009)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NOVA SCOTIA AND CAPE BRETON ISLAND

688.2	Chedabucto Bay light buoy C18	45 33 29.3 061 19 17.6	Fl R 4s	.....	.....	Red, marked "C18".	Year round.  Chart:4302 Edn 07/12 (G12-124) Edn 05/13 (G13-009)
688.4	Chedabucto Bay light buoy C20	45 33 44.3 061 19 57.6	Q R 1s	.....	.....	Red, marked "C20".	Year round.  Chart:4302 Edn 03/11 (G11-036) Edn 05/13 (G13-009)
688.5	Chedabucto Bay light buoy C21	45 34 58.8 061 22 01.6	Fl G 4s	.....	.....	Green, marked "C21".	Year round.  Chart:4302 Edn 07/12 (G12-125) Edn 05/13 (G13-009)
689.1	Eddy Point Cautionary light buoy CY	45 31 27.7 061 14 37.5	Fl Y 4s	.....	.....	Yellow spar, marked "CY".	Year round.  Chart:4302 Edn 09/11 (G11-244) Edn 05/13 (G13-009)
689.3 H3421	Eddy Point range	SE. entrance, Strait of Canso. 45 31 12.2 061 15 07.4	Oc Y 11s	11.9	15	Triangular skeleton tower, white daymark, red vertical stripe.	Flash 10 s; eclipse 1 s. Visible in line of range. Operates 24 h. Year round.
689.4 H3421.1		124°51' 361m from front.	Fl W 4s	.....	.....	12.3	Year round.
689.7 H3419	Port Malcolm range	Seacoal Bay Entrance. 45 34 32.7 061 17 16.9	F W ..... 19.7	25	Triangular skeleton tower, white daymark, red vertical stripe.	Operates 24 h. Visible in line of range. Year round.	
689.8 H3419.1		319°50' 790.7m from front.	F W ..... 46.6	25	Triangular skeleton tower, white daymark, red vertical stripe.	Operates 24 h. Visible in line of range. Year round.  Chart:4302 Edn 04/10 (G10-015, 016) Edn 05/13 (G13-009) Edn 04/15 (G15-015, 016)	
690 H3422	Bear Head Direction	SE. end. 45 32 53.8 061 17 17.6	Fl W 4s	14.6	6	Skeleton tower, enclosed lower portion, red and white rectangular daymark.	Increased intensity on a bearing of 297°. Operates at night only. Year round.  Chart:4302 Edn 05/13 (G13-009)
690.3 H3425	Middle Melford range	45 32 21.7 061 18 53.2	F Y ..... 13.7	15	Triangular skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Year round.	
690.4 H3425.1		268°05' 92.4m from front.	Fl W 4s	14.2	.....	.....	Year round.
			F Y ..... 20.7	15	Triangular skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Year round.  Chart:4302 Edn 05/13 (G13-009)	
			Fl W 4s	21.2	.....	.....	Year round.

## ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NOVA SCOTIA AND CAPE BRETON ISLAND</b>							
692 H3426	Park Point range	On point, W. side of Strait. 45 32 35.8 061 19 16.0	F G .....	12.3	17	Triangular skeleton tower, white daymark, red vertical stripe. 11.0	Visible in line of range. Operates 24 h. Year round.
693 H3426.1		146°18' 316.9m from front.	F G .....	25.1	17	Triangular skeleton tower, white daymark, red vertical stripe. 19.3	Visible in line of range. Operates 24 h. Year round.
Chart:4302 Edn 03/16 (G16-023) Edn 06/17 (G17-019, 020)							
694.4 H3427	Cahil Rock range	S. of rock. 45 34 13.2 061 21 17.5	F Y .....	12.9	18	Triangular skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Year round.
694.5 H3427.1		304°46' 176.1m from front.	Oc Y 11s Fl W 4s	27.5 28.1	18 .....	Triangular skeleton tower, white daymark, red vertical stripe.	Flash 10 s; eclipse 1 s. Visible in line of range. Year round.
Chart:4302 Edn 05/13 (G13-009)							
695	Point Tupper light buoy C26	45 36 20.8 061 22 33.1	Fl R 4s	.....	.....	Red, marked "C26".	Year round.
Chart:4302 Edn 07/12 (G12-126) Edn 05/13 (G13-009)							
696 H3430	Point Tupper	On small shed on Gypsum loading pier. 45 36 27.4 061 22 27.0	F R .....	29.6	.....	Mast on small shed.	Privately operated. Operates at night only. Year round.
Chart:4302 Edn 05/13 (G13-009)							
696.5	Premier Shoal light buoy CL4	45 36 47.3 061 22 10.6	Fl R 4s	.....	.....	Red spar, marked "CL4".	Year round.
Chart:4302 Edn 07/12 (G12-128) Edn 05/13 (G13-009)							
697 H3434	Cape Porcupine range	S. side of Canso Causeway. 45 38 41.9 061 25 05.8	F G .....	9.9	18	Triangular skeleton tower, white trapezoidal daymark, red vertical stripe.	Visible in line of range. Operates at night only. Seasonal.
698 H3434.1		144°06' 1583.3m from front.	F G .....	21.8	18	Triangular skeleton tower, white trapezoidal daymark, red vertical stripe.	Visible in line of range. Operates at night only. Seasonal.
Chart:4302 Edn 09/11 (G11-061) Edn 05/13 (G13-009)							
699	Dixon Rock light buoy C28	45 38 31.3 061 24 11.6	Fl R 4s	.....	.....	Red, marked "C28".	Year round.
Chart:4302 Edn 07/12 (G12-127) Edn 05/13 (G13-009)							
700 H3432	Canso Canal SE. mooring dock	45 38 46.6 061 24 32.0	Fl Y 4s	4.8	.....	Mast.	Privately operated. Operates at night only. Year round.
Chart:4302 Edn 05/13 (G13-009)							

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NOVA SCOTIA AND CAPE BRETON ISLAND

700.5 H3432.5	Canso Causeway	On swing bridge. 45 38 50.8 061 24 45.6	Fl R 4s F R ..... F W .....	16.2 ..... .....	..... ..... .....	.....	Preparing to open bridge. FR - Bridge completely closed. FW - Bridge completely open. Year round.
<b>Chart:4302 Edn 05/13 (G13-009)</b>							
701 H3436	Balache Point range	N. end of Canso Lock. 45 38 57.7 061 24 59.4	Oc Y 11s	6.0	16	Square skeleton tower, white trapezoidal daymark, red vertical stripe.	Flash 10 s; eclipse 1 s. Visible in line of range. Seasonal.
702 H3436.1		131°30' 219.84m from front.	Oc Y 11s	13.0	16	White square tower, red upper portion, red vertical stripe.	Flash 10 s; eclipse 1 s. Visible in line of range. Seasonal.
<b>Chart:4302 Edn 01/12 (G11-330) Edn 01/12 (G11-331) Edn 05/13 (G13-009)</b>							
703 H3433	Canso Canal NE. mooring berth	At outer end of NW. mooring dock. 45 39 11.3 061 25 12.6	Fl Y 4s	5.5	.....	Mast.	Privately operated. Operates at night only. Year round.
<b>Chart:4302 Edn 05/13 (G13-009)</b>							
704 H3423	Janvrin Island range	At Thomas Head. 45 32 31.3 061 12 01.6	F Y ..... Fl W 4s	12.5 13.1	15 .....	Triangular skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Operates at night only. Year round.
704.1 H3423.1		088°10' 300.2m from front.	F Y ..... Fl W 4s	25.0 25.5	15 .....	Triangular skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Operates at night only. Year round.
<b>Chart:4302 Edn 05/13 (G13-009)</b>							