

**INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE OF THE WOODS</b>							
1470	Menzies Reef	On the reef. 49 44 59.5 94 32 46.2	Fl W 4s	5.8	.....	Mast, red and white rectangular daymark, green square in centre.	Seasonal.  <b>Chart:6218</b>
1471	Safety Bay	On reef, W. approach to Kenora. 49 45 34.7 94 31 24.2	Fl R 4s	5.2	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre.  3.6	Seasonal.  <b>Chart:6218</b>
1471.2	<i>Winkler Sprinkler light buoy WSP1</i>	<i>N. shore, Kenora Bay</i> 49 46 10 94 29 44	<i>Fl Y 4s</i>	.....	.....	<i>White and orange spar, marked "WSP1".</i>	<i>Seasonal.</i>  <b>Chart:6218</b>
1472	Devils Gap (Foot)	At N. end of Devils Gap. 49 44 34.9 94 29 24.8	Fl G 4s	6.4	.....	Cylindrical mast. 4.9	Seasonal.  <b>Chart:6218</b>
1473	<i>Goat Island light buoy M4</i>	49 44 48 94 29 22	<i>Fl R 4s</i>	.....	.....	<i>Red spar, marked "M4".</i>	<i>Year round.</i>  <b>Chart:6218</b>
1474	Galt Island West	On island W. of island. 49 43 15.8 94 29 02.5	Fl R 4s	8.8	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre.  6.4	Seasonal.  <b>Chart:6218</b>
1475	Gull Rock Reef	On reef. 49 43 47.9 94 32 21.4	Fl W 4s	6.4	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre.  4.6	Seasonal.  <b>Chart:6218</b>
1476	Channel Island	On NW. point of island. 49 42 59.2 94 31 39.6	Fl W 4s	6.1	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre.  4.9	Seasonal.  <b>Chart:6218</b>
1477	Keewatin Channel East Entrance	On reef. 49 42 49.3 94 29 28	Fl W 4s	5.8	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre.  6.4	Seasonal.  <b>Chart:6218</b>
1478	Allans Narrows	At E. entrance to Narrows. 49 43 04.3 94 28 09.4	Fl R 4s	7.3	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre.  6.1	Seasonal.  <b>Chart:6218</b>

**INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE OF THE WOODS</b>							
1479	Rocky Narrows	E. of Nantons Island. 49 40 57.9 94 27 01.7	Fl W 4s	8.2	.....	Cylindrical mast, red and white rectangular daymark, green square in centre. 6.7	Seasonal.  <b>Chart:6218</b>
1480	Heenan Point (Needle Point)	On S. tip of Pine Portage Bay. 49 41 16.1 94 22 32.8	Fl W 4s	7.5	.....	Cylindrical mast, red and white rectangular daymark, green square in centre. 6.4	Visible from 270° through N. to 090°. Seasonal.  <b>Chart:6212</b>
1481	Wylies Reef light buoy W1	S. of Wolf Island. 49 39 27 94 32 23	Fl G 4s	.....	.....	Green spar, marked "W1".	Seasonal.  <b>Chart:6212</b>
1481.5	Lake of the Woods ODAS light buoy 45148	49 38 16.5 94 33 27.5	Fl(5) Y 20s	.....	.....	Yellow, marked "45148".	Maintained by Environment Canada. Seasonal.  <b>Chart:6212</b>
1481.7	Howlett Reef	49 39 21.3 94 34 35	Fl G 4s	.....	.....	Cylindrical mast, red and white rectangular daymark, green square in centre. 4.9	Privately maintained. Seasonal.  <b>Chart: 6217</b>
1482	Ptarmigan Bay	On Island, SE. entrance to bay. 49 38 54.3 94 39 50.1	Fl W 4s	5.5	.....	Cylindrical mast, red and white rectangular daymark, green square in centre. 4.9	Visible from 084° through E. to 095°. Seasonal.  <b>Chart:6217</b>
1483	Ash Rapids	49 37 16.6 94 46 29.9	Fl W 4s	6.9	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 4.9	Visible from 180° to 202°. Seasonal.  <b>Chart:6217</b>
1483.3	Shoal Lake Narrows	W. entrance to narrows. 49 33 13.1 94 55 14.6	Fl W 4s	7.6	.....	Cylindrical mast, red and white rectangular daymark, green square in centre. 4.9	Seasonal.  <b>Chart:6217</b>
1483.5	Wahnisin	On small rock. 49 32 56.5 95 01 09.2	Fl W 4s	6.7	.....	Cylindrical mast, red and white rectangular daymark, green square in centre. 4.9	Seasonal.  <b>Chart:6217</b>
1483.7	Redsky	On reef in Shoal Lake on Main Channel. 49 34 28.5 95 00 55.7	Fl W 4s	7.9	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 4.9	Seasonal.  <b>Chart:6217</b>
1484	Allens Reef light buoy E22	49 38 17.1 94 27 15	Fl R 4s	.....	.....	Red spar, marked "E22".	Seasonal.  <b>Chart:6212</b>

**INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE OF THE WOODS</b>								
1485	Shore Island	Off SW. side of island. 49 32 16 94 22 06.9	FI	W	4s	5.5	.....	White skeleton tower.  Seasonal.  <b>Chart:6212</b>
1486	Pewabic Island	E. point of island. 49 30 20.1 94 17 16.8	FI	W	4s	6.7	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 4.9  Visible from 250° through W. to 360°. Seasonal.  <b>Chart:6212</b>
1487	Fire Island Narrows	At S. side of E. entrance to narrows. 49 24 55.9 94 08 37.1	FI	W	4s	6.1	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 4.9  Visible from 275° to 321°. Seasonal.  <b>Chart:6212</b>
1488	Shammis Narrows	On westerly point of island. 49 36 44 94 34 03.5	FI	W	4s	15.2	.....	Cylindrical mast, white and red rectangular daymark, green square in centre. 6.4  Visible from 205° to 240°. Seasonal.  <b>Chart:6212</b>
1489	Micrometer Island	On N. end of island, N. entrance to Crow Rock Channel. 49 36 27.9 94 36 49.9	FI	W	4s	8.9	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 6.4  Visible from 043° to 065°. Seasonal.  <b>Chart:6212</b>
1490	Crow Rock Channel	On eastern tip of small island, S. of S. entrance to channel. 49 35 42.3 94 37 03	FI	W	4s	6.1	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 4.9  Visible from 012° to 030°. Seasonal.  <b>Chart:6212</b>
1491	Big Narrows	On Davies Reef. 49 31 37.7 94 42 13.6	FI	W	4s	6.0	6	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 3.9  Seasonal.  <b>Chart:6216</b> <b>Edn 07/12(D12-001)</b>
1492	Bishop Point	On island, W. tip of point. 49 29 31.3 94 46 34.8	FI	W	4s	7.6	.....	Cylindrical mast, red and white rectangular daymark, green square in centre. 6.4  Visible from 340° through N., E. and S. to 224°. Seasonal.  <b>Chart:6216</b>
1493	Bishop Bay	On small island, N. of Royal island. 49 28 05 94 45 48.8	FI	W	4s	9.1	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 6.4  Seasonal.  <b>Chart:6216</b>
1494.41	Frog Island	Clearwater Bay. 49 41 12.4 94 49 59	FI	W	4s	7.6	.....	Cylindrical mast, red and white rectangular daymark, green square in centre. 6.4  Seasonal.  <b>Chart:6217</b>

**INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>LAKE OF THE WOODS</b>							
1494.5	Mud Portage Channel	49 40 49.1 94 50 33.2	Fl R 4s	6.1	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 4.9	Seasonal.  <b>Chart:6217</b>
1494.6	McCallum light buoy WB1	49 41 52 94 49 03	Fl G 4s	.....	.....	Green spar, marked "WB1".	Seasonal.  <b>Chart:6217</b>
1495	French Portage Narrows	On point at N. entrance to narrows. 49 28 26.5 94 38 49.1	Fl W 4s	6.9	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 4.9	Seasonal.  <b>Chart:6216</b>
1496	Monkey Rocks Reef	On reef. 49 24 06.5 94 48 15	Fl W 4s	8.8	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 6.4	Seasonal.  <b>Chart:6216</b>
1496.3	Cochrane Island	SE. of island. 49 26 03.3 94 51 23.8	Fl G 4s	7.9	.....	Cylindrical mast, red and white rectangular daymark, green square in centre. 6.4	Seasonal.  <b>Chart:6216</b>
1496.5	Penasse Island	N. of island. 49 22 17.8 94 57 32.5	Fl W 4s	9.9	6	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 6.6	Visible from 181° through W. and N. to 076°. Seasonal.  <b>Chart:6216 Edn 07/12(D12-001)</b>
1497	Boucha Island	On small island, S. of Squaw Island. 49 17 41.3 94 49 12.5	Fl W 4s	11.6	.....	Cylindrical mast, red and white rectangular daymark, green square in centre. 6.4	Seasonal.  <b>Chart:6215</b>
1497.3	Cyclone Island	On reef near channel. 49 19 36.6 94 51 18.7	Fl W 4s	6.7	6.	Cylindrical mast, red and white rectangular daymark, green square in centre. 4.9	Seasonal.  <b>Chart:6215 Edn 07/13(D13-003)</b>
1498.5	Dagger Island	E. side of island. 49 18 49.5 94 40 41.4	Fl W 4s	12.2	.....	Cylindrical mast, red and white triangular daymark, red triangle in centre. 6.4	Seasonal.  <b>Chart:6215</b>
1499	Ferris Island	Off Hooper Point, extreme W. point of Bigsby Island. 49 03 08 94 38 51	Fl W 4s	14.0	.....	Cylindrical mast, red and white rectangular daymark, green square in centre. 6.4	Visible from 000° through E. to 178°. Seasonal.  <b>Chart:6211</b>

**INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals**

No.	Name	Position	Light Characteristics		Focal Height in m. above water	Nominal Range	Description	Remarks	
		Latitude N. Longitude W.					Height in meters above ground		Fog Signals
<b>LAKE OF THE WOODS</b>									
1500	Tomahawk Island	On island SE. of McCauley Bay. 49 01 28 94 30 33	FI	G	4s	9.8	.....	Cylindrical mast, red and white rectangular daymark, green square in centre. 6.4	Seasonal.  <b>Chart:6211</b>
1501	Dawson Narrows, East Entrance	At northeasterly side of small island. 49 06 03 94 30 35.8	FI	W	4s	7.6	.....	Cylindrical mast, red and white rectangular daymark, green square in centre. 6.4	Seasonal.  <b>Chart:6215</b>
1505	Mink Portage	On reef. 49 12 34 94 19 38.8	FI	W	4s	7.6	.....	Cylindrical mast, red and white triangular daymark, red triangle in centre. 4.9	Seasonal.  <b>Chart:6214</b>
1506	Obabikon Reef	On reef. 49 11 07.1 94 18 24	FI	R	4s	8.2	.....	Cylindrical mast, red and white triangular daymark, red triangle in centre. 4.9	Seasonal.  <b>Chart:6214</b>
1507	Rabbit Point	S. of point. 49 10 20.6 94 18 17.9	FI	W	4s	7.6	.....	Cylindrical mast, red and white triangular daymark, red triangle in centre. 4.9	Seasonal.  <b>Chart:6214</b>
1508	Pt. Brûlé	On rock, NW. of point. 49 07 52.4 94 20 03.9	FI	W	4s	7.9	5	Cylindrical mast, red and white rectangular daymark, green square in centre. 6.3	Seasonal.  <b>Chart:6214 Edn 07/12(D12-001)</b>
1509	Pork Point	On N. tip of island NE. of point. 49 05 50 94 21 38.8	FI	W	4s	7.3	6	Cylindrical mast, red and white triangular daymark, red triangle in centre. 6.1	Seasonal.  <b>Chart:6214 Edn 07/12(D12-004)</b>
1510	Fish Narrows	On small island E. entrance to narrows. 49 09 22 94 26 53.8	FI	W	4s	6.1	.....	Cylindrical mast, red and white rectangular daymark, green square in centre. 6.4	Radar reflector. Seasonal.  <b>Chart:6214</b>
1512	Burton Island	On W. point of island. 48 56 59 94 37 00	FI	W	4s	10.7	.....	White skeleton tower, red and white rectangular daymark, green square in centre. 7.6	Seasonal.  <b>Chart:6211</b>
1513	Bell Buoy Shoal light buoy M107	W. of shoal. 48 55 34 94 39 53	FI	G	4s	.....	.....	Green spar, marked "M107".	Seasonal.  <b>Chart:6211</b>

**INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	------------------	--	---------------------------------

**LAKE OF THE WOODS**

1514.7	<i>Buffalo Bay Marina light buoy MM</i>	<i>At marina entrance. 49 02 29 95 13 44</i>	<i>LFI W</i>	<i>10s</i>	<i>.....</i>	<i>..... Red and white vertical stripes, marked "MM".</i>	<i>Seasonal.</i>
							<b>Chart:6211</b>
1514.9	Birch Point	49 09 55 95 14 02	FI W	4s	7.0	<i>..... Mast, red and white rectangular daymark. 4.9</i>	<i>Seasonal.</i>
							<b>Chart:6211</b>