

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE SEAWAY							
Lac Saint-Louis							
0.1	Light buoy V5	S. shore of canal. 45 27 37.1 73 30 06.1	Fl G	4s	Green spar, marked "V5".	Seasonal. (In place Year round.) Chart:1429 Edn 09/11(Q11-090) Edn 10/11(Q11-121)
0.2	Light buoy V9	S. shore of canal. 45 26 57 73 30 03.6	Fl G	4s	Green spar, marked "V9".	Seasonal. (In place Year round.) Chart:1429 Edn 09/11(Q11-090) Edn 10/11
1	Light buoy V29	S. shore of canal. 45 24 08.9 73 38 22.8	Fl G	4s	Green spar, marked "V29".	Seasonal. (In place Year round.) Chart:1429 Edn 04/10(Q10-019) Edn 09/11(Q11-090)
1.1	Light buoy V30	S. shore of canal. 45 24 11.3 73 38 22.8	Fl R	4s	Red spar, marked "V30".	Seasonal. (In place Year round.) Chart:1429 Edn 04/10(Q10-016) Edn 09/11(Q11-090)
1.2	Light buoy V31	S. shore of canal. 45 24 14.1 73 38 45.1	Fl G	4s	Green spar, marked "V31".	Seasonal. (In place Year round.) Chart:1429 Edn 04/10(Q10-017) Edn 09/11(Q11-090)
2	Light buoy V32	S. shore of canal. 45 24 16.4 73 38 44.3	Fl R	4s	Red spar, marked "V32".	Seasonal. (In place Year round.) Chart:1429 Edn 04/10(Q10-020) Edn 09/11(Q11-090)
3	Light buoy V33	S. shore of canal. 45 24 20.5 73 39 03	Fl G	4s	Green spar, marked "V33".	Seasonal. (In place Year round.) Chart:1429 Edn 04/10(Q10-021) Edn 09/11(Q11-090) Edn 10/11
3.1	Light buoy V34	S. shore of canal. 45 24 23 73 39 02.5	Fl R	4s	Red spar, marked "V34".	Seasonal. (In place Year round.) Chart:1429 Edn 04/10(Q10-018) Edn 09/11(Q11-090)
4	Île Tékakwitha	45 24 36.5 73 42 38.2	F Y	Maintained by St. Lawrence Management Corporation. Seasonal. Chart:1429 Edn 09/11(Q11-090)

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE SEAWAY							
5	Kahnawake Dyke	45 24 31.6 73 43 13.9	F Y	Maintained by St. Lawrence Management Corporation. Seasonal. Chart:1429 Edn 09/11(Q11-090)
5.2	Light buoy A1	45 24 26.2 73 43 11.3	Fl G	4s	Green spar, marked "A1".	Seasonal. (In place Year round.) Chart:1430 Edn 09/11(Q11-091) Edn 10/11
5.3	Light buoy A2	45 24 27.7 073 43 24.2	Q R	1s	Red, marked "A2".	Winter spar. Seasonal. Chart:1430 Edn 09/11(Q11-091) Edn 10/11 Edn 02/16 (Q15-151)
6	Light buoy A3	45 24 17.1 73 43 44.1	Q G	1s	Green spar, marked "A3".	Seasonal. (In place Year round.) Chart:1430 Edn 09/11(Q11-091) Edn 10/11
7	Light buoy A4	45 24 22.7 73 43 51.9	Q R	1s	Red spar, marked "A4".	Seasonal. (In place Year round.) Chart:1430 Edn 09/11(Q11-091) Edn 10/11
8.2	Pointe Johnson	45 24 03 73 44 44.7	Iso Y	2s	7.6	14 Grey cylindrical tower. 4.4	Fl 1s Ec 1s Visible on a bearing of 248°30'. Operates at night only. Seasonal. Chart:1430 Edn 03/11(Q11-001) Edn 11/13(Q13-068)
9	Light buoy A7	45 24 15.2 73 44 30.4	Fl G	4s	Green, marked "A7".	Winter spar. Seasonal. Chart:1430 Edn 09/11(Q11-091) Edn 10/11
10	Light buoy A8	45 24 21.1 73 44 31.1	Fl R	4s	Red, marked "A8".	Winter spar. Seasonal. Chart:1430 Edn 09/11(Q11-091) Edn 10/11
11	Light buoy A9	45 24 13.2 73 45 21.2	Fl G	4s	Green spar, marked "A9".	Seasonal. (In place Year round.) Chart:1430 Edn 09/11(Q11-091) Edn 10/11

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE SEAWAY							
12	Light buoy A10	45 24 19.1 73 45 22.4	Fl R	4s	Red spar, marked "A10".	Seasonal. (In place Year round.) Chart:1430 Edn 09/11(Q11-091) Edn 10/11
13	Light buoy A13	45 24 10.7 73 46 22.1	Q G	1s	Green spar, marked "A13".	Seasonal. (In place Year round.) Chart:1430 Edn 09/11(Q11-091) Edn 10/11
14	Lachine A West Cardinal light buoy	45 24 17.3 73 46 04.7	Q(9) W	15s	Yellow, black and yellow, marked "Lachine A".	Winter spar. Seasonal. Chart:1430 Edn 09/11(Q11-091) Edn 10/11
14.2	Dorval Course range	<input type="checkbox"/> SW. of Dorval Island. <input type="checkbox"/> 45 25 08.3 <input type="checkbox"/> 73 45 36.2	F G	11.0	11 Orange cylindrical tower, orange rectangular daymark, black vertical stripe. 4.4	Visible in line of range. Operates at night only. Seasonal.
14.3		<input type="checkbox"/> 043°52' 1068.6m from front.	F G	24.2	11 White cylindrical tower, orange daymark, black vertical stripe. 17.0	Visible in line of range. Operates at night only. Seasonal.
15	Light buoy A17	45 24 04.7 73 46 48.2	Q G	1s	Green, marked "A17".	Winter spar. Seasonal. Chart:1430 Edn 09/11(Q11-091)
16	Light buoy A18	45 24 15.3 73 46 55.3	Q R	1s	Red, marked "A18".	Winter spar. Seasonal. Chart:1430 Edn 09/11(Q11-091)
16.1	Kahnawake range	<input type="checkbox"/> 45 24 10.3 <input type="checkbox"/> 73 47 45.7	F G	9.9	5 Orange cylindrical tower, orange rectangular daymark, black vertical stripe. 4.8	Operates at night only. Seasonal.
16.2		<input type="checkbox"/> 266°36' 513.4m from front.	F G	19.0	7 White cylindrical tower, orange daymark, black vertical stripe. 12.8	Visible in line of range. Operates at night only. Seasonal.
	Racon --. (G) X & S Bands						Chart:1430 Edn 09/11(Q11-091)
17	Light buoy A21	45 23 54.8 73 47 10.6	Q G	1s	Green spar, marked "A21".	Seasonal. (In place Year round.) Chart:1430 Edn 09/11(Q11-091) Edn 10/11

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE SEAWAY							
18	Light buoy A20	45 23 54.1 73 47 23.2	Fl R	4s	Red spar, marked "A20".	Seasonal. (In place Year round.) Chart:1430 Edn 09/11(Q11-091) Edn 10/11
19	Light buoy A25	45 23 10.7 073 48 10.6	Fl G	4s	Green, marked "A25".	Seasonal. (Winter spar). Chart:1430 Edn 09/11(Q11-091) Edn 10/11 Edn 08/16 (Q16-050)
19.5	Light buoy A24	45 23 15.9 073 48 15.2	Fl R	4s	Red, marked "A24".	Winter spar Seasonal. Chart:1430 Edn 09/11(Q11-091) Edn 10/11 Edn 02/16 (Q15-152)
22	Light buoy A33	45 22 06.5 73 49 38	Fl G	4s	Green, marked "A33".	Winter spar. Seasonal. Chart:1430 Edn 09/11(Q11-091)
23	Light buoy A34	45 22 10.8 73 49 43.8	Fl R	4s	Red, marked "A34".	Winter spar. Seasonal. Chart:1430 Edn 09/11(Q11-091)
23.5	Light buoy A35	45 21 47.3 73 50 03.2	Fl G	4s	Green, marked "A35".	Winter spar. Seasonal. Chart:1430 Edn 09/11(Q11-091)
24	Light buoy A38	45 21 37.2 73 50 29.6	Q R	1s	Red, marked "A38".	Winter spar. Seasonal. Chart:1430 Edn 04/11(Q11-042)
25	Light buoy A39	45 21 22.1 73 50 36.5	Q G	1s	Green, marked "A39".	Winter spar. Seasonal. Chart:1430 Edn 09/11(Q11-091)
26	Light buoy A40	45 21 25.4 73 50 51.5	Q R	1s	Red, marked "A40".	Winter spar. Seasonal. Chart:1430 Edn 09/11(Q11-091)
27	Light buoy A45	45 20 57 73 51 42.4	Fl G	4s	Green, marked "A45".	Winter spar. Seasonal. Chart:1430 Edn 09/11(Q11-091)

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE SEAWAY							
28	Light buoy A46	45 21 04.1 073 51 47.3	Fl R	4s	Red, marked "A46".	Winter spar. Seasonal. Chart:1430 Edn 09/11(Q11-091) Edn 10/11 Edn 02/16 (Q15-153)
29	Light buoy A51	45 20 29.2 73 52 55	Q G	1s	Green, marked "A51".	Winter spar. Seasonal. Chart:1430 Edn 09/11(Q11-091) Edn 10/11
30	Light buoy A52	45 20 35.8 73 53 01.2	Fl R	4s	Red, marked "A52".	Winter spar. Seasonal. Chart:1430 Edn 09/11(Q11-091) Edn 10/11
30.5	Pointe Fortier	Île Perrot (South). 45 21 10.9 73 53 45.4	F Y	16.6	12 Square skeleton tower, orange rectangular daymark. 10.7	Visible on a bearing of 024°. Visible at the centre of the E. entrance to Beauharnois Lock. Operates at night only. Seasonal. Chart:1430 Edn 09/11(Q11-091)
31	Anchorage light buoy BEA A	Pointe Fortier. 45 20 22.9 73 54 19.4	Fl Y	4s	Yellow, marked "BEA A".	Winter spar. Seasonal. Chart:1430 Edn 10/11(Q11-091)
32	Anchorage light buoy BEA B	Pointe Fortier. 45 19 58.9 73 54 55.3	Fl Y	4s	Yellow, marked "BEA B".	Winter spar. Seasonal. Chart:1430 Edn 10/11(Q11-091)
32.3	Melocheville range	□ 45 19 10.3 □ 73 56 33	F G	10.8	17 Square skeleton tower, orange daymark, black vertical stripe. 8.0	Visible in line of range. Night emergency light. Seasonal.
32.4		□ 241°29' 1294m from front. □	F G	29.6	17 Square skeleton tower, orange daymark, black vertical stripe. 14.1	Visible in line of range. Night emergency light. Seasonal.
<p align="right">Chart:1430 Edn 10/11(Q11-112,113)</p>							

Canal de Beauharnois

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE SEAWAY									
33	Upper Beauharnois Lock range	<input type="checkbox"/> E. end of Upper <input type="checkbox"/> Lock approach. <input type="checkbox"/> 45 17 57.7 <input type="checkbox"/> 73 55 43	F	Y	13.1	14	White square skeleton tower, orange triangular daymark, black vertical stripe. 9.6	Seasonal.
34		<input type="checkbox"/> 028°20' 328.6m <input type="checkbox"/> from front. <input type="checkbox"/> <input type="checkbox"/>	F	Y	20.3	14	White square skeleton tower, orange triangular daymark, black vertical stripe. 16.1	Seasonal.
Chart:1431									
35	Upper Beauharnois South Wall Approach	Outer end of rock dyke. 45 17 41.2 73 55 51.1	F	Y	11.3	Mast.	Maintained by St. Lawrence Seaway Management Corporation. Year round.
Chart:1431									
36	<i>Lighted spar buoy C2</i>	45 17 02.1 73 56 30.6	<i>Fl</i>	<i>R</i>	<i>4s</i>	<i>Red spar, marked "C2".</i>	<i>Seasonal. (In place Year round.)</i>
Chart:1431									
37	Powerhouse range	<input type="checkbox"/> Beauharnois Canal. <input type="checkbox"/> 45 16 41.8 <input type="checkbox"/> 73 55 57.3	Iso	W	2s	9.9	15	White skeleton tower, orange triangular daymark, black vertical stripe. 8.9	Seasonal.
37.1		<input type="checkbox"/> 046°17' 527.2m <input type="checkbox"/> from front. <input type="checkbox"/> <input type="checkbox"/>	F	W	22.6	16	White skeleton tower, orange triangular daymark, black vertical stripe. 20.0	Seasonal.
Chart:1431									
39	<i>Light buoy C6</i>	45 16 06.6 73 57 12.1	Q	R	1s	<i>Red, marked "C6".</i>	<i>Seasonal. (In place Year round.)</i>
Chart:1431 Edn 10/12(B12-023)									
40	<i>Lighted spar buoy C7</i>	45 15 36.1 73 57 28.1	Fl	G	4s	<i>Green spar, marked "C7".</i>	<i>Seasonal. (In place Year round.)</i>
Chart:1431									
41	St. Louis Bridge range	<input type="checkbox"/> On shore. <input type="checkbox"/> 45 14 58.1 <input type="checkbox"/> 73 57 38.8	Iso	Y	2s	12.0	14	White skeleton tower, orange triangular daymark, black vertical stripe. 9.4	Visible in line of range. Seasonal.
42		<input type="checkbox"/> 060°33' 658.2m <input type="checkbox"/> from front. <input type="checkbox"/> <input type="checkbox"/>	F	Y	18.8	15	White skeleton tower, orange triangular daymark, black vertical stripe. 18.1	Visible in line of range. Seasonal.
Chart:1431									
43	<i>Lighted spar buoy C8</i>	45 15 25.1 73 57 58.6	<i>Fl</i>	<i>R</i>	<i>4s</i>	<i>Red spar, marked "C8".</i>	<i>Seasonal. (In place Year round.)</i>
Chart:1431									

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE SEAWAY							
44	Lighted spar buoy C10	45 14 40.1 73 59 04.6	Fl R	4s	Red spar, marked "C10".	Seasonal. (In place Year round.) Chart:1431
45	Lighted spar buoy C11	45 14 35.6 73 58 58.6	Fl G	4s	Green spar, marked "C11".	Seasonal. (In place Year round.) Chart:1431
46	Lighted spar buoy C13	45 14 14.1 73 59 27.6	Fl G	4s	Green spar, marked "C13".	Seasonal. (In place Year round.) Chart:1431
47	Lighted spar buoy C14	45 14 17.1 73 59 38.6	Q R	1s	Red spar, marked "C14".	Seasonal. (In place Year round.) Chart:1431
47.5	St. Louis Direction	On E. side of bridge. 45 13 53 74 00 06.9	F Y	5.0	14 Orange triangular daymark mounted on bridge.	Visible on a bearing of 226°30'. Seasonal. Chart:1431
49	St. Louis Bridge Anchorage lighted spar buoy CK	45 13 15.2 74 01 41.1	Fl Y	4s	Yellow spar, marked "CK".	Seasonal. (In place Year round.) Chart:1431
50	Lighted spar buoy C20	45 13 48.6 74 00 45.8	Fl R	4s	Red spar, marked "C20".	Seasonal. (In place Year round.) Chart:1431
51	<input type="checkbox"/> On shore. <input type="checkbox"/> 45 13 17.4 <input type="checkbox"/> 74 00 49.1 Saint-Louis range <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Iso W	2s	10.8	15	White square skeleton tower, orange triangular daymark, black vertical stripe. 8.9	Seasonal.
52	<input type="checkbox"/> 090°05' 669.13m <input type="checkbox"/> from front. <input type="checkbox"/> <input type="checkbox"/>	F W	15.6	16	White square skeleton tower, orange triangular daymark, black vertical stripe. 11.2	Seasonal. Chart:1431
53	Light buoy C22	45 13 26.3 74 02 07.3	Q R	1s	Red, marked "C22".	Winter spar. Seasonal. Chart:1431
54	Light buoy C21	45 13 24.2 74 01 47.6	Fl G	4s	Green, marked "C21".	Winter spar. Seasonal. Chart:1431
55.5	Lighted spar buoy C23	45 13 14.2 74 02 26.1	Q G	1s	Green spar, marked "C23".	Seasonal. (In place Year round.) Chart:1431
57	Light buoy C24	45 13 20.2 74 02 51.6	Fl R	4s	Red, marked "C24".	Winter spar. Seasonal. Chart:1431

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE SEAWAY							
57.5	St. Louis Bridge Steering light	45 12 52.9 74 02 52.2	Iso Y 2s	10.1	14	White skeleton tower, orange triangular daymark. 7.4	Visible on a bearing of 240° 30'. Seasonal. Chart:1431
58	Light buoy C27	45 13 14.7 74 03 42.6	Fl G 4s	Green, marked "C27".	Winter spar. Seasonal. Chart:1431
59	Valleyfield Bridge range	<input type="checkbox"/> On shore. <input type="checkbox"/> 45 12 52.5 <input type="checkbox"/> 74 03 49.2	Iso Y 2s	10.5	14	White square skeleton tower, orange triangular daymark, black vertical stripe. 7.3	Seasonal.
60		<input type="checkbox"/> 107°25' 467.8m <input type="checkbox"/> from front. <input type="checkbox"/>	F Y	19.1	15	White square skeleton tower, orange triangular daymark, black vertical stripe. 11.5
61	Valleyfield East range	<input type="checkbox"/> On shore. <input type="checkbox"/> 45 12 52.6 <input type="checkbox"/> 74 03 55.9	Iso W 2s	10.8	15	White square skeleton tower, orange triangular daymark, black vertical stripe. 8.9	Seasonal.
62		<input type="checkbox"/> 248°36' 552.6m <input type="checkbox"/> from front. <input type="checkbox"/>	F W	17.9	16	White square skeleton tower, orange triangular daymark, black vertical stripe. 9.1
63	Lighted spar buoy C28	45 13 20.2 74 03 42.6	Fl R 4s	Red spar, marked "C28".	Seasonal. (In place Year round.) Chart:1431
64	Light buoy C31	45 13 15.1 74 04 56.6	Fl G 4s	Green, marked "C31".	Winter spar. Seasonal. Chart:1431
65	Light buoy C30	45 13 20.2 74 05 04.6	Fl R 4s	Red, marked "C30".	Winter spar. Seasonal. Chart:1431
66	Light buoy C37	45 13 15.8 74 05 35.7	Q G 1s	Green, marked "C37".	Winter spar. Seasonal. Chart:1431 Edn 07/09(B09-068)
68	Light buoy C39	45 13 18 74 05 58.8	Fl G 4s	Green, marked "C39".	Winter spar. Seasonal. Chart:1431 Edn 07/09(B09-069)
69	Lighted spar buoy C38	45 13 24.2 74 05 56.6	Q R 1s	Red spar, marked "C38".	Seasonal. (In place Year round.) Chart:1431

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE SEAWAY							
72	Lighted spar buoy C45	45 13 47.2 74 08 14.1	Fl G	4s	Green spar, marked "C45".	Seasonal. (In place Year round.) Chart:1431
73	Beauharnois Anchorage Area lighted spar buoy CN	45 13 34.2 74 08 19.1	Fl Y	4s	Yellow spar, marked "CN".	Seasonal. (In place Year round.) Chart:1431
74	Lighted spar buoy C46	45 13 59.2 74 08 37.6	Q R	1s	Red spar, marked "C46".	Seasonal. (In place Year round.) Chart:1431
75	<input type="checkbox"/> On shore. <input type="checkbox"/> 45 14 03.9 <input type="checkbox"/> 74 08 28.4 Beauharnois Canal Upper Entrance range		Iso G	4s	11.8	8 White skeleton tower, orange daymark, black vertical stripe. 9.0	Visible in line of range. Seasonal.
76	<input type="checkbox"/> <input type="checkbox"/> 083°28' 1500.6m from front.		F G	28.3	10 Skeleton tower, orange daymark, black vertical stripe. 27.6	Visible in line of range. Seasonal. Chart:1431 Edn 05/10(B10-009,010)
77	Lighted spar buoy C48	45 14 03.2 74 09 14.1	Fl R	4s	Red spar, marked "C48".	Seasonal. (In place Year round.) Chart:1431
78	Lighted spar buoy C49	45 13 55.2 74 09 35.6	Q G	1s	Green spar, marked "C49".	Seasonal. (In place Year round.) Chart:1431
Lake St. Francis							
84	Lac Saint- François, South Breakwater D1	On end of float. 45 13 52.9 74 10 23.5	Fl G	4s	3.6	3 Green structure on float, marked "D1".	Seasonal. Chart:1431
84.5	Lac Saint-François South Cautionary	On end of float. 45 13 51.3 74 10 22.9	Fl Y	4s	3.6	4 Yellow structure on float. 1.5	Maintained by Hydro Québec. Seasonal. Chart:1431
85	Lac Saint-François North Breakwater D2	On end of float. 45 13 56.6 74 10 23.6	Fl R	4s	3.6	3 Red structure on float, marked "D2".	Seasonal. Chart:1431
85.5	Lac Saint-François North Cautionary	On end of float. 45 13 58.4 74 10 23.3	Fl Y	4s	3.6	4 Yellow structure on float.	Maintained by Hydro Québec. Seasonal. Chart:1431

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
86	Valleyfield lighted spar buoy DVB	45 13 52.2 74 11 20.1	Fl R (2+1)	6s	Red, green and red spar, marked "DVB".	Seasonal. (In place Year round.) Chart:1431	
87	Lighted spar buoy D3	45 13 48.2 74 11 19.6	Fl G	4s	Green spar, marked "D3".	Seasonal. (In place Year round.) Chart:1431	
88	Lighted spar buoy D6	45 13 46.3 74 12 33.7	Fl R	4s	Red spar, marked "D6".	Seasonal. (In place Year round.) Chart:1432	
ST. LAWRENCE SEAWAY								
89	Lighted spar buoy D5	45 13 41.9 74 12 32.7	Fl G	4s	Green spar, marked "D5".	Seasonal. (In place Year round.) Chart:1432	
89.5	St-Zotique Anchorage Area lighted spar buoy DE	45 13 29.2 74 13 31.6	Fl Y	4s	Yellow spar, marked "DE".	Seasonal. (In place Year round.) Chart:1432	
90	Lighted spar buoy D8	45 13 41.5 74 13 33.3	Fl R	4s	Red spar, marked "D8".	Seasonal. (In place Year round.) Chart:1432	
90.4	St-Zotique Anchorage lighted spar buoy DC	45 14 10.2 74 13 36.6	Fl Y	4s	Yellow spar, marked "DC".	Seasonal. (In place Year round.) Chart:1432	
91	Lighted spar buoy D10	45 13 39.2 74 15 14.6	Q R	1s	Red spar, marked "D10".	Seasonal. (In place Year round.) Chart:1432	
92	Lighted spar buoy D9	45 13 27.2 74 14 50.6	Q G	1s	Green spar, marked "D9".	Seasonal. (In place Year round.) Chart:1432	
93	Lighted spar buoy D12	45 13 09.2 74 16 14.7	Fl R	4s	Red spar, marked "D12".	Seasonal. (In place Year round.) Chart:1432	
94	Pointe au Foin Downstream range	45 13 24.4 74 16 33.2	F G	10.9	10	White skeleton tower, orange triangular daymark, black vertical stripe. 10.1	Visible in line of range. Seasonal.
94.1		263°22' 803.2m from front.	F G	17.6	10	White skeleton tower, orange triangular daymark, black vertical stripe. 16.3	Visible in line of range. Seasonal. Chart:1432

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
94.2	<input type="checkbox"/> Pointe au Foin <input type="checkbox"/> Upstream range	<input type="checkbox"/> 45 13 00 <input type="checkbox"/> 74 17 23.1	Iso R	4s	14.2	15 White cylindrical tower, orange triangular daymark, black vertical stripe.	Visible in line of range Seasonal.
94.3		<input type="checkbox"/> 029°13' 299.7m <input type="checkbox"/> from front. <input type="checkbox"/> <input type="checkbox"/>	F R	20.0	15 White skeleton tower, orange triangular daymark, black vertical stripe.	Visible in line of range. Seasonal.
Chart:1432							
94.5	<i>Lighted spar buoy D14</i>	<i>SW. of Pointe au Foin.</i> 45 12 38.8 74 17 32.8	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>Red spar, marked "D14".</i>	<i>Seasonal.</i> <i>(In place Year round.)</i>
Chart:1432 Edn 08/09 (B09-072)							

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
ST. LAWRENCE SEAWAY								
95	<i>Lighted spar buoy</i> D13	45 12 30 74 17 06	Fl G	4s	Green spar, marked "D13".	Seasonal. (In place Year round.) Chart:1432	
97	<i>Lighted spar buoy</i> D18	45 12 31.4 74 17 52.9	Q R	1s	Red spar, marked "D18".	Seasonal. (In place Year round.) Chart:1432	
98	<i>Lighted spar buoy</i> D17	45 12 14.3 74 17 52	Q G	1s	Green spar, marked "D17".	Seasonal. (In place Year round.) Chart:1432	
99	Pointe Beaudette range	<input type="checkbox"/> NE. of point, on crib. <input type="checkbox"/> 45 12 06.5 <input type="checkbox"/> 74 18 52	F G	11.0	14	White cylindrical tower, orange triangular daymark, black vertical stripe. 10.9	Visible in line of range. Seasonal.
99.1		<input type="checkbox"/> 242°30' 746.7m from front. <input type="checkbox"/> <input type="checkbox"/>	F G	18.0	14	White skeleton tower, orange triangular daymark, black vertical stripe. 17.7	Visible in line of range. Seasonal. Chart:1432 Edn 10/09(B09-095,096)
99.4	St. Anicet East range	<input type="checkbox"/> NW. of Pointe St-Louis. <input type="checkbox"/> 45 11 11.5 <input type="checkbox"/> 74 18 28.2	F W	11.8	13	White cylindrical tower, orange triangular daymark, black vertical stripe. 11.6	Visible in line of range. Seasonal.
99.5		<input type="checkbox"/> 054°43' 1218.2m from front. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	F W	22.7	13	White cylindrical tower, orange triangular daymark, black vertical stripe. 22.4	Visible in line of range. Seasonal. Chart:1432
101	<i>Lighted spar buoy</i> D24	45 10 54.1 74 19 09.8	Q R	1s	Red spar, marked "D24".	Seasonal. (In place Year round.) Chart:1432	
102	<i>Lighted spar buoy</i> D23	45 10 48 74 19 00.3	Q G	1s	Green spar, marked "D23".	Seasonal. (In place Year round.) Chart:1432	
103	<i>Lighted spar buoy</i> D26	45 10 34.5 74 19 49	Fl R	4s	Red spar, marked "D26".	Seasonal. (In place Year round.) Chart:1432	
104	Île Chrétien range	<input type="checkbox"/> 45 10 12.4 <input type="checkbox"/> 74 19 35.7	Iso R	4s	10.7	14	White cylindrical tower, orange triangular daymark, black vertical stripe. 10.8	Visible in line of range. Seasonal.
105		<input type="checkbox"/> 209°12' 642.4m from front. <input type="checkbox"/>	F R	17.4	14	White skeleton tower, orange triangular daymark, black vertical stripe. 16.2	Visible in line of range. Seasonal. Chart:1432

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE SEAWAY							
106	Lighted spar buoy D25	45 10 03.1 74 20 35.3	Fl G	4s	Green spar, marked "D25".	Seasonal. (In place Year round.) Chart:1432
107	St. Anicet Shoal D27	On cylindrical crib. 45 09 23.7 74 21 53.8	Iso W	2s	10.1 6	White cylindrical tower, green upper portion marked "D27". 10.7	Seasonal. Chart:1432
108	Lighted buoy D28	45 09 18.4 74 22 20.9	Fl R	4s	Red marked "D28".	Seasonal. (In place Year round.) Chart:1432 Edn. 06/14 (B014-008)
108.3	Creg Quay Marina Information light buoy	Channel Entrance to marina. 45 08 51.2 74 23 32.5	Fl Y	4s	White and orange.	Privately maintained. Seasonal. Chart:1432
109	Lighted spar buoy D30	45 08 43.6 74 23 30.4	Fl R	4s	Red spar, marked "D30".	Seasonal. (In place Year round.) Chart:1432
110	Lighted spar buoy D31	45 08 17.4 74 24 01.1	Fl G	4s	Green spar, marked "D31".	Seasonal. (In place Year round.) Chart:1432
111	<input type="checkbox"/> On Île Minguy. <input type="checkbox"/> 45 07 39.8 <input type="checkbox"/> 74 24 34.1 <input type="checkbox"/> Pointe Dupuis <input type="checkbox"/> range <input type="checkbox"/> <input type="checkbox"/>		F Y	9.0 14	White square skeleton tower, orange triangular daymark, black vertical stripe. 8.4	Seasonal.
112	<input type="checkbox"/> 086°30' 400.8m <input type="checkbox"/> from front. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		F Y	20.0 14	White skeleton tower, orange triangular daymark, black vertical stripe. 19.5	Seasonal. Chart:1432 Edn 12/10
112.2	Creg Quay	Seaward end of breakwater. 45 09 40.7 74 25 11	Fl G	4s	7.9 4	White cylindrical tower, green upper portion. 5.6	Privately maintained by Creg Quay Marina Inc. Seasonal. Chart:1432
112.5	Lighted spar buoy D34	45 07 48.3 74 25 20.2	Q R	1s	Red spar, marked "D34".	Seasonal. (In place Year round.) Chart:1432
113	Lighted spar buoy D36	45 07 38.8 74 25 58.1	Fl R	4s	Red spar, marked "D36".	Seasonal. (In place Year round.) Chart:1432
114	Lighted spar buoy D35	45 07 35.7 74 25 19.3	Q G	1s	Green spar, marked "D35".	Seasonal. (In place Year round.) Chart:1432

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE SEAWAY									
114.1	St-Anicet West range	<input type="checkbox"/> W. of Lanouette Island. <input type="checkbox"/> 45 07 20 <input type="checkbox"/> 74 26 09.9	F	W	10.3	13	White cylindrical tower, orange triangular daymark, black vertical stripe. 10.5	Visible in line of range. Seasonal.
114.2		<input type="checkbox"/> 234°37' 2043.8m from front. <input type="checkbox"/> <input type="checkbox"/>	F	W	22.5	13	White cylindrical tower, orange triangular daymark, black vertical stripe. 22.6	Visible in line of range. Seasonal.
114.5	Lighted spar buoy D37	45 07 34 74 25 57.7	Fl	G	4s	Green spar, marked "D37".	Seasonal. (In place Year round.)
Chart:1432									
114.8	Lighted spar buoy D38	Lancaster Bar. 45 07 36.9 74 26 34.7	Fl	R	4s	Red spar, marked "D38".	Seasonal. (In place Year round.)
Chart:1432 Edn 02/12(B11-024)									
115	Lighted spar buoy D39	45 07 32.1 74 26 38.5	Fl	G	4s	Green spar, marked "D39".	Seasonal. (In place Year round.)
Chart:1432									
116	Lancaster Bar D41	On island, NE. end of bar. 45 07 25.9 74 26 56.2	Fl	W	4s	9.5	9	White cylindrical tower, green upper portion, marked "D41". 6.5	Seasonal.
Chart:1432									
117	Lighted spar buoy D40	45 07 34.9 74 27 01.5	Q	R	1s	Red spar, marked "D40".	Seasonal. (In place Year round.)
Chart:1432 Edn 02/12(B11-025)									
117.5	Lighted spar buoy D42	45 07 24.5 74 27 19	Fl	R	4s	Red spar, marked "D42".	Seasonal. (In place Year round.)
Chart:1432									
118	Lighted spar buoy D43	45 07 20.4 74 27 16	Q	G	1s	Green spar, marked "D43".	Seasonal. (In place Year round.)
Chart:1432									
118.4	Lighted spar buoy D44	45 07 09 74 27 44	Fl	R	4s	Red spar, marked "D44".	Seasonal. (In place Year round.)
Chart:1432									
118.6	Lighted buoy D45	45 07 05.5 74 27 40	Fl	G	4s	Green marked "D45".	Seasonal. (In place Year round.)
Chart:1432 Edn. 06/14 (B014-009)									
119	Lighted spar buoy D46	45 06 35.2 74 28 37.9	Fl	R	4s	Red spar, marked "D46".	Seasonal. (In place Year round.)
Chart:1432									

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE SEAWAY							
120	<i>Lighted spar buoy D47</i>	45 06 26 74 28 43.5	Fl G	4s	Green spar, marked "D47".	Seasonal. (In place Year round.)
Chart:1432							
121	<i>Lighted spar buoy D48</i>	45 06 21.2 74 29 00.7	Q R	1s	Red spar, marked "D48".	Seasonal. (In place Year round.)
Chart:1432							
122	<i>Lighted spar buoy D49</i>	45 06 08.3 74 29 03.1	Q G	1s	Green spar, marked "D49".	Seasonal. (In place Year round.)
Chart:1432							
123	Light D50 Lancaster range	<input type="checkbox"/> NNW. of Butternut Island. <input type="checkbox"/> 45 06 01.1 <input type="checkbox"/> 74 29 28.2	Iso W	4s	11.7	13 White hexagonal tower, red upper portion, orange triangular daymark, black vertical stripe marked "D50". 10.2	Visible in line of range. Seasonal.
124		<input type="checkbox"/> 228°45' 786.3m from front. <input type="checkbox"/> <input type="checkbox"/>	F W	24.1	13 White cylindrical tower, orange triangular daymark, black vertical stripe. 24.2	Visible in line of range. Seasonal.
Chart:1432							
125	<i>Lighted spar buoy D52</i>	45 05 27.1 74 29 40.4	Fl R	4s	Red spar, marked "D52".	Seasonal. (In place Year round.)
Chart:1432							
126	Butternut Island range	<input type="checkbox"/> On crib. <input type="checkbox"/> 45 05 33.7 <input type="checkbox"/> 74 29 18.8	Iso W	4s	11.1	13 White cylindrical tower, orange triangular daymark, black vertical stripe. 11.5	Visible in line of range. Seasonal.
127		<input type="checkbox"/> 046° 595.6m from front. <input type="checkbox"/> <input type="checkbox"/>	F W	18.8	13 White cylindrical tower, orange triangular daymark, black vertical stripe. 19.0	Visible in line of range. Seasonal.
Chart:1432							
128	<i>Lighted spar buoy D53</i>	45 05 14.1 74 29 42.8	Q G	1s	Green spar, marked "D53".	Seasonal. (In place Year round.)
Chart:1432							
129	<i>Lighted spar buoy D54</i>	45 05 08.7 74 29 59.6	Q R	1s	Red spar, marked "D54".	Seasonal. (In place Year round.)
Chart:1432							
130	Camerons Island Lower range	<input type="checkbox"/> On crib. <input type="checkbox"/> 45 04 34.9 <input type="checkbox"/> 74 30 15.1	Iso W	4s	9.2	13 White cylindrical tower, orange triangular daymark, black vertical stripe. 9.3	Visible in line of range. Seasonal.
131		<input type="checkbox"/> 207°15' 696.2m from front. <input type="checkbox"/> <input type="checkbox"/>	F W	18.2	13 White skeleton tower, orange triangular daymark, black vertical stripe. 16.2	Visible in line of range. Seasonal.
Chart:1432							

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
ST. LAWRENCE SEAWAY								
132	Lighted spar buoy D55	45 04 43.5 74 30 27.1	Fl G	4s	Green spar, marked "D55".	Seasonal. (In place Year round.) Chart:1432	
133	Lighted spar buoy D56	45 04 47.2 74 30 30.8	Fl R	4s	Red spar, marked "D56".	Seasonal. (In place Year round.) Chart:1432	
133.2	Highlander Shoal lighted spar buoy	45 04 34.2 74 31 04.5	Fl Y	4s	Orange and white spar.	Seasonal. (In place Year round.) Chart:1432 Edn 08/10(B10-017)	
133.5	Light buoy D58	45 04 13.9 74 31 19.2	Fl R	4s	Red, marked "D58".	Winter spar. Seasonal. Chart:1432	
134	Light buoy D57	SE. of Cameron Island. 45 04 09.5 74 31 16.5	Fl G	4s	Green, marked "D57".	Winter spar. Seasonal. Chart:1432	
134.5	Lighted spar buoy D60	E. of Hamilton Island. 45 03 55.1 74 31 46.5	Fl R	4s	Red spar, marked "D60".	Seasonal. (In place Year round.) Chart:1432	
135	Lighted spar buoy D59	45 03 52.2 74 31 41.7	Fl G	4s	Green spar, marked "D59".	Seasonal. (In place Year round.) Chart:1432	
136	Camerons Island Upper range	□ On crib. □ 45 04 03.2 □ 74 31 03.2	Iso W	4s	10.1	13	White skeleton tower, orange triangular daymark, black vertical stripe. 8.3	Visible in line of range. Seasonal.
137		□ 059°22' 740.9m □ from front. □ □	F W	18.0	13	White skeleton tower, orange triangular daymark, black vertical stripe. 16.8	Visible in line of range. Seasonal. Chart:1432
138	Lighted spar buoy D62	45 03 44.7 74 32 01.6	Fl R	4s	Red spar, marked "D62".	Seasonal. (In place Year round.) Chart:1432	
139	Lighted spar buoy D63	45 03 31.8 74 32 11.3	Q G	1s	Green spar, marked "D63".	Seasonal. (In place Year round.) Chart:1432	
140	Lighted spar buoy D64	SE. of Renshaw Island. 45 03 28.5 74 32 31.3	Fl R	4s	Red spar, marked "D64".	Seasonal. (In place Year round.) Chart:1432	

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	--	------------------	--	---------------------------------

ST. LAWRENCE SEAWAY

141.3	<i>Lighted spar buoy D65</i>	<i>NE. of Stanley Island. 45 03 12.1 74 32 57.6</i>	<i>Fl</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "D65".</i>	<i>Seasonal. (In place Year round.)</i>	Chart:1432
141.5	Stanley Island East Direction	E. end of island. 45 03 01.5 74 32 59.5	F	W	8.8	13	White cylindrical tower, orange triangular daymark. 7.5	Visible on a bearing of 226°. Seasonal.	Chart:1432
143	<i>Lighted spar buoy D68</i>	<i>45 03 08 74 33 19.5</i>	<i>Fl</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "D68".</i>	<i>Seasonal. (In place Year round.)</i>	Chart:1432
144	Stanley Island D67	On NW. side of island. 45 03 02.8 74 33 17.7	Fl	G	4s	10.0	4	White cylindrical tower, green upper portion. 7.6	Seasonal.	Chart:1432
144.5	Stanley Crab Direction	45 02 41.5 74 33 34.5	Iso	W	2s	9.6	15	White cylindrical tower, orange triangular daymark. 8.5	Visible on a bearing of 083°. Seasonal.	Chart:1432
145	<i>Lighted spar buoy D69</i>	<i>45 02 48 74 33 54.5</i>	<i>Fl</i>	<i>G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "D69".</i>	<i>Seasonal. (In place Year round.)</i>	Chart:1432
146	Clark Island D70	At E. end of island. 45 02 52.5 74 33 57.9	Fl	R	4s	8.7	4	White cylindrical tower, red upper portion, marked "D70". 8.0	Seasonal.	Chart:1432
147	<i>Light buoy D72</i>	<i>45 02 44.9 74 34 14.1</i>	<i>Fl</i>	<i>R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "D72".</i>	<i>Winter spar. Seasonal.</i>	Chart:1432
149	<i>Lighted spar buoy D74</i>	<i>45 02 39.9 74 34 34.5</i>	<i>Q</i>	<i>R</i>	<i>1s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "D74".</i>	<i>Seasonal. (In place Year round.)</i>	Chart:1432
150	<i>Dickerson Island Anchorage Area lighted spar buoy DK</i>	<i>NE. of island. 45 02 20.2 74 35 16.7</i>	<i>Fl</i>	<i>Y</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow spar, marked "DK".</i>	<i>Seasonal. (In place Year round.)</i>	Chart:1432
150.5	<i>Dickerson Island Anchorage Area South lighted spar buoy DM</i>	<i>45 02 10.2 74 35 45.2</i>	<i>Fl</i>	<i>Y</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Yellow spar, marked "DM".</i>	<i>Seasonal. (In place Year round.)</i>	Chart:1432

ST. LAWRENCE SEAWAY

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position		Light Characteristics		Focal Height in m. above water	Nominal Range	Description	Remarks
		Latitude N.	Longitude W.						
150.8	Danis Point Anchorage lighted spar buoy DX	45 02 37.7 74 35 41.7	FI	Y	4s	Yellow spar, marked "DX".	Seasonal. (In place Year round.) Chart:1432
151	Light buoy D76	45 02 27.2 74 35 59.7	Q	R	1s	Red, marked "D76".	Winter spar. Seasonal. Chart:1432
152	Lighted spar buoy D77	E. of Provast Point. 45 02 22.5 74 35 58.6	Q	G	1s	Green spar, marked "D77".	Seasonal. (In place Year round.) Chart:1432
153 H2576	McGibbons Point D80 Direction	SW. of McGibbons Point. 45 02 26.6 74 36 29.6	F	G	10.1	10	White cylindrical tower, orange triangular daymark, marked "D80". 9.2	Visible on a bearing of 263°. Seasonal. Chart:1432
153.5	Light buoy D81	45 02 12.6 74 36 24	FI	G	4s	Green, marked "D81".	Winter spar. Seasonal. Chart:1432
153.7	Lighted spar buoy D82	45 02 13 74 36 35.9	FI	R	4s	Red spar, marked "D82".	Seasonal. (In place Year round.) Chart:1433
154	Lighted spar buoy D84	45 02 05.5 74 36 55	FI	R	4s	Red spar, marked "D84".	Seasonal. (In place Year round.) Chart:1432
154.3	Île Saint-Régis Anchorage Area Southeast light buoy DN	45 01 51.2 74 37 02.2	FI	Y	4s	Yellow, marked "DN".	Winter spar. Seasonal. Chart:1432
154.5	Île Saint-Régis Anchorage Area Southwest light buoy DQ	45 01 44.2 74 37 30.7	FI	Y	4s	Yellow, marked "DQ".	Winter spar. Seasonal. Chart:1432
155	Light buoy D87	45 01 27 74 38 20.5	FI	G	4s	Green, marked "D87".	Winter spar. Seasonal. Chart:1433
155.5	Light buoy D86	45 01 36 74 38 11	FI	R	4s	Red, marked "D86".	Winter spar. Seasonal. Chart:1433
157	Cornwall Island lighted spar buoy DCB	45 01 14.2 74 39 06.1	FI (2+1)	R	6s	Red, green and red spar, marked "DCB".	Seasonal. (In place Year round.) Chart:1433
158	Third Crab Sector	On white crib. 45 01 19 74 39 17.7	FG AI GW FW AI RW FR	R W G	14.4	4	White cylindrical tower, orange triangular daymark. 11.5	Green from 019° to 027°; AI GW from 027° to 028°; white from 028° to 030°; AI RW from 030° to 031°; red from 031° to 039°. White sector indicates preferred channel. Seasonal. Chart:1433

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	------------------	--	---------------------------------

All of the U.S. lighted aids listed are maintained from April 1 to December 15 by the St. Lawrence Seaway Development Corporation.

164	Cornwall Island range	<input type="checkbox"/> E. point of Island.	F	W	19.4	14	White skeleton tower, orange triangular daymark, black vertical stripe.	Visible in line of range. Seasonal.
		<input type="checkbox"/> 45 00 53.6							
		<input type="checkbox"/> 74 39 52							
		<input type="checkbox"/>							
		<input type="checkbox"/>							
165		<input type="checkbox"/> 241° 05' 604.2m from front.	F	W	30.4	14	White skeleton tower, orange triangular daymark, black vertical stripe.	Visible in line of range. Seasonal.
		<input type="checkbox"/>							
		<input type="checkbox"/>							
		<input type="checkbox"/>							
		<input type="checkbox"/>							
		<input type="checkbox"/>							
166	Light buoy D89	45 01 02.6 74 39 18.7	Q	G	1s	Green, marked "D89".	Winter spar. Seasonal.
									Chart:1433
167	Light buoy D90	45 01 02.3 74 39 31.2	Fl	R	4s	Red, marked "D90".	Winter spar. Seasonal.
									Chart:1433
167.5	Light buoy D91	45 00 58.1 74 39 25.2	Fl	G	4s	Green, marked "D91".	Winter spar. Seasonal.
									Chart:1433
168	Light buoy D93	Off W. end of Saint- Régis Island. 45 00 48.3 74 39 37.7	Fl	G	4s	Green, marked "D93".	Winter spar. Seasonal.
									Chart:1433
169	Light buoy D92	45 00 50.4 74 39 43.2	Fl	R	4s	Red, marked "D92".	Winter spar. Seasonal.
									Chart:1433
170	Light buoy D96	45 00 24 74 40 03.5	Fl	R	4s	Red, marked "D96".	Winter spar. Seasonal.
									Chart:1433
170.5	Light buoy D95	SW. of Hen Island. 45 00 23.2 74 39 56.9	Fl	G	4s	Green, marked "D95".	Winter spar. Seasonal.
									Chart:1433

ST. LAWRENCE SEAWAY

171	Light buoy 1 (U.S.)	45 00 13.3 74 40 04.5	Fl	G	4s	Green, marked "1".	Maintained by St. Lawrence Seaway Development Corporation. Winter spar. Seasonal.
									Chart:1433

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE SEAWAY							
172	Light 2	SE. end of Cornwall Island. 45 00 12.4 74 40 27.1	Q R	1s	10.6 3	White cylindrical tower, red upper portion. 6.5	Seasonal. Chart:1433
173	Light buoy 3 (U.S.)	44 59 57.4 74 40 26.4	Q G	1s	Green, marked "3".	Maintained by St. Lawrence Seaway Development Corporation. Winter spar. Seasonal. Chart:1433
178	Light buoy 5 (U.S.)	44 59 53.8 74 40 58.5	FI G	4s	Green, marked "5".	Maintained by St. Lawrence Seaway Development Corporation. Seasonal. Chart:1433
179	Light 4	S. side of Cornwall Island 45 00 03.1 74 41 01.2	FI R	4s	11.3 4	White cylindrical tower, red upper portion. 6.5	Seasonal. Chart:1433
180	Light buoy 5A (U.S.)	44 59 56 74 41 22	FI G	4s	Green, marked "5A".	Maintained by St. Lawrence Seaway Development Corporation. Winter spar. Seasonal. Chart:1433
181	Light buoy 6 (U.S.)	45 00 00.3 74 41 20.4	FI R	4s	Red, marked "6".	Maintained by St. Lawrence Seaway Development Corporation. Winter spar. Seasonal. Chart:1433
181.3	Light buoy 5B (U.S.)	44 59 58.2 74 41 46.1	FI G	4s	Green, marked "5B".	Maintained by St. Lawrence Seaway Development Corporation. Seasonal. Chart:1433
181.6	Light buoy 6A (U.S.)	45 00 02.8 74 41 44.4	FI R	4s	Red, marked "6A".	Maintained by St. Lawrence Seaway Development Corporation. Seasonal. Chart:1433
182	Light buoy 7 (U.S.)	45 00 00.3 74 42 08.4	FI G	4s	Green, marked "7".	Maintained by St. Lawrence Seaway Development Corporation. Winter spar. Seasonal. Chart:1433

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE SEAWAY							
183	Light buoy 8 (U.S.)	45 00 05.2 74 42 07.3	Fl R	4s	Red, marked "8".	Maintained by St. Lawrence Seaway Development Corporation. Winter spar. Seasonal. Chart:1433
184	Light buoy 9 (U.S.)	44 59 58.5 74 42 39.5	Fl G	4s	Green, marked "9".	Maintained by St. Lawrence Seaway Development Corporation. Seasonal. Chart:1433
185	Light 10 Sector	Near shore of Cornwall Island. 45 00 07.2 74 42 49.7	F R W G	16.4	8 White skeleton tower, orange triangular daymark. 13.4	Red from 276° to 277°45'; white from 277°45' to 279°15'; green from 279°15' to 281°. White sector indicates preferred channel. Seasonal. Chart:1433
185.2	Light 10 Direction	45 00 07.2 74 42 49.7	F R	16.1	13 White square skeleton tower, orange triangular daymark. 13.4	Visible on a bearing of 048°. Seasonal. Chart:1433
186	Light 11 (U.S.)	Raquette Point on shore. 44 59 47.2 74 43 05.2	Fl G	2.5s	8.5	On 1-pile white dolphin, green square daymark, green border, marked "11". Flash every 2.5 s. Maintained by St. Lawrence Seaway Development Corporation. Seasonal. Chart:1433
187	Light 13 (U.S.)	On shore. 44 59 35.5 74 43 23.1	Fl G	4s	8.5	On 1-pile white dolphin green square daymark, green border, marked "13". Maintained by St. Lawrence Seaway Development Corporation. Seasonal. Chart:1433
188	Light buoy 15 (U.S.)	44 59 24.4 74 43 42.1	Q G	1s	Green, marked "15".	Maintained by St. Lawrence Seaway Development Corporation. Seasonal. Chart:1433
189	Light buoy 14 (U.S.)	44 59 25.4 74 44 19.1	Fl R	4s	Red, marked "14".	Maintained by St. Lawrence Seaway Development Corporation. Seasonal. Chart:1433
191	Light buoy 16 (U.S.)	44 59 27 74 45 25.4	Fl R	4s	Red, marked "16".	Maintained by St. Lawrence Seaway Development Corporation. Seasonal. Chart:1433

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE SEAWAY							
192	Light buoy 17 (U.S.)	44 59 16.3 74 45 19	Fl G	4s	Green, marked "17".	Maintained by St. Lawrence Seaway Development Corporation. Seasonal. Chart:1433
193	Polly's Gut Training Dikes East Light "A" (U.S.)	On E. end of dyke. 44 59 30.2 74 45 24.6	Q Y	1s	4.7	On 1-pile white dolphin. Maintained by St. Lawrence Seaway Development Corporation. Seasonal. Chart:1433
194	Polly's Gut Training Dikes West Light "B" (U.S.)	On W. end of dyke. 44 59 35.7 74 45 41.5	Q Y	1s	2.5	White mast. Maintained by St. Lawrence Seaway Development Corporation. Seasonal. Chart:1433
195.5	Polly's Gut Training Dikes A Light "C" (U.S.)	44 59 27.6 74 45 46.2	Q Y	1s	5.1	White mast. Maintained by St. Lawrence Seaway Development Corporation. Seasonal. Chart:1433
196	Light 20 (U.S.)	On outer E. end of guide wall extension. 44 59 24.5 74 45 59.9	F R	8.5	Mast, red triangular daymark, red border, marked "20". Maintained by St. Lawrence Seaway Development Corporation. Seasonal. Chart:1433
199	Light 24 (U.S.)	On the inner NW. guide wall of Snell Lock. 44 59 14.4 74 47 10.2	F R	8.5	Mast, red triangular daymark, red border marked "24". Maintained by St. Lawrence Seaway Development Corporation. Seasonal. Chart:1433
200	Light 25 (U.S.)	44 59 08.4 74 47 09.3	Fl G	2.5s	8.5	On 1-pile white dolphin, green square daymark, green border, marked "25". Flash every 2.5 s. Maintained by St. Lawrence Seaway Development Corporation. Seasonal. Chart:1433
201	Light 26 (U.S.)	Wiley Dondero Canal. 44 59 10.4 74 47 37	Fl R	4s	On 1-pile white dolphin, red triangular daymark, red border, marked "26". Maintained by St. Lawrence Seaway Development Corporation. Seasonal. Chart:1433
202	Mooring Cells Light "A" (U.S.)	On E. end of cells. 44 59 05.2 74 47 44.3	F Y	5.5	White mast. Maintained by St. Lawrence Seaway Development Corporation. Seasonal. Chart:1433

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE SEAWAY									
203	Mooring Cells Light "B" (U.S.)	On W. end of cells. 44 59 04.3 74 47 53	F	Y	5.4	White mast.	Maintained by St. Lawrence Seaway Development Corporation. Seasonal. Chart:1433
204	Light 28 (U.S.)	44 59 05.7 74 48 31.1	Fl	R	4s	8.5	On 1-pile white dolphin, red triangular daymark, red border, marked "28".	Maintained by St. Lawrence Seaway Development Corporation. Seasonal. Chart:1433
205	Light 29 (U.S.)	44 59 00.6 74 48 29.7	Fl	G	4s	8.5	On 1-pile white dolphin, green square daymark, green border, marked "29".	Maintained by St. Lawrence Seaway Development Corporation. Seasonal. Chart:1433
206	Light 30 (U.S.)	44 58 58.9 74 49 24.3	Fl	R	2.5s	8.5	On 1-pile white dolphin, red triangular daymark, red border, marked "30".	Flash every 2.5 s. Maintained by St. Lawrence Seaway Development Corporation. Seasonal. Chart:1433
207	Light 31 (U.S.)	On E. end of cells. 44 58 53.9 74 49 23.1	Fl	G	2.5s	8.5	On 1-pile white dolphin, green square daymark, green border, marked "31".	Flash every 2.5 s. Maintained by St. Lawrence Seaway Development Corporation. Seasonal. Chart:1433
208	Mooring Cells Light "C" (U.S.)	On W. end of cells. 44 58 52.9 74 49 31.7	F	Y	5.5	White mast.	Maintained by St. Lawrence Seaway Development Corporation. Seasonal. Chart:1433
209	Light buoy 32 (U.S.)	44 58 53.6 74 50 02.7	Fl	R	4s	Red, marked "32".	Maintained by St. Lawrence Seaway Development Corporation. Winter spar. Seasonal. Chart:1433
209.5	Light buoy 33 (U.S.)	44 58 47.6 74 50 15.6	Fl	G	4s	Green, marked "33".	Maintained by St. Lawrence Seaway Development Corporation. Seasonal. Chart:1433
210	Light 34 (U.S.)	On inner NE. guide wall of Eisenhower Lock. 44 58 51.6 74 50 28.8	F	R	8.5	Mast, red triangular daymark, red border, marked "34".	Maintained by St. Lawrence Seaway Development Corporation. Seasonal. Chart:1433

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
ST. LAWRENCE SEAWAY									
213	Light 38 (U.S.)	On outer end of NW. guide wall of Eisenhower Lock. 44 58 43.9 74 51 35.2	F	R	8.5	Mast, red triangular daymark, red border, marked "38".	Maintained by St. Lawrence Seaway Development Corporation. Seasonal.
Chart:1433									
213.5	Light buoy 39 (U.S.)	44 58 36.7 74 51 41.7	Fl	G	4s	Green, marked "39".	Maintained by St. Lawrence Seaway Development Corporation. Seasonal.
Chart:1433									
214	Light buoy 40 (U.S.)	44 58 39.6 74 51 54.7	Fl	R	4s	Red, marked "40".	Maintained by St. Lawrence Seaway Development Corporation. Seasonal.
Chart:1433									
ST. LAWRENCE SEAWAY									
215	Mooring Cells Light "D" (U.S.)	On E. end of cells. 44 58 25.4 74 52 51.9	F	Y	5.3	White mast.	Year round.
Chart:1433									
216	Light 41 (U.S.)	On W. end of cells. 44 58 24 74 53 00.3	Fl	G	2.5s	8.5	Tower, green square daymark, green border, marked "41".	Flash every 2.5 s. Year round.
Chart:1433									
217	Light 42 (U.S.)	44 58 29 74 53 02	Fl	R	2.5s	8.5	On 1-pile white dolphin, red triangular daymark, red border, marked "42".	Flash every 2.5 s. Year round.
Chart:1433									
218	Light 43 (U.S.)	On shore. 44 58 16.1 74 53 44.4	Fl	G	4s	8.5	On 1-pile white dolphin, green square daymark, green border, marked "43".	Year round.
Chart:1433									
219	Light 44 (U.S.)	On shore. 44 58 21.8 74 53 46.3	Fl	R	4s	8.5	On 1-pile white dolphin, red triangular daymark, red border, marked "44".	Year round.
Chart:1433									
220	Light 45 (U.S.)	On shore. 44 58 07.3 74 54 37.5	Fl	G	2.5s	8.5	On 1-pile white dolphin, green square daymark, green border, marked "45".	Flash every 2.5 s. Year round.
Chart:1433									
ST. LAWRENCE SEAWAY									
221	Light 46 (U.S.)	On shore. 44 58 13 74 54 39.4	Fl	R	2.5s	8.5	On 1-pile white dolphin, red triangular daymark, red border, marked "46".	Flash every 2.5 s. Year round.
Chart:1433									

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
221.5	Light buoy 46A (U.S.)	44 58 07 74 55 09.9	Fl R	4s	Red, marked "46A".	Maintained by St. Lawrence Seaway Development Corporation. Seasonal. Chart:1433
222	Light 47 (U.S.)	44 57 56.2 74 55 43.3	Fl G	4s	Tower, green square daymark, green border, marked "47".	Seasonal. Chart:1433
223	Light 48 (U.S.)	On Sault Island. 44 58 02 74 55 45.2	Fl R	4s	8.5	On 1-pile white dolphin, red triangular daymark, red border, marked "48".	Year round. Chart:1433
223.5	Light buoy 48A (U.S.)	44 57 56.4 74 56 14.6	Fl R	4s	Red, marked "48A".	Maintained by St. Lawrence Seaway Development Corporation. Winter spar. Seasonal. Chart:1433
224	Light buoy 49 (U.S.)	44 57 49.5 74 56 29.4	Fl G	4s	Green, marked "49".	Winter spar. Seasonal. Chart:1433
225	Light buoy 50 (U.S.)	44 57 50.2 74 56 51.2	Fl R	4s	Red, marked "50".	Winter spar. Seasonal. Chart:1433
226	Light 51 (U.S.)	44 57 38.2 74 57 32.4	Fl G	4s	3.0	Tower, green square daymark, green border, marked "51".	Year round. Chart:1433
226.5	Light buoy 52 (U.S.)	44 57 42.2 74 57 38.9	Fl R	4s	Red, marked "52".	Maintained by St. Lawrence Seaway Development Corporation. Winter spar. Seasonal. Chart:1433
227	Light 54 (U.S.)	44 57 40.6 74 57 52.2	Fl R	2.5s	9.0	On 1-pile white dolphin, red triangular daymark, red border, marked "54".	Flash every 2.5 s. Seasonal. Chart:1434 Edn 11/12
228	Light 55 (U.S.)	On Richards Point. 44 57 33.6 74 58 00.7	Fl G	2.5s	9.0	On 1-pile white dolphin, green square daymark, green border, marked "55".	Flash every 2.5 s. Seasonal. Chart:1434 Edn 11/12
ST. LAWRENCE SEAWAY							
228.5	Light buoy 56 (U.S.)	44 57 38.4 74 58 04.2	Fl R	4s	Red, marked "56".	Maintained by St. Lawrence Seaway Development Corporation. Winter spar. Seasonal. Chart:1434

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE SEAWAY							
229	Light 57 (U.S.)	44 57 12.1 74 59 42.4	Q G	1s	9.5 Tower, green square daymark, green border, marked "57".	Year round. Chart:1434
229.4	Wilson Hill range (U.S.)	<input type="checkbox"/> NE. of island. <input type="checkbox"/> 44 57 04.8 <input type="checkbox"/> 74 59 41	F G	8.4 Square skeleton tower, orange triangular daymark, black vertical stripe.	Year round.
229.5		<input type="checkbox"/> 068° 457.4m from front. <input type="checkbox"/> <input type="checkbox"/>	F G	17.5 Square skeleton tower, orange triangular daymark, black vertical stripe.	Year round. Chart:1434
230	Light 58 (U.S.)	Off end of Cat Island. 44 57 04.4 75 00 22	Fl R	4s	7.6 Tower, red triangular daymark, red border, marked "58".	Seasonal. Chart:1434
230.2	Cat Island Leading (U.S.)	44 57 12.7 75 00 22.7	F W	9.0 Square skeleton tower, white and black diamond shaped daymark.	Visible 004° each side of bearing 257°25'. Year round. Chart:1434
231	Light buoy 60 (U.S.)	Marks Shoal SE. of Cat Island. 44 56 56.8 75 00 31.3	Q R	1s Red, marked "60".	Winter spar. Seasonal. Chart:1434
232	Light buoy 61 (U.S.)	44 56 32.2 75 01 21.6	Fl G	4s Green, marked "61".	Maintained by St. Lawrence Seaway Development Corporation. Seasonal. Chart:1434
233	Light buoy 63 (U.S.)	44 56 22.2 75 01 55.9	Fl G	4s Green, marked "63".	Maintained by St. Lawrence Seaway Development Corporation. Seasonal. Chart:1434
234	Weaver Shoal Anchorage Area East lighted spar buoy XA	44 56 52.2 75 01 53.1	Fl Y	4s Yellow spar, marked "XA".	Seasonal. (In place Year round.) Chart:1434
235	Weaver Shoal Anchorage Area West lighted spar buoy XC	44 56 27.8 75 03 21.6	Fl Y	4s Yellow spar, marked "XC".	Seasonal. (In place Year round.) Chart:1434
236	Light buoy 67 (U.S.)	Off Treasurer Island. 44 55 50.5 75 03 45.3	Fl G	4s Green, marked "67".	Winter spar. Seasonal. Chart:1434

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position	Light Characteristics		Focal Height in m. above water	Nominal Range	Description	Remarks	
		Latitude N. Longitude W.					Height in meters above ground		Fog Signals
ST. LAWRENCE SEAWAY									
237	Light 68	Marks Weaver Shoal. 44 55 56.3 75 04 06.7	Q	R	1s	8.4	4	White cylindrical tower. 8.6	Seasonal.
									Chart:1434
238	Light 70	Off Cooks Point. 44 55 51.5 75 04 44.7	FI	R	4s	9.0	3	White cylindrical tower, red upper portion, marked "70". 6.7	Seasonal.
									Chart:1434
239	Light 71 (U.S.)	44 55 30.5 75 04 54.5	FI	G	4s	7.1	White 1-pile dolphin, green square daymark, green border, marked "71".	Year round.
									Chart:1434
240	Lighted spar buoy 72	44 55 46.9 75 05 26.2	Q	R	1s	Red spar, marked "72".	Seasonal. (In place Year round.)
									Chart:1434
240.5	Chrysler Marina Entrance	44 56 05.6 75 05 38.1	FI	R	4s	3.0	Mast. 1.3	Maintained by Chrysler Park Marina. Year round.
									Chart:1434
241	Light 73 (U.S.) Racon - - (M) X & S Bands	N. of Chrysler Shoal. 44 55 33.5 75 05 43.1	FI	G	2.5s	10.2	Tower, green square daymark, green border, marked "73".	Flash every 2.5 s. Year round.
									Chart:1434
242	Lighted spar buoy 74	On N. edge of channel. 44 55 23.4 75 06 34	FI	R	4s	Red spar, marked "74".	Seasonal. (In place Year round.)
									Chart:1434
242.5	Doran Shoal range	<input type="checkbox"/> E. of Riverside Heights. <input type="checkbox"/> 44 56 02.3 <input type="checkbox"/> 75 06 43.6	F	Y	10.3	14	White skeleton tower, orange triangular daymark, black vertical stripe. 8.5	Seasonal.
242.6		<input type="checkbox"/> 040° 373.5m from front. <input type="checkbox"/>	F	Y	17.4	14	White skeleton tower, orange triangular daymark, black vertical stripe. 14.5	Seasonal.
									Chart:1434
243	Light 75 (U.S.)	44 55 10.6 75 06 59.3	FI	G	4s	9.1	Tower, green square daymark, green border, marked "75".	Year round.
									Chart:1434
244	Light buoy 77 (U.S.)	44 55 04.9 75 07 36.2	FI	G	4s	Green, marked "77".	Winter spar. Seasonal.
									Chart:1434

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE SEAWAY									
244.5	Weaver Shoal range	<input type="checkbox"/> S. of Riverside <input type="checkbox"/> Heights. <input type="checkbox"/> 44 55 28.9 <input type="checkbox"/> 75 07 51.6	F	W	10.2	13	White skeleton tower, white triangular daymark, black vertical stripe. 8.0	Seasonal.
244.6		<input type="checkbox"/> 262° 463.8m from front. <input type="checkbox"/>	F	W	17.2	13	White skeleton tower, white triangular daymark, black vertical stripe. 16.0	Seasonal.
									Chart:1434
245	Lighted spar buoy 78	Marks turn in channel. 44 55 07.7 75 07 56.6	Q	R	1s	Red spar, marked "78".	Seasonal. (In place Year round.)
									Chart:1434
246	Light 79 (U.S.)	44 54 50.1 75 08 01.3	Q	G	1s	9.6	Tower, green square daymark, green border, marked "79". 9.1	Year round.
									Chart:1434
247	Light buoy 80	44 54 34.2 75 08 35.8	Fl	R	4s	Red, marked "80".	Seasonal.
									Chart:1434
247.5	Goose Neck Shoal range	<input type="checkbox"/> SW. of Macdonald Island. <input type="checkbox"/> 44 54 53.2 <input type="checkbox"/> 75 08 49.2	F	R	10.2	14	White skeleton tower, orange triangular daymark, black vertical stripe. 8.9	Seasonal.
247.6		<input type="checkbox"/> 254°30' 143.6m from front. <input type="checkbox"/>	F	R	13.9	14	White skeleton tower, orange triangular daymark, black vertical stripe. 11.9	Seasonal.
									Chart:1434
248	Light 81	44 54 01.9 75 08 57.5	Q	G	1s	8.5	4	White cylindrical tower, green upper portion, marked "81". 6.3	Seasonal.
									Chart:1434
249	Light 82	Off Doran Point. 44 54 05.5 75 09 12	Fl	R	4s	9.1	4	White cylindrical tower, red upper portion, marked "82". 6.3	Seasonal.
									Chart:1434
250	Lighted spar buoy 84	44 53 48 75 09 43	Fl	R	4s	Red spar, marked "84".	Seasonal. (In place Year round.)
									Chart:1434
252	Light 85 (U.S.)	44 53 33 75 09 53.8	Fl	G	4s	3.0	On 1-pile dolphin, green square daymark, green border, marked "85".	Seasonal.
									Chart:1434
254	Light buoy 87 (U.S.)	44 53 19.9 75 10 28.8	Fl	G	4s	Green, marked "87".	Winter spar. Seasonal.
									Chart:1434

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE SEAWAY							
255	Lighted spar buoy 86	44 53 11.9 75 11 01.6	Fl R	4s	Red spar, marked "86".	Seasonal. (In place Year round.) Chart:1434
256	Lighted spar buoy 88	On N. edge of channel. 44 53 05.1 75 11 21.9	Fl R	4s	Red spar, marked "88".	Seasonal. (In place Year round.) Chart:1434
257	Light buoy 89 (U.S.)	44 53 00.9 75 11 11.7	Fl G	4s	Green spar, marked "89".	Seasonal. Chart:1434
258	Light buoy 91 (U.S.)	Off E. end of Ogden Island. 44 52 54.6 75 11 40.5	Fl G	4s	Green, marked "91".	Seasonal. Chart:1434
258.4	Ogden Island range (U.S.)	<input type="checkbox"/> Off E. end of island <input type="checkbox"/> 44 52 48.3 <input type="checkbox"/> 75 11 44.3	F G	8.5	Skeleton tower, orange triangular daymark, black vertical stripe.	Year round.
258.5		<input type="checkbox"/> 237°20' 289.6m <input type="checkbox"/> from front. <input type="checkbox"/>	F G	15.8	Square skeleton tower, orange triangular daymark, black vertical stripe.	Year round. Chart:1434
259	Light 92	At Mariatown. 44 52 56.1 75 12 09.7	Fl R	4s	10.7	6 White cylindrical tower, red upper portion, marked "92". 7.5	Seasonal. Chart:1434
259.2	Mariatown range	<input type="checkbox"/> 44 52 57.7 <input type="checkbox"/> 75 12 32	F G	9.9	14 White skeleton tower, orange triangular daymark, black vertical stripe. 8.3	Visible in line of range. Seasonal.
259.3		<input type="checkbox"/> 056°48' 135.3m <input type="checkbox"/> from front. <input type="checkbox"/>	F G	14.1	14 White skeleton tower, orange triangular daymark, black vertical stripe. 12.6	Visible in line of range. Seasonal. Chart:1434
259.5	Light buoy 92A	Off Mariatown. 44 52 50.1 75 12 34.2	Fl R	4s	Red, marked "92A".	Winter spar. Seasonal. Chart:1434
260	Light buoy 94	Ogden Island Reach. 44 52 43.4 75 13 11.6	Q R	1s	Red, marked "94".	Winter spar. Seasonal. Chart:1434
261	Light buoy 93 (U.S.)	Off Ogden Island. 44 52 36.9 75 13 03.5	Fl G	4s	Green, marked "93".	Winter spar. Seasonal. Chart:1434

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE SEAWAY							
262	Light buoy 95	Off Ogden Island. 44 52 31.1 75 13 21.6	Fl G	4s	Green, marked "95".	Winter spar. Seasonal. Chart:1434 Edn 09/11(B11-020)
263	Light 96	44 52 35.9 75 13 30.1	Fl R	4s	9.2 7	White cylindrical tower, red upper portion, marked "96". 6.1	Seasonal. Chart:1434
263.4	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Mariatown Approach range	44 52 35.1 75 13 39.2	F R	11.6 14	White skeleton tower, orange triangular daymark, black vertical stripe. 8.5	Visible in line of range. Seasonal.
263.5	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	255° 09' 154.1m from front.	F R	15.5 14	White skeleton tower, orange triangular daymark, black vertical stripe. 11.4	Visible in line of range. Seasonal. Chart:1434
264	Lighted spar buoy 96A	Off Rapide Plat Point. 44 52 20.2 75 13 57.5	Fl R	4s	Red spar, marked "96A".	Seasonal. (In place Year round.) Chart:1434
265	Light buoy 99 (U.S.)	Off W. end of Ogden Island. 44 51 56.3 75 14 33.9	Fl G	4s	Green, marked "99".	Winter spar. Seasonal. Chart:1434
266	Lighted spar buoy 98	Off Robertson Point. 44 52 11 75 14 23.2	Fl R	4s	Red spar, marked "98".	Seasonal. (In place Year round.) Chart:1434
267	Light buoy 100	44 51 38.5 75 15 14.5	Q R	1s	Red, marked "100".	Winter spar. Seasonal. Chart:1434
267.5	Light buoy 101 (U.S.)	NW. of Leishman Point. 44 51 26.1 75 15 19.6	Fl G	4s	Green, marked "101".	Seasonal. Chart:1434
268	Light buoy 102	44 51 30.2 75 15 40.9	Fl R	4s	Red, marked "102".	Winter spar. Seasonal. Chart:1434
269	Light buoy 103 (U.S.)	44 51 16.1 75 16 03.7	Fl G	4s	Green, marked "103".	Seasonal. Chart:1434
270	Lighted spar buoy 104	44 51 17.4 75 16 23.5	Q R	1s	Red spar, marked "104".	Seasonal. (In place Year round.) Chart:1434

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE SEAWAY							
271	Light buoy 105 (U.S.)	44 51 03.9 75 16 34.4	Fl G	4s	Green, marked "105".	Winter spar. Seasonal.
Chart:1434							
274.4	Iroquois Lock Direction	44 50 42.7 75 18 10.4	F W	10.1	12 White skeleton tower, orange triangular daymark, black vertical stripe. 8.1	Visible on bearing of 026°. Seasonal.
Chart:1434							
275	Lighted spar buoy 108	44 50 32.8 75 18 16.2	Q R	1s	Red spar, marked "108".	Seasonal. (In place Year round.)
Chart:1434							
280	Lighted spar buoy 108A	44 50 22.2 75 18 29.9	Fl R	4s	Red spar, marked "108A".	Seasonal. (In place Year round.)
Chart:1434							
280.4	Iroquois Approach range	<input type="checkbox"/> 44 50 21.4 <input type="checkbox"/> 75 18 41.7	F R	9.8	14 White skeleton tower, orange triangular daymark, black vertical stripe. 8.1	Visible in line of range. Seasonal.
280.5		<input type="checkbox"/> 241°20' 183.4m <input type="checkbox"/> from front. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	F R	14.3	14 White skeleton tower, orange triangular daymark, black vertical stripe. 12.8	Visible in line of range. Seasonal.
Chart:1434							
281	Lighted spar buoy 109	44 50 13.1 75 18 27.3	Q G	1s	Green spar, marked "109".	Seasonal. (In place Year round.)
Chart:1434							
283.1	Lighted spar buoy 111	44 49 15.2 75 19 06.1	Fl G	4s	Green spar, marked "111".	Seasonal. (In place Year round.)
Chart:1434							
283.5	Lighted spar buoy 112	44 49 02.9 75 19 29.9	Fl R	4s	Red spar, marked "112".	Seasonal. (In place Year round.)
Chart:1434							
284	Light buoy 113	44 48 57.1 75 19 18.5	Q G	1s	Green, marked "113".	Winter spar. Seasonal.
Chart:1434							
285	Light 114	On S. side of Toussaint Island. 44 48 47.3 75 19 48.1	Fl R	4s	9.1	5 White cylindrical tower, red upper portion, marked "114". 7.8	Seasonal.
Chart:1434							
285.5	Toussaint Island West	44 48 41.9 75 19 57.2	Iso R	2s	8.8	5 White cylindrical mast, red upper portion. 7.4	Seasonal.
Chart:1434							

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE SEAWAY									
286	Sparrowhawk Point Leading (U.S.)	E. of point. 44 48 06.4 75 19 56.4	F	G	14.9	Skeleton tower, orange triangular daymark, black vertical stripe.	Increased intensity on a bearing of 205°48'. Year round.
Chart:1434									
287	Light 115 (U.S.)	44 47 56.9 75 20 46.1	Fl	G	2.5s	8.5	On 1-pile white dolphin, green square daymark, green border, marked "115".	Flash every 2.5 s. Year round.
Chart:1434									
288	Light buoy 116 (U.S.)	44 47 26 75 21 46.2	Fl	R	4s	Red, marked "116".	Winter spar. Seasonal.
Chart:1434									
288.5	Light buoy 117 (U.S.)	44 47 14.2 75 21 51.9	Fl	G	4s	Green, marked "117".	Winter spar. Seasonal.
Chart:1432									
289	Light buoy 118	44 47 08.7 75 22 13.2	Fl	R	4s	Red, marked "118".	Winter spar. Seasonal.
Chart:1435									
290	Light buoy 119 (U.S.)	44 46 55.7 75 22 22.9	Fl	G	4s	Green, marked "119".	Seasonal.
Chart:1434									
291	Light buoy 120	44 46 54 75 22 42.6	Fl	R	4s	Red, marked "120".	Winter spar. Seasonal.
Chart:1435									
291.4	Galop Island East range (U.S.)	<input type="checkbox"/> N. side of island. <input type="checkbox"/> 44 46 38 <input type="checkbox"/> 75 22 53.9	F	G	8.5	Skeleton tower, orange triangular daymark, black vertical stripe.	Maintained by St. Lawrence Seaway Development Corporation. Year round.
291.5		<input type="checkbox"/> 227° 518.2m from <input type="checkbox"/> front. <input type="checkbox"/>	F	G	18.3	Skeleton tower, orange triangular daymark, black vertical stripe.	Maintained by St. Lawrence Seaway Development Corporation. Year round.
Chart:1434									
292	Light 121 (U.S.)	E. end of Galop Island. 44 46 34.8 75 23 04.8	Fl	G	4s	8.5	On 1-pile white dolphin, green square daymark, green border, marked "121".	Year round.
Chart:1434									
293	Light buoy 122 (U.S.)	44 46 25.8 75 23 41.8	Fl	R	4s	Red, marked "122".	Winter spar. Seasonal.
Chart:1434									
294	Light 123 (U.S.)	On Galop Island. 44 46 01 75 24 16	Fl	G	4s	8.5	On 1-pile white dolphin, green square daymark, green border, marked "127".	Year round.
Chart:1435									

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE SEAWAY							
295	Light buoy 124 (U.S.)	44 46 00.5 75 24 35	Fl R	4s	Red, marked "124".	Winter spar. Seasonal.
							Chart:1435
296	Light buoy 125 (U.S.)	44 45 57.9 75 24 26.4	Fl G	4s	Green, marked "125".	Winter spar. Seasonal.
							Chart:1435
296.1	Light buoy 125A (U.S.)	NW. of Gallop Island. 44 45 47.8 75 24 40.8	Fl G	4s	Green, marked "125A".	Seasonal.
							Chart:1435
296.5	Light buoy 126 (U.S.)	Off Lame Squaw Island. 44 45 32 75 25 12	Fl R	4s	Red, marked "126".	Winter spar. Seasonal.
							Chart:1435
296.6	Light buoy 127 (U.S.)	44 45 22 75 25 12.5	Fl G	4s	Green, marked "127".	Seasonal.
							Chart:1435
297	<input type="checkbox"/> E. side of Lame <input type="checkbox"/> Squaw Island. <input type="checkbox"/> 44 45 29.2 Drummond Island <input type="checkbox"/> 75 25 34.4 range <input type="checkbox"/> <input type="checkbox"/>	Iso R	2s	13.7	14	White skeleton tower, orange triangular daymark, black vertical stripe. 9.8	Visible in line of range. Seasonal.
298	<input type="checkbox"/> 236°34' 965.8m <input type="checkbox"/> from front. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	F R	21.3	14	White skeleton tower, orange triangular daymark, black vertical stripe. 15.8	Visible in line of range. Seasonal.
							Chart:1435
299	Light buoy 126A (U.S.)	44 45 01 75 25 49.4	Q R	1s	Red, marked "126A".	Seasonal.
							Chart:1435
299.7	<input type="checkbox"/> 44 45 11.1 <input type="checkbox"/> 75 25 10 <input type="checkbox"/> <input type="checkbox"/> Galop Island West <input type="checkbox"/> range <input type="checkbox"/>	F G	8.5	White skeleton tower, orange triangular daymark, black vertical stripe.	Year round.
299.8	<input type="checkbox"/> 057° 58' 395.2m <input type="checkbox"/> from front. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	F G	14.0	White skeleton tower, orange triangular daymark, black vertical stripe.	Year round.
							Chart:1435
300	Ice Boom Cell light C (U.S.)	44 44 53 75 25 40	F Y	3.7	Cylindrical mast.	Year round.
							Chart:1435
301	Light buoy 128 (U.S.)	44 44 46.3 75 26 13.8	Fl R	4s	Red, marked "128".	Winter spar. Seasonal.
							Chart:1435

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE SEAWAY							
302	Light buoy 129 (U.S.)	44 44 47.8 75 25 54.6	Q G	1s	Green, marked "129".	Winter spar. Seasonal.
Chart:1435							
303.5	Chimney Island Sector (U.S.)	NE. point of island. 44 44 28.3 75 26 24.2	F R W G	8.5	White mast.	Red from 220°24' to 221°18'; white from 221°18' to 222°12'; green from 222°12' to 223°12'. Year round.
Chart:1435							
306	Ice Boom Cell light B (U.S.)	E. of Windmill Point. 44 43 22 75 27 52	F Y	3.7	White cylindrical mast.	Year round.
Chart:1435							
307	Light buoy 131	44 44 17.7 75 27 01.8	Fl G	4s	Green, marked "131".	Winter spar. Seasonal.
Chart:1435							
308	Light buoy 130A	Off Spencer Island pier. 44 44 24.7 75 27 02.8	Fl R	4s	Red, marked "130A".	Winter spar. Seasonal.
Chart:1435							
309	Lighted spar buoy 131A	44 43 41.7 75 27 56.8	Fl G	4s	Green spar, marked "131A".	Seasonal. (In place Year round.)
Chart:1435							
310	Light buoy 131B (U.S.)	44 43 06 75 28 38	Fl G	4s	Green, marked "131B".	Winter spar. Seasonal.
Chart:1435							
311	Lighted spar buoy 132	Off Windmill Point. 44 43 05.7 75 29 04.8	Fl R	4s	Red spar, marked "132".	Seasonal. (In place Year round.)
Chart:1435							
312.5	Prescott Heritage Harbour	44 42 35.8 75 30 34.3	Iso G	4s	8.3	6 White octagonal tower, green upper portion. 6.8	Seasonal.
Chart:1435							
313	Light buoy 133 (U.S.)	On E. side of W. entrance to Ogdensburg. 44 42 20 75 30 17	Fl G	4s	Green, marked "133".	Winter spar. Seasonal.
Chart:1435							
314	Ogdensburg Harbour East Entrance light buoy 2 (U.S.)	On W. side of E. entrance. 44 42 33 75 29 15	Fl R	4s	Red, marked "2".	Seasonal.
Chart:1435							

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE SEAWAY							
315	Ogdensburg Harbour West Entrance light buoy 2 (U.S.)	At W. side of W. entrance. 44 42 06 75 30 22	FI R	4s Red, marked "2".	Seasonal. <div style="text-align: right;">Chart:1435</div>
317	Ogdensburg Harbour West Entrance light buoy 5 (U.S.)	Marks turn into inner channel. 44 41 58 75 29 58	FI G	4s Green, marked "5".	Seasonal. <div style="text-align: right;">Chart:1435</div>
318.5	Catamaran Shoal light buoy 135 (U.S.)	NE. of Morristown, N.Y. 44 36 54.8 75 37 20.2	FI G	4s Green, marked "135".	Seasonal. <div style="text-align: right;">Chart:1435</div>
319	North McNair Shoal light buoy 136	S. side of shoal. 44 35 46.7 75 39 57.8	FI R	4s Red, marked "136".	Winter spar. Seasonal. <div style="text-align: right;">Chart:1435</div>
320.2	South McNair Shoal light buoy 137A	N. side of shoal. 44 35 38.7 75 39 58.8	FI G	4s Green, marked "137A".	Winter spar. Seasonal. <div style="text-align: right;">Chart:1435</div>
321	Brockville Breakwater	On SW. corner of breakwater. 44 35 09.2 75 40 58.8	FI R	4s	10.0	5 White cylindrical tower, red upper portion. 8.4	Seasonal. <div style="text-align: right;">Chart:1435</div>
322	Skelton Island 138	On S. side of island. 44 34 36 75 41 33.2	FI R	4s	12.0	5 White cylindrical tower, red upper portion, marked "138". 7.2	Seasonal. <div style="text-align: right;">Chart:1435</div>
323	Refugee Island Shoal light buoy 139	NE. end of shoal. 44 34 26.2 75 41 32.3	FI G	4s Green, marked "139".	Winter spar. Seasonal. <div style="text-align: right;">Chart:1435</div>
324	McCoy Island 141	On N. side of island. 44 34 04.6 75 42 10.5	Q G	1s	9.1	3 White cylindrical mast, green upper portion, marked "141". 7.0	Seasonal. <div style="text-align: right;">Chart:1435</div>
325	Royal Island 142	SW. of island. 44 34 03.9 75 42 22.8	FI R	4s	9.9	3 White cylindrical tower, red upper portion, marked "142". 8.1	Seasonal. <div style="text-align: right;">Chart:1435</div>
326	Light 143	On pier. 44 33 57.1 75 42 21.3	FI G	4s	9.0	3 White cylindrical tower, green upper portion, marked "143". 7.4	Seasonal. <div style="text-align: right;">Chart:1435</div>

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE SEAWAY							
326.4	Lighted spar buoy P52	Near Harvey Island, Brockville Narrows. 44 33 57.8 75 42 30.5	FI	R	4s	Red spar, marked "P52". Seasonal. (In place Year round.) Chart:1435 Edn 12/09(B09-113)
326.6	Lighted spar buoy P54	Coronation Shoal, Brockville Narrows. 44 33 50.8 75 42 41.1	FI	R	4s	Red spar, marked "P54". Seasonal. (In place Year round.) Chart:1435 Edn 12/09(B09-112)
327	Light buoy 143A	44 33 44.2 75 42 41.8	FI	G	4s	Green, marked "143A". Winter spar. Seasonal. Chart:1435
328	Light 144	Off McDonald Point Shoal. 44 33 43.8 75 42 51.7	Q	R	1s	9.3	3 White cylindrical tower, red upper portion, marked "144". 7.6 Chart:1435
329	Stovin Island 145	On island. 44 33 33.8 75 42 53.5	FI	G	4s	10.3	4 White cylindrical mast, green upper portion, marked "145". 6.1 Chart:1435
330	Needles Eye Island 146	On S. side of island. 44 33 26.7 75 43 12.5	FI	R	4s	10.9	4 White cylindrical tower, red upper portion, marked "146". 7.5 Chart:1435
331	Light buoy 146A	Off Hillcrest Point. 44 32 58.7 75 43 47.8	FI	R	4s Red, marked "146A". Winter spar. Seasonal. Chart:1435
332	De Rottenburg Island light buoy 145A	SW. of island. 44 32 56.2 75 43 39.8	FI	G	4s Green, marked "145A". Winter spar. Seasonal. Chart:1435
333	De Watteville Island range	On island. 44 32 51.4 75 44 01.3	F	W	8.2	13 White cylindrical tower, orange triangular daymark, black vertical stripe. 6.7 Visible in line of range. Seasonal.
334		036°55' 347m from front.	F	W	21.0	13 Red skeleton tower, white enclosure, red lantern house, orange triangular daymark, black vertical stripe. 14.5 Visible in line of range. Seasonal. Chart:1435
335	Light 147	On pier. 44 32 30.9 75 44 09.2	FI	G	4s	9.1	3 White cylindrical tower, green upper portion, marked "147". 7.7 Seasonal. Chart:1435

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE SEAWAY							
336	Light buoy 147A	NW. of Cole Ferry Shoal. 44 32 12.2 75 44 33	FI G	4s	Green, marked "147A".	Winter spar. Seasonal.
							Chart:1435
338	Light 150	On pier. 44 31 46 75 45 16.9	FI R	4s	9.0 4	White cylindrical tower, red upper portion, marked "150". 7.4	Seasonal.
							Chart:1436
338.3	Cole Shoal light buoy 150A	S. of shoal. 44 31 42.2 75 45 16.8	FI R	4s	Red, marked "150A".	Winter spar. Seasonal.
							Chart:1435
339	Light 151	On pier. 44 31 22.5 75 45 25.6	FI G	4s	9.0 4	White cylindrical tower, green upper portion, marked "151". 7.5	Seasonal.
							Chart:1436
339.3	Crossover (Brockville) range	44 31 36 75 45 52.9	Iso G	2s	10.5 14	White cylindrical tower, orange triangular daymark, black vertical stripe. 7.6	Visible in line of range. Seasonal.
339.4		013°34' 656.2m from front.	F G	18.9 14	White skeleton tower, orange triangular daymark, black vertical stripe. 11.2	Visible in line of range. Seasonal.
							Chart:1435
340	Light buoy 152	44 31 07.2 75 45 58.5	FI R	4s	Red, marked "152".	Winter spar. Seasonal.
							Chart:1435
341	Light buoy 153 (U.S.) Racon - - (M) X Band	44 30 37.2 75 46 07.6	Q G	1s	Green, marked "153".	Maintained by St. Lawrence Seaway Development Corporation. Winter spar. Seasonal.
							Chart:1435
342	Light buoy 157 (U.S.)	44 30 18.7 75 46 14.1	FI G	4s	Green, marked "157".	Winter spar. Seasonal.
							Chart:1436
343	Light 156 (U.S.)	Off Bay State Shoal. 44 30 21.8 75 46 23.2	FI R	2.5s	9.1	Tower, red triangular daymark, red border, marked "156".	Flash every 2.5 s. Year round.
							Chart:1436
344	Light buoy 159 (U.S.)	NE. of Crossover Island. 44 29 48.9 75 46 24.1	FI G	4s	Green, marked "159".	Winter spar. Seasonal.
							Chart:1436

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE SEAWAY								
345	Light 160 (U.S.)	Marks Crossover Island Shoal. 44 29 47.1 75 46 35.6	FI	R	4s	8.5	Tower, red triangular daymark, red border, marked "160". Chart:1436
346	Light buoy 162 (U.S.)	W. side of channel. 44 28 41.8 75 46 55.8	Q	R	1s	Red, marked "162". Winter spar. Seasonal. Chart:1436
347	Light 163 (U.S.)	Outside of channel limit. 44 28 33.9 75 46 51.5	FI	G	2.5s	8.5	On 1-pile white dolphin, green square daymark, green border, marked "163". Flash every 2.5 s. Year round. Chart:1436
347.2	Chippewa Point Directional (U.S.)	NE. of point. 44 28 24.8 75 46 57.5	F	R W G	8.5	White tower. Red from 186° to 193°; white from 193° to 195°; green from 195° to 202°. White sector indicates preferred channel. Year round. Chart:1436
347.3	Light buoy 164 (U.S.)	W. side of channel. 44 28 30.8 75 47 05.8	FI	R	4s	Red, marked "164". Winter spar. Seasonal. Chart:1436
347.5	Light buoy 163A (U.S.)	44 28 22.8 75 47 06	FI	G	4s	Green, marked "163A". Seasonal. Chart:1436
348	Light 165 (U.S.)	Off Superior Shoal. 44 27 52.4 75 47 37	FI	G	4s	7.0	Tower, green square daymark, green border, marked "165". Year round. Chart:1436
348.6	Light buoy 166 (U.S.)	44 27 13.7 75 48 30.7	FI	R	4s	Red, marked "166". Seasonal. Chart:1436
350	Light buoy 167 (U.S.)	E. side of channel. 44 26 54.8 75 48 37.2	FI	G	4s	Green, marked "167". Winter spar. Seasonal. Chart:1436
351	Light 168 (U.S.)	Off SE. end of Jorstadt Island. 44 27 02.5 75 48 44.6	FI	R	4s	7.0	On 1-pile white dolphin, red triangular daymark, red border, marked "168". Seasonal. Chart:1436
351.5	Light buoy 170 (U.S.)	44 26 44.6 75 48 58.9	FI	R	4s	Red, marked "170". Maintained by St. Lawrence Seaway Development Corporation. Seasonal. Chart:1436
352	Lighted spar buoy 172	W. of Haskell Shoal. 44 26 06.1 75 49 36.4	FI	R	4s	Red spar, marked "172". Seasonal. (In place Year round.) Chart:1436

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
ST. LAWRENCE SEAWAY								
353	Haskell Shoal lighted spar buoy 173	Off N. edge of shoal. 44 26 11 75 49 22	Q G	1s	Green spar, marked "173".	Seasonal. (In place Year round.) Chart:1436	
372	Wolfe Island Cut lighted spar buoy PV1	44 13 57.2 76 10 36.3	Fl G	4s	Green spar, marked "PV1".	Seasonal. (In place Year round.) Chart:1438	
373	Wolfe Island Cut lighted spar buoy PV2	44 13 58.6 76 10 29	Q R	1s	Red spar, marked "PV2".	Seasonal. (In place Year round.) Chart:1438	
377	Wolfe Island Cut North lighted spar buoy PV6	E. side of island. 44 14 30.1 76 10 59.8	Fl R	4s	Red spar, marked "PV6".	Seasonal. (In place Year round.) Chart:1438	
378	Wolfe Island	On Québec Head. 44 14 19.9 76 11 02.8	Iso W	4s	11.3	White tower. 6.4	Seasonal. Chart:1438	
379.2	Banford Point light buoy 234 (U.S.)	44 12 12.9 76 15 04.3	Fl R	4s	Red, marked "234".	Seasonal. Chart:1438	
380	<input type="checkbox"/> E. side of McGregor <input type="checkbox"/> Bay. <input type="checkbox"/> 44 12 15.8 <input type="checkbox"/> 76 18 37.5 Irvine Point range	F R	12.0	14	White skeleton tower, orange daymark, black vertical stripe. 8.6	Visible in line of range. Seasonal.	
381	<input type="checkbox"/> 013°23' 776m from <input type="checkbox"/> front. <input type="checkbox"/>	F R	23.4	14	White skeleton tower, orange daymark, black vertical stripe. 16.6	Visible in line of range. Seasonal. Chart:1438	
382	Light buoy 235 (U.S.)	N. of Carleton Island. 44 11 38.9 76 17 55.8	Q G	1s	Green, marked "235".	Winter spar. Seasonal. Chart:1438	
383	Light buoy 236 (U.S.)	E. of Bayfield Island. 44 11 21 76 19 06	Fl R	4s	Red, marked "236".	Seasonal. Chart:1438	
384 H2826	Bayfield Island Sector	E. side of island. 44 11 39.3 76 19 42.4	F Al RW Al GW	R W G	14.2	10 White square skeleton tower, orange triangular daymark. 11.4	Red from 260°30' to 262°; Al RW from 262° to 262°15'; white from 262°15' to 263°45'; Al GW from 263°45' to 264°; green from 264° to 265°30'. Seasonal. Chart:1438
ST. LAWRENCE SEAWAY								

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
385	Light buoy 237 (U.S.)	E. side of channel. 44 11 20.8 76 18 28	Fl G	4s	Green, marked "237".	Winter spar. Seasonal. Chart:1438 Edn 09/09(B09-081)
386	Light buoy 239 (U.S.)	W. of Carleton Island. 44 10 31.6 76 19 05.1	Fl G	4s	Green, marked "239".	Winter spar. Seasonal. Chart:1438 Edn 09/09(B09-083)
386.5 H2828	Carleton Island Leading (U.S.)	SW. end of island. 44 10 09.8 76 18 40.7	F G	8.8	Square skeleton tower, orange triangular daymark, black vertical stripe.	Visible on a bearing of 033°. Year round. Chart:1438
387	Light buoy 238 (U.S.)	NE. end of Hinckley Flats Shoal. 44 10 05.1 76 19 27.1	Fl R	4s	Red, marked "238".	Winter spar. Seasonal. Chart:1438 Edn 09/09(B09-082)
388	Light buoy 240 (U.S.)	W. side of channel. 44 09 04.2 76 19 49.1	Q R	1s	Red, marked "240".	Winter spar. Seasonal. Chart:1438
389	Light buoy 241 (U.S.)	N. of Cape Vincent. 44 08 38.9 76 19 31.7	Fl G	4s	Green, marked "241".	Seasonal. Chart:1438 Edn 09/09(B09-084)
390	Light buoy 242 (U.S.)	E. of Alexandria Point. 44 08 01.7 76 20 57.5	Fl R	4s	Red spar, marked "242".	Seasonal. Chart:1439 Edn 09/09(B09-085)
391.2	Light buoy 243 (U.S.)	44 07 48 76 20 42	Fl G	4s	Green, marked "243".	Seasonal. Chart:1439 Edn 09/09(B09-086)
391.5	Light buoy 244 (U.S.)	Off S. side of Wolfe Island. 44 07 13.8 76 22 40.3	Fl R	4s	Red, marked "244".	Seasonal. Chart:1439
391.7	Light buoy 245 (U.S.)	Off Tibbetts Point. 44 05 45.4 76 23 19.3	Fl G	4s	Green, marked "245".	Seasonal. Chart:1439
391.8	Tibbett's Point Traffic light buoy (U.S.)	44 06 00 76 24 24	Mo(A) W	6s	Red and white vertical stripes.	Seasonal. Chart:1439 Edn 09/09(B09-087)

ST. LAWRENCE SEAWAY

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	------------------	--	---------------------------------

ST. LAWRENCE SEAWAY

391.9	<i>Allan Otty Shoal light buoy 2 (U.S.)</i>	44 03 48 76 27 00	Fl R	4s	Red, marked "2". Seasonal.	Chart:1439 Edn 09/09(B09-088)
391.91	<i>East Charity Shoal Traffic light buoy (U.S.)</i>	44 01 18 76 27 42	Mo(A) W	6s	Red and white vertical stripes. Seasonal.	Chart:1439 Edn 09/09(B09-089)
391.92	<i>East Charity Shoal (U.S.)</i>	44 02 13 76 28 52	Fl W	4s	16.5	9	White octagonal tower. Year round.	Chart:1439

Lac Saint-Louis

1193	<i>West Cardinal light buoy Club</i>	45 25 49.2 73 41 21.9	Q(9) W	15s	Yellow, black and yellow spar, marked "Club". <i>Privately maintained by Port de Plaisance Lachine. Seasonal. (In place Year round.)</i>	Chart:1430 Edn 10/11(Q11-091)
1194	Lachine range	45 25 56.1 73 41 41.7	F G	9.4	12	White cylindrical tower, orange daymark, black vertical stripe. Visible in line of range. Operates at night only. Seasonal.	
1195		067°05' 250.6m from front.	F G	17.9	12	White cylindrical tower, orange daymark, black vertical stripe. 15.2 Visible in line of range. Operates at night only. Seasonal.	Chart:1430 Edn 10/11(Q11-091) Edn 08/12(Q12-117,118)
1196	<i>Light buoy AC23</i>	45 25 45.7 73 42 11.8	Fl G	4s	Green spar, marked "AC23". Seasonal. (In place Year round.)	Chart:1430 Edn 10/11(Q11-091)
1197	<i>Light buoy AC29</i>	45 25 35.9 73 42 44.8	Fl G	4s	Green spar, marked "AC29". Seasonal. (In place Year round.)	Chart:1430 Edn 10/11(Q11-091)
1198	<i>Light buoy AC38</i>	45 25 20.4 73 43 46.4	Fl R	4s	Red, marked "AC38". Winter spar. Seasonal.	Chart:1430 Edn 10/11(Q11-091)

ST. LAWRENCE SEAWAY

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
ST. LAWRENCE SEAWAY							
1200	Light buoy AC41	45 25 15.4 73 44 11.8	Fl G	4s	Green, marked "AC41".	Winter spar. Seasonal. Chart:1430 Edn 10/11(Q11-091)
1201	Dixie range	<input type="checkbox"/> SW. of Île Dixie. <input type="checkbox"/> 45 25 16 <input type="checkbox"/> 73 44 45	Q G	1s	8.4	4 Cylindrical tower, orange rectangular daymark, black vertical stripe. 22.6	Visible 360°. Operates at night only. Seasonal.
1202		<input type="checkbox"/> 050°43' 2037.6m from front. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Q G	1s	24.6	12 Skeleton tower, orange daymark, black vertical stripe. 22.6	Visible in line of range. Operates at night only. Seasonal. Chart:1430 Edn 10/11(Q11-091)
1203	Lachine B light buoy	45 25 11.2 73 44 56.3	Fl R (2+1)	6s	Red, green and red, marked "Lachine B".	Winter spar. Seasonal. Chart:1430 Edn 10/11(Q11-091)
1204	Light buoy AC50	45 24 56.9 73 45 21.1	Fl R	4s	Red, marked "AC50".	Winter spar. Seasonal. Chart:1430 Edn 10/11(Q11-091)
1204.5	Light buoy AC59	45 24 31.8 73 45 58.8	Fl G	4s	Green spar, marked "AC59".	Seasonal. (In place Year round.) Chart:1430 Edn 10/11(Q11-091)