

INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	------------------	----------------------------------------------------------	---------------------------------

DETROIT RIVER

Channel at Mouth of Detroit River

East Outer Channel

624	Light 1E (U.S.)	41 54 48 83 06 24	FI G	5s	13.0	10	White tower, green band, marked "1E".	Flash every 5 s. Year round.	
	Racon - - - (O) X & S Bands							Horn – Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s.	Chart:14848 (U.S.)
625	Light buoy 2 (U.S.)	Lower entrance to channel. 41 55 16.8 83 06 18.7	Q R	1s	Red, marked "2".	Winter spar. Seasonal.	Chart:14848 (U.S.)
625.5	Light buoy 3 (U.S.)	41 55 13.6 83 06 32.6	FI G	4s	Green, marked "3".	Seasonal.	Chart:14848 (U.S.)
626	Light buoy 5 (U.S.)	41 56 04.4 83 06 53.4	FI G	4s	Green, marked "5".	Seasonal.	Chart:14848 (U.S.)
626.5	Light buoy 6 (U.S.)	41 56 07.8 83 06 38.3	FI R	4s	Red, marked "6".	Seasonal.	Chart:14848 (U.S.)
627	Light buoy 7 (U.S.)	41 56 55.7 83 07 13	FI G	4s	Green, marked "7".	Seasonal.	Chart:14848 (U.S.)
627.5	Light buoy 8 (U.S.)	41 56 58.2 83 06 57.9	FI R	4s	Red, marked "8".	Seasonal.	Chart:14848 (U.S.)
628	Light buoy 9 (U.S.)	W. side of channel. 41 57 45.1 83 07 32	FI G	4s	Green, marked "9".	Seasonal.	Chart:14848 (U.S.)
629	Light 10 (U.S.)	E. side of channel. 41 57 48 83 07 17	FI R	2.5s	13.0	8	White cylindrical tower, red band, marked "10".	Flash every 2.5 s. Increased intensity on a bearing of 109°. Year round.	Chart:14848 (U.S.)
629.5	Light buoy 11 (U.S.)	41 58 35.8 83 07 52	FI G	4s	Green, marked "11".	Seasonal.	Chart:14848 (U.S.)
630	Light buoy 12 (U.S.)	41 58 39 83 07 37.4	FI R	4s	Red, marked "12".	Seasonal.	Chart:14848 (U.S.)
630.5	Light buoy 13 (U.S.)	41 59 24.9 83 08 10.4	FI G	4s	Green, marked "13".	Seasonal.	Chart:14848 (U.S.)
631	Light buoy 14 (U.S.)	41 59 27.4 83 07 56.7	FI R	4s	Red, marked "14".	Seasonal.	Chart:14848 (U.S.)

INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	------------------	----------------------------------------------------------	---------------------------------

DETROIT RIVER

West Outer Channel

632	Light and bell buoy 1W (U.S.)	S. end of channel. 41 57 01 83 09 32.3	Fl G	4s	Green, marked "1W".	Winter spar. Seasonal.	Chart:14848 (U.S.)
636	Detroit River (U.S.) Racon - . . - (X) X Band	42 00 02.9 83 08 28.5	LFl W	8s	17.0	White cylindrical tower.	Flash 2 s; eclipse 6 s. Year round. Horn – Blast 3 s; sil. 27 s.	Chart:14848 (U.S.)

Hackett's Reach

637	Light buoy 23 (U.S.)	42 00 44.7 83 08 29.8	Fl G	4s	Green, marked "23".	Winter spar. Seasonal.	Chart:14848 (U.S.)
638	Light buoy 16 (U.S.)	42 00 17.3 83 08 14	Q R	1s	Red, marked "16".	Winter spar. Seasonal.	Chart:14848 (U.S.)
638.2	Lighted spar buoy D24	42 00 45.5 83 08 11.9	Fl R	4s	Red spar, marked "D24".	Year round.	Chart:14848 (U.S.)
639	Lighted spar buoy D31	42 01 44.8 83 08 19.7	Fl G	4s	Green spar, marked "D31".	Year round.	Chart:14848 (U.S.)
640	Detroit River Pier D30	42 01 36 83 08 06	Q R	1s	10.2	4	White cylindrical tower, red upper portion, marked "D30". 7.0	Year round. (Not maintained over winter.)	Chart:14848 (U.S.)
641	Light buoy D32	42 02 10 83 07 58.7	Fl R	4s	Red, marked "D32".	Winter spar. Seasonal.	Chart:14848 (U.S.)
642	Bar Point Pier D33	42 02 24.1 83 08 03.6	LFl G	10s	14.0	9	White cylindrical tower, marked "D33".	Flash 2 s; eclipse 8 s. Visible from 191° through W. and N. to 090°. Year round. (Not maintained over winter.)	Chart:14853 (U.S.) Edn 01/10(B09-074)

Amherstburg Channel

643	Lighted spar buoy D35	42 02 46.3 83 07 54.9	Q G	1s	Green spar, marked "D35".	Year round.	Chart:14853(U.S.) Edn 06/09(B09-018)
644	Light buoy D36	42 02 45.5 83 07 51.2	Q R	1s	Red, marked "D36".	Winter spar. Seasonal.	Chart:14853(U.S.)

INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
DETROIT RIVER							
644.8	Lighted spar buoy D37	42 03 14.5 83 07 45	Fl G	4s	Green spar, marked "D37".	Year round. Chart:14853(U.S.) Edn 06/09(B09-017)
645	Light buoy D38	42 03 13.9 83 07 41	Fl R	4s	Red, marked "D38".	Winter spar. Seasonal. Chart:14853(U.S.)
647.5	Lighted spar buoy D45	42 03 44.5 83 07 34	Fl G	4s	Green spar, marked "D45".	Year round. Chart:14853(U.S.) Edn 06/09(B09-016)
647.6	Light buoy D46	42 03 44 83 07 30.3	Fl R	4s	Red, marked "D46".	Winter spar. Seasonal. Chart:14853(U.S.)
648	Light D49 Bar Point range	On end of dyke. 42 04 13.5 83 07 25.5	F Y	9.4	15 White cylindrical tower, green upper portion, orange triangular daymark, black vertical stripe, marked "D49". 7.5	Visible in line of range. Year round. (Not maintained over winter.)
649		013°27' 762m from front.	F Y	18.3	15 White skeleton tower, orange triangular daymark, black vertical stripe. 16.6	Visible in line of range. Year round. (Not maintained over winter.) Chart:14853(U.S.)
650	Light buoy D50	42 04 12.7 83 07 20.1	Fl R	4s	Red, marked "D50".	Winter spar. Seasonal. Chart:14853(U.S.)
652	Light buoy D52	42 04 42.1 83 07 09.6	Fl R	4s	Red, marked "D52".	Winter spar. Seasonal. Chart:14853(U.S.)
653	Light D53	42 05 12.9 83 07 03.9	Fl G	4s	9.4	4 White cylindrical tower, green upper portion, marked "D53". 7.1	Year round. (Not maintained over winter.) Chart:14853(U.S.)
654	Light buoy D56	42 05 23.3 83 06 54.9	Q R	1s	Red, marked "D56".	Winter spar. Seasonal. Chart:14853(U.S.)
655	Light buoy D57	42 05 28.6 83 06 58.8	Q G	1s	Green, marked "D57".	Winter spar. Seasonal. Chart:14853(U.S.)

INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
DETROIT RIVER									
656	Hackett Reach range	42 05 48 83 06 47.9	F	R	13.7	11	White cylindrical tower, orange triangular daymark, black vertical stripe.	Visible in line of range. Year round.
657		014°55' 303m from front.	F	R	24.8	11	White skeleton tower, orange triangular daymark, black vertical stripe. 23.2	Visible in line of range. Year round.
658	Light buoy D59	42 05 49.8 83 07 00.7	Fl	G	4s	Green, marked "D59".	Winter spar. Seasonal.
Chart:14853(U.S.)									
659	Light buoy D60	42 05 49.9 83 06 57	Fl	R	4s	Red, marked "D60".	Winter spar. Seasonal.
Chart:14853(U.S.)									
660	Light D61	42 06 01.3 83 07 02.7	Fl	G	4s	10.1	4	White cylindrical tower, green upper portion, marked "D61". 7.3	Year round. (Not maintained over winter.)
Chart:14853(U.S.)									
661	Light buoy D63	42 06 20.5 83 07 03.8	Q	G	1s	Green, marked "D63".	Winter spar. Seasonal.
Chart:14853(U.S.)									
662	Light buoy D64	42 06 20 83 07 00	Q	R	1s	Red, marked "D64".	Winter spar. Seasonal.
Chart:14853(U.S.)									
663	Light D65 Amherstburg range	On end of dyke. 42 06 47.3 83 07 04.5	F	Y	9.2	15	White cylindrical tower, green upper portion, orange triangular daymark, black vertical stripe marked "D65". 7.8	Visible in line of range. Year round. (Not maintained over winter.)
664		355°47' 346.9m from front.	F	Y	13.7	15	White skeleton tower, orange triangular daymark, black vertical stripe. 11.9	Visible in line of range. Year round. (Not maintained over winter.)
Chart:14853(U.S.)									
665	Light buoy D67	42 06 51.2 83 07 02.1	Fl	G	4s	Green, marked "D67".	Winter spar. Seasonal.
Chart:14853(U.S.)									
666	Light buoy D68	42 06 51 83 06 57.9	Fl	R	4s	Red, marked "D68".	Winter spar. Seasonal.
Chart:14853(U.S.)									

INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
DETROIT RIVER									
667	Fort Malden range	E. side of river. 42 06 51 83 06 42.9	F	R	13.6	10	White skeleton tower, orange triangular daymark, black vertical stripe. 6.6	Visible in line of range. Year round.
668		162°30' 116.7m from front.	F	R	23.3	10	White skeleton tower, orange triangular daymark, black vertical stripe. 15.9	Visible in line of range. Year round.
Chart:14853(U.S.)									
669	Light D69	42 07 16.3 83 07 01.6	Q	G	1s	8.4	4	White cylindrical tower, green upper portion, marked "D69". 7.2	Year round. (Not maintained over winter.)
Chart:14853(U.S.)									
Ballards Reef Channel									
670	Light D71	42 07 25.8 83 07 03.5	Fl	G	4s	10.1	3	White cylindrical tower, green upper portion, marked "D71". 7.3	Year round. (Not maintained over winter.)
Chart:14853(U.S.)									
671	Light buoy D72	42 07 29.9 83 06 55.1	Q	R	1s	Red, marked "D72".	Winter spar. Seasonal.
Chart:14853(U.S.)									
672	Limekiln Crossing range	42 07 40.3 83 06 56.5	F	R	7.5	10	White skeleton tower, orange triangular daymark, black vertical stripe. 6.6	Visible in line of range. Year round. (Not maintained over winter.)
673		002°55' 361.2m from front.	F	R	12.2	10	White cylindrical tower, orange triangular daymark, black vertical stripe. 11.2	Visible in line of range. Year round.
Chart:14853(U.S.) Edn 09/12									
675	Light buoy D74	42 07 49.8 83 07 03.6	Fl	R	4s	Red, marked "D74".	Winter spar. Seasonal.
Chart:14853(U.S.)									
676	Light buoy D76	42 08 08.1 83 07 11.3	Fl	R	4s	Red, marked "D76".	Winter spar. Seasonal.
Chart:14853(U.S.)									
677	Livingstone Channel Upper Entrance	On pier at head of channel, near intersection of Ballards Reef and Livingstone channels. 42 08 08.9 83 07 20.8	Fl	Al W-R	20s	12.9	5	White cylindrical tower on square block.	Flash 1 s white; eclipse 9 s; flash 1 s red; eclipse 9 s. Year round. (Not maintained over winter.)
Chart:14853(U.S.)									

INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
DETROIT RIVER							
678	Light D77	On pier. 42 08 27.7 83 07 28.6	Fl G 5s	11.3	8	White square tower, marked "D77".	Flash 1 s; eclipse 4 s. Year round. (Not maintained over winter.) Chart:14853(U.S.)
679	Light buoy D78	42 08 27.8 83 07 19.6	Fl R 4s	Red, marked "D78".	Winter spar. Seasonal. Chart:14853(U.S.)
680	Light buoy 81 (U.S.)	42 09 07.8 83 07 45.3	Fl G 4s	Green, marked "81".	Winter spar. Seasonal. Chart:14853(U.S.)
681	Light buoy DFB	42 09 09.8 83 07 37.5	Fl R (2+1)	6s	Red, green and red, marked "DFB".	Winter spar. Seasonal. Chart:14853(U.S.)
682	Light buoy 85 (U.S.)	On W. side of channel. 42 09 49.3 83 08 02.3	Fl G 4s	Green, marked "85".	Winter spar. Seasonal. Chart:14853(U.S.)
683	Light buoy 86 (U.S.)	On E. side of channel. 42 10 10.7 83 08 02.9	Fl R 4s	Red, marked "86".	Winter spar. Seasonal. Chart:14853(U.S.)
684	Light buoy 87 (U.S.)	On W. side of channel. 42 10 17.9 83 08 14.4	Fl G 4s	Green, marked "87".	Winter spar. Seasonal. Chart:14853(U.S.)
Fighting Island Channel							
684.1	Fighting Island South (U.S.)	On E. side of channel. 42 10 22.8 83 08 04	Iso R 6s	10.7	6	Red mast, red triangular daymark, red border.	Year round. Chart:14853(U.S.)
684.12	Mamajuda Shoal bifurcation light buoy (U.S.)	42 10 53.9 83 08 12.1	Fl G (2+1)	6s	Green, red and green.	Winter spar. Seasonal. Chart:14853(U.S.)
684.13	Light buoy 89 (U.S.)	E. side of island. 42 11 31.7 83 08 08	Fl G 4s	Green, marked "89".	Winter spar. Seasonal. Chart:14853(U.S.)
684.14	Light buoy 90 (U.S.)	E. side of channel. 42 11 31.6 83 07 58	Fl R 4s	Red, marked "90".	Seasonal. Chart:14853(U.S.)
684.15	Light buoy 91 (U.S.)	W. side of channel. 42 12 23.4 83 08 03.3	Fl G 4s	Green, marked "91".	Winter spar. Seasonal. Chart:14853(U.S.)

INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	------------------	----------------------------------------------------------	---------------------------------

DETROIT RIVER

684.16	Light buoy 92 (U.S.)	E. side of channel. 42 12 22.8 83 07 52.7	Fl R	4s	Red, marked "92".	Winter spar. Seasonal.	Chart:14853(U.S.)
684.2	Grassy Island (U.S.)	E. side of island. 42 13 27.5 83 07 59.3	Fl G	4s	6.0	5	White and green cylindrical tower, green square daymark, green border.	Year round.	Chart:14853(U.S.)
684.21	Light buoy 97 (U.S.)	W. side of channel. 42 13 47.7 83 07 54.8	Fl G	4s	Green, marked "97".	Seasonal.	Chart:14853(U.S.)
684.3	Fighting Island North	On pier. 42 14 20.6 83 07 39.5	Iso R	4s	10.6	8	White cylindrical tower, red upper portion. 9.4	Year round. (Not maintained over winter.)	Chart:14853(U.S.)
684.5	Fighting Island North light buoy D104	Off N. end of island. 42 15 00 83 07 05.5	Fl R	4s	Red, marked "D104".	Winter spar. Seasonal.	Chart:14853(U.S.)
686	Fighting Island Anchorage Area light buoy DQ	42 15 06.4 83 06 51.4	Fl Y	4s	Yellow, marked "DQ".	Winter spar. Seasonal.	Chart:14853(U.S.)
688	Fighting Island North Anchorage	42 15 41.1 83 06 19.3	Fl Y	4s	9.7	3	Yellow cylindrical mast, yellow and black square daymark, black anchor symbol in centre. 7.3	Year round.	Chart:14853(U.S.)
688.1	Detroit - Windsor Truck Ferry Terminals South	S. end of terminals. 42 15 45.2 83 06 20	F R	5.1	Privately maintained. Year round.	Chart:14853(U.S.) Edn 01/10(B09-118)
688.2	Detroit - Windsor Truck Ferry Terminals North	N. end of terminals. 42 15 57.4 83 06 14.2	F R	5.1	Privately maintained. Year round.	Chart:14853(U.S.) Edn 01/10(B09-119)
688.5	Light buoy D108	NE. of Ambassador bridge. 42 18 48.3 83 04 04.5	Fl R	4s	Red, marked "D108".	Winter spar. Seasonal.	Chart:14853(U.S.)
Livingstone Channel									
689	Lighted spar buoy DL1	On W. side of channel. 42 02 33.2 83 08 13.4	Fl G	4s	Green spar, marked "DL1".	Year round.	Chart:14853(U.S.) Edn 06/09(B09-015)
690	Lighted spar buoy DL5	On W. side of channel. 42 03 25.4 83 08 05.1	Fl G	4s	Green spar, marked "DL5".	Year round.	Chart:14853(U.S.) Edn 06/09(B09-014)

INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
DETROIT RIVER							
691	Light buoy DL6	On E. side of channel. 42 03 27.2 83 07 59.1	Fl R 4s	Red, marked "DL6".	Winter spar. Seasonal. Chart:14853(U.S.)
692	Light DL13	W. side of channel, on pier. 42 04 17.4 83 07 58.8	Fl G 4s	10.0	4	White cylindrical tower, green upper portion, marked "DL13". 7.1	Year round. (Not maintained over winter.) Chart:14853(U.S.)
693	Light DL14	E. side of channel, on pier. 42 04 16.9 83 07 51.8	Fl R 4s	10.1	4	White cylindrical tower, red upper portion, marked "DL14". 7.3	Year round. (Not maintained over winter.) Chart:14853(U.S.)
694	Light DL15	W. side of channel, on pier. 42 05 08.8 83 07 51.9	Iso G 2s	10.9	4	White cylindrical tower, green upper portion, marked "DL15". 7.0	Year round. (Not maintained over winter.) Chart:14853(U.S.)
695	Light DL16	E. side of channel, on pier. 42 05 08.3 83 07 45.1	Iso R 2s	11.3	4	White cylindrical tower, red upper portion, marked "DL16". 7.3	Year round. (Not maintained over winter.) Chart:14853(U.S.)
696	Light DL17	W. side of channel, on pier. 42 05 58.3 83 07 45.4	Fl G 4s	11.6	4	White cylindrical tower, green upper portion, marked "DL17". 7.3	Year round. (Not maintained over winter.) Chart:14853(U.S.)
697	Light DL18	E. side of channel, on pier. 42 05 57.8 83 07 38.3	Fl R 4s	11.3	4	White cylindrical tower, red upper portion, marked "DL18". 7.3	Year round. (Not maintained over winter.) Chart:14853(U.S.)
698	Light 19 (U.S.)	On dyke on W. side of channel. 42 06 21.2 83 07 42.9	Iso G 6s	10.0	4	Tower, green square daymark, green border marked "19".	Year round. Chart:14853(U.S.)
699	Light DL20	E. side of channel, on pier. 42 06 25.5 83 07 34.7	Iso R 2s	11.4	4	White cylindrical tower, red upper portion, marked "DL20". 7.3	Year round. (Not maintained over winter.) Chart:14853(U.S.)
700	Light 21 (U.S.)	On W. side of channel, near S. end of cofferdam section. 42 06 50 83 07 38.5	Fl G 2.5s	10.0	4	Tower, green square daymark, green border, marked "21".	Flash every 2.5 s. Year round. Chart:14853(U.S.)
701	Light DL22	E. side of channel, on pier. 42 06 49.6 83 07 31.6	Fl R 4s	11.6	4	White cylindrical tower, red upper portion, marked "DL22". 7.3	Year round. (Not maintained over winter.) Chart:14853(U.S.)

INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	------------------	----------------------------------------------------------	---------------------------------

DETROIT RIVER

702	Light 23 (U.S.)	On W. side of channel, inside of cofferdam section. 42 07 17.7 83 07 34.7	Iso G	6s	10.0	4	Tower, green square daymark, green border, marked "23".	Year round.	Chart:14853(U.S.)
703	Light 24 (U.S.)	E. side of channel, on pier. 42 07 17.2 83 07 28.3	Iso R	6s	10.0	4	Tower, red and white triangular daymark, marked "24".	Year round.	Chart:14853(U.S.)
704	Light 25 (U.S.)	On W. side of N. entrance on pier. 42 07 45.4 83 07 31.2	Fl G	2.5s	10.0	4	Cylindrical tower, green square daymark, green border marked "25".	Flash every 2.5 s. Year round.	Chart:14853(U.S.)
705	Light 26 (U.S.)	E. side of channel on pier, near N. entrance. 42 07 45 83 07 24.7	Fl R	2.5s	10.0	4	Cylindrical tower, red triangular daymark, red border, marked "26".	Flash every 2.5 s. Year round.	Chart:14853(U.S.)

Fleming Channel

705.2	Belle Isle Lower Junction light buoy (U.S.)	42 19 54.8 83 00 56.8	Fl (2+1) G	6s	Green, red and green.	Winter spar. Seasonal.	Chart:14853(U.S.)
705.3	Belle Isle (U.S.)	42 20 24.1 82 57 35.7	F G	30.0	7	On 1-pile dolphin.	Year round.	Chart:14853(U.S.)
705.4	Light buoy D110	42 20 31.7 82 57 05.9	Fl R	4s	Red, marked "D110".	Winter spar. Seasonal.	Chart:14853(U.S.)
705.5	Livingstone Memorial light buoy 111 (U.S.)	42 20 37 82 57 14.6	Fl G	4s	Green, marked "111".	Winter spar. Seasonal.	Chart:14853(U.S.)
705.6	Light buoy DPB	W. of W. end of island. 42 20 44.2 82 56 49.7	Fl (2+1) R	6s	Red, green and red, marked "DPB".	Winter spar. Seasonal.	Chart:14853(U.S.)
705.7	Belle Isle Upper Junction light buoy (U.S.)	42 21 02.1 82 56 43.6	Fl (2+1) G	6s	Green, red and green.	Seasonal.	Chart:14853(U.S.)
705.8	Belle Isle North light buoy 113 (U.S.)	42 21 08.2 82 56 34.2	Fl G	4s	Green, marked "113".	Winter spar. Seasonal.	Chart:14853(U.S.)
705.9	Peche Island light buoy 114 (U.S.)	42 21 10.2 82 55 57.4	Fl R	4s	Red, marked "114".	Winter spar. Seasonal.	Chart:14853(U.S.)

INLAND WATERS – 2009 – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nominal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--------------------------------------------------	--------------------------	--------------------------------------------	------------------	----------------------------------------------------------	---------------------------------

DETROIT RIVER

Peche Island Channel

706.9	<i>Peche Island Channel light buoy DP2</i>	<i>SW. of island. 42 20 39.1 82 56 37.9</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>..... Red, marked "DP2".</i>	<i>Winter spar. Seasonal.</i> Chart:14853(U.S.) Edn 07/12(B12-017)
707	<i>Light buoy DP5</i>	<i>S. of Peche Island. 42 20 30 82 55 15.7</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>..... Green, marked "DP5".</i>	<i>Winter spar. Seasonal.</i> Chart:14853(U.S.)
707.2	Little River Breakwater	42 20 26.6 82 55 52.1	F R	7.7 Black square mast.	Privately maintained by the City of Windsor. Seasonal. Chart:14853(U.S.)
707.3	Little River Entrance	42 20 26.5 82 55 50.4	F G	5.9 Square mast.	Privately maintained by the City of Windsor. Seasonal. Chart:14853(U.S.)
707.4	Lakeview Park Marina	42 20 23.9 82 55 39.8	F W	5.2 Cylindrical mast.	Privately maintained by the City of Windsor. Seasonal. Chart:14853(U.S.) Edn 03/13(B13-005)
707.5	<i>Peche Island East light buoy DP7</i>	<i>42 20 50.1 82 54 24.5</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>..... Green, marked "DP7".</i>	<i>Winter spar. Seasonal.</i> Chart:14853(U.S.) Edn 07/12(B12-019)