

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|-----------------------------------|--|--|--------------------------|--|-----------------------|--|---|
| NORTHERN STRAIT OF GEORGIA | | | | | | | |
| 447.5 | Halibut Bank ODAS light buoy 46146 | Halibut Bank. 49 20 23.4 123 43 40.7 | Fl(5) Y 20s | | | Yellow, marked "46146". | Year round. Chart:3463 |
| 448 G5502 | White Islets | E. of Sechelt. 49 25 06 123 42 38 | Fl W 4s | 10.7 | 6 | White cylindrical tower. | Radar reflector. Year round. Chart:3311 |
| 448.5 G5502.4 | Selma Park Breakwater | On outer end of breakwater. 49 27 57.7 123 44 39.5 | Fl R 4s | 8.2 | 4 | White cylindrical tower, red band at top. | Radar reflector. Year round. Chart:3311 Edn 06/15 (P15-002) Edn 02/17 |
| 448.8 G5511 | Reception Point | Welcome Passage. 49 28 15.8 123 53 11.5 | Fl(3) W 12s | 7.0 | 7 | White cylindrical tower, red band at top. | Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Chart:3535 |
| 449 G5510 | Merry Island | SE. extremity of island, SE. entrance to Welcome Passage. 49 28 03.5 123 54 39 | Fl W 15s | 17.6 | 17 | White square tower. | Flash 0.4 s; eclipse 14.6 s. Year round. Chart:3535 |
| 450 G5512 | Wilbraham Point | On SW. side of Grant Island, off point. 49 30 41.6 123 58 08.2 | Fl R 4s | 11.1 | 5 | White cylindrical tower, red band at top. | Radar reflector Year round Chart:3535 |
| 450.5 G5513.5 | Secret Cove Entrance | 49 31 41.9 123 57 56.3 | Q R 1s | 5.5 | 3 | Mast, red and white triangular daymark. | Year round. Chart:3535 |
| 451 | Tattenham Ledge light buoy Q51 | N. entrance to Welcome Passage, N. of South Thormanby Island 49 31 08 123 59 01.5 | Fl G 4s | | | Green, marked "Q51". | Year round. Chart:3535 |
| Malaspina Strait | | | | | | | |
| 452 G5513 | Epsom Point | On extremity of point. 49 30 13.5 124 01 08.6 | Fl W 4s | 6.5 | 7 | Mast on a 3-pile dolphin. | Year round. Chart:3311 |
| 453 G5514 | Francis Point | On point. 49 36 13 124 03 27 | Fl(3) W 12s | 10.4 | 6 | White cylindrical tower. | Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector. Year round. Chart:3535 |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|-----------------------------------|----------------|--|--------------------------|--|-----------------------|--|--|
| NORTHERN STRAIT OF GEORGIA | | | | | | | |
| 454 G5516 | Pender Harbour | On reef, westward of N. extreme of Williams Island. 49 37 47.5 124 03 34 | Q R 1s | 4.6 | 3 | White cylindrical tower, red band at top. | Radar reflector. Year round. Chart:3535 |
| 455 G5519 | Cape Cockburn | On cape, W. side of Nelson Island. 49 40 15.4 124 12 05.3 | Fl(3) W 12s | 15.2 | 7 | White cylindrical tower, red band at top. | Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector. Year round. Chart:3311 |
| 456 G5517 | Nelson Rock | On rock. 49 38 37.5 124 07 09.5 | Fl W 4s | 6.6 | 6 | White cylindrical tower. | Radar reflector. Year round. Chart:3311 Edn 02/15 (P14-057) Edn 09/16 (P16-061) |
| 456.6 G5522 | Saltery Bay | 49 46 50.8 124 10 34.6 | F G | | | On outer dolphin, ferry terminal. | Private. Horn – Blast 3 s; sil. 17 s. Operated by Ferry personnel when required for ferry movements only. Chart:3514 Edn 06/15 (P15-034) |
| 457 G5522.5 | Ahlstrom Point | On N. shore of Jervis Inlet. 49 46 47.4 124 08 37.7 | Fl G 4s | 6.4 | 5 | White cylindrical tower, green band at top. | Radar reflector. Year round. Chart:3514 Edn 06/15 (P15-035) Edn 02/17 |
| 458 G5523 | Captain Island | On the NW. shore of island. 49 47 21.0 123 59 43.8 | Fl W 4s | 8.2 | 5 | White cylindrical tower. | Radar reflector. Year round. Chart:3514 Edn 06/15 (P15-036) Edn 02/17 |
| 459 G5523.8 | Malibu Rapids | Entrance to rapids. 50 09 43.4 123 51 14.8 | Q G 1s | 5.5 | 4 | White cylindrical tower, green band at top. | Radar reflector. Year round. Chart:3514 |
| 460 G5523.5 | Agnew Passage | On NE. shore of small islet. 49 46 27.5 123 59 21.6 | Q G 1s | 7.6 | 4 | White cylindrical tower, green band at top. | Radar reflector. Year round. Chart:3514 Edn 06/15 (P15-037) Edn 02/17 |
| 460.3 G5523.6 | Earls Cove | 49 45 11 124 00 31.8 | F G | | | On gantry, ferry terminal. | Radar reflector. Year round. Horn – Blast 2 s; sil. 28 s. Operated by Ferry personnel when required for ferry movements only. Chart:3514 |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|-----------------------------------|-------------------------|--|--------------------------|--|-----------------------|--|---|
| NORTHERN STRAIT OF GEORGIA | | | | | | | |
| 461 G5524 | Skookumchuck Narrows | On drying rock. 49 45 35.3 123 56 02.6 | Fl G 4s | 6.1 | 4 | White cylindrical tower, green band at top. | Radar reflector. Year round. Chart:3514 Edn 06/15(P15-038) Edn 02/17 |
| 462 G5524.3 | Sechelt Islets | On S. end of centre island. 49 44 23.2 123 53 54.9 | Q G 1s | 7.0 | 3 | White cylindrical tower, green band at top. | Radar reflector. Year round. Chart:3514 |
| 463 G5524.6 | Skookum Island | NW. end of island. 49 43 31 123 52 46.8 | Fl W 4s | 7.0 | 6 | White cylindrical tower. | Year round. Chart:3514 |
| 464 G5525 | Kunechin Islets | S. tip of largest island. 49 37 12.3 123 48 15.6 | Fl(2) W 6s | 6.1 | 5 | White mast. | Flash 0.5 s; eclipse 1 s; flash 0.5 s; eclipse 4 s. Year round. Chart:3512 |
| 465 G5526 | Upwood Point | On southeastern extreme of Texada Island. 49 29 19.4 124 08 28.9 | Fl(3) W 12s | 11.0 | 7 | White cylindrical tower, red band at top. | Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector. Year round. Chart:3512 Edn 01/17 |
| 465.5 G5526.4 | Texada Island | At Partington Point. 49 31 42.1 124 13 35.9 | Fl R 4s | 9.5 | 5 | White cylindrical tower, red band at top. | Radar reflector. Year round. Chart:3512 Edn 02/15 (P14-062) |
| 466 G5527 | Fegan Islets | W. entrance to Sabine Channel. 49 31 56.2 124 23 00.6 | Fl W 4s | 7.9 | 5 | White cylindrical tower. | Radar reflector. Year round. Chart:3512 |
| 467 G5521 | Northeast Point | On E. end of point, Texada Island. 49 42 31.4 124 21 27 | Fl W 4s | 9.4 | 8 | White cylindrical tower, green band at top. | Year round. Chart:3311 Edn 10/15 (P15-071) |
| 468.5 G5551 | Grief Point East | End of S. breakwater, Garden Beach. 49 48 00.5 124 31 09.5 | Fl R 4s | 4.3 | 4 | White mast. | Year round Chart:3311 Edn 10/15 (P15-078) |
| 469 G5550 | Grief Point | On W. extremity of point. 49 48 15.6 124 31 34.2 | Fl(2) W 6s | 10.7 | 8 | White cylindrical tower, red band at top. | Flash 0.5 s; eclipse 1 s; flash 0.5 s; eclipse 4 s. Radar reflector. Year round. Chart:3311 Edn 10/15 (P15-079) |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|

NORTHERN STRAIT OF GEORGIA

| | | | | | | | |
|----------------|---------------------------|--|----------|-----|----|--|--|
| 470 G5552 | Cyril Rock | On the rock, off Grisle Point. 49 48 20.9 124 36 25.4 | Q G 1s | 7.3 | 4 | White cylindrical tower, green band at top. | Year round. Chart:3311 Edn 10/15 (P15-080) |
| 471 G5554 | Rebecca Rock | On summit of rock. 49 48 49.4 124 39 35 | Iso W 2s | 9.1 | 10 | White cylindrical tower. | Radar reflector. Year round. Chart:3311 Edn 01/11 (P10-134,136) |
| 472 | Westview Harbour South | On breakwater. 49 49 55.5 124 31 42 | Fl G 4s | 3.3 | 4 | Mast. | Privately maintained. Year round. Chart:3536 Edn 10/13 (P13-019) Edn 07/14 (P14-050) |
| 476 G5551.4 | Westview Harbour North | On breakwater. 49 50 21.9 124 31 50.8 | Fl W 4s | 6.1 | 5 | Mast. | Privately maintained. Year round. Chart:3536 Edn 10/13 (P13-020) |

Powell River

| | | | | | | | |
|------------------|--|---|---------|-------|-------|---|--|
| 476.2 G5564.2 | Powell River Floating Breakwater Entrance North | N. side of entrance. 49 51 42.6 124 33 07.5 | Fl G 4s | | | On floating breakwater. | Privately maintained. Year round. Chart:3536 |
| 476.3 G5564 | Powell River Floating Breakwater Entrance South | S. side of entrance. 49 51 36.9 124 33 05.7 | Fl R 4s | 7.0 | | On floating breakwater. | Privately maintained. Year round. Chart:3536 |
| 476.35 | Powell River Floating Breakwater | On floating breakwater. 49 51 59.9 124 33 29.1 | Fl W 4s | | | On floating breakwater. | Privately maintained. Year round. Chart:3536 |
| 476.4 | Cassia Island | Powell Lake. 49 58 42 124 31 42 | Fl W 4s | 4.9 | 5 | Mast. | Year round. Chart:N/A |
| 476.5 | Chippewa Peninsula | Powell Lake. 50 00 24 124 31 12 | Q G 1s | 4.6 | 3 | White mast, green, white and black square daymark. | Year round. Chart:N/A Edn 04/11 |
| 476.6 | Goat Island West | Powell Lake. 50 02 02 124 31 13 | Fl W 4s | 6.4 | 5 | White mast, red and white triangular daymark. | Year round. Chart:N/A |
| 476.7 | Olsen Creek | Powell Lake. 50 06 00 124 28 15 | Fl W 4s | 4.3 | 5 | White mast. | Year round. Chart:N/A |
| 476.8 | Bear Tooth Creek | Powell Lake. 50 05 18 124 22 32 | Fl W 4s | 4.3 | 5 | White mast. | Year round. Chart:N/A |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|-----------------------------------|---|--|--------------------------|--|-----------------------|--|--|
| NORTHERN STRAIT OF GEORGIA | | | | | | | |
| 476.9 | Powell Lake North | Powell Lake. 50 11 39 124 23 00 | Fl W 4s | 4.3 | 5 | White mast. | Year round. Chart:N/A |
| 477 | Grant Reefs light buoy QM | S. extremity of reefs. 49 52 04.4 124 46 03.2 | Fl (2+1) G 6s | | | Green, red and green, marked "QM". | Year round. Chart:3513 |
| 477.5 | Atrevida Reef light buoy Q26 | NW. of Scuttle Bay, Shearwater Passage. 49 54 59.4 124 40 05.2 | Fl R 4s | | | Red, marked "Q26". | Year round. Chart:3513 |
| 478 | Mystery Reef light and bell buoy Q25 | SE. of Savary Island, Shearwater Passage. 49 54 45.4 124 42 48.2 | Fl G 4s | | | Green, marked "Q25". | Year round. Chart:3513 |
| 478.2 G5567.4 | Lund Breakwater South | 49 58 47.8 124 45 50.9 | Fl Y 4s | 2.1 | 2 | Mast. | Year round. Chart:3538 Edn 07/15 (P15-056) Edn 02/17 |
| 478.3 G5567.5 | Lund Breakwater Centre | 49 58 49.4 124 45 51.9 | Fl Y 4s | 2.1 | 2 | Mast. | Year round. Chart:3538 Edn 07/15 (P15-057) Edn 02/17 |
| 478.4 | Lund Breakwater North | 49 58 52.3 124 45 52.0 | Q R 1s | 2.0 | 3 | Mast, red and white triangular daymark. | Year round. Chart:3538 Edn 07/15 (P15-058) Edn 02/17 |
| 478.5 G5567 | Savary Island Wharf | On wharf, N. side of island. 49 56 45.5 124 46 46.6 | Fl W 4s | 6.4 | 5 | On building. | Year round. Chart:3538 Edn 06/15 (P15-012) Edn 02/17 |
| 479 G5568 | Lund | On E. end of S. Copeland Island. 49 59 44.8 124 47 41.2 | Fl W 4s | 6.4 | 6 | White cylindrical tower. | Radar reflector. Year round. Chart:3538 Edn 06/15 (P15-013) Edn 02/17 |
| 479.2 G5568.4 | Major Islet | S. end of islet. 49 59 19.2 124 48 59.0 | Fl(3) W 12s | 31.1 | 6 | White cylindrical tower, red band at top. | Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Chart:3538 Edn 06/15 (P15-014) |
| 479.5 G5568.6 | Thulin Passage | N. end of passage. 50 01 49.1 124 49 38.4 | Fl G 4s | 8.5 | 4 | White cylindrical tower, green band at top. | Radar reflector. Year round. Chart:3538 |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals | |
|-----------------------------------|--|--|--------------------------|--|-----------------------|--|--|---|
| NORTHERN STRAIT OF GEORGIA | | | | | | | | |
| 479.7 | Okeover Inlet | On Western breakwater. 49 59 31.2 124 42 39.9 | Fl R 4s | | 3 | Mast, red and white triangular daymark. | Year round. Chart:3559 Edn 03/11 (P10-060) | |
| 479.8 G5573 | Refuge Cove | SW. tip of West Redonda Island. 50 06 56.9 124 50 58.8 | Fl R 4s | 6.4 | 4 | White cylindrical tower, red band at top. | Year round. Chart:3538 | |
| 480 G5573.8 | Junction Point | E. side of Cortes Island. 50 08 22.9 124 53 41 | Fl G 4s | 8.8 | 5 | White cylindrical tower, green band at top. | Year round. Radar reflector. Chart:3538 Edn 02/15 (P14-072) | |
| 481 G5571 | Cortes Bay | 50 03 46.5 124 55 30.1 | Q R 1s | 6.6 | 3 | White cylindrical tower, red band at top. | Year round. Chart:3538 Edn 06/15 (P15-015) Edn 04/16 (P16-040) | |
| 481.5 G5569 | Spilsbury Point | On N. tip of Hernando Island. 50 00 12.1 124 56 39.4 | Q W 1s | 7.8 | 6 | White cylindrical tower. | Year round. Chart:3538 Edn 02/15 (P14-073) Edn 06/15 (P15-016) Edn 01/16 (P15-098) | |
| 482 | <i>Sutil Point light and bell buoy Q20</i> | <i>SW. of point. 50 00 08.4 125 00 34.2</i> | <i>Fl R 4s</i> | <i>.....</i> | <i>.....</i> | <i>Red, marked "Q20".</i> | <i>Year round.</i> Chart:3538 | |
| 483 G5570 | Uganda Passage | On Channel Rock between Shark Spit and Cortes Island. 50 05 37.3 125 02 16.2 | Q R 1s | 7 | 2 | White square skeleton tower, red band at top. | Year round. Chart:3538 Edn 02/15 (P14-074) Edn 04/16 (P16-041) | |
| 483.3 G5572 | Whaletown Bay Entrance | Cortes Island. 50 06 24.3 125 03 31.2 | Fl G 4s | 7 | 4 | White square skeleton tower, green band at top. | Year round. Chart:3538 Edn 02/16 (P16-001) | |
| 484 G5574.6 | Whiterock Passage | SW. end of passage. 50 14 34 125 06 42.8 | Q W 1s | 5.1 | 4 | White cylindrical tower. | Year round. Chart:3537 | |
| 484.1 G5574.64 | Whiterock Passage range 1 | W. side of Read Island. 50 14 45.7 125 06 13.5 | F Y | | 2.7 | 10 | Mast, white daymark, red vertical stripe. | Year round. |
| 484.2 G5574.65 | | 065°23' 25.9m from front. | F Y | | 5.2 | 10 | Mast, white daymark, red vertical stripe. | Year round. Chart:3537 Edn 09/11 (P11-023, 026) |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|-----------------------------------|---|--|--------------------------|--|-----------------------|--|---|
| NORTHERN STRAIT OF GEORGIA | | | | | | | |
| 484.3 G5574.7 | Whiterock Passage range 2 | W. side of Read Island. 50 14 37.9 125 06 27.3 | F Y | 3.0 | 10 | Mast, white daymark, red vertical stripe. | Year round. |
| 484.4 G5574.71 | | 211°33' 25m from front. | F Y | 5.8 | 10 | Mast, white daymark, red vertical stripe. | Year round. Chart:3537 Edn 09/11 (P11-024, 025) |
| 485 G5579 | Drew Harbour | Near extremity of Rebecca Spit, at entrance to harbour. 50 06 27.9 125 11 43.9 | Fl G 4s | 5.5 | 5 | White cylindrical tower, green band at top. | Radar reflector. Year round. Chart:3538 |
| 486 G5504 | Maude Island (Nanoose Harbour) | Near E. end of island, N. side of entrance to harbour. 49 16 12.6 124 04 40.8 | Fl W 4s | 9.8 | 6 | White cylindrical tower, red band at top. | Radar reflector. Year round. Chart:3459 |
| 487 G5506 | Nanoose Harbour | On point SW. of Richard Point. 49 15 55.4 124 07 29.5 | Fl R 4s | 7.9 | 4 | White cylindrical tower, red band at top. | Radar reflector. Year round. Chart:3459 |
| 488 | <i>Imperieuse Rock light buoy P21</i> | <i>NE. of Fleet Point, Nanoose Harbour. 49 15 43.1 124 07 28.1</i> | <i>Fl G 4s</i> | <i>.....</i> | <i>.....</i> | <i>Green, marked "P21".</i> | <i>Year round.</i> Chart:3459 |
| 488.3 G5507.4 | Schooner Cove Breakwater | Extremity of breakwater. 49 17 16.2 124 07 58.9 | Fl G 4s | 3.2 | 4 | Mast, green, white and black square daymark. | Year round. Chart:3459 Edn 04/11 Edn 02/15 (P14-064) |
| 488.5 G5507 | Schooner Reefs | W. side of Georgia Strait. 49 17 36.5 124 07 47 | Fl R 4s | 6.8 | 4 | White cylindrical tower Red band at top | Year round. Chart:3459 Edn 02/15 (P14-063) |
| 490 G5508 | Ballenas Islands | On N. point of North Ballenas Island. 49 21 02 124 09 36.8 | Fl W 10s | 21.3 | 17 | White octagonal tower, red upper portion. | Flash 0.2 s; eclipse 9.8 s. Year round. Chart:3456 Edn 10/12 (P12-045) |
| 490.3 G5508.5 | Sangster Island | SE. tip of island. 49 25 25.3 124 11 34.9 | Q R 1s | 17.1 | 5 | White cylindrical tower with a red band at top. | Radar reflector. Year round. Chart:3512 Edn 12/14 (P14-061) |
| 491 G5509 | French Creek | Near outer end of W. breakwater. 49 21 05.8 124 21 16.7 | Q R 1s | 5.8 | 5 | White mast. | Year round. Chart:3512 |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|-----------------------------------|---|---|--------------------------|--|-----------------------|--|---|
| NORTHERN STRAIT OF GEORGIA | | | | | | | |
| 492 G5528 | False Bay | On Prowse Point at S. side of entrance to bay. 49 29 15 124 21 39 | Fl W 4s | 5.5 | 5 | White cylindrical tower. | Year round. Chart:3536 |
| 493 G5529 | Sisters Islets | On easterly and largest rock. 49 29 12.3 124 26 05.2 | Fl(2) W 15s | 24.3 | 16 | White cylindrical tower. | Year round. Chart:3513 |
| 494 G5530 | Flora Islet | N. side of islet, off St. John Point. 49 31 03.4 124 34 36.4 | Fl W 4s | 15.1 | 5 | Square skeleton tower. | Year round. Chart:3527 |
| 494.5 | Ford Cove Floating Breakwater North | On N. end of breakwater. 49 29 54.1 124 40 41 | Fl R 4s | | 3 | White mast, red and white triangular daymark. | Year round. Chart: 3527 |
| Baynes Sound | | | | | | | |
| 495 G5532 | Chrome (Yellow) Island range | 49 28 19.9 124 41 06.7 | F Y | 14.0 | 12 | Cylindrical tower, red daymark, white vertical stripe. | Visible in line of range. Year round. |
| 496 G5532.1 | | 097°45' 93.3m from front. | Fl W- Y 5s | 21.9 | 14 | White cylindrical tower. | Flash 1 s; eclipse 4.9 s. Yellow light visible in line of range. Year round. Chart:3527 |
| 496.1 G5537 | Denman Island Ferry Landing | W. side of island. 49 32 05.9 124 49 26.7 | F Y | 7.6 | | On dolphin. | Privately maintained. Year round. Chart:3527 |
| 496.2 G5535 | Buckley Bay Ferry Landing | S. side of landing. 49 31 35.4 124 50 50.9 | F Y | 7.6 | | On dolphin. | Privately maintained. Year round. Chart:3527 |
| 496.3 G5540 | Denman Island East Ferry Landing | Gravelly Bay. 49 29 40.3 124 42 30.1 | F Y | 7.6 | | On dolphin. | Privately maintained. Year round. Chart:3527 |
| 496.4 G5531 | Hornby Island Ferry Landing | SE. of Shingle Spit. 49 30 40 124 42 17.9 | F Y | 7.6 | | On dolphin. | Privately maintained. Year round. Chart:3527 |
| 497 G5534 | Deep Bay | On SW. end of Mapleguard Point. 49 27 57.6 124 44 07.2 | Fl W 4s | 9.1 | 7 | White cylindrical tower, green band at top. | Radar reflector. Year round. Chart:3527 Edn 10/15 (P15-081) |
| 497.5 | Maple Spit light buoy P39 | NE. of Mapleguard Point. 49 28 29 124 43 29.2 | Fl G 4s | | | Green, marked "P39". | Year round. Chart:3527 |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|-----------------------------------|---|---|--------------------------|--|-----------------------|---|--|
| NORTHERN STRAIT OF GEORGIA | | | | | | | |
| 498 | Repulse Point light buoy P42 | SW. of point. 49 28 46.3 124 44 55.4 | Fl R 4s | | | Red, marked "P42". | Year round. Chart:3527 |
| 498.5 G5541 | Fanny Bay Breakwater | End of floating breakwater. 49 30 29.3 124 49 35.6 | Fl G 4s | | 3 | Mast. | Year round. Chart:3527 Edn 02/17 (P16-138) |
| 499 G5538 | Denman Island | On reef on W. side of island, southward of Denman Point. 49 32 17.2 124 49 48.9 | Fl W 4s | 6.1 | 5 | White cylindrical tower, red band at top. | Radar reflector. Year round. Chart:3527 |
| 500 | Comox Bar light and bell buoy P54 | Close to easterly edge of bar. 49 39 29.6 124 51 41 | Fl R 4s | | | Red, marked "P54". | Year round. Chart:3527 |
| 501 G5542 | Comox Bar range | On the W. shore of Baynes Sound. 49 37 23.3 124 54 31.7 | Iso Y 1.5s | 11.3 | 15 | Square skeleton tower, white daymark, red vertical stripe. | Year round. |
| 502 G5542.1 | | 222°10' 283.5m from front. | Iso Y 2s | 23.2 | 15 | Square skeleton tower, white daymark, red vertical stripe. | Year round. Chart:3527 |
| 503 G5544 | Goose Spit | On W. extremity of Goose Spit. 49 39 37.1 124 55 30.3 | Q R 1s | 5.5 | 4 | White cylindrical tower, red band at top. | Radar reflector. Year round. Chart:3527 |
| 504 G5545 | Comox Harbour Breakwater | 49 40 09.7 124 55 49.7 | Fl R 4s | 3.6 | 4 | Mast. | Year round. Chart:3527 |
| 504.1 | Comox Harbour East Breakwater | On outer end of new breakwater. 49 40 04.1 124 55 29.9 | Fl G 4s | 3.3 | 4 | Mast. | Year round. Chart:3527 |
| 504.3 | Courtenay River Beacon # 1 | On port side of channel. 49 39 42.9 124 56 26.2 | Fl W 4s | 4.6 | 5 | Centre pile of 7-pile dolphin, green, white and black square daymark. | Year round. Chart:3527 Edn 05/11 |
| 505 G5547 | Courtenay River range | On bank of river. 49 40 38 124 57 32.3 | Q Y 1s | 4.1 | 9 | 1-pile dolphin, red daymark, white vertical stripe. | Year round. |
| 506 G5547.1 | | 320°04' 66.2m from front. | Q Y 1s | 7.6 | 9 | 3-pile dolphin, red daymark, white vertical stripe. | Year round. Chart:3527 Edn 09/11 (P11-030,031) |
| 507.5 | Cape Lazo - East Cardinal light buoy PB | 49 42 41.8 124 50 29.1 | Q(3) W 10s | | | Black, yellow and black, marked "PB". | Year round. Chart:3527 |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|

NORTHERN STRAIT OF GEORGIA

| | | | | | | | |
|--------------|---|--|-------------|-------|-------|---------------------------------|--|
| 508 G5549 | Comox Aeronautical Beacon | 49 42 45 124 53 38 | Fl W 10s | | | | Flash every 10 s. Year round. Chart:3527 |
| 509 G5566 | Kuhushan Point | On the point. 49 53 19.3 125 07 23.2 | Fl(2) W 6s | 17.7 | 12 | White square skeleton tower. | Flash 0.5 s; eclipse 1 s; flash 0.5 s; eclipse 4 s. Year round. Chart:3513 |
| 509.5 | Sentry Shoals ODAS light buoy 46131 | 49 54 24 124 59 06 | Fl(5) Y 20s | | | Yellow, marked "46131". | Year round. Chart:3513 |
| 510 | Wilby Shoals light buoy P60 | SE. of Cape Mudge, N. end of Strait of Georgia. 49 58 57.3 125 09 10.2 | Fl R 4s | | | Red, marked "P60". | Year round. Chart:3538 |