



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

# Notices to Mariners

**Edition No. 11/2022**  
**November 25, 2022**



Safety First, Service Always

## Monthly Eastern Edition

Canada 

Notices to Mariners – Monthly Eastern Edition  
Edition No. 11/2022

Aussi disponible en français :  
Avis aux navigateurs – Édition mensuelle de l'Est  
Édition n° 11/2022

**Published under the Authority of:**

Canadian Coast Guard Programs  
Aids to Navigation and Waterways  
Fisheries and Oceans Canada  
Montreal, QC H2Y 2E7

For more information, contact [Notmar.XNCR@dfo-mpo.gc.ca](mailto:Notmar.XNCR@dfo-mpo.gc.ca).

© His Majesty the King in Right of Canada,  
as represented by the Minister of Fisheries, Oceans  
and the Canadian Coast Guard, 2022.

Cat. No. Fs152-8E-PDF (Electronic PDF, English)  
ISSN 1719-7678

Cat. No. Fs152-8F-PDF (Electronic PDF, French)  
ISSN 1719-7694

A web version is available here:

<https://www.notmar.gc.ca/monthly> (English)

<https://www.notmar.gc.ca/mensuel> (French)

## Explanatory Notes – Notices to Mariners (NOTMAR)

**Geographical positions** refer directly to the graduations of the largest scale Canadian Hydrographic Service chart (unless otherwise indicated).

**Bearings** refer to the true compass and are measured clockwise from 000° (North) clockwise to 359°; those relating to lights are from seaward.

**Visibility** of lights is that in clear weather.

**Depths** - The units used for soundings (metres, fathoms or feet) are stated in the title of each chart.

**Elevations** are normally given above Higher High Water, Large Tide (unless otherwise indicated).

**Distances** may be calculated as follows:

- 1 nautical mile = 1,852 metres (6,076.1 feet)
- 1 statute mile = 1,609.3 metres (5,280 feet)
- 1 metre = 3.28 feet

### Temporary and Preliminary Notices to Mariners – Section 1A of *Notices to Mariners*

These notices are indicated by a (T) or a (P), respectively. Please note that nautical charts are not amended by the Canadian Hydrographic Service for temporary (T) and preliminary (P) notices. It is recommended that mariners chart these corrections in pencil. For the list of charts affected by (T) & (P) notices, please refer to the current [Notices to Mariners - Monthly Summary of Temporary and Preliminary Notices](#) publication.

### Suggestions and Corrections Form

This form is specifically for suggestions and corrections to Notices to Mariners publications. It is available [online](#) and also in [fillable PDF format](#) included with the monthly publication ZIP file.

To submit comments and suggestions on possible improvements to the various publications and services: [Notmar.XNCR@dfo-mpo.gc.ca](mailto:Notmar.XNCR@dfo-mpo.gc.ca).

To report chart discrepancies and/or corrections to the *Canadian Sailing Directions* booklets: Fill out the [Marine Information Reporting Form](#) and/or email [chsinfo@dfo-mpo.gc.ca](mailto:chsinfo@dfo-mpo.gc.ca).

To report emergencies or navigational hazards: [Contact your nearest MCTS centre](#)

- VHF channel 16 (156.8 MHz)
- MF/HF frequency 2182 kHz/4125 kHz (where available)
- \*16 on a cellphone (where available)

### NOTMAR Website – Monthly Editions, Chart Corrections and Chart Patches

The NOTMAR website allows users to access the [monthly publications](#), [chart corrections](#), and [chart patches](#).

Users can subscribe for free to the [email notification service](#) to receive notifications when charts of interest are updated, including their patches, as well as when a new Monthly Edition of *Notices to Mariners* is published.

In addition, the monthly publication and related files to download, such as chart patches, can be obtained all together through the download of a single ZIP file.


## Explanatory Notes – Canadian Hydrographic Service (CHS)

### Chart Corrections – Section 2 of *Notices to Mariners*

Corrections to nautical charts will be listed in numerical order by chart number. Each chart correction listed applies only to that particular chart. Related charts, if any, will have their own specific correction listed separately.

Users should also refer to CHS *Chart 1: Symbols, Abbreviations and Terms* for additional information pertaining to the correction of charts.

The illustration below describes the elements that will comprise a typical Section 2 chart correction:



The last correction number is identified with the **LN/D** or **Last Notice to Mariners Number / Date**.

Mariners are advised that only the most critical changes that directly affect safety to navigation are issued in “Section 2 – Chart Corrections.” This limitation is required to ensure that charts remain as clear and easy to read as possible. As a result, mariners may see minor discrepancies of a non-critical nature between information in official publications. For example, a small change in the nominal range or focal height of a light may not result in the production of a chart correction in *Notices to Mariners*, but may result in a correction in the [List of Lights, Buoys and Fog Signals](#) publication.

Note: In the case of a discrepancy between information provided on CHS charts relating to aids to navigation, and the *List of Lights, Buoys and Fog Signals* publication, the latter shall be deemed as containing the most up-to-date information.

### Canadian Nautical Charts & Publications

A source list of Canadian nautical charts and publications is published in Notice No. 14 of the *Notices to Mariners Annual Edition 2022*. The source supply and the prices effective at the time of printing are listed. For current chart edition dates, please refer to the following website: [www.chs-shc.gc.ca/charts-cartes/paper-papier/index-eng.asp](http://www.chs-shc.gc.ca/charts-cartes/paper-papier/index-eng.asp).

## Explanatory Notes – Marine Communications and Traffic Services (MCTS)

### Navigational Warnings / Notices to Shipping

The Canadian Coast Guard (CCG) is implementing a number of changes to the aids to navigation system in Canada.

These changes are advertised as Navigational Warnings, formerly called Notices to Shipping<sup>1</sup>, that are broadcast by the CCG, and are then followed up with Notices to Mariners, then charts are updated by hand correction, reprints or new editions.

Mariners are advised that all relevant Navigational Warnings (NAVWARN) should be kept until superseded by Notices to Mariners or through revised charts issued by the Canadian Hydrographic Service (CHS).

NAVWARN are accessible on the applicable regional page on the CCG Navigational Warnings website at <http://nis.ccg-gcc.gc.ca>.

CHS is reviewing the impact of these changes with CCG and together are preparing an action plan on the issuing of chart revisions.

For further information, contact your regional NAVWARN Issuing Desk.

<p><b>Atlantic Region (North)</b> <b>*Port aux Basques MCTS Centre</b></p> <p>“N” Series NAVWARN</p> <p>Canadian Coast Guard 49 Stadium Rd. P.O. Box 99 Port aux Basques, NL A0M 1C0</p> <p>Telephone: 709-695-2168 or 1-800-563-9089 Facsimile: 709-695-7784</p> <p>Email: <a href="mailto:NAVWARN.MCTSPortAuxBasques@innav.gc.ca">NAVWARN.MCTSPortAuxBasques@innav.gc.ca</a></p>	<p><b>Central Region</b> <b>*Prescott MCTS Centre</b></p> <p>“Q” and “C” Series NAVWARN</p> <p>Canadian Coast Guard 401 King Street West P.O. Box 1000 Prescott, ON K0E 1T0</p> <p>Telephone: 613-925-0666 Facsimile: 613-925-4519</p> <p>Email: <a href="mailto:NAVWARN.MCTSPrescott@innav.gc.ca">NAVWARN.MCTSPrescott@innav.gc.ca</a></p>
<p><b>Atlantic Region (South)</b> <b>*Sydney MCTS Centre</b></p> <p>“M” Series NAVWARN</p> <p>Canadian Coast Guard 1190 Westmount Road Sydney, NS B1R 2J6</p> <p>Telephone: 902-564-7751 or 1-800-686-8676 Facsimile: 902-564-7662</p> <p>Email: <a href="mailto:NAVWARN.MCTSSydney@innav.gc.ca">NAVWARN.MCTSSydney@innav.gc.ca</a></p>	<p><b>Arctic Region</b> <b>*Iqaluit MCTS Centre</b></p> <p><i>Operational from approximately mid-May until late December.</i></p> <p>“A” and “H” Series NAVWARN</p> <p>Canadian Coast Guard P.O. Box 189 Iqaluit, NU X0A 0H0</p> <p><u>“A” Series NAVWARN</u> Telephone: 867-979-5269</p> <p><u>“H” Series NAVWARN</u> Telephone: 867-979-0310 Facsimile: 867-979-4264</p> <p>Email: <a href="mailto:NAVWARN.MCTSIqaluit@innav.gc.ca">NAVWARN.MCTSIqaluit@innav.gc.ca</a></p>

\*Service available in English and in French.

<sup>1</sup> The expression “Notice to Shipping” was changed to “Navigational Warning” in January 2019.

## Table of Contents

<b>Section 1: General and Safety Information</b>	<b>1</b>
*401/20 Transport Canada – COVID-19 Measures, Updates and Guidance .....	1
*206/22 Transport Canada – Annual Edition of Notices to Mariners 2022 - Section A3, Notice 7A: Voyage Planning for Vessels Intending to Navigate in Canada's Northern Waters .....	1
*1101/22 Canadian Hydrographic Service – Nautical Charts.....	1
*1102/22 Canadian Hydrographic Service – Electronic Navigational Charts.....	1
*1103/22 Canadian Hydrographic Service – Raster Digital Charts (BSB V3).....	2
*1104/22 Transport Canada – Ship Safety Bulletins #23, #24, #25 and #26/2022.....	2
*1105/22 Québec à/to Donnacona – Fixed Aid to Navigation Permanently Discontinued .....	3
*1106/22 Canso Harbour and Approaches / et les Approches – Unlit Buoys Name Change.....	3
*1107/22 Harbours on the North Shore / Hâvres sur la Côte Nord – Unlit Buoys Permanently Established .....	3
*1108/22 Hillsborough Bay – Unlit Buoys Name Change.....	3
*1109/22 Bay D'Espoir and / et Hermitage Bay – Light Buoy Permanently Discontinued .....	4
*1110/22 Murray Harbour to/à Boughton Bay – Unlit Buoy Repositioned.....	4
<b>Section 1A: Temporary and Preliminary Notices</b>	<b>5</b>
Reminder – Comment Period for Active Preliminary Notices .....	5
*1111(T)/22 Seniartlit Islands to / à Nain – Waterway Information.....	5
*1112(P)/22 Holyrood and / et Long Pond – Range Lights to be Discontinued .....	6
*1113(P)/22 Bonavista Bay: Southern Portion / Partie sud – Aid to Navigation to be Discontinued....	6
*1114(T)/22 Rivière-du-Loup – Waterway Information: Shallow Depths Reported.....	6
*1115(T)/22 Cape Hurd to/à Tobermory and/et Cove Island – Marine Works: Breakwater Construction .....	7
*1116(P)/22 Lake Nipissing / Lac Nipissing(Eastern Portion / Partie est) – Aids to Navigation to be Discontinued.....	7
<b>Section 2: Chart Corrections</b>	<b>8</b>
<b>Section 3: Radio Aids to Marine Navigation Corrections</b>	<b>24</b>
*1117/22 Radio Aids to Marine Navigation 2022 (Atlantic, St. Lawrence, Great Lakes, Lake Winnipeg, Arctic and Pacific).....	24
<b>Section 4: Canadian Sailing Directions Corrections</b>	<b>29</b>
<b>Section 5: List of Lights, Buoys and Fog Signals Corrections</b>	<b>30</b>

## Numerical Index of Canadian Charts Affected

This numerical index lists all nautical charts mentioned in this monthly edition of Notices to Mariners. Only charts appearing in Section 2 of this publication require a chart correction. The appearance of charts in all other sections, particularly those related to the correction of other nautical publications, is included here for reference.

Chart No.	Pages	Chart No.	Pages	Chart No.	Pages
1220	<a href="#">37</a>	4448	<a href="#">16</a>	4911	<a href="#">21</a>
1233	<a href="#">1</a>	4459	<a href="#">35</a>	4921	<a href="#">21</a>
1234	<a href="#">6</a>	4460	<a href="#">16</a>	4935	<a href="#">4, 21, 34</a>
1310	<a href="#">38, 39</a>	4462	<a href="#">16</a>	4940	<a href="#">22, 34</a>
1311	<a href="#">8, 9, 38</a>	4466	<a href="#">3, 5</a>	5045	<a href="#">22, 32</a>
1312	<a href="#">38</a>	4491	<a href="#">35, 36</a>	5046	<a href="#">32</a>
1313	<a href="#">38</a>	4509	<a href="#">31</a>	5052	<a href="#">5</a>
1314	<a href="#">37</a>	4587	<a href="#">30</a>	5055	<a href="#">32</a>
1315	<a href="#">3, 10</a>	4640	<a href="#">31</a>	5349	<a href="#">1</a>
1316	<a href="#">10, 11</a>	4644	<a href="#">4, 16, 17, 30</a>	5390	<a href="#">1</a>
1320	<a href="#">6</a>	4667	<a href="#">31</a>	5464	<a href="#">1</a>
1430	<a href="#">39</a>	4669	<a href="#">17</a>	6035	<a href="#">7</a>
1550	<a href="#">5</a>	4682	<a href="#">31</a>	7565	<a href="#">22</a>
2274	<a href="#">7</a>	4745	<a href="#">32</a>	7621	<a href="#">22</a>
4001	<a href="#">11, 12</a>	4820	<a href="#">17</a>	7665	<a href="#">22</a>
4003	<a href="#">12</a>	4821	<a href="#">17</a>	7750	<a href="#">22, 23, 40</a>
4006	<a href="#">12</a>	4825	<a href="#">31</a>	8007	<a href="#">23</a>
4011	<a href="#">13</a>	4827	<a href="#">17</a>		
4012	<a href="#">13</a>	4841	<a href="#">17, 18, 30</a>		
4013	<a href="#">13</a>	4845	<a href="#">33</a>		
4017	<a href="#">13</a>	4846	<a href="#">33</a>		
4020	<a href="#">14</a>	4847	<a href="#">18, 33</a>		
4021	<a href="#">31</a>	4848	<a href="#">6</a>		
4022	<a href="#">31</a>	4850	<a href="#">33</a>		
4140	<a href="#">14</a>	4852	<a href="#">33</a>		
4202	<a href="#">14</a>	4855	<a href="#">6</a>		
4203	<a href="#">14, 34</a>	4856	<a href="#">18</a>		
4237	<a href="#">15</a>	4861	<a href="#">18, 19, 32, 33</a>		
4244	<a href="#">34</a>	4862	<a href="#">33</a>		
4281	<a href="#">3</a>	4863	<a href="#">5, 19, 32</a>		
4301	<a href="#">15</a>	4865	<a href="#">19</a>		
4320	<a href="#">15</a>	4881	<a href="#">31</a>		
4335	<a href="#">15</a>	4886	<a href="#">32</a>		
4385	<a href="#">15, 34</a>	4905	<a href="#">19, 35, 36</a>		
4425	<a href="#">3</a>	4909	<a href="#">20, 21, 37</a>		

## Section 1: General and Safety Information

### \*401/20 Transport Canada – COVID-19 Measures, Updates and Guidance

(Recurrent publication of notice \*401/20, originally published in the *Notices to Mariners – Monthly Eastern Edition 04/2020* publication.)

Please refer to the link below for the latest updates to transportation related measures taken by Transport Canada in response to the evolving novel Coronavirus disease (COVID-19):  
<https://www.tc.gc.ca/en/initiatives/covid-19-measures-updates-guidance-tc.html>.

For travel advice and all other updates, please visit: [Canada.ca/coronavirus](https://Canada.ca/coronavirus).

### \*206/22 Transport Canada – Annual Edition of Notices to Mariners 2022 - Section A3, Notice 7A: Voyage Planning for Vessels Intending to Navigate in Canada's Northern Waters

(Recurrent publication of notice \*206/22, originally published in the *Notices to Mariners – Monthly Eastern Edition 02/2022* publication.)

Transport Canada has revised notice 7A, Voyage Planning for Vessels Intending to Navigate in Canada's Northern Waters, of the *Annual Edition of Notices to Mariners* to reflect Arctic Shipping Safety and Pollution Prevention Regulations ([ASSPPR](#)) and to provide further guidance on voyage planning.

### \*1101/22 Canadian Hydrographic Service – Nautical Charts

Charts	Main Title	Scale	Published	Cat#	Price
<b>New Editions</b>					
1233	Cap aux Oies à/to Sault-au-Cochon	1:50 000	2022-11-18	1	\$20.00
5349	Hopes Advance Bay	1:24 000	2022-11-18	4	\$20.00
5390	Wakeham Bay and Fisher Bay et les Approches/and Approches	1:37 500	2022-11-18	4	\$20.00
5464	Diana Bay (Partie Sud/Southern Portion)	1:20 000	2022-11-18	4	\$20.00

### \*1102/22 Canadian Hydrographic Service – Electronic Navigational Charts

S-57 ENC Number	Chart Title	ENC Compilation Scale	Published
<b>New Charts</b>			
CA473521 (Edn 1.000)	Wakeham Bay and Fisher Bay et les Approches/and Approches	1:18 750	2022-11-04
CA571114 (Edn 1.000)	Otard Bay	1:6 000	2022-11-04
CA571115 (Edn 1.000)	Port Louis	1:6 000	2022-11-04
CA571116 (Edn 1.000)	Port Louis and Otard Bay	1:6 000	2022-11-04
CA571117 (Edn 1.000)	Port Louis and Otard Bay	1:6 000	2022-11-04
CA573522 (Edn 1.000)	Diana Bay (Partie Sud/Southern Portion)	1:10 000	2022-11-18
<b>New Editions</b>			
CA373504 (Edn 2.000)	Pelly Bay	1:62 500	2022-11-04



S-57 ENC Number	Chart Title	ENC Compilation Scale	Published
CA376361 (Edn 4.000)	Cape Makkovik to/à Winsor Harbour Island	1:30 000	2022-11-25
CA379131 (Edn 5.000)	Baie Piashti à/to Île au Marteau	1:35 000	2022-11-18
CA379216 (Edn 9.000)	Iles de la Madeleine	1:75 000	2022-11-25
CA471020 (Edn 2.000)	Selwyn Inlet	1:45 000	2022-11-18
CA473413 (Edn 2.000)	Hopes Advance Bay	1:12 000	2022-11-18
CA473505 (Edn 2.000)	Korvigdjuak Island Channels	1:25 000	2022-11-04
CA473506 (Edn 2.000)	St. Peter Bay	1:15 000	2022-11-04
CA570127 (Edn 10.000)	Vancouver Harbour Eastern Portion/Partie Est	1:5 000	2022-11-11
CA571077 (Edn 3.000)	CA571077	1:22 000	2022-11-11
CA576720 (Edn 3.000)	Fogo Harbour	1:5 000	2022-11-25
CA579102 (Edn 5.000)	Pointe-Basse	1:2 500	2022-11-25
CA579134 (Edn 2.000)	Baie Johan-Beetz et/and Baie Piashti	1:6 000	2022-11-25

**\*1103/22 Canadian Hydrographic Service – Raster Digital Charts (BSB V3)**

Charts	Main Title	Scale	Published
<b>Charts Permanently Withdrawn</b>			
RM-5390	Wakeham Bay and Fisher Bay et les Approches/and Approaches		

**\*1104/22 Transport Canada – Ship Safety Bulletins #23, #24, #25 and #26/2022**

New **Ship Safety Bulletins** have recently been posted on the [Transport Canada website](#).

To view or download these bulletins, please click on the links below:

[SSB#23/2022](#) – Clarifying engine emission standards for small Canadian vessels  
RDIMS# 18860009

[SSB#24/2022](#) – British Columbia North Coast Waterway Management Guidelines  
RDIMS# 18946498

[SSB#25/2022](#) – Clarifying “hull length” measurement as per the Fishing Vessel Safety Regulations  
Part 0.1 Definition  
RDIMS# 18816300

[SSB#26/2022](#) – Guidance for carriage requirements of EPIRBS on small fishing vessels  
RDIMS# 18816422

Sign up for [e-Bulletin](#) to receive an e-mail notice each time a new Ship Safety Bulletin is published on our website.

Contact us at [marinesafety-securitemaritime@tc.gc.ca](mailto:marinesafety-securitemaritime@tc.gc.ca) or 1-855-859-3123 (Toll Free).

**\*1105/22 Québec à/to Donnacona – Fixed Aid to Navigation Permanently Discontinued**

Reference chart: 1315

The following fixed aid to navigation has been permanently discontinued:

Aid Name	LL #	Position
August	6970.3	46° 43' 16.9"N 071° 29' 47.6"W

(Q2022-074)

**\*1106/22 Canso Harbour and Approaches / et les Approches – Unlit Buoys Name Change**

Reference chart: 4281

The names of the following unlit buoys have been changed:

New Aid Name	LL #	Position
Pea Island South buoy PN6	5664.06	45° 17' 01.4"N 060° 58' 28.0"W
Pea Island buoy PN7	5664.07	45° 17' 14.2"N 060° 58' 20.8"W

(G2022-117, 118)

**\*1107/22 Harbours on the North Shore / Hâvres sur la Côte Nord – Unlit Buoys Permanently Established**

Reference chart: 4425

The following unlit buoys have been permanently established:

Aid Name	LL #	Position
Covehead Bay Entrance buoy JJ14	5050.94	46° 25' 18.0"N 063° 08' 59.9"W
Covehead Bay buoy JJ15	5050.95	46° 25' 18.0"N 063° 08' 54.4"W

(G2022-133, 134)

**\*1108/22 Hillsborough Bay – Unlit Buoys Name Change**

Reference chart: 4466

The names of the following unlit buoys have been changed:

New Aid Name	LL #	Position
Charlottetown Arms Range cautionary buoy A	6001.1	46° 09' 50.2"N 063° 04' 24.7"W
Charlottetown Arms Range cautionary buoy B	6001.5	46° 09' 32.2"N 063° 03' 08.7"W

(G2022-123, 124)

**\*1109/22 Bay D'Espoir and / et Hermitage Bay – Light Buoy Permanently Discontinued**

Reference chart: 4644

The following light buoy has been permanently discontinued:

Aid Name	LL #	Position
Blackfish Cove Shoal light buoy VG2	5517	47° 40' 10.0"N 055° 56' 00.2"W

(N2022-227)

**\*1110/22 Murray Harbour to/à Boughton Bay – Unlit Buoy Repositioned**

Reference chart: 4935

The following unlit buoy has been repositioned to the following coordinates:

Aid Name	LL #	Position
Annandale Grand River East buoy NE1	5949.6	46° 14' 55.9"N 062° 24' 02.9"W

(G2022-141)

## Section 1A: Temporary and Preliminary Notices

### Reminder – Comment Period for Active Preliminary Notices

This is a reminder that the comment period is still open for the following active Preliminary notices:

Notice #	Reference Chart #	Aids Affected (LL #)	Intent of Notice
<b>Newfoundland and Labrador Coast</b>			
<a href="#">1007(P)/22</a>	4863	355.11, 355.12, 355.129	Light Buoys to be Discontinued
<b>Atlantic Coast</b>			
<a href="#">1010(P)/22</a>	4466	1007	Aid to Navigation to be Discontinued
<b>Inland Waters</b>			
<a href="#">911(P)/22</a>	1550	1299	Aid to Navigation to be Discontinued
<b>Other Preliminary Notices</b>			
<a href="#">912(P)/22</a>		N/A	Differential Global Positioning System (DGPS) in Canada

Please refer to the [Notices to Mariners - Monthly Summary of Temporary and Preliminary Notices](#) publication for details.

## Newfoundland and Labrador Coast

### Temporary Notices

#### \*1111(T)/22 Seniartlit Islands to / à Nain – Waterway Information

Reference chart: 5052

Tide Gauge 01430 located at Nain is undergoing maintenance. Observation and forecast data unavailable, however, prediction data still available.

(NW-N-1555-22)

### Preliminary Notices

#### Atlantic Region

##### Comment Submission

Comments on proposed changes in preliminary (P) notices are solicited from mariners and other interested parties within three months of the initial publication date. Following this date, the notices will be cancelled. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

Comments should be directed to the following:

Superintendent,  
Aids to Navigation & Waterways  
Canadian Coast Guard, Atlantic Region  
P.O. Box 1000  
50 Discovery Drive  
Dartmouth, NS B2Y 3Z8  
Telephone: (506) 636-4708  
Email: [DFO.CCGATLaidstoNavDiscont-AidesalanavSupprATLGCC.MPO@dfo-mpo.gc.ca](mailto:DFO.CCGATLaidstoNavDiscont-AidesalanavSupprATLGCC.MPO@dfo-mpo.gc.ca)

**\*1112(P)/22 Holyrood and / et Long Pond – Range Lights to be Discontinued**

Reference chart: 4848

The Canadian Coast Guard proposes to permanently discontinue the following aids to navigation:

Aid Name	LL #	Position
Holyrood Bay front range	492.7	47° 23' 19.6"N 053° 07' 39.8"W
Holyrood Bay rear range	492.8	183°32' 279.6 m from front

Initial publication date: Friday, November 25, 2022

[Comment submission deadline](#): Thursday, February 23, 2023

(N2022-264)

**\*1113(P)/22 Bonavista Bay: Southern Portion / Partie sud – Aid to Navigation to be Discontinued**

Reference chart: 4855

The Canadian Coast Guard proposes to permanently discontinue the following aid to navigation:

Aid Name	LL #	Position
Jamestown Wharf	441.25	48° 26' 36.7"N 053° 48' 17.4"W

Initial publication date: Friday, November 25, 2022

[Comment submission deadline](#): Thursday, February 23, 2023

(N2022-266)

**Atlantic Coast**

**Temporary Notices**

**\*1114(T)/22 Rivière-du-Loup – Waterway Information: Shallow Depths Reported**

Reference: Notice 1008(T)/22 is cancelled.

Reference chart: 1234, 1320

Shallower depths located at:

47° 55' 29.8"N 069° 38' 57.7"W (9.7 metres)

47° 56' 58.4"N 069° 47' 24.2"W (3.2 metres)

48° 00' 07.0"N 069° 45' 43.1"W (8.5 metres)

(NW-Q-1058-22)

**Preliminary Notices**

No notices applicable for this edition.

**Inland Waters**

**Temporary Notices**

**\*1115(T)/22 Cape Hurd to/à Tobermory and/et Cove Island – Marine Works: Breakwater Construction**

Reference chart: 2274

Little Tub Harbour breakwater rehabilitation works taking place Monday to Friday at 45° 15.348'N 081° 39.803'W since October 26, 2022.

(NW-C-1889-22)

**Preliminary Notices**

**Central Region**

Comment Submission

Comments on proposed changes in preliminary (P) notices are solicited from mariners and other interested parties within three months of the initial publication date. Following this date, the notices will be cancelled. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

Comments should be directed to the following:

Superintendent, Mathieu Roy  
Aids to Navigation & Waterways  
Canadian Coast Guard, Central Region  
1550 D'Estimauville Avenue  
Québec, QC G1J 5E9  
Telephone: (418) 648-7450  
Email: [mathieu.roy@dfm-mpo.gc.ca](mailto:mathieu.roy@dfm-mpo.gc.ca)

**\*1116(P)/22 Lake Nipissing / Lac Nipissing(Eastern Portion / Partie est) – Aids to Navigation to be Discontinued**

Reference chart: 6035

The Canadian Coast Guard proposes to permanently discontinue the following aids to navigation:

Aid Name	LL #	Position
<b>Fixed Aids</b>		
Callander	1423	46° 13' 13.1"N 079° 22' 07.9"W
South East Bay sector	1424	46° 11' 48.2"N 079° 25' 19.9"W
<b>Floating Aid</b>		
Buoy J13	9324	46° 12' 54.5"N 079° 21' 50.4"W

Initial publication date: Friday, November 25, 2022

**[Comment submission deadline](#)**: Thursday, February 23, 2023

(D2022-037, 038, 039)

## Section 2: Chart Corrections

**1311 - Sorel-Tracy à/to Varennes - New Edition - 17-MAY-2019 - NAD 1983**  
25-NOV-2022

LN/M/D. 11-NOV-2022

Delete	anchorage area L-1 (See Chart 1, N12.3)	joining 46°00'21.2"N 073°10'20.6"W 46°00'18.9"N 073°10'12.9"W 46°00'07.8"N 073°10'20.2"W 46°00'10.2"N 073°10'27.9"W and 46°00'21.2"N 073°10'20.6"W
	This notice affects Electronic Navigational Chart: CA479155, CA579246	<i>DFO(6410578-01)</i>
Add	anchor berth L1 (See Chart 1, N11.1) This notice affects Electronic Navigational Chart: CA479155, CA579246	46°00'09.6"N 073°10'25.3"W
		<i>DFO(6410578-02)</i>
Delete	anchorage area L-3 (See Chart 1, N12.3)	joining 46°00'46.4"N 073°10'11.0"W 46°00'44.1"N 073°10'03.3"W 46°00'33.1"N 073°10'10.6"W 46°00'35.4"N 073°10'18.3"W and 46°00'46.4"N 073°10'11.0"W
	This notice affects Electronic Navigational Chart: CA479155	<i>DFO(6410578-03)</i>
Add	anchor berth L3 (See Chart 1, N11.1) This notice affects Electronic Navigational Chart: CA479155	46°00'38.6"N 073°10'14.0"W
		<i>DFO(6410578-04)</i>
Delete	anchorage area L-2 (See Chart 1, N12.3)	joining 46°00'34.3"N 073°10'17.5"W 46°00'31.9"N 073°10'09.7"W 46°00'20.8"N 073°10'17.0"W 46°00'23.2"N 073°10'24.7"W and 46°00'34.3"N 073°10'17.5"W
	This notice affects Electronic Navigational Chart: CA479155, CA579246	<i>DFO(6410578-05)</i>
Add	anchor berth L2 (See Chart 1, N11.1) This notice affects Electronic Navigational Chart: CA479155	46°00'24.1"N 073°10'19.6"W
		<i>DFO(6410578-06)</i>
Delete	anchorage area L-4 (See Chart 1, N12.3)	joining 46°00'59.6"N 073°10'08.1"W 46°00'57.3"N 073°10'00.3"W 46°00'46.1"N 073°10'07.4"W 46°00'48.3"N 073°10'15.1"W and 46°00'59.6"N 073°10'08.1"W
	This notice affects Electronic Navigational Chart: CA479155	<i>DFO(6410578-07)</i>
Add	anchor berth L4 (See Chart 1, N11.1) This notice affects Electronic Navigational Chart: CA479155	46°00'53.0"N 073°10'08.5"W
		<i>DFO(6410578-08)</i>

**1311 - Terminal de Contrecoeur - New Edition - 17-MAY-2019 - NAD 1983**  
11-NOV-2022

		LNM/D. 17-JUN-2022
Delete	depth of 7 metres 0 decimetres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA579156	45°49'48.8"N 073°17'10.3"W  <i>DFO(6410708-01)</i>
Add	depth of 6 metres 7 decimetres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA579156	45°49'48.6"N 073°17'10.2"W  <i>DFO(6410708-02)</i>
Delete	depth of 7 metres 3 decimetres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA579156	45°49'47.5"N 073°17'15.5"W  <i>DFO(6410708-03)</i>
Add	depth of 7 metres 0 decimetres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA579156	45°49'47.3"N 073°17'15.7"W  <i>DFO(6410708-04)</i>
Delete	depth of 6 metres 8 decimetres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA579156	45°49'49.9"N 073°17'05.7"W  <i>DFO(6410708-05)</i>
Add	depth of 6 metres 3 decimetres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA579156	45°49'50.6"N 073°17'05.2"W  <i>DFO(6410708-06)</i>

**1311 - Terminal pétrolier / Oil terminal - New Edition - 17-MAY-2019 - NAD 1983**  
25-NOV-2022

		LNM/D. 11-NOV-2022
Delete	anchorage area L-1 (See Chart 1, N12.3)  This notice affects Electronic Navigational Chart: CA479155, CA579246	joining 46°00'21.2"N 073°10'20.6"W 46°00'18.9"N 073°10'12.9"W 46°00'07.8"N 073°10'20.2"W 46°00'10.2"N 073°10'27.9"W and 46°00'21.2"N 073°10'20.6"W  <i>DFO(6410578-01)</i>
Add	anchor berth L1 (See Chart 1, N11.1) This notice affects Electronic Navigational Chart: CA479155, CA579246	46°00'09.6"N 073°10'25.3"W  <i>DFO(6410578-02)</i>
Delete	anchorage area L-2 (See Chart 1, N12.3)  This notice affects Electronic Navigational Chart: CA479155, CA579246	joining 46°00'24.0"N 073°10'24.2"W 46°00'23.2"N 073°10'24.7"W 46°00'20.8"N 073°10'17.0"W 46°00'24.0"N 073°10'14.9"W and 46°00'24.0"N 073°10'24.2"W  <i>DFO(6410578-05)</i>



**1315 - Québec à/to Donnacona - New Edition - 24-MAY-2019 - NAD 1983**  
25-NOV-2022

LNMD. 16-SEP-2022

Delete	depth of 9 metres 3 decimetres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA479020	46°42'29.4"N 071°29'11.0"W  <i>DFO(6410698-01)</i>
Add	depth of 8 metres 1 decimetre (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA479020	46°42'30.3"N 071°29'09.7"W  <i>DFO(6410698-02)</i>
Add	depth of 8 metres 1 decimetre (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA479020	46°42'30.9"N 071°28'45.0"W  <i>DFO(6410698-03)</i>
Add	depth of 8 metres 9 decimetres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA479020	46°42'53.7"N 071°26'21.4"W  <i>DFO(6410698-04)</i>
Add	depth of 9 metres 2 decimetres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA479020	46°43'10.3"N 071°24'57.8"W  <i>DFO(6410698-05)</i>
Add	depth of 9 metres 1 decimetre (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA479020	46°42'51.0"N 071°26'56.3"W  <i>DFO(6410698-06)</i>
Add	depth of 8 metres 2 decimetres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA479020	46°43'07.4"N 071°25'08.4"W  <i>DFO(6410698-07)</i>

**1316 - Port de Québec - New Edition - 03-APR-2020 - NAD 1983**  
11-NOV-2022

LNMD. 16-SEP-2022

Delete	depth of 2 metres 1 decimetre (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA579003	46°47'55.7"N 071°12'47.5"W  <i>DFO(6410692-01)</i>
Add	depth of 1 metre (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA579003	46°47'55.8"N 071°12'47.5"W  <i>DFO(6410692-02)</i>
Delete	depth of 11 metres 1 decimetre (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA579003	46°47'39.8"N 071°13'08.1"W  <i>DFO(6410704-05)</i>
Add	depth of 10 metres 7 decimetres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA579003	46°47'39.0"N 071°13'07.7"W  <i>DFO(6410704-06)</i>

Delete	depth of 6 metres 8 decimetres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA579003	46°49'21.9"N 071°12'36.1"W  <i>DFO(6410707-01)</i>
Add	depth of 6 metres 5 decimetres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA579003	46°49'22.1"N 071°12'36.3"W  <i>DFO(6410707-02)</i>
Delete	depth of 4 metres 2 decimetres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA579003	46°49'25.3"N 071°12'38.5"W  <i>DFO(6410707-03)</i>
Add	depth of 3 metres 7 decimetres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA579003	46°49'25.1"N 071°12'38.9"W  <i>DFO(6410707-04)</i>
Delete	depth of 12 metres 4 decimetres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA579003	46°49'38.0"N 071°12'06.8"W  <i>DFO(6410707-05)</i>
Add	depth of 11 metres 3 decimetres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA579003	46°49'38.2"N 071°12'06.8"W  <i>DFO(6410707-06)</i>
Delete	depth of 7 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA579003	46°49'33.9"N 071°12'16.5"W  <i>DFO(6410707-09)</i>
Add	depth of 6 metres 7 decimetres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA579003	46°49'33.7"N 071°12'16.6"W  <i>DFO(6410707-10)</i>
Add	obstruction with known depth of 4.2 metres (See Chart 1, K41) This notice affects Electronic Navigational Chart: CA579003	46°47'54.8"N 071°12'49.0"W  <i>DFO(6410714-01)</i>
Amend	16,4 m (2014) to read 16,2 m (2022) (See Chart 1, I22) This notice affects Electronic Navigational Chart: CA579003	46°47'00.3"N 071°12'29.4"W  <i>DFO(6410730-01)</i>
Amend	12,4 m (2014) to read 12,3 m (2022) (See Chart 1, I22) This notice affects Electronic Navigational Chart: CA579003	46°46'59.2"N 071°12'26.5"W  <i>DFO(6410730-02)</i>
<b>4001 - Gulf of Maine to Strait of Belle Isle / au Detroit de Belle Isle - New Edition - 01-DEC-1995 - NAD 1983</b>		
04-NOV-2022		LNM/D. 07-OCT-2022
Add	obstruction, depth unknown, marked ODAS/SADO (See Chart 1, L25) This notice affects Electronic Navigational Chart: CA176140	42°46'32.0"N 062°05'14.0"W  <i>DFO(6310334-02)</i>

25-NOV-2022		LNMD. 04-NOV-2022
Delete	obstruction, depth unknown PA with legend Rep (2022) (See Chart 1, K40) This notice affects Electronic Navigational Chart: CA276801, CA476009	44°19'46.0"N 063°21'15.0"W  <i>DFO(6310440-01)</i>
Delete	subsurface Ocean Data Acquisition System ODAS/SADO with known depth of 169 metres (See Chart 1, L25) This notice affects Electronic Navigational Chart: CA276206	44°41'22.6"N 066°31'42.8"W  <i>DFO(6310445-01)</i>
<b>4003 - Cape Breton to / à Cape Cod - New Edition - 21-MAR-2003 - NAD 1983</b>		
04-NOV-2022		LNMD. 07-OCT-2022
Add	private yellow ODAS/SADO lighted pillar buoy FI Y 20s, marked WS196 (See Chart 1, Q58)	41°19'21.2"N 070°34'12.2"W  <i>(USCG: LNM 35/13200/22) DFO(6310332-01)</i>
Add	wreck, least depth unknown, dangerous to surface navigation with legend PA (See Chart 1, K28, B7)	43°02'19.0"N 070°40'37.0"W  <i>(USCG: LNM 25/13283/22) DFO(6310332-02)</i>
Add	obstruction, depth unknown, marked ODAS/SADO (See Chart 1, L25) This notice affects Electronic Navigational Chart: CA176140	42°46'18.0"N 062°03'50.0"W  <i>DFO(6310334-01)</i>
25-NOV-2022		LNMD. 04-NOV-2022
Delete	obstruction, depth unknown PA with legend Rep (2022) (See Chart 1, K40) This notice affects Electronic Navigational Chart: CA276801, CA476009	44°19'46.0"N 063°21'15.0"W  <i>DFO(6310440-01)</i>
Delete	subsurface Ocean Data Acquisition System ODAS/SADO with known depth of 92 fathoms (See Chart 1, L25) This notice affects Electronic Navigational Chart: CA276206	44°41'22.6"N 066°31'42.8"W  <i>DFO(6310445-01)</i>
<b>4006 - Newfoundland and Labrador/Terre-Neuve-et-Labrador to Bermuda / aux Bermudes - New Edition - 08-AUG-2003 - NAD 1983</b>		
04-NOV-2022		LNMD. 07-OCT-2022
Add	obstruction, depth unknown, marked ODAS/SADO (See Chart 1, L25) This notice affects Electronic Navigational Chart: CA176140	42°46'18.0"N 062°03'50.0"W  <i>DFO(6310334-01)</i>
25-NOV-2022		LNMD. 04-NOV-2022
Delete	subsurface Ocean Data Acquisition System ODAS/SADO with known depth of 169 metres (See Chart 1, L25) This notice affects Electronic Navigational Chart: CA276206	44°41'22.6"N 066°31'42.8"W  <i>DFO(6310445-01)</i>

**4011 - Approaches to / Approches à Bay of Fundy / Baie de Fundy - New Edition - 03-JAN-2003 - NAD 1983**

04-NOV-2022 LNM/D. 06-MAY-2022

Add obstruction with known depth of 10.7 metres 44°31'12.0"N 067°30'19.0"W  
(See Chart 1, K41)  
This notice affects Electronic Navigational Chart: CA276206  
DFO(6310336-01)

25-NOV-2022 LNM/D. 04-NOV-2022

Delete subsurface Ocean Data Acquisition System ODAS/SADO with 44°41'22.6"N 066°31'42.8"W  
known depth of 169 metres  
(See Chart 1, L25)  
This notice affects Electronic Navigational Chart: CA276206  
DFO(6310445-01)

**4012 - Yarmouth to / à Halifax - New Edition - 14-FEB-2003 - NAD 1983**

25-NOV-2022 LNM/D. 12-AUG-2022

Delete legend Fog Sig against light 44°30'18.7"N 063°31'15.7"W  
(See Chart 1 R20)  
This notice affects Electronic Navigational Chart: CA276801, CA476009  
(F2022018) LL(513) DFO(6310357-01)

Delete obstruction, depth unknown PA with legend Rep (2022) 44°19'46.0"N 063°21'15.0"W  
(See Chart 1, K40)  
This notice affects Electronic Navigational Chart: CA276801, CA476009  
DFO(6310440-01)

Delete subsurface Ocean Data Acquisition System ODAS/SADO with 44°41'22.6"N 066°31'42.8"W  
known depth of 169 metres  
(See Chart 1, L25)  
This notice affects Electronic Navigational Chart: CA276206  
DFO(6310445-01)

**4013 - Halifax to / à Sydney - New Edition - 06-SEP-2002 - NAD 1983**

11-NOV-2022 LNM/D. 12-AUG-2022

Affix patch 45°09'16.0"N 063°17'32.0"W  
Download Patch - [https://www.notmar.gc.ca/chsftp/patches/4013\\_6310338\\_1\\_202210100857.pdf](https://www.notmar.gc.ca/chsftp/patches/4013_6310338_1_202210100857.pdf)  
DFO(6310338-01)

25-NOV-2022 LNM/D. 11-NOV-2022

Delete legend Fog Sig against light 44°30'25.6"N 063°31'27.0"W  
(See Chart 1 R20)  
This notice affects Electronic Navigational Chart: CA276801, CA476009  
(F2022018) LL(513) DFO(6310357-01)

Delete obstruction, depth unknown PA with legend Rep (2022) 44°19'46.0"N 063°21'15.0"W  
(See Chart 1, K40)  
This notice affects Electronic Navigational Chart: CA276801, CA476009  
DFO(6310440-01)

**4017 - Cape Race to / à Cape Freels - New Edition - 07-MAR-2003 - NAD 1983**

11-NOV-2022 LNM/D. 01-JUL-2022

Delete obstruction, depth unknown with legend Rep (2021) 48°56'25.1"N 053°39'07.8"W  
(See Chart 1, K40)  
This notice affects Electronic Navigational Chart: CA376336  
DFO(6310335-01)

**4020 - Strait of Belle Isle / Déroit de Belle Isle - New Edition - 26-JUL-2002 - NAD 1983**

11-NOV-2022

LNMD. 14-OCT-2022

Affix patch 52°00'14.0"N 056°54'17.0"W  
Download Patch - [https://www.notmar.gc.ca/chsftp/patches/4020\\_6310338\\_2\\_202210100858.pdf](https://www.notmar.gc.ca/chsftp/patches/4020_6310338_2_202210100858.pdf)  
DFO(6310338-02)

**4140 - Avon River and Approaches / et les approches - New Edition - 15-NOV-2002 - NAD 1983**

11-NOV-2022

LNMD. 21-DEC-2018

Affix patch 45°08'07.0"N 064°02'15.0"W  
Download Patch - [https://www.notmar.gc.ca/chsftp/patches/4140\\_6310338\\_3\\_202210100858.pdf](https://www.notmar.gc.ca/chsftp/patches/4140_6310338_3_202210100858.pdf)  
DFO(6310338-03)

**4202 - Halifax Harbour: Point Pleasant to / à Bedford Basin - New Edition - 26-FEB-2016 - NAD 1983**

25-NOV-2022

LNMD. 26-AUG-2022

Add fish haven joining 44°37'28.8"N 063°33'42.1"W  
(See Chart 1, K46.1) 44°37'20.2"N 063°33'36.9"W  
44°37'13.3"N 063°33'36.9"W  
44°37'13.9"N 063°33'43.1"W  
44°37'27.1"N 063°33'47.3"W  
and 44°37'28.8"N 063°33'42.1"W

This notice affects Electronic Navigational Chart: CA476009, CA576003

DFO(6310447-01)

Delete fish haven with depth of 3.4 metres over an artificial feature 44°37'23.0"N 063°33'45.6"W  
(See Chart 1, K46.2)  
This notice affects Electronic Navigational Chart: CA576003

DFO(6310447-02)

**4202 - Ocean Terminals - New Edition - 26-FEB-2016 - NAD 1983**

25-NOV-2022

LNMD. 26-AUG-2022

Add fish haven joining 44°37'24.0"N 063°33'39.2"W  
(See Chart 1, K46.1) 44°37'28.8"N 063°33'42.1"W  
44°37'27.1"N 063°33'47.3"W  
and 44°37'24.0"N 063°33'46.3"W

This notice affects Electronic Navigational Chart: CA476009, CA576003

DFO(6310447-01)

**4203 - Halifax Harbour: Black Point to / à Point Pleasant - New Edition - 28-DEC-2018 - NAD 1983**

25-NOV-2022

LNMD. 03-JUN-2022

Add red starboard hand lighted spar buoy Q R, marked HM4 44°34'09.2"N 063°33'25.8"W  
(See Chart 1, Qb)  
This notice affects Electronic Navigational Chart: CA576002

(F2022020) LL(521.3) DFO(6310359-01)

Add fish haven joining 44°37'28.8"N 063°33'42.1"W  
(See Chart 1, K46.1) 44°37'20.2"N 063°33'36.9"W  
44°37'13.3"N 063°33'36.9"W  
44°37'13.9"N 063°33'43.1"W  
44°37'27.1"N 063°33'47.3"W  
and 44°37'28.8"N 063°33'42.1"W

This notice affects Electronic Navigational Chart: CA476009, CA576003

DFO(6310447-01)

Delete fish haven with depth of 3.4 metres over an artificial feature 44°37'23.0"N 063°33'45.6"W  
(See Chart 1, K46.2)  
This notice affects Electronic Navigational Chart: CA576003

DFO(6310447-02)

<b>4237 - Approaches to / Approches de Halifax Harbour - New Edition - 28-MAY-2021 - World Geodetic System 1984</b>		
25-NOV-2022		LNM/D. 12-AUG-2022
Delete	legend FogSig (2)60s against light (See Chart 1 R20) This notice affects Electronic Navigational Chart: CA276801, CA476009	44°30'26.6"N 063°31'21.8"W  (F2022018) LL(513) DFO(6310357-01)
Delete	obstruction, depth unknown PA with legend Rep (2022) (See Chart 1, K40) This notice affects Electronic Navigational Chart: CA276801, CA476009	44°19'46.0"N 063°21'15.0"W  DFO(6310440-01)
Add	fish haven (See Chart 1, K46.1) This notice affects Electronic Navigational Chart: CA476009, CA576003	44°37'15.6"N 063°33'38.1"W  DFO(6310447-01)
<b>4301 - Canso Harbour to Strait of Canso - New Chart - 31-MAY-2019 - World Geodetic System 1984</b>		
11-NOV-2022		LNM/D. 11-MAR-2022
Affix	patch Download Patch - <a href="https://www.notmar.gc.ca/chsftp/patches/4301_6310338_4_202210100859.pdf">https://www.notmar.gc.ca/chsftp/patches/4301_6310338_4_202210100859.pdf</a>	45°28'12.0"N 061°29'39.0"W  DFO(6310338-04)
<b>4320 - Egg Island to / à West Ironbound Island - New Edition - 26-SEP-1997 - NAD 1983</b>		
25-NOV-2022		LNM/D. 26-AUG-2022
Delete	legend Fog Sig (2) 60 s against light (See Chart 1 R20) This notice affects Electronic Navigational Chart: CA276801, CA476009	44°30'25.2"N 063°31'19.6"W  (F2022018) LL(513) DFO(6310357-01)
Delete	obstruction, depth unknown PA with legend Rep (2022) (See Chart 1, K40) This notice affects Electronic Navigational Chart: CA276801, CA476009	44°19'46.0"N 063°21'15.0"W  DFO(6310440-01)
<b>4335 - Strait of Canso and Approaches / et les approches - New Edition - 04-JAN-2008 - NAD 1983</b>		
11-NOV-2022		LNM/D. 11-MAR-2022
Affix	patch Download Patch - <a href="https://www.notmar.gc.ca/chsftp/patches/4335_6310338_5_202210100900.pdf">https://www.notmar.gc.ca/chsftp/patches/4335_6310338_5_202210100900.pdf</a>	45°17'55.0"N 061°14'49.0"W  DFO(6310338-05)
<b>4385 - Chebucto Head to / à Betty Island - New Edition - 07-JUN-1996 - NAD 1983</b>		
25-NOV-2022		LNM/D. 01-JAN-2021
Delete	legend Fog Sig (2) 60 s against light (See Chart 1 R20) This notice affects Electronic Navigational Chart: CA276801, CA476009	44°30'26.9"N 063°31'21.8"W  (F2022018) LL(513) DFO(6310357-01)
Replace	depth of 3 fathoms with depth of 0 fathoms, 4 feet (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476189	44°26'50.5"N 063°43'16.2"W  DFO(6310443-01)
Add	depth of 0 fathoms, 1 foot (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476189	44°26'50.5"N 063°43'08.2"W  DFO(6310443-02)

**4448 - Port Hood - New Edition - 13-DEC-2002 - NAD 1983**

11-NOV-2022

LNM/D. 25-MAR-2022

Affix patch 45°56'50.0"N 061°25'56.0"W  
Download Patch - [https://www.notmar.gc.ca/chsftp/patches/4448\\_6310338\\_6\\_202210100901.pdf](https://www.notmar.gc.ca/chsftp/patches/4448_6310338_6_202210100901.pdf)  
DFO(6310338-06)

**4460 - Charlottetown Harbour - New Edition - 09-DEC-2005 - NAD 1983**

18-NOV-2022

LNM/D. 22-JUL-2022

Add green port hand spar buoy, marked CE7 46°14'08.1"N 063°09'30.1"W  
(See Chart 1, Qc)  
This notice affects Electronic Navigational Chart: CA576177  
(G2022125) DFO(6310399-01)

Add red starboard hand spar buoy, marked CE14 46°15'20.9"N 063°10'53.5"W  
(See Chart 1, Qb)  
This notice affects Electronic Navigational Chart: CA576177  
(G2022127) DFO(6310401-01)

**4462 - St George's Bay - New Edition - 07-MAR-2003 - NAD 1983**

11-NOV-2022

LNM/D. 25-MAR-2022

Affix patch 45°54'52.0"N 061°23'59.0"W  
Download Patch - [https://www.notmar.gc.ca/chsftp/patches/4462\\_6310338\\_8\\_202210100902.pdf](https://www.notmar.gc.ca/chsftp/patches/4462_6310338_8_202210100902.pdf)  
DFO(6310338-08)

**4644 - Bay D'Espoir and / et Hermitage Bay - New Edition - 25-JUN-1999 - NAD 1983**

04-NOV-2022

LNM/D. 25-MAR-2022

Add pier 47°33'32.7"N 055°55'26.3"W  
(See Chart 1, F14) 47°33'32.6"N 055°55'24.0"W  
and 47°33'31.1"N 055°55'21.4"W  
This notice affects Electronic Navigational Chart: CA376627, CA476479  
DFO(6310337-02)

18-NOV-2022

LNM/D. 04-NOV-2022

Delete green port hand lighted spar buoy FIG, marked VG3 47°37'55.1"N 055°54'05.3"W  
(See Chart 1, Qc)  
This notice affects Electronic Navigational Chart: CA476479  
(N2022228) LL(133.3) DFO(6310393-01)

Delete red starboard hand lighted spar buoy FIR, marked VG4 47°40'37.1"N 055°55'50.2"W  
(See Chart 1, Qb)  
This notice affects Electronic Navigational Chart: CA476479  
(N2022229) LL(133.44) DFO(6310394-01)

Delete green port hand lighted spar buoy FIG, marked VG5 47°40'19.6"N 055°55'56.6"W  
(See Chart 1, Qc)  
This notice affects Electronic Navigational Chart: CA476479  
(N2022230) LL(133.5) DFO(6310395-01)

Reposition red starboard hand lighted pillar buoy QR, marked VG6 from 47°46'43.9"N 055°50'55.7"W  
(See Chart 1, Qb) to 47°46'35.7"N 055°50'55.5"W  
This notice affects Electronic Navigational Chart: CA476479  
(N2022232) LL(133.66) DFO(6310397-01)

**4644 - Hermitage - New Edition - 25-JUN-1999 - NAD 1983**

04-NOV-2022

LNMD. 25-MAR-2022

Affix patch 47°33'26.0"N 055°55'26.0"W  
Download Patch - [https://www.notmar.gc.ca/chsftp/patches/4644\\_6310337\\_1\\_202209221243.pdf](https://www.notmar.gc.ca/chsftp/patches/4644_6310337_1_202209221243.pdf)  
This notice affects Electronic Navigational Chart: CA576482  
DFO(6310337-01)

**4669 - Red Bay - New Edition - 06-DEC-2002 - NAD 1983**

11-NOV-2022

LNMD. 26-AUG-2022

Affix patch 51°44'22.0"N 056°27'32.0"W  
Download Patch - [https://www.notmar.gc.ca/chsftp/patches/4669\\_6310338\\_10\\_202210100904.pdf](https://www.notmar.gc.ca/chsftp/patches/4669_6310338_10_202210100904.pdf)  
DFO(6310338-10)

**4820 - Cape Freels to / à Exploits Islands - New Chart - 01-JUL-2005 - NAD 1983**

11-NOV-2022

LNMD. 07-OCT-2022

Affix patch 49°12'11.0"N 054°48'59.0"W  
Download Patch - [https://www.notmar.gc.ca/chsftp/patches/4820\\_6310338\\_11\\_202210100905.pdf](https://www.notmar.gc.ca/chsftp/patches/4820_6310338_11_202210100905.pdf)  
DFO(6310338-11)

**4821 - White Bay and / et Notre Dame Bay - New Chart - 23-APR-2004 - NAD 1983**

11-NOV-2022

LNMD. 28-OCT-2022

Affix patch 49°22'17.0"N 056°28'57.0"W  
Download Patch - [https://www.notmar.gc.ca/chsftp/patches/4821\\_6310338\\_12\\_202210100905.pdf](https://www.notmar.gc.ca/chsftp/patches/4821_6310338_12_202210100905.pdf)  
DFO(6310338-12)

**4827 - Hare Bay to / à Fortune Head - New Chart - 13-AUG-2004 - NAD 1983**

04-NOV-2022

LNMD. 05-NOV-2021

Add pier joining 47°33'32.7"N 055°55'26.3"W  
(See Chart 1, F14) 47°33'32.6"N 055°55'24.0"W  
and 47°33'31.1"N 055°55'21.4"W  
This notice affects Electronic Navigational Chart: CA376627, CA476479  
DFO(6310337-02)

**4841 - Cape St Mary's to / à Argentinia - New Edition - 29-MAY-2015 - NAD 1983**

04-NOV-2022

LNMD. 13-MAY-2022

Delete pontoon between 47°15'14.1"N 053°57'34.6"W  
(See Chart 1, F16) and 47°15'13.1"N 053°57'38.1"W  
This notice affects Electronic Navigational Chart: CA376296, CA576299  
DFO(6310331-01)

Add pontoon between 47°15'11.3"N 053°57'42.6"W  
(See Chart 1, F16) and 47°15'12.3"N 053°57'39.7"W  
This notice affects Electronic Navigational Chart: CA376296, CA576299  
DFO(6310331-02)

**4841 - Placentia Road - New Edition - 29-MAY-2015 - NAD 1983**

04-NOV-2022

LNMD. 13-MAY-2022

Delete pontoon between 47°15'14.5"N 053°57'34.8"W  
(See Chart 1, F16) and 47°15'13.4"N 053°57'37.9"W  
This notice affects Electronic Navigational Chart: CA376296, CA576299  
DFO(6310331-01)



Add	pontoon (See Chart 1, F16) This notice affects Electronic Navigational Chart: CA376296, CA576299	between 47°15'11.3"N 053°57'43.0"W and 47°15'12.3"N 053°57'39.7"W	<i>DFO(6310331-02)</i>
<b>4847 - Conception Bay - New Edition - 03-AUG-2001 - NAD 1983</b>			
	18-NOV-2022		LNMD. 08-JUL-2022
Delete	legend Fog Sig 30s against light (See Chart 1, R1, R20) This notice affects Electronic Navigational Chart: CA376120, CA576122	47°37'34.7"N 052°51'31.2"W	<i>(N2022204) LL(497) DFO(6310355-01)</i>
<b>4847 - Portugal Cove - New Edition - 03-AUG-2001 - NAD 1983</b>			
	18-NOV-2022		LNMD. 08-JUL-2022
Delete	legend Fog Sig 30s against light (See Chart 1, R1, R20) This notice affects Electronic Navigational Chart: CA376120, CA576122	47°37'34.7"N 052°51'31.2"W	<i>(N2022204) LL(497) DFO(6310355-01)</i>
<b>4856 - Bonavista Bay: Western Portion / Partie ouest - New Chart - 13-OCT-2000 - NAD 1983</b>			
	11-NOV-2022		LNMD. 01-JUL-2022
Delete	obstruction, depth unknown with legend Rep (2021) (See Chart 1, K40) This notice affects Electronic Navigational Chart: CA376336	48°56'25.1"N 053°39'07.8"W	<i>DFO(6310335-01)</i>
Replace	depth of 8.3 metres with depth of 7.5 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA376336	48°56'25.8"N 053°38'38.7"W	<i>DFO(6310335-02)</i>
Add	depth of 7.7 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA376336	48°56'20.3"N 053°38'26.1"W	<i>DFO(6310335-03)</i>
Add	depth of 8.5 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA376336	48°56'32.7"N 053°38'39.2"W	<i>DFO(6310335-04)</i>
Add	depth of 8.8 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA376336	48°56'40.5"N 053°38'23.3"W	<i>DFO(6310335-05)</i>
Add	depth of 10.1 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA376336	48°56'36.4"N 053°38'30.1"W	<i>DFO(6310335-06)</i>
<b>4861 - Fogo Harbour - New Chart - 26-APR-2019 - NAD 1983</b>			
	18-NOV-2022		LNMD. 07-OCT-2022
Reposition	red starboard hand lighted spar buoy FI R, marked DF4/2 (See Chart 1, Qb) This notice affects Electronic Navigational Chart: CA576720	from 49°43'08.5"N 054°16'27.4"W to 49°43'09.2"N 054°16'27.4"W	<i>(N2022262) LL(365.508) DFO(6310455-01)</i>

**4861 - Joe Batt's Arm - New Chart - 26-APR-2019 - NAD 1983**

18-NOV-2022

LNMD. 07-OCT-2022

Reposition green port hand lighted spar buoy QG, marked DJ13 from 49°43'41.1"N 054°10'00.4"W  
(See Chart 1, Qc) to 49°43'46.7"N 054°09'54.1"W  
This notice affects Electronic Navigational Chart: CA576722  
(N2022233) LL(383.551) DFO(6310398-01)

Reposition red starboard hand lighted spar buoy FI R, marked DJ2 from 49°43'55.8"N 054°09'55.2"W  
(See Chart 1, Qb) to 49°43'55.5"N 054°09'53.7"W  
This notice affects Electronic Navigational Chart: CA576722  
(N2022263) LL(383.8) DFO(6310456-01)

Amend FI R to read Q R against buoy, marked DJ2 49°43'55.5"N 054°09'53.7"W  
(See Chart 1, Qb)  
This notice affects Electronic Navigational Chart: CA576722  
(N2022263) LL(383.8) DFO(6310456-02)

**4863 - Bacalhao Island to / à Black Island - New Edition - 30-NOV-2001 - NAD 1983**

18-NOV-2022

LNMD. 07-OCT-2022

Add obstruction, depth unknown with legend Rep (2022) 49°37'33.5"N 054°37'54.2"W  
(See Chart 1, K40, I3.2)  
This notice affects Electronic Navigational Chart: CA476804  
DFO(6310446-01)

**4865 - Approaches to / Approches à Lewisporte and / et Loon Bay - New Edition - 27-MAY-2005 - NAD 1983**

11-NOV-2022

LNMD. 07-AUG-2020

Affix patch 49°13'36.0"N 054°54'23.0"W  
Download Patch - [https://www.notmar.gc.ca/chsftp/patches/4865\\_6310338\\_13\\_202210100906.pdf](https://www.notmar.gc.ca/chsftp/patches/4865_6310338_13_202210100906.pdf)  
DFO(6310338-13)

**4905 - Cape Tormentine - New Edition - 29-DEC-2000 - NAD 1983**

25-NOV-2022

LNMD. 05-NOV-2021

Amend FI G to read FI G 4s6m against light 46°08'02.9"N 063°46'11.7"W  
(See Chart 1, P16)  
This notice affects Electronic Navigational Chart: CA376076, CA576078  
(G2022115) LL(1091.5) DFO(6310373-01)

**4905 - Cape Tormentine à / to West Point - New Edition - 29-DEC-2000 - NAD 1983**

25-NOV-2022

LNMD. 05-NOV-2021

Amend FI G 3s6m to read FI G 4s6m against light 46°08'02.8"N 063°46'11.8"W  
(See Chart 1, P16)  
This notice affects Electronic Navigational Chart: CA376076, CA576078  
(G2022115) LL(1091.5) DFO(6310373-01)

Add depth of 0.3 metres 46°17'08.6"N 064°32'35.9"W  
(See Chart 1, I10)  
This notice affects Electronic Navigational Chart: CA376076, CA476128  
DFO(6310444-01)

Add depth of 0.2 metres 46°16'34.5"N 064°34'03.4"W  
(See Chart 1, I10)  
This notice affects Electronic Navigational Chart: CA376076, CA476128  
DFO(6310444-08)

**4909 - Cocagne et / and Shediac - New Chart - 17-JUN-1988 - NAD 1983**  
25-NOV-2022

LNMD. 02-SEP-2022

Add	depth of 0.3 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA376076, CA476128	46°17'08.6"N 064°32'35.9"W  <i>DFO(6310444-01)</i>
Add	depth of 0.7 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476128	46°17'04.7"N 064°32'51.1"W  <i>DFO(6310444-02)</i>
Add	depth of 0.8 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476128	46°17'00.7"N 064°33'10.1"W  <i>DFO(6310444-03)</i>
Add	depth of 0.9 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476128	46°16'57.4"N 064°33'29.3"W  <i>DFO(6310444-04)</i>
Add	depth of 0.7 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476128	46°16'57.3"N 064°33'41.5"W  <i>DFO(6310444-05)</i>
Add	depth of 0.3 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476128	46°16'47.0"N 064°33'53.6"W  <i>DFO(6310444-06)</i>
Replace	depth of 2.1 metres with depth of 0.6 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476128	46°16'40.5"N 064°33'59.2"W  <i>DFO(6310444-07)</i>
Add	depth of 0.2 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA376076, CA476128	46°16'34.5"N 064°34'03.4"W  <i>DFO(6310444-08)</i>
Add	depth of 0.1 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476128	46°16'29.8"N 064°34'05.4"W  <i>DFO(6310444-09)</i>
Add	depth of 2.7 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476128	46°16'27.7"N 064°34'08.2"W  <i>DFO(6310444-10)</i>
Add	depth of 2.3 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476128	46°16'21.7"N 064°34'11.0"W  <i>DFO(6310444-11)</i>
Add	depth of 1.2 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476128	46°16'17.7"N 064°34'20.4"W  <i>DFO(6310444-12)</i>

Add	depth of 1.9 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476128	46°16'20.3"N 064°34'28.0"W  <i>DFO(6310444-13)</i>
Add	depth of 3.2 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476128	46°16'18.0"N 064°34'16.4"W  <i>DFO(6310444-14)</i>
Add	depth of 3.6 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476128	46°16'19.2"N 064°34'24.0"W  <i>DFO(6310444-15)</i>
<b>4911 - Entrée à / Entrance to Miramichi River - New Edition - 27-JAN-2006 - NAD 1983</b>		
25-NOV-2022		LNMD. 23-SEP-2022
Add	legend Ru against pier (See Chart 1, F33) This notice affects Electronic Navigational Chart: CA376062, CA476133, CA576723	47°04'56.3"N 064°53'15.0"W  <i>DFO(6310466-01)</i>
<b>4911 - Escuminac - New Edition - 27-JAN-2006 - NAD 1983</b>		
25-NOV-2022		LNMD. 23-SEP-2022
Add	legend Ru against pier (See Chart 1, F33) This notice affects Electronic Navigational Chart: CA376062, CA476133, CA576723	47°04'56.5"N 064°53'13.6"W  <i>DFO(6310466-01)</i>
<b>4921 - Port-Daniel-Gascons - New Edition - 02-DEC-2016 - NAD 1983</b>		
25-NOV-2022		LNMD. 26-AUG-2022
Delete	depth of 1 metre 8 decimetres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA579253	48°10'39.3"N 064°57'09.6"W  <i>DFO(6410677-01)</i>
Add	obstruction with known depth of 1 metre 8 decimetres (See Chart 1, K41) This notice affects Electronic Navigational Chart: CA579253	48°10'38.5"N 064°57'10.9"W  <i>DFO(6410677-02)</i>
<b>4935 - Murray Harbour to/à Boughton Bay - New Chart - 18-JAN-2019 - NAD 1983</b>		
18-NOV-2022		LNMD. 26-AUG-2022
Reposition	green port hand spar buoy, marked NE3 (See Chart 1, Qc) This notice affects Electronic Navigational Chart: CA476490	from 46°15'04.8"N 062°24'22.5"W to 46°15'04.3"N 062°24'17.4"W  <i>(G2022145) DFO(6310426-01)</i>
Reposition	red starboard hand conical buoy, marked NE4 (See Chart 1, Qb) This notice affects Electronic Navigational Chart: CA476490	from 46°15'03.2"N 062°24'12.0"W to 46°15'05.6"N 062°24'14.2"W  <i>(G2022146) DFO(6310427-01)</i>
Reposition	red starboard hand lighted pillar buoy FI R, marked NE10 (See Chart 1, Qb) This notice affects Electronic Navigational Chart: CA476490	from 46°15'25.4"N 062°25'16.0"W to 46°15'26.8"N 062°25'20.8"W  <i>(G2022148) LL(950.2) DFO(6310429-01)</i>

**4940 - Approaches to Wood Islands - New Chart - 24-SEP-2021 - NAD 1983**

25-NOV-2022

LNMD. 13-MAY-2022

Add legend Whis against red starboard hand lighted pillar buoy FI R, marked N8  
(See Chart 1, R15) 45°54'54.2"N 062°49'11.5"W  
(G2022 121) LL(977) DFO(6310379-01)

**5045 - Dog Islands to / à Cape Makkovik - New Edition - 01-MAR-2002 - NAD 1983**

18-NOV-2022

LNMD. 12-OCT-2018

Add light FI Y 55°05'06.2"N 059°10'15.4"W  
(See Chart 1, P1)  
This notice affects Electronic Navigational Chart: CA376351, CA676476  
(N2022209) LL(321.25) DFO(6310363-01)

**7565 - Clyde Inlet - New Edition - 03-JUN-2022 - World Geodetic System 1984**

11-NOV-2022

Amend 70° to read 68° between 70°29'48.0"N 068°30'23.0"W  
and 70°17'42.0"N 068°30'23.0"W  
DFO(6604949-01)

**7621 - Amundsen Gulf - New Edition - 25-FEB-2022 - NAD 1983**

04-NOV-2022

Add obstruction with known depth of 4.2 metres, Rep (2022) 69°50'16.2"N 124°16'17.0"W  
(See Chart 1, K41)  
This notice affects Electronic Navigational Chart: CA273344  
DFO(6604947-01)

Add depth of 22 metres, Rep (2022) 69°39'02.9"N 123°45'17.3"W  
(See Chart 1, I10)  
This notice affects Electronic Navigational Chart: CA273344  
DFO(6604947-02)

**7665 - Franklin Bay and/et Darnley Bay - New Chart - 13-JUN-1986 - NAD 1927**

04-NOV-2022

LNMD. 19-OCT-2018

Add obstruction with known depth of 4.2 metres, Rep (2022) 69°50'15.4"N 124°16'07.9"W  
(See Chart 1, K41)  
This notice affects Electronic Navigational Chart: CA273344  
DFO(6604947-01)

Add depth of 22 metres, Rep (2022) 69°39'02.1"N 123°45'08.2"W  
(See Chart 1, I10)  
This notice affects Electronic Navigational Chart: CA273344  
DFO(6604947-02)

Delete depth of 77 metres 69°38'51.7"N 123°45'07.4"W  
(See Chart 1, I10)  
DFO(6604947-03)

**7750 - Cambridge Bay - New Edition - 06-MAY-2022 - NAD 1983**

11-NOV-2022

Amend red starboard hand spar buoy, marked 2 to read 69°02'43.0"N 105°05'12.0"W  
red starboard hand lighted spar buoy 'FI R', marked 2  
(See Chart 1, Qb)  
This notice affects Electronic Navigational Chart: CA473332  
(A2022014) LL(2526) DFO(6604952-01)

Amend	green port hand spar buoy, marked 7 to read green port hand lighted spar buoy 'FI G', marked 7 (See Chart 1, Qc) This notice affects Electronic Navigational Chart: CA473332	69°02'38.0"N 104°59'23.0"W  (A2022015) LL(2527) DFO(6604953-01)
Amend	red starboard hand spar buoy, marked 8 to read red starboard hand lighted spar buoy 'FI R', marked 8 (See Chart 1, Qb) This notice affects Electronic Navigational Chart: CA473332	69°02'45.0"N 104°58'48.0"W  (A2022016) LL(2528) DFO(6604954-01)
Amend	green port hand spar buoy, marked 11 to read green port hand lighted spar buoy 'FI G', marked 11 (See Chart 1, Qc) This notice affects Electronic Navigational Chart: CA473332	69°03'00.0"N 104°58'52.0"W  (A2022017) LL(2529) DFO(6604955-01)

**8007 - Halifax to / à Sable Island / Île de Sable, Including / y compris Emerald Bank / Banc d'Émeraude and / et Sable Island Bank / Banc de l'Île de Sable - New Edition - 30-AUG-2002 - NAD 1983**  
04-NOV-2022

		LNM/D. 12-AUG-2022
Add	obstruction, depth unknown, marked ODAS/SADO (See Chart 1, L25) This notice affects Electronic Navigational Chart: CA176140	42°46'18.0"N 062°03'50.4"W  DFO(6310334-01)
Add	obstruction, depth unknown, marked ODAS/SADO (See Chart 1, L25) This notice affects Electronic Navigational Chart: CA176140	42°46'31.8"N 062°05'14.4"W  DFO(6310334-02)
		LNM/D. 04-NOV-2022
Delete	obstruction, depth unknown PA with legend Rep (2022) (See Chart 1, K40) This notice affects Electronic Navigational Chart: CA276801, CA476009	44°19'46.0"N 063°21'15.0"W  DFO(6310440-01)

## Section 3: Radio Aids to Marine Navigation Corrections

\*1117/22 Radio Aids to Marine Navigation 2022 (Atlantic, St. Lawrence, Great Lakes, Lake Winnipeg, Arctic and Pacific)

### First Page

DELETE AS FOLLOWS:

① **COVID-19: It is the Master's responsibility to ensure this information is reported to the nearest Marine Communications and Traffic Services Centre (MCTS):**

- Vessels within Canadian waters:  
See [section 3.5 Local Vessel Traffic Services \(VTS\) Zones](#)
- Vessels operating within Offshore System zones:  
See [section 3.8 Advance Reporting Requirements](#)

### Page 2-32

DELETE AS FOLLOWS:

#### 2.1.8 Prince Rupert, British Columbia

...

#### **VHF Direction Finding Advisory Service**

~~A VHF/DF advisory service is available to vessels within range of the receiver sites located at Mount Hays, Dundas Island, Cumshewa, Van Inlet, Naden Harbour, Mount Gil, Klomtu and Calvert Island. Information concerning position, bearing and distance information may be provided for use at the discretion of the user.~~

### Page 2-33, 2-34

DELETE AS FOLLOWS:

**Table 2-17 - Prince Rupert MCTS/VAJ - Ship/Shore Communications**

Cumshewa 53°09'33"N 131°59'47"W	Ch11 Ch16 Ch70 Ch83A Ch84	-	-	<del>VHF Direction Finding service is available.</del>
---------------------------------------	---------------------------------------	---	---	--

Notices to Mariners – Monthly Eastern Edition  
Section 3: Radio Aids to Marine Navigation Corrections

Dundas Island 54°31'16"N 130°54'55"W	Ch16 Ch70 Ch71 Ch83A Ch84	-	-	<del>VHF Direction Finding service is available.</del>
Kitimat 54°03'20"N 128°37'51"W	Ch11 Ch16 Ch83A	-	-	Site to be permanently relocated to Maitland Island in 2021. Site currently on standby and not monitored while Maitland Island undergoes operational testing.
Maitland Island 53°44'05"N 128°56'18"W	Ch11 Ch16 Ch83A	-	-	Site in operational test mode. Formal commissioning of site will be announced in the monthly edition of <i>Notices to Mariners</i> .
Porcher Island 53°55'04"N 130°21'00"W	Ch11 Ch16 Ch83A	-	-	Site in operational test mode. Formal commissioning of site will be announced in the monthly edition of <i>Notices to Mariners</i> .
Klemtu 52°34'45"N 128°33'45"W	Ch11 Ch16 Ch70 Ch83A Ch84	-	-	<del>VHF Direction Finding service is available.</del>
Rose Inlet 52°13'18"N 131°12'54"W	Ch11 Ch16 Ch26 Ch70 Ch83A	-	-	-
Mount Dent 55°12'58"N 129°59'18"W	Ch16 Ch84	-	-	CMB site is solar powered and is available during winter months upon request.
Mount Gil 53°15'46"N 129°11'42"W	Ch11 Ch16 Ch26 Ch70 Ch83A	-	-	<del>VHF Direction Finding service is available.</del>
Mount Hays 54°17'12"N 130°18'49"W	Ch11 Ch16 Ch70 Ch71 Ch83A Ch84	-	-	<del>VHF Direction Finding service is available.</del>
Naden Harbour 53°57'18"N 132°56'30"W	Ch11 Ch16 Ch70 Ch71 Ch83A Ch84	-	-	<del>VHF Direction Finding service is available.</del>
Van Inlet 53°15'08"N 132°32'31"W	Ch11 Ch16 Ch26 Ch83A	-	-	<del>VHF Direction Finding service is available.</del>
Calvert Island 51°35'21"N 128°00'43"W	Ch11 Ch16 Ch70 Ch83A Ch84	-	-	<del>VHF Direction Finding service is available.</del>



**Page 2-48**

**DELETE AS FOLLOWS:**

**2.1.12 Victoria, British Columbia**

...

**VHF Direction Finding Advisory Service**

~~A VHF/DF advisory service is available to vessels within range of the Bowen Island, Mount Parke, Mount Newton and Mount Helmcken receiver sites. Information concerning position, bearing and distance information may be provided for use at the discretion of the user.~~

**Page 2-49**

**DELETE AS FOLLOWS:**

**Table 2-25 - Victoria MCTS/VAK - Ship/Shore Communications**

Sites located at	Channels	Frequencies		Remarks
		Transmit	Receive	
Annacis Island 49°11'35"N 122°55'09"W	Ch16 Ch26 Ch70 Ch74 Ch83A	-	-	-
Bowen Island 49°20'41"N 123°23'13"W	Ch11 Ch12 Ch16 Ch70 Ch83A Ch84	-	-	<del>VHF Direction Finding service is available.</del>
Gabriola Island 49°09'11"N 123°50'35"W	Ch11 Ch16 Ch83A	-	-	Ch83A is not monitored 24/7.
Mount Parke 48°50'23"N 123°17'41"W	Ch11 Ch16 Ch26 Ch70 Ch74 Ch83A	-	-	<del>VHF Direction Finding service is available.</del>
Mount Newton 48°36'48"N 123°26'35"W	Ch11 Ch16 Ch70 Ch83A Ch84	-	-	<del>VHF Direction Finding service is available.</del>
Mount Helmcken 48°24'07"N 123°34'17"W	Ch11 Ch16 Ch70 Ch83A Ch84	-	-	<del>VHF Direction Finding service is available.</del>

**Page 3-8**

**DELETE AS FOLLOWS:**

**3.5.6 Non-Routine Reports**

...

~~The following is also requested:~~

~~k) the notification of any person or crew member on board that has a serious illness or any COVID-19 symptoms.~~

**Page 3-14**

**MODIFY AS FOLLOWS:**

**3.8.1 VTS Offshore Zone Report**

...

The following is also requested:

- i. the date and expiration of the ISM Safety Management Certificate;
- ii. the ISM document of compliance;
- iii. the International Convention on Civil Liability for Bunker Oil Pollution Damage, 2001 Certificate (known as Bunkers Convention Certificate), if any, issued to the ship; **and**
- iv. Certificate of Insurance or Other Financial Security in Respect of Liability for the Removal of Wrecks; ~~and;~~
- ~~v. the notification of any person or crew member on board that has a serious illness or any COVID-19 symptoms.~~

**Page 3-15**

**MODIFY AS FOLLOWS:**

**3.8.2 ECAREG Zone Report**

...

The following is also requested:

- i. the date and expiration of the ISM Safety Management Certificate;
- ii. the ISM document of compliance;
- iii. the International Convention on Civil Liability for Bunker Oil Pollution Damage, 2001 Certificate (known as Bunkers Convention Certificate), if any, issued to the ship; **and**
- ~~iv. Certificate of Insurance or Other Financial Security in Respect of Liability for the Removal of Wrecks; ~~and;~~~~
- ~~v. the notification of any person or crew member on board that has a serious illness or any COVID-19 symptoms.~~

**Page 3-18**

**MODIFY AS FOLLOWS:**

**3.8.3.7 Other Situations**

A position report (PR) shall be provided with designators A, B, C or D, E, F, S and X as soon as feasible after a vessel's master becomes aware of any of the following:

- a) another vessel in apparent difficulty;
- b) any obstruction to navigation;
- c) any aid to navigation that is not functioning properly or is damaged, out of position or missing;
- d) any ice or weather conditions that are hazardous to safe navigation; and
- e) a pollutant in the water; ~~and,~~
- ~~f) the notification of any person or crew member on board that has a serious illness or any COVID-19 symptoms.~~

## Section 4: Canadian Sailing Directions Corrections

---

The following **Canadian Sailing Directions** volumes have recently been updated on the [Canadian Hydrographic Service website](#).

No.	Title
<b>Atlantic Coast</b>	
<b>ATL110</b>	St. Lawrence River, Cap Whittle / Cap Gaspé to Les Escoumins and Anticosti Island
<b>ATL111</b>	St. Lawrence River, Île Verte to Québec and Fjord du Saguenay
<b>Central Canada</b>	
<b>CEN308</b>	Rideau Canal and Ottawa River

Each volume includes a section entitled “Record of Changes” which lists all updates that are incorporated during the current calendar year.

## Section 5: List of Lights, Buoys and Fog Signals Corrections

The amendments are highlighted and deletions are crossed out. For general and region-specific information on the List of Lights, click on the following links: [Newfoundland and Labrador Coast](#), [Atlantic Coast](#), [Inland Waters](#) and [Pacific Coast](#).

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

### NEWFOUNDLAND AND LABRADOR COAST

#### PLACENTIA BAY (LL 14.4 – 79)

15.5	Gibraltar Rock light buoy PX2	<b>Point Verde.</b> 47 13 41.4 054 02 51.3	Fl R 4s	.....	.....	Red, marked "PX2".	Year round.  Chart:4841 Edn 11/22 (N22-231)
64.8 H0372.4	Duck Rock <b>Light</b>	<b>Mortier Bay.</b> 47 08 33.9 055 04 43.3	Fl R 4s	6.7	.....	Red pipe swing pole. 4.0	Flash 1 s; eclipse 3 s. Year round.  Chart:4587 Edn 11/22 (N21-112)

#### SOUTHWEST COAST (LL 121 – 172)

133 H0278	Roti Point Light	S. of St. Alban's, Bay d'Espoir. 47 47 26.8 055 50 28.9	Fl G 5s	6.7	6	Square skeleton tower, green and white rectangular daymark. 4.3	Flash 1 s; eclipse 4 s. Year round.  Chart:4644 Edn 11/22 (N22-242)
133.2 H0277	Cape Mark <b>Light</b>	<b>E. of Bois Island.</b> 47 44 32.0 055 52 06.9	Fl R 5s	7.9	6	Square skeleton tower, red and white square daymark. 4.3	Flash 1 s; eclipse 4 s. Year round.  Chart:4644 Edn 11/22 (N22-241)
133.3	Gimlet Point light buoy VG3						<del>Delete from list.</del>  Chart:4644 Edn 11/22 (N22-228)
133.4 H0282	Day Point <b>Light</b>	<b>Bay d'Espoir.</b> 47 41 20.9 055 55 21.0	Fl W 5s	10.1	6	Square skeleton tower, red and white square daymark. 6.6	Flash 1 s; eclipse 4 s. Year round.  Chart:4644 Edn 11/22 (N22-240)
133.44	Deer Cove Shoal Light Buoy VG4						<del>Delete from list.</del>  Chart:4644 Edn 11/22 (N22-229)
133.5	Cold Harbour Shoal light buoy VG5						<del>Delete from list.</del>  Chart:4644 Edn 11/22 (N22-230)
133.6 H0283	Little Island <b>Light</b>	<b>E. of Stickland Cove.</b> 47 39 34.9 055 56 04.0	Fl R 5s	10.4	6	Square skeleton tower, red and white square daymark. 6.6	Flash 1 s; eclipse 4 s. Year round.  Chart:4644 Edn 11/22 (N22-239)
133.66	Riches Island light buoy VG6	<del>Dawson's Point,</del> <b>South coast.</b> 47 46 35.7 055 50 55.5	Q R 1s	.....	.....	Red, marked "VG6".	<b>Operates 24 h.</b> Year round.  Chart:4644 Edn 11/22 (N22-232)

Notices to Mariners – Monthly Eastern Edition  
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
144.56	<b>Morgan Island</b> light buoy QV4	Burgeo Islands. 47 36 16.7 057 36 53.6	Fl R 4s	.....	.....	Red spar, marked "QV4".	Operates 24 h. Year round.  Chart:4825 Edn 11/22 (N22-234)
156.8 H0232.4	Isle aux Morts Wharf Light	S. corner of wharf. 47 34 56.0 058 58 42.4	Fl G 4s	3.8	4	Square Mast. 2.6	Flash 1 s; eclipse 3 s. Year round.  Chart:4640 Edn 11/22 (N22-198)
<b>WEST COAST (LL 173 – 208.2)</b>							
174.12	Codroy light buoy XY3	47 52 39.6 059 23 50.5	Fl G 4s	.....	.....	Green spar, marked "XY3".	Seasonal.  Chart:4682 Edn 11/22 (N22-260)
174.2	Codroy Outer light buoy XY2	47 52 27.1 059 23 32.6	Fl R 4s	.....	.....	Red spar, marked "XY2".	Seasonal.  Chart:4682 Edn 11/22 (N22-256)
176.1	Crabbes River Harbour light buoy XD5	48 13 10.3 058 51 50.2	Fl G 4s	.....	.....	Green spar, marked "XD5".	Seasonal.  Chart:4022 Edn 11/22 (N22-259)
176.2	Crabbes River Harbour light buoy XD4	48 13 13.9 058 51 54.7	Fl R 4s	.....	.....	Red spar, marked "XD4".	Seasonal.  Chart:4022 Edn 11/22 (N22-257)
176.4	Crabbes River Inner Cautionary light buoy X	48 13 08.0 058 51 44.5	Fl Y 4s	.....	.....	Yellow spar, marked "X".	Seasonal.  Chart:4022 Edn 11/22 (N22-258)
183.82 H0203	Rouzes Brook West Breakwater Light	Cape St. George. 48 28 36.2 059 11 58.8	Fl G 5s	.....	4	Cylindrical Mast. 2.6	Flash 1 s; eclipse 4 s. Seasonal.  Chart:4021 Edn 11/22 (N22-189, 195)
184.83 H0204	Rouzes Brook East Breakwater Light	Cape St. George. 48 28 37.6 059 11 57.7	Fl R 5s	.....	4	Cylindrical Mast. 2.6	Flash 1 s; eclipse 4 s. Seasonal.  Chart:4021 Edn 11/22 (N22-190, 194)
199.4 H0176	Trout River Wharf Light	49 28 51.1 058 07 57.2	Fl G 3s	2.6	3	Mast. 2.2	Flash 1 s; eclipse 2 s. Seasonal.  Chart:4881 Edn 11/22 (N22-193)
<b>STRAIT OF BELLE ISLE (LL 211 – 234)</b>							
219.5 H0137	Raleigh Breakwater Light	Raleigh harbour. 51 33 50.3 055 43 57.4	Fl G 4s	4.5	2	Mast. 2.4	Flash 1 s; eclipse 3 s. Seasonal.  Chart:4509 Edn 11/22 (N22-207)
222.12	<b>Cooper Island</b> light buoy XV2	51 19 55.0 056 42 17.8	Fl R 4s	.....	.....	Red spar, marked "XV2".	Seasonal.  Chart:4667 Edn 11/22 (N22-237)

Notices to Mariners – Monthly Eastern Edition  
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>NEWFOUNDLAND AND LABRADOR COAST (LL 269.99 – 325.23)</b>							
281.7	<b>St. Mary Island</b> South light buoy N12	53 33 02.2 055 58 35.6	Fl R 4s	.....	.....	Red spar, marked "N12".	Seasonal.  Chart:4745 Edn 11/22 (N22-235)
281.8	<b>Terra Nova Point</b> light buoy N14	53 33 35.3 055 59 23.5	Fl R 4s	.....	.....	Red spar, marked "N14".	Seasonal.  Chart:4745 Edn 11/22 (N22-236)
319.6 H0071.3	Pigeon Island Light	55 11 07.7 059 23 01.2	Fl W 4s	27.1	5	Square skeleton tower, red and white rectangular daymark.  7.2	Seasonal.  Chart:5046 Edn 11/22 (N22-247)
<b>321.25</b>	<b>Makkovik</b> <b>Cautionary Wharf</b> <b>Light</b>	<b>55 05 06.2</b> <b>059 10 15.4</b>	<b>Fl Y 5s</b>	<b>.....</b>	<b>4</b>	<b>Pipe tower.</b>	Flash 1 s; eclipse 4 s. Operates 24 h. Seasonal.  Chart:5045 Edn 11/22 (N22-209)
324.35 <b>H0059.25</b>	Beachy Island <b>Light</b>	57 08 06.3 061 20 09.5	Fl W 5s	65.9	5	Square skeleton tower, red rectangular daymark with white horizontal stripe.  4.7	Flash 1 s; eclipse 4 s. Seasonal.  Chart:5055 Edn 11/22 (N22-222)
<b>NOTRE DAME BAY (LL 326 – 395)</b>							
360.1	Harbour Rock light buoy DPU1	<b>Purcell's Harbour.</b> 49 36 48.5 054 42 03.0	Fl G 4s	.....	.....	Green spar, marked "DPU1".	Seasonal.  Chart:4863 Edn 11/22 (N22-199)
360.2	Shiphouse Rock light buoy DPU2	<b>Purcell's Harbour.</b> 49 36 47.2 054 42 06.8	Fl R 4s	.....	.....	Red spar, marked "DPU2".	Seasonal.  Chart:4863 Edn 11/22 (N22-201)
<b>361.62</b>	<b>Durrell Arm light</b> <b>buoy DUL5</b>	<b>49 39 54.1</b> <b>054 44 12.5</b>	<b>Fl G 4s</b>	<b>.....</b>	<b>.....</b>	<b>Green spar, marked</b> <b>"DUL5".</b>	Operates 24 h. Seasonal.  Chart:4886 Edn 11/22 (N22-154, 281)
<b>361.63</b>	<b>Durrell Arm Wharf</b> <b>light buoy DUL7</b>	<b>49 39 47.2</b> <b>054 44 13.5</b>	<b>Fl G 4s</b>	<b>.....</b>	<b>.....</b>	<b>Green spar, marked</b> <b>"DUL7".</b>	Operates 24 h. Seasonal.  Chart:4886 Edn 11/22 (N22-153, 282)
365.508	Fogo Harbour light buoy DF4/2	49 43 09.2 054 16 27.4	Fl R 4s	.....	.....	Red spar, marked "DF4/2".	Seasonal.  Chart:4861 Edn 11/22 (N22-262)
383.551	Joe Batt's Arm Outer light buoy DJ13	Fogo Island. 49 43 46.7 054 09 54.1	Q G 1s	.....	.....	Green spar, marked "DJ13".	Seasonal.  Chart:4861 Edn 11/22 (N22-233)
383.552	Joe Batt's Arm Inner light buoy DJ14	Fogo Island. 49 43 40.7 054 09 58.6	Fl R 4s	.....	.....	Red spar, marked "DJ14".	Seasonal.  Chart:4861 Edn 11/22 (N22-261)

Notices to Mariners – Monthly Eastern Edition  
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
383.8	Pomeroy Rock light buoy DJ2	Joe Batt's Arm, Fogo Island. 49 43 55.5 054 09 53.7	Fl R 4s	.....	.....	Red spar, marked "DJ2".	Seasonal.  Chart:4861 Edn 11/22 (N22-263)	
388.1	Noggin Cove light buoy DN2						Delete from list.  Chart:4862 Edn 11/22 (N22-220)	
<b>TRINITY BAY (LL 450.1 – 471.51)</b>								
465.6 H0515	Little Heart's Ease Wharf Light	On outer end of public wharf. 48 00 53.8 053 41 22.1	Fl R 4s	3.0	4	Cylindrical Mast. 2.6	Seasonal.  Chart:4852 Edn 11/22 (N22-191)	
<b>CONCEPTION BAY (LL 471.7 – 498.5)</b>								
475.3 H0496	Job's Cove Wharf Light	47 58 11.2 053 00 59.4	Fl Y 5s	.....	.....	Mast. 2.1	Flash 1 s; eclipse 4 s. Seasonal.  Chart:4850 Edn 11/22 (N22-192, 278)	
490 H0477	Conception Harbour Wharf Light	At eastern end of public wharf. 47 26 26.0 053 12 32.0	Fl R 4s	3.7	3	Pipe tower. 3.3	Year round.  Chart:4847 Edn 11/22 (N22-210)	
497 H0472	Portugal Cove Breakwater Light and Fog Signal	47 37 34.7 052 51 31.2	Fl G 4s	6.1	7	Square skeleton tower, green and white rectangular daymark.	Flash 1 s; eclipse 3 s. Year round.  Whistle – Blast 3 s; sil. 27 s.  Chart:4847 Edn 11/22 (N22-204)	
<b>CAPE ST. FRANCIS TO RENEWS (LL 499 – 516)</b>								
504 H0459	St. John's Harbour range	Between King's and Queen wharves. 47 34 02.0 052 42 09.0	F G	.....	28.6	24	Red and white skeleton tower, white daymark with red vertical stripe.	Visible in line of range. Operates 24 h. Year round.  Chart:4846 Edn 11/22 (N22-211)
505 H459.1		276°07' 430.3 m from front.	F G	.....	58.9	.....	White rectangular structure, red diamond in centre. 14.0	Visible in line of range. Year round.  Chart:4846 Edn 11/22 (N22-211)
508.2 H0451.3	Bauline East Wharf Light	47 10 48.3 052 50 37.2	Fl R 4s	.....	2	Mast. 2.6	Seasonal.  Chart:4845 Edn 11/22 (N22-188)	



Notices to Mariners – Monthly Eastern Edition  
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

ATLANTIC COAST

**NOVA SCOTIA, SOUTHWEST COAST (LL 271 – 300.5)**

281 H3815	The Sluice West	W. side of rock. 43 40 13.1 066 00 53.1	Fl W 5s	4.5	4	Cylindrical mast. 3.6	Flash 1 s; eclipse 4 s. Operates at night only. Year round.  Chart:4244 Edn 11/22 (F22-023)
--------------	-----------------	---	---------	-----	---	--------------------------	--

282 H3816	The Sluice East	E. side of rock. 43 40 12.1 066 00 48.1	Fl W 5s	4.5	4	Cylindrical mast with 3 reflective bands. 3.6	Flash 1 s; eclipse 4 s. Operates at night only. Year round.  Chart:4244 Edn 11/22 (F22-024)
--------------	-----------------	---	---------	-----	---	---	--

**NOVA SCOTIA, SOUTHEAST COAST (LL 327 – 684.02)**

513 H3600	Chebucto Head  Racon - -.. (Z) X Band	On summit. 44 30 26.6 063 31 21.8	Fl W 20s	47.8	10	White tower with red upper portion. 12.9	Flash 0.5 s; eclipse 19.5 s. Visible from 155° through S. and W. to 000°. Connected by telephone with Halifax. Operates 24 h. Year round.  Horn – Blast 3 s; sil. 3 s; blast 3 s; sil. 51 s. Horn points 113°.  Chart:4385 Edn 11/22 (F22-018)
--------------	--	---	----------	------	----	--	---

521.3	Herring Cove light buoy HM4	Near breakwater. 44 34 09.2 063 33 25.8	Q R 1s	.....	.....	Red spar, marked "HM4".	Operates 24 h. Year round.  Chart:4203 Edn 11/22 (F22-020)
-------	--------------------------------	---	--------	-------	-------	-------------------------	--

**NORTHUMBERLAND STRAIT – EAST (LL 883.2 – 940.3)**

896.8	Merigomish Harbour light buoy SA14	45 38 33.7 062 27 07.7	Q R 1s	.....	.....	Red spar, marked "SA14".	Seasonal.  Chart:4940 Edn 11/22 (G22-122)
-------	--	---------------------------	--------	-------	-------	--------------------------	--

**PRINCE EDWARD ISLAND (LL 942 – 1084.7)**

950.12	Annandale Grand River East light buoy NE7	46 15 18.2 062 24 51.1	Q G 1s	.....	.....	Green, marked "NE7".	Seasonal.  Chart:4935 Edn 11/22 (G22-147)
--------	---	---------------------------	--------	-------	-------	----------------------	--

950.2	Annandale Grand River East light buoy NE10	SE. of Annandale wharf. 46 15 26.8 062 25 20.8	Fl R 4s	.....	.....	Red, marked "NE10".	Seasonal.  Chart:4935 Edn 11/22 (G22-148)
-------	--	---	---------	-------	-------	---------------------	--

977	Bell Point light and whistle buoy N8	SW. of rocks. 45 54 54.2 062 49 11.5	Fl R 4s	.....	.....	Red, marked "Indian Rocks "N8".	Seasonal.  Chart:4940 Edn 11/22 (G22-121)
-----	---	--	---------	-------	-------	------------------------------------	--

Notices to Mariners – Monthly Eastern Edition  
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
1019	Summerside Harbour light buoy DE6	46 22 42.2 063 49 21.7	Q R 1s	.....	.....	Red spar, marked "DE6".	(Winter spar.) Seasonal (in place year round).  Chart:4459 Edn 11/22 (G22-120)
1020 H1048	Summerside Harbour Wharf Light	On outer end of breakwater. 46 22 47.0 063 49 01.1	Iso W 10s	14.0	.....	White octagonal tower with red upper portion. 12.9	Year round. Operates at night only.  Chart:4459 Edn 11/22 (G22-119)
1027.31 H1060	Abrams Village Wharf Light	46 26 25.9 064 06 48.4	Fl G 4s	.....	3	Pipe swing pole, green- white-black square daymark.	Flash 1 s; eclipse 3 s. Seasonal.  Chart:4905 Edn 11/22 (G22-116)
1071.89	Hardys Channel light buoy JS12	46 38 58.7 063 52 03.1	Fl R 4s	.....	.....	Red, marked "JS12".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 11/22 (G22-139)
1071.9	Hardys Channel light buoy JS13	46 39 14.2 063 52 28.0	Fl G 4s	.....	.....	Green spar, marked "JS13".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 11/22 (G22-155)
1071.95	Hardys Channel light buoy JS14	46 39 14.8 063 52 26.6	Q R 1s	.....	.....	Red spar, marked "JS14".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 11/22 (G22-156)
1071.96	Hardys Channel light buoy JS21	46 39 24.6 063 52 46.3	Q G 1s	.....	.....	Green, marked "JS21".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 11/22 (G22-142)
1071.961	Hardys Channel light buoy JS22	46 39 25.2 063 52 45.2	Q R 1s	.....	.....	Red, marked "JS22".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 11/22 (G22-143)
1071.962	Hardys Channel light buoy JS23	46 39 32.8 063 52 54.6	Q G 1s	.....	.....	Green, marked "JS23".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 11/22 (G22-144)
1071.963	Hardys Channel light buoy JS24	46 39 33.2 063 52 53.6	Fl R 4s	.....	.....	Red, marked "JS24".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 11/22 (G22-149)

Notices to Mariners – Monthly Eastern Edition  
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
1071.977	Hardys Channel light buoy JS27	46 39 43.6 063 53 05.3	Q G 1s	.....	.....	Green, marked "JS27".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 11/22 (G22-153)
1071.98	Hardys Channel light buoy JS32	46 39 38.5 063 53 29.4	Q R 1s	.....	.....	Red, marked "JS32".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 11/22 (G22-150)
1071.99	Hardys Channel light buoy JS33	46 39 36.7 063 53 44.5	Q G 1s	.....	.....	Green, marked "JS33".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 11/22 (G22-140)
1072.1	Hardys Channel light buoy JS39	46 39 24.5 063 53 46.3	Q G 1s	.....	.....	Green, marked "JS39".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 11/22 (G22-151)
1072.4	Hardys Channel light buoy JS42	46 39 21.5 063 54 05.2	Fl R 4s	.....	.....	Red, marked "JS42".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 11/22 (G22-152)
1072.5	Hardys Channel light buoy JS43	46 39 20.5 063 54 26.6	Q G 1s	.....	.....	Green, marked "JS43".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 11/22 (G22-138)
1072.59	Hardys Channel light buoy JS40	46 39 25.4 063 53 47.4	Fl R 4s	.....	.....	Red, marked "JS40".	Buoy may be repositioned due to shifting channel. Operates 24 h. Seasonal.  Chart:4491 Edn 11/22 (G22-157)
1072.6	Hardys Channel light buoy JS44	46 39 21.7 063 54 26.4	Fl R 4s	.....	.....	Red, marked "JS44".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 11/22 (G22-154)

**NORTHUMBERLAND STRAIT – WEST (LL 1085 – 1165.9)**

1091.5 H1316	Cape Tormentine Breakwater	At NE. end of breakwater. 46 08 02.8 063 46 11.8	Fl G 4s	5.5	4	Square skeleton tower, two green and white square daymark with black square in centre.  3.6	One daymark facing 041°(T) and one facing 131°(T). Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.  Chart:4905 Edn 11/22 (G22-115)
-----------------	-------------------------------	---	---------	-----	---	---	--

Notices to Mariners – Monthly Eastern Edition  
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
1118.5 H1359	Cormierville	On SE. corner of wharf. 46 24 28.3 064 36 55.3	Fl R 3s	5.7	5	Pipe swing pole. 5.1	Flash 1 s; eclipse 2s. Seasonal.  Chart:4909 Edn 11/22 (G22-112)
1154.4	Goulet de Terre- noire light buoy XX14	46 46 00.6 064 51 30.8	Q R 1s	.....	.....	Red, marked "XX14".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:N/A Edn 11/22 (G22-111)
1159	Kouchibouguac Gully Inner light buoy XY21	46 50 34.3 064 54 49.2	Q G 1s	.....	.....	Green boat type, marked "XY21".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:N/A Edn 11/22
<b>GULF OF ST. LAWRENCE (LL 1169.1 – 1426, 1477.5 – 1584)</b>							
1246.8 H1526.4	Pokemouche Gully Wharf	On SW. corner. 47 40 20.3 064 48 42.9	Fl R 5s	5.7	4	Pipe swing pole, red and white triangular daymark.	Flash 1 s; eclipse 4 s. Seasonal.  Chart:N/A Edn 11/22 (G22-137)
<b>ST. LAWRENCE RIVER (LL 1584.5 – 1772, 1823.8 – 2185.7, 2273 – 2365.95)</b>							
1666.3 H1994.3	Marina Sept-Îles Marina Entrance, West Breakwater	On end of breakwater. 50 12 04.6 066 23 10.1	Iso W 2s	4.5	5	Pyramid tower. 1.6	Private aid. Privately Operated by Club nautique de Sept-Îles Inc. Operates at night only. Year round.  Chart:1220 Edn 11/22 (Q22-075)
2029.5	Deschailions-sur- Saint-Laurent light buoy D30	Route de Sainte- Emmélie. 46 33 58.9 072 06 10.7	Fl R 4s	.....	.....	Red spar, marked "D30".	(Winter spar.) Year round.  Chart:1314 Edn 11/22 (Q22-077)
2033	Poulier Villeneuve light buoy D36	Route de la Pointe- des-Grondines. 46 33 49.3 072 07 27.4	Fl R 4s	.....	.....	Red spar, marked "D36".	(Winter spar.) Year round.  Chart:1314 Edn 11/22 (Q22-076)
2042 H2366		On shoreline, on concrete base. 46 30 33.6 072 14 22.9	F G .....	13.7	12	Square skeleton tower, orange daymark with black vertical stripe. 8.1	Visible in line of range. Operates 24 h. Emergency mode. Year round.  Edn 11/22 (Q22-045)
2042.1	Traverse de Batiscan range		F G .....	13.1	6	Square skeleton tower. 8.1	Year round. Visible 360°.
2043 H2366.1		240°13' 440.2 m from front.	F G .....	24.6	12	Skeleton tower, orange daymark with black vertical stripe. 21.7	Visible in line of range. Operates 24 h. Emergency mode. Year round.  Edn 11/22 (Q22-046)
2043.1			F G .....	24.7	6	Skeleton tower. 21.7	Visible 360°.  Chart:1314

Notices to Mariners – Monthly Eastern Edition  
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
2057.5	<b>Champlain</b> light buoy C14	<b>Route de Champlain.</b> 46 26 13.5 072 20 37.1	Fl R 4s	.....	.....	Red spar, marked "C14".	Year round. <del>(Winter spar.)</del>  Chart:1313 Edn 11/22 (Q22-073)
2112 H2398	<b>Route de Port-Saint-François</b> range	<b>Pointe aux Sables.</b> 46 16 16.5 072 37 11.0	F G <del>Fls</del> <del>G</del> <del>Fls</del>	.....	10.8	11 Red octagonal metal shelter on white concrete block, fluorescent red daymark with black vertical stripe. 1.6	Visible in line of range. Radar reflector. Operates 24 h. Emergency mode. Year round.
2113 H2398.1		068°12' 1372.1 m from front.	F G <del>Fls</del> <del>G</del> <del>Fls</del>	.....	18.8	11 Trapezoidal skeleton tower, fluorescent red daymark with black vertical stripe. 14.3	Visible in line of range. Operates 24 h. Emergency mode. Year round.  Chart:1313 Edn 11/22 (Q22-071, 072)
2114	<b>Battures</b> Laforce light buoy S4	46 16 06.7 072 38 05.3	Fl R 4s	.....	.....	Red spar, marked "S4".	<del>(Winter spar.)</del> Year round.  Chart:1312 Edn 11/22 (Q22-049)
2118.5	<b>Battures au Fer</b> light buoy S6	46 15 56.5 072 38 42.0	Q R 1s	.....	.....	Red spar, marked "S6".	<del>(Winter spar.)</del> Year round.  Chart:1312 Edn 11/22 (Q22-050)
2281	<b>Course Île Saint-Ours</b> light buoy M16	<b>Route de l'Île Saint-Ours.</b> 45 54 59.4 073 12 56.9	Fl R 4s	.....	.....	Red spar, marked "M16".	<del>(Winter spar.)</del> Year round.  Chart:1311 Edn 11/22 (Q22-063)
2325	<b>Île aux Prunes</b> light buoy M82	<b>Chenal de Verchères – Contrecoeur.</b> 45 47 26.3 073 20 40.8	Q R 1s	.....	.....	Red spar, marked "M82".	<del>(Winter spar.)</del> Year round.  Chart:1311 Edn 11/22 (Q22-070)
2325.2	<b>Île Marie</b> light buoy M84	<b>Traverse de Verchères.</b> 45 47 07.5 073 21 10.9	Fl R 4s	.....	.....	Red spar, marked "M84".	<del>(Winter spar.)</del> Year round.  Chart:1311 Edn 11/22 (Q22-069)
2327.5	<b>Île Marie</b> light buoy M88	<b>Traverse de Verchères.</b> 45 46 37.6 073 22 14.4	Q R 1s	.....	.....	Red spar, marked "M88".	Year round.  Chart:1311 Edn 11/22 (Q22-064)
2333	<b>Île Saint-Laurent</b> light buoy M118	<b>Chenal du Cap-Saint-Michel - Verchères.</b> 45 43 09.6 073 26 02.9	Fl R 4s	.....	.....	Red spar, marked "M118".	<del>(Winter spar.)</del> Year round.  Chart:1310 Edn 11/22 (Q22-068)
2334	<b>Îlet Vert</b> light buoy M124	<b>Chenal de Varennes.</b> 45 42 13.6 073 26 37.9	Fl R 4s	.....	.....	Red spar, marked "M124".	<del>(Winter spar.)</del> Year round.  Chart:1310 Edn 11/22 (Q22-067)

Notices to Mariners – Monthly Eastern Edition  
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
2337	<b>Poulier du Calvaire</b> light buoy M129	<b>Chenal de Varennes.</b> 45 41 45.6 073 26 50.2	Fl G 4s	.....	.....	Green <b>spar</b> , marked "M129".	<del>(Winter spar.)</del> Year round.  Chart:1310 Edn 11/22 (Q22-066)
2337.3	<b>Île Sainte-Thérèse</b> light buoy M130	<b>Chenal de Varennes.</b> 45 41 43.2 073 27 05.9	Q R 1s	.....	.....	Red <b>spar</b> , marked "M130".	Year round.  Chart:1310 Edn 11/22 (Q22-065)
2337.7	<b>Île Sainte-Thérèse</b> light buoy M132	<b>Chenal de Varennes.</b> 45 41 22.7 073 27 17.0	Fl R 4s	.....	.....	Red <b>spar</b> , marked "M132".	Year round.  Chart:1310 Edn 11/22 (Q22-062)
2349.1	Pointe-aux-Trembles Anchorage light buoy PATB	45 38 38.4 073 28 29.6	Fl Y 4s	.....	.....	Yellow <b>spar</b> , marked "PATB".	<del>(Winter spar.)</del> Year round.  Chart:1310 Edn 11/22 (Q22-061)
2350.5	Pointe-aux-Trembles Anchorage light buoy PATG	45 37 51.4 073 29 00.5	Fl Y 4s	.....	.....	Yellow <b>spar</b> , marked "PATG".	<del>(Winter spar.)</del> Year round.  Chart:1310 Edn 11/22 (Q22-057)

**ST. LAWRENCE RIVER SEAWAY (LL 2369 – 2384)**

2378	<b>Cap sur Mer</b> light buoy M191	<b>Canal de la Rive Sud entrance.</b> 45 32 05.4 073 31 39.8	Fl G 4s	.....	.....	Green <b>spar</b> , marked "M191".	<del>(Winter spar.)</del> Year round.  Chart:1310 Edn 11/22 (Q22-060)
2379	<b>Port Sainte-Hélène</b> light buoy M192	<b>Canal de la Rive Sud entrance.</b> 45 31 43.8 073 31 42.7	Fl R 4s	.....	.....	Red <b>spar</b> , marked "M192".	<del>(Winter spar.)</del> Year round.  Chart:1310 Edn 11/22 (Q22-056)
2379.7	<b>Port Sainte-Hélène</b> bifurcation light buoy PSH	<b>Port Sainte-Hélène Marina.</b> 45 31 53.2 073 31 46.9	Fl (2+1) R 6s	.....	.....	Red, green and red <b>spar</b> , marked "PSH".	Year round.  Chart:1310 Edn 11/22 (Q22-055)

**INLAND WATERS**

**ST. LAWRENCE RIVER SEAWAY (LL 0.05 - 401, 1193 – 1204.5)**

32.3 <b>H2522.6</b>	Melocheville range	45 19 10.3 073 56 33.0	F G	.....	10.8	<b>14</b> Square skeleton tower, orange daymark <b>with</b> black vertical stripe. 8.0	Visible in line of range. <b>Operates 24 h.</b> Seasonal.
32.4 <b>H2522.61</b>		241°29' 1294 m from front.	F G	.....	29.6	<b>14</b> Square skeleton tower, orange daymark <b>with</b> black vertical stripe. 14.1	Visible in line of range. <b>Operates 24 h.</b> Seasonal.  Chart:1430 Edn 11/22 (Q22-078, 079)

Notices to Mariners – Monthly Eastern Edition  
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**MACKENZIE RIVER AND BAY (LL 1716.96 – 2540)**

2526	Cambridge Bay light buoy 2	Near Flagstaff Point. 69 02 43.0 105 05 12.0	Fl R 4s	.....	.....	Red spar, marked "2".	Seasonal.  Chart:7750 Edn 11/22 (A22-014)
2527	Cambridge Bay light buoy 7	Near Napaqtillik Island. 69 02 38.0 104 59 23.0	Fl G 4s	.....	.....	Green spar, marked "7".	Seasonal.  Chart:7750 Edn 11/22 (A22-015)
2528	Cambridge Bay light buoy 8	Near Napaqtillik Island. 69 02 45.0 104 58 48.0	Fl R 4s	.....	.....	Red spar, marked "8".	Seasonal.  Chart:7750 Edn 11/22 (A22-016)
2529	Cambridge Bay light buoy 11	Near Napaqtillik Island. 69 03 00.0 104 58 52.0	Fl G 4s	.....	.....	Green spar, marked "11".	Seasonal.  Chart:7750 Edn 11/22 (A22-017)