



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

# Notices to Mariners

**Edition No. 03/2023**  
March 31, 2023



Safety First, Service Always

## Monthly Eastern Edition

Canada 

Notices to Mariners – Monthly Eastern Edition  
Edition No. 03/2023

Aussi disponible en français :  
Avis aux navigateurs – Édition mensuelle de l'Est  
Édition n° 03/2023

**Published under the Authority of:**

Canadian Coast Guard Programs  
Aids to Navigation and Waterways  
Fisheries and Oceans Canada  
Montreal, QC H2Y 2E7

For more information, contact [Notmar.XNCR@dfo-mpo.gc.ca](mailto:Notmar.XNCR@dfo-mpo.gc.ca).

© His Majesty the King in Right of Canada,  
as represented by the Minister of Fisheries, Oceans  
and the Canadian Coast Guard, 2023.

Cat. No. Fs152-8E-PDF (Electronic PDF, English)  
ISSN 2817-0075

Cat. No. Fs152-8F-PDF (Electronic PDF, French)  
ISSN 2817-0083

A web version is available here:

<https://www.notmar.gc.ca/monthly> (English)

<https://www.notmar.gc.ca/mensuel> (French)

## Explanatory Notes – Notices to Mariners (NOTMAR)

**Geographical positions** refer directly to the graduations of the largest scale Canadian Hydrographic Service chart (unless otherwise indicated).

**Bearings** refer to the true compass and are measured clockwise from 000° (North) clockwise to 359°; those relating to lights are from seaward.

**Visibility** of lights is that in clear weather.

**Depths** - The units used for soundings (metres, fathoms or feet) are stated in the title of each chart.

**Elevations** are normally given above Higher High Water, Large Tide (unless otherwise indicated).

**Distances** may be calculated as follows:

- 1 nautical mile = 1,852 metres (6,076.1 feet)
- 1 statute mile = 1,609.3 metres (5,280 feet)
- 1 metre = 3.28 feet

### Temporary and Preliminary Notices to Mariners – Section 1A of *Notices to Mariners*

These notices are indicated by a (T) or a (P), respectively. Please note that nautical charts are not amended by the Canadian Hydrographic Service for temporary (T) and preliminary (P) notices. It is recommended that mariners chart these corrections in pencil. For the list of charts affected by (T) & (P) notices, please refer to the current [Notices to Mariners - Monthly Summary of Temporary and Preliminary Notices](#) publication.

### Suggestions and Corrections Form

This form is specifically for suggestions and corrections to Notices to Mariners publications. It is available [online](#) and also in [fillable PDF format](#) included with the monthly publication ZIP file.

To submit comments and suggestions on possible improvements to the various publications and services: [Notmar.XNCR@dfo-mpo.gc.ca](mailto:Notmar.XNCR@dfo-mpo.gc.ca).

To report chart discrepancies and/or corrections to the *Canadian Sailing Directions* booklets: Fill out the [Marine Information Reporting Form](#) and/or email [chsinfo@dfo-mpo.gc.ca](mailto:chsinfo@dfo-mpo.gc.ca).

To report emergencies or navigational hazards: [Contact your nearest MCTS centre](#)

- VHF channel 16 (156.8 MHz)
- MF/HF frequency 2182 kHz/4125 kHz (where available)
- \*16 on a cellphone (where available)

### NOTMAR Website – Monthly Editions, Chart Corrections and Chart Patches

The NOTMAR website allows users to access the [monthly publications](#), [chart corrections](#), and [chart patches](#).

Users can subscribe for free to the [email notification service](#) to receive notifications when charts of interest are updated, including their patches, as well as when a new Monthly Edition of *Notices to Mariners* is published.

In addition, the monthly publication and related files to download, such as chart patches, can be obtained all together through the download of a single ZIP file.


## Explanatory Notes – Canadian Hydrographic Service (CHS)

### Chart Corrections – Section 2 of *Notices to Mariners*

Corrections to nautical charts will be listed in numerical order by chart number. Each chart correction listed applies only to that particular chart. Related charts, if any, will have their own specific correction listed separately.

Users should also refer to CHS *Chart 1: Symbols, Abbreviations and Terms* for additional information pertaining to the correction of charts.

The illustration below describes the elements that will comprise a typical Section 2 chart correction:



The last correction number is identified with the **LN/D** or **Last Notice to Mariners Number / Date**.

Mariners are advised that only the most critical changes that directly affect safety to navigation are issued in “Section 2 – Chart Corrections.” This limitation is required to ensure that charts remain as clear and easy to read as possible. As a result, mariners may see minor discrepancies of a non-critical nature between information in official publications. For example, a small change in the nominal range or focal height of a light may not result in the production of a chart correction in *Notices to Mariners*, but may result in a correction in the [List of Lights, Buoys and Fog Signals](#) publication.

Note: In the case of a discrepancy between information provided on CHS charts relating to aids to navigation, and the *List of Lights, Buoys and Fog Signals* publication, the latter shall be deemed as containing the most up-to-date information.

### Canadian Nautical Charts & Publications

A source list of Canadian nautical charts and publications is published in Notice No. 14 of the *Notices to Mariners Annual Edition 2023*. The source supply and the prices effective at the time of printing are listed. For current chart edition dates, please refer to the following website: [www.chs-shc.gc.ca/charts-cartes/paper-papier/index-eng.asp](http://www.chs-shc.gc.ca/charts-cartes/paper-papier/index-eng.asp).

## Explanatory Notes – Marine Communications and Traffic Services (MCTS)

### Navigational Warnings / Notices to Shipping

The Canadian Coast Guard (CCG) is implementing a number of changes to the aids to navigation system in Canada.

These changes are advertised as Navigational Warnings, formerly called Notices to Shipping<sup>1</sup>, that are broadcast by the CCG, and are then followed up with Notices to Mariners, then charts are updated by hand correction, reprints or new editions.

Mariners are advised that all relevant Navigational Warnings (NAVWARN) should be kept until superseded by Notices to Mariners or through revised charts issued by the Canadian Hydrographic Service (CHS).

NAVWARN are accessible on the applicable regional page on the CCG Navigational Warnings website at <http://nis.ccg-gcc.gc.ca>.

CHS is reviewing the impact of these changes with CCG and together are preparing an action plan on the issuing of chart revisions.

For further information, contact your regional NAVWARN Issuing Desk.

<p><b>Atlantic Region (North)</b> <b>*Port aux Basques MCTS Centre</b></p> <p>“N” Series NAVWARN</p> <p>Canadian Coast Guard 49 Stadium Rd. P.O. Box 99 Port aux Basques, NL A0M 1C0</p> <p>Telephone: 709-695-2168 or 1-800-563-9089 Facsimile: 709-695-7784</p> <p>Email: <a href="mailto:NAVWARN.MCTSPortAuxBasques@innav.gc.ca">NAVWARN.MCTSPortAuxBasques@innav.gc.ca</a></p>	<p><b>Central Region</b> <b>*Prescott MCTS Centre</b></p> <p>“Q” and “C” Series NAVWARN</p> <p>Canadian Coast Guard 401 King Street West P.O. Box 1000 Prescott, ON K0E 1T0</p> <p>Telephone: 613-925-0666 Facsimile: 613-925-4519</p> <p>Email: <a href="mailto:NAVWARN.MCTSPrescott@innav.gc.ca">NAVWARN.MCTSPrescott@innav.gc.ca</a></p>
<p><b>Atlantic Region (South)</b> <b>*Sydney MCTS Centre</b></p> <p>“M” Series NAVWARN</p> <p>Canadian Coast Guard 1190 Westmount Road Sydney, NS B1R 2J6</p> <p>Telephone: 902-564-7751 or 1-800-686-8676 Facsimile: 902-564-7662</p> <p>Email: <a href="mailto:NAVWARN.MCTSSydney@innav.gc.ca">NAVWARN.MCTSSydney@innav.gc.ca</a></p>	<p><b>Arctic Region</b> <b>*Iqaluit MCTS Centre</b></p> <p><i>Operational from approximately mid-May until late December.</i></p> <p>“A” and “H” Series NAVWARN</p> <p>Canadian Coast Guard P.O. Box 189 Iqaluit, NU X0A 0H0</p> <p><u>“A” Series NAVWARN</u> Telephone: 867-979-5269</p> <p><u>“H” Series NAVWARN</u> Telephone: 867-979-0310 Facsimile: 867-979-4264</p> <p>Email: <a href="mailto:NAVWARN.MCTSIqaluit@innav.gc.ca">NAVWARN.MCTSIqaluit@innav.gc.ca</a></p>

\*Service available in English and in French.

<sup>1</sup> The expression “Notice to Shipping” was changed to “Navigational Warning” in January 2019.

## Table of Contents

<b>Section 1: General and Safety Information</b>		<b>1</b>
*401/20	Transport Canada – COVID-19 Measures, Updates and Guidance .....	1
*1207/22	Canadian Coast Guard – Waterway information.....	1
*204/23	Canadian Coast Guard – Cessation of Rectangular Broadcasting in NAVAREA / METAREAs XVII and XVIII.....	1
*301/23	Canadian Hydrographic Service – Nautical Charts.....	2
*302/23	Canadian Hydrographic Service – Electronic Navigational Charts.....	2
*303/23	Canadian Hydrographic Service – Raster Digital Charts (BSB V3).....	3
*304/23	Transport Canada – Ship Safety Bulletins #02/2020 and #02/2023.....	4
*305/23	Canadian Coast Guard Publication – Amendments to Notices to Mariners Annual Edition 2023 - Section A5, Notice 10: Routeing of Ships.....	4
*306/23	Canadian Coast Guard Publication – Amendments to Notices to Mariners Annual Edition 2023 - Section A6, Notice 13: Navigation Safety Regulations, 2020, and Provisional List of Charts... ..	4
*307/23	Canadian Coast Guard Publication – Amendments to Notices to Mariners Annual Edition 2023 - Section G, Notice 44: The International Hydrographic Organization.....	4
*308/23	Canadian Coast Guard Publication – Amendments to the List of Lights, Buoys and Fog Signals Publication: Inland Waters.....	5
*309/23	Canadian Coast Guard Publication – List of Lights, Buoys and Fog Signals Publication: Inland Waters – All Documents Now Available to Download as a Single PDF Document....	5
*310/23	Canadian Coast Guard – Differential Global Positioning System (DGPS) in Canada .....	5
*311/23	Canadian Hydrographic Service – Raster Navigational Charts Discontinued.....	6
*312/23	Chebucto Head to / à Betty Island – Unlit Buoy Repositioned.....	8
<b>Section 1A: Temporary and Preliminary Notices</b>		<b>9</b>
Reminder – Comment Period for Active Preliminary Notices .....		9
*313(T)/23	Batiscan au/to Lac Saint-Pierre – Waterway Information: Shallow Depth Reported .....	9
*314(T)/23	Approaches to / Approches à Bay of Fundy / Baie de Fundy – Obstruction : Scientific Moorings.....	10
*315(T)/23	Georges Bank / Banc de Georges: Eastern Portion / Partie Est – Obstruction : Scientific Moorings.....	10
*316(T)/23	Havre de Gaspé – Caution Concerning Aquaculture Sites .....	10
*317(T)/23	Baie des Chaleurs / Chaleur Bay – Caution Concerning Aquaculture Sites.....	11
*318(T)/23	Plans, Baie des Chaleurs/Chaleur Bay (côte nord/North Shore) – Caution Concerning Aquaculture Sites .....	12
<b>Section 2: Chart Corrections</b>		<b>13</b>

---

<b>Section 3: Radio Aids to Marine Navigation Corrections</b>	<b>27</b>
*319/23 Radio Aids to Marine Navigation 2023 (Atlantic, St. Lawrence, Great Lakes, Lake Winnipeg, Arctic and Pacific).....	27
<b>Section 4: Canadian Sailing Directions Corrections</b>	<b>29</b>
<b>Section 5: List of Lights, Buoys and Fog Signals Corrections</b>	<b>30</b>

## Numerical Index of Canadian Charts Affected

This numerical index lists all nautical charts mentioned in this monthly edition of Notices to Mariners. Only charts appearing in Section 2 of this publication require a chart correction. The appearance of charts in all other sections, particularly those related to the correction of other nautical publications, is included here for reference.

Chart No.	Pages	Chart No.	Pages	Chart No.	Pages
1201	<a href="#">13</a>	4847	<a href="#">18, 30</a>		
1202	<a href="#">13, 14</a>	4850	<a href="#">18</a>		
1236	<a href="#">31</a>	4851	<a href="#">18</a>		
1313	<a href="#">9, 31</a>	4855	<a href="#">18</a>		
1351	<a href="#">14</a>	4857	<a href="#">19</a>		
1431	<a href="#">14, 31, 32</a>	4864	<a href="#">9</a>		
1550	<a href="#">14, 32</a>	4905	<a href="#">9</a>		
4011	<a href="#">10</a>	4906	<a href="#">19</a>		
4023	<a href="#">14</a>	4909	<a href="#">9</a>		
4255	<a href="#">10</a>	4913	<a href="#">19, 20</a>		
4266	<a href="#">31</a>	4920	<a href="#">21</a>		
4363	<a href="#">15</a>	4921	<a href="#">12</a>		
4381	<a href="#">9</a>	5032	<a href="#">22</a>		
4385	<a href="#">8</a>	5045	<a href="#">22</a>		
4416	<a href="#">10, 11</a>	5046	<a href="#">22</a>		
4460	<a href="#">15</a>	5049	<a href="#">22</a>		
4466	<a href="#">31</a>	5625	<a href="#">22</a>		
4467	<a href="#">2</a>	6216	<a href="#">32</a>		
4486	<a href="#">11</a>	6241	<a href="#">32</a>		
4530	<a href="#">15, 30</a>	6249	<a href="#">9</a>		
4617	<a href="#">15, 30</a>	6267	<a href="#">32</a>		
4642	<a href="#">9</a>	6371	<a href="#">32</a>		
4652	<a href="#">15</a>	6419	<a href="#">22</a>		
4653	<a href="#">16</a>	6421	<a href="#">23, 24</a>		
4661	<a href="#">16</a>	6423	<a href="#">24</a>		
4663	<a href="#">16</a>	6425	<a href="#">24, 25</a>		
4679	<a href="#">16</a>	6426	<a href="#">25, 26</a>		
4744	<a href="#">16</a>	14853 (U.S.)	<a href="#">1</a>		
4745	<a href="#">16</a>	14882 (U.S.)	<a href="#">1</a>		
4821	<a href="#">16, 30</a>	14883 (U.S.)	<a href="#">1</a>		
4822	<a href="#">17</a>	14884 (U.S.)	<a href="#">1</a>		
4839	<a href="#">17</a>				
4845	<a href="#">17, 30, 31</a>				
4846	<a href="#">18</a>				



## Section 1: General and Safety Information

### \*401/20 Transport Canada – COVID-19 Measures, Updates and Guidance

(Recurrent publication of notice \*401/20, originally published in the *Notices to Mariners – Monthly Eastern Edition 04/2020* publication.)

Please refer to the link below for the latest updates to transportation related measures taken by Transport Canada in response to the evolving novel Coronavirus disease (COVID-19):

<https://www.tc.gc.ca/en/initiatives/covid-19-measures-updates-guidance-tc.html>.

For travel advice and all other updates, please visit: [Canada.ca/coronavirus](https://Canada.ca/coronavirus).

### \*1207/22 Canadian Coast Guard – Waterway information

(Recurrent publication of notice \*1207/22, originally published in the *Notices to Mariners – Monthly Eastern Edition 12/2022* publication.)

Reference chart: 14853 (U.S.), 14882 (U.S.), 14883 (U.S.), 14884 (U.S.)

Updated shoaling conditions for the navigational channels in the Great Lakes are available on the Canadian Coast Guard websites:

[CCG e-Nav - Shoals in the Detroit River \(canada.ca\)](https://www.ccg.gc.ca/e-nav/shoals/detroit-river)

[CCG e-Nav - Shoals in the St. Clair River \(canada.ca\)](https://www.ccg.gc.ca/e-nav/shoals/st-clair-river)

[CCG e-Nav - Shoals in the St. Mary's River \(canada.ca\)](https://www.ccg.gc.ca/e-nav/shoals/st-marys-river)

Great Lakes Waterways Channel Bottom Conditions and Active Shoals are available at the website:

[GCC - e-Nav Portal - Central - Great Lakes Waterways - Channel Bottom Conditions \(canada.ca\)](https://www.gcc.gc.ca/e-nav/portal-central-great-lakes-waterways-channel-bottom-conditions)

Areas		
Detroit River	North Channel	St. Clair River
Great Lakes	Lake Huron	St. Marys River
Lake Erie	Lake St. Clair	Whitefish Bay

(NW-C-2130-22)

### \*204/23 Canadian Coast Guard – Cessation of Rectangular Broadcasting in NAVAREA / METAREAs XVII and XVIII

(Recurrent publication of notice \*204/23, originally published in the *Notices to Mariners – Monthly Eastern Edition 02/2023* publication.)

Since 2010, the five Arctic NAVAREA/METAREAs have promulgated warnings and forecasts to their areas of responsibility using INMARSAT-C's rectangular area addressing capability. At that time, it was not possible to code older Inmarsat-C receivers to receive warnings and forecasts directly addressed to the Arctic NAVAREA/METAREAs.

All Inmarsat-C and Mini-C receivers available for purchase today are able to receive warnings and forecasts addressed to the Arctic NAVAREA/METAREAs, and have been for more than a decade.

Effective on January 1st, 2024, the Arctic NAVAREA/METAREAs will commence broadcasting their warnings and forecasts using their unique numeric identifier and will cease using rectangular addressing.

During 2023, the Arctic NAVAREA/METAREAs will transmit test messages using the numeric NAVAREA/METAREA identifier to allow mariners to verify reception on their Inmarsat-C or Mini-C receivers.

Mariners navigating in Arctic waters must ensure that their Inmarsat-C or Mini-C receiver detects the new encoding prior to January 1st, 2024 to continue receiving Arctic NAVAREA/METAREA warnings and forecasts.

**\*301/23 Canadian Hydrographic Service – Nautical Charts**

Charts	Main Title	Scale	Edition Date	Published	Cat#	Price
<b>New Editions</b>						
4467	Rustico Bay and / et New London Bay	1:15 000	2023-01-27	2023-03-03	1	\$20.00

**\*302/23 Canadian Hydrographic Service – Electronic Navigational Charts**

S-57 ENC Number	Chart Title	ENC Compilation Scale	Published
<b>New Editions</b>			
CA376015 (Edn 7.000)	Motion Bay to/à Cape St Francis	1:30 000	2023-03-24
CA376050 (Edn 7.000)	Seniartlit Islands to Nain	1:30 000	2023-03-17
CA376070 (Edn 6.000)	Renews Harbour to/à Motion Bay	1:30 000	2023-03-17
CA376164 (Edn 8.000)	Burin Peninsula to Saint-Pierre	1:37 500	2023-03-24
CA376166 (Edn 6.000)	Saint-Pierre and Miquelon (France)	1:37 500	2023-03-03
CA376173 (Edn 10.000)	Cape St. Mary's to Argentinia Harbour and Jude Island	1:40 000	2023-03-17
CA376176 (Edn 3.000)	Long Island to St. Lawrence Harbours	1:40 000	2023-03-24
CA376233 (Edn 3.000)	Fortune Bay Southern Portion/Partie Sud	1:30 000	2023-03-17
CA376243 (Edn 2.000)	Trinity Bay - Northern Portion/Partie Nord	1:30 000	2023-03-24
CA376293 (Edn 2.000)	Head of / Fond de St Mary's Bay	1:30 000	2023-03-03
CA376296 (Edn 2.000)	Cape St Mary's to/à Argentinia	1:30 000	2023-03-03
CA376336 (Edn 2.000)	Bonavista Bay, Western Portion/Partie ouest	1:30 000	2023-03-03
CA376337 (Edn 2.000)	Continuation A	1:30 000	2023-03-03
CA376339 (Edn 5.000)	Bonavista Bay, Southern Portion - Continuation A	1:30 000	2023-03-03
CA376351 (Edn 4.000)	Dog Islands to/à Cape Makkovik	1:30 000	2023-03-31
CA376362 (Edn 4.000)	Kaipokok Bay	1:30 000	2023-03-31
CA376368 (Edn 4.000)	Cape Harrigan to/aux Kitlit Islands	1:30 000	2023-03-24
CA376619 (Edn 2.000)	Burgeo to/à François	1:37 500	2023-03-17
CA376807 (Edn 7.000)	Bonavista Bay, Southern Portion	1:30 000	2023-03-03
CA376808 (Edn 5.000)	Bonavista Bay, Southern Portion	1:30 000	2023-03-17
CA379139 (Edn 4.000)	Île à la Brume à/to Pointe Curlew	1:35 000	2023-03-17
CA379164 (Edn 4.000)	Îles Sainte-Marie à/to Île à la Brume	1:37 500	2023-03-17
CA476168 (Edn 6.000)	Lewisporte and Approaches and Loon Bay	1:15 000	2023-03-03
CA476369 (Edn 4.000)	Windy Tickle	1:15 000	2023-03-03

S-57 ENC Number	Chart Title	ENC Compilation Scale	Published
CA476719 (Edn 3.000)	Fogo Island Northern Portion	1:20 000	2023-03-03
CA476803 (Edn 7.000)	Bacalhao Island to Black Island	1:20 000	2023-03-03
CA476804 (Edn 7.000)	Bacalhao Island to Black Island	1:20 000	2023-03-17
CA476813 (Edn 5.000)	Carmanville to Bacalhao Island and Fogo (Southern Portion)	1:20 000	2023-03-17
CA476814 (Edn 6.000)	Carmanville to Bacalhao Island and Fogo (Northern Portion)	1:20 000	2023-03-17
CA570168 (Edn 9.000)	Port Alberni	1:6 000	2023-03-17
CA570169 (Edn 5.000)	Robbers Passage	1:5 000	2023-03-17
CA570170 (Edn 6.000)	Entrance to/Entrée à Useless Inlet	1:5 000	2023-03-17
CA570195 (Edn 10.000)	Approaches to/Approches à Campbell River	1:5 000	2023-03-24
CA570752 (Edn 3.000)	Alberni Inlet (Part 1 of 3)	1:6 000	2023-03-17
CA570753 (Edn 3.000)	Alberni Inlet (Part 2 of 3)	1:6 000	2023-03-31
CA570754 (Edn 3.000)	Alberni Inlet (Part 3 of 3)	1:6 000	2023-03-31
CA571051 (Edn 2.000)	Houston Stewart Channel (Part 5 of 9)	1:11 000	2023-03-03
CA571052 (Edn 2.000)	Houston Stewart Channel (Part 6 of 9)	1:11 000	2023-03-03
CA571053 (Edn 2.000)	Houston Stewart Channel (Part 7 of 9)	1:11 000	2023-03-03
CA571054 (Edn 2.000)	Houston Stewart Channel (Part 8 of 9)	1:11 000	2023-03-03
CA579104 (Edn 3.000)	Gascons	1:2 500	2023-03-10
CA579104 (Edn 4.000)	Gascons	1:2 500	2023-03-17
CA579244 (Edn 2.000)	Baie-Trinité	1:2 500	2023-03-10
<b>Charts Permanently Withdrawn</b>			
CA476071	Witless Bay	Cancelled by CA376070	
CA476073	Fermeuse Harbour	Cancelled by CA376070	
CA476074	Aquaforce Harbour	Cancelled by CA376070	
CA476108	Renews Harbour	Cancelled by CA376070	

**\*303/23 Canadian Hydrographic Service – Raster Digital Charts (BSB V3)**

Charts	Main Title	Scale	Edition Date	Published
<b>Charts Permanently Withdrawn</b>				
RM-4467	Rustico Bay and / et New London Bay			

**\*304/23 Transport Canada – Ship Safety Bulletins #02/2020 and #02/2023**

New and updated **Ship Safety Bulletins** have recently been posted on the [Transport Canada website](#).

To view or download these bulletins, please click on the link below:

**[SSB#02/2020](#)** – Navigation Bridge Visibility Obstruction  
RDIMS# 15841218

**[SSB#02/2023](#)** – New validity periods for some Canadian Radio Inspection Certificates  
RDIMS# 19254347

Sign up for [e-Bulletin](#) to receive an e-mail notice each time a new Ship Safety Bulletin is published on our website.

Contact us at [marinesafety-securitemaritime@tc.gc.ca](mailto:marinesafety-securitemaritime@tc.gc.ca) or 1-855-859-3123 (Toll Free).

**\*305/23 Canadian Coast Guard Publication – Amendments to *Notices to Mariners Annual Edition 2023* - Section A5, Notice 10: Routeing of Ships**

Several amendments have been made throughout Notice 10, Routeing of Ships. The latest version of this notice can be found at the following link:

<https://www.notmar.gc.ca/publications/annual/section-a/a10-en.pdf>.

**\*306/23 Canadian Coast Guard Publication – Amendments to *Notices to Mariners Annual Edition 2023* - Section A6, Notice 13: Navigation Safety Regulations, 2020, and Provisional List of Charts**

Several amendments have been made throughout Notice 13, Navigation Safety Regulations, 2020, and Provisional List of Charts. The latest version of this notice can be found at the following link:

<https://www.notmar.gc.ca/publications/annual/section-a/a13-en.pdf>.

**\*307/23 Canadian Coast Guard Publication – Amendments to *Notices to Mariners Annual Edition 2023* - Section G, Notice 44: The International Hydrographic Organization**

**Page 1:**

**AMEND AS FOLLOWS:**

The Bureau began its activities in 1921 with nineteen Member countries. Over the years, this membership has increased and ninety-eight nations are now Member Governments.

**\*308/23 Canadian Coast Guard Publication – Amendments to the *List of Lights, Buoys and Fog Signals* Publication: Inland Waters**

Please note that the following sections in the Inland Waters volume of the *List of Lights, Buoys and Fog Signals* publication have been amended. Please see the table below for the complete list of changes.

Previous Sections	New Section
<b>St. Lawrence River Seaway</b> LL 0.05 – 401 LL 1193 – 1204.5	<b>St. Lawrence Seaway, Canal de la Rive Sud</b> LL 0.05 – 3.1
	<b>St. Lawrence Seaway, Lac Saint-Louis</b> LL 4 – 32.4
	<b>St. Lawrence Seaway, Canal de Beauharnois to Kingston</b> LL 33 – 401
	<b>Lac Saint-Louis – Secondary Channels</b> LL 1193 – 1226.95
<b>Ottawa River Approaches</b> LL 1204.7 – 1232	<b>Rivière des Prairies and Lac des Deux Montagnes</b> LL 1227 – 1245.5
<b>Ottawa River</b> LL 1233.3 – 1322	<b>Ottawa River</b> LL 1255 – 1322

**\*309/23 Canadian Coast Guard Publication – *List of Lights, Buoys and Fog Signals* Publication: Inland Waters – All Documents Now Available to Download as a Single PDF Document**

The Inland Waters volume of the *List of Lights, Buoys and Fog Signals* publication is now available to download as a single PDF document.

This feature was recently added to the Notices to Mariners website and allows the download of a single PDF document regrouping the Front Cover and General Information Pages, all individual sections of the volume, and the Geographical and Designator Indexes.

Currently, this option is available for the Newfoundland and Labrador Coast, Pacific Coast and Inland Waters volumes. The Atlantic Coast volume will be available at a later date.

**\*310/23 Canadian Coast Guard – Differential Global Positioning System (DGPS) in Canada**

Reference: Notice \*1206/22 is cancelled

On December 15th, 2022, the Canadian Coast Guard (CCG) permanently discontinued the provision of its DGPS service across Canada.

Today's GPS meets the needs of international Position, Navigation and Timing (PNT) requirements for maritime navigation. Further, for mariners in Canadian waters, there is no carriage requirement for ground - or space - based augmentation capability onboard vessels for Global Navigation Satellite Systems (GNSS).

Mariners should note that CCG DGPS sites may broadcast corrections on occasion for technology testing. During these testing, the DGPS corrections broadcasted should not be considered reliable for marine navigation.

### \*311/23 Canadian Hydrographic Service – Raster Navigational Charts Discontinued

The Canadian Hydrographic Service (CHS) commenced the discontinuation of its digital Raster Navigational Charts (RNC) offered in BSB format in March 2022.

Charts to be cancelled effective immediately as part of this ongoing initiative are listed below.

CHS will support Global Navigation Satellite System (GNSS) users by offering Electronic Navigational Charts (ENC) in S-57 format, as well as non-GNSS users by continuing to offer Paper Charts. To learn more about the advantages of ENC over RNC, please visit <https://charts.gc.ca/charts-cartes/digital-electronique/raster-enc-eng.html>.

<b>BSB Chart</b>	<b>Title</b>	<b>BSB Chart</b>	<b>Title</b>
RM-1400	Montréal to/à Lake/Lac Ontario	RM-2120	Niagara River to/à Long Point
RM-1431	Canal de Beauharnois	RM-2121	Long Point to/à Port Glasgow
RM-1432	Lac Saint-François/Lake St. Francis	RM-2122	Pointe aux Pins to/à Point Pelee
RM-1433	Île St-Régis to/à Croil Islands	RM-2123	Pelee Passage to/à la Detroit River
RM-1434	Croil Islands to/à Cardinal	RM-2181	Harbours in Lake Erie/Havres dans le lac Érié
RM-1435	Cardinal to/à Whaleback Shoal	RM-2205	Killarney to/à Little Current
RM-1436	Whaleback Shoal to/au Summerland Group	RM-2224	Rose Island to/à Parry Sound
RM-1437	Summerland Group to/à Grindstone Island	RM-2228	Lake Huron/Lac Huron (Southern Portion/Partie sud)
RM-1438	Grindstone Island to/à Carleton Island	RM-2235	Cape Hurd to/à Lonely Island
RM-1439	Carleton Island to/au Charity Shoal	RM-2241	Port Severn to/à Christian Island
RM-2011	Belleville Harbour	RM-2242	Giants Tomb Island to/à Franklin Island
RM-2017	Kingston Harbour and Approaches/et les approches	RM-2250	Bruce Mines to/à Sugar Island
RM-2018	Lower Gap to/à Adolphus Reach	RM-2260	Sarnia to/à Bayfield
RM-2019	Adolphus Reach to/à Big Bay	RM-2261	Bayfield to/à Douglas Point
RM-2020	Belleville to/à Presqu'île Bay	RM-2266	Michael's Bay to/à Great Duck Island
RM-2042	Welland Canal St.Catharines to/à Port Colborne	RM-2267	Great Duck Island to/à False Detour Passage
RM-2047	Clarkson Harbour	RM-2273	South Baymouth Harbour and Approaches
RM-2050	Oshawa Harbour	RM-2274	Cape Hurd to/à Tobermory and/et Cove Island
RM-2060	Main Duck Island to/à Scotch Bonnet Island	RM-2283	Owen Sound to/à Giant's Tomb Island
RM-2067	Hamilton Harbour	RM-2291	Point Clark to/à Southampton
RM-2077	Lake Ontario/Lac Ontario (Western Portion/Partie Ouest)	RM-2292	Chantry Island to Cove Island
RM-2085	Toronto Harbour	RM-2314	Port of Thunder Bay
RM-2086	Toronto to/à Hamilton	RM-3475	Plans – Stuart Channel
RM-2110	Long Point Bay	RM-3477	Plans – Gulf Islands

<b>BSB Chart</b>	<b>Title</b>	<b>BSB Chart</b>	<b>Title</b>
RM-3478	Plans – Saltspring Island	RM-4233	Cape Canso to / à Country Island
RM-3479	Approaches to/Approches à Sidney	RM-4234	Country Island to / à Barren Island
RM-3552	Seymour Inlet and/et Belize Inlet	RM-4235	Barren Island to / à Taylors Head
RM-3554	Plans – Desolation Sound	RM-4236	Taylors Head to / à Shut-in Island
RM-3623	Kyuquot Sound to/à Cape Cook	RM-4237	Approaches to / Approches de Halifax Harbour
RM-3624	Cape Cook to Cape Scott	RM-4240	Liverpool Harbour to / à Lockeport Harbour
RM-3670	Broken Group	RM-4243	Tusket Islands to / à Cape St Marys
RM-3673	Clayoquot Sound, Tofino Inlet to/à Millar Channel	RM-4342	Grand Manan (Harbours / Havres)
RM-3679	Quatsino Sound	RM-4381	Mahone Bay
RM-3685	Tofino	RM-4396	Annapolis Basin
RM-3686	Approaches to/Approches à Winter Harbour	RM-4530	Hamilton Sound: Eastern Portion / Partie-est
RM-3795	Langley Passage, Estevan Group	RM-4617	Red Island to / à Pinchgut Point
RM-3909	Plans – Chatham Sound	RM-4644	Bay D'Espoir and / et Hermitage Bay
RM-3910	Plans – Milbanke Sound and/et Beauchemin Channel	RM-4653	Bay of Islands
RM-3911	Plans – Vicinity of/Proximité de Princess Royal Island	RM-4722	Terrington Basin
RM-3912	Plans, Vicinity of/Proximité de Banks Island	RM-4827	Hare Bay to / à Fortune Head
RM-3920	Nass Bay, Alice Arm and Approaches/et les approches	RM-4830	Great Bay de l'Eau and Approaches / et les approches
RM-3921	Fish Egg Inlet and/et Allison Harbour	RM-4831	Fortune Bay: Northern Portion / Partie Nord
RM-3931	Smith Inlet, Boswell Inlet and/et Draney Inlet	RM-4832	Fortune Bay: Southern Portion / Partie Sud
RM-3932	Rivers Inlet	RM-4839	Head of / Fond de Placentia Bay
RM-3934	Approaches to/Approches à Smith Sound and/et Rivers Inlet	RM-4841	Cape St Mary's to / à Argentia
RM-3944	Princess Royal Channel	RM-4842	Cape Pine to / au Cape St Mary's
RM-4010	Bay of Fundy / Baie de Fundy: Inner portion / partie intérieure	RM-4843	Head of / Fond de St Mary's Bay
RM-4012	Yarmouth to / à Halifax	RM-4844	Cape Pine to / à Renews Harbour
RM-4115	Passamaquoddy Bay and / et St. Croix River	RM-4846	Motion Bay to / à Cape St Francis
RM-4116	Approaches to / Approches à Saint John	RM-4847	Conception Bay
RM-4118	St. Marys Bay	RM-4848	Holyrood and / et Long Pond
RM-4209	Lockeport Harbour and / et Shelburne Harbour	RM-4849	Plans, Conception Bay, Trinity Bay and / et Bonavista Harbour
RM-4210	Cape Sable to / à Pubnico Harbour	RM-4850	Cape St Francis to / à Baccalieu Island and / et Heart's Content

BSB Chart	Title	BSB Chart	Title
RM-4851	Trinity Bay: Southern Portion / Partie Sud	RM-5032	Approaches to / à White Bear Arm
RM-4852	Smith Sound and / et Random Sound	RM-5033	Hawke Bay and / et Squasho Run
RM-4853	Trinity Bay: Northern Portion / Partie Nord	RM-5042	Cut Throat Island to / à Quaker Hat
RM-4854	Catalina Harbour to / à Inner Gooseberry Islands	RM-5048	Cape Harrigan to / aux Kidlit Islands
RM-4855	Bonavista Bay: Southern Portion / Partie sud	RM-5049	Davis Inlet to / aux Seniartlit Islands
RM-4856	Bonavista Bay: Western Portion / Partie ouest	RM-5051	Nunaksuk Island to / aux Calf Cow and / et Bull Islands
RM-4857	Indian Bay to / à Wadham Islands	RM-5052	Seniartlit Islands to / à Nain
RM-4861	Fogo Island Northern Portion / Partie Nord	RM-5070	Satosoak Island to / à Akuliakatak Peninsula
RM-4862	Carmanville to / à Bacalhoa Island and / et Fogo	RM-5133	Domino Point to / à Cape North
RM-4863	Bacalhao Island to / à Black Island	RM-5134	Approaches to / Approches À Cartwright: Black Island to / à Tumbledown Dick Island
RM-4865	Approaches to / Approches à Lewisperde and / et Loon Bay	RM-5135	Approaches to / Approches À Hamilton Inlet
RM-4866	Botwood and Approaches / et les approches	RM-5162	Groswater Bay
RM-4881	Gregory Island to Rocky Harbour	RM-5163	Ticoralak Head to/à Green Island
RM-4886	Twillingate Harbours	RM-5164	Lake Melville
RM-4940	Northumberland Strait Central Portion - Ports/Harbours	RM-5165	Epinette Point to/à Terrington Basin
RM-5030	Green Bay to / à Double Island		

**\*312/23 Chebucto Head to / à Betty Island – Unlit Buoy Repositioned**

Reference chart: 4385

The following unlit buoy has been repositioned to the following coordinates:

Aid Name	LL #	Position
Ryans Gut buoy AJ54	5499.1	44° 26' 50.6"N 063° 43' 08.1"W

(F2022-061)



## Section 1A: Temporary and Preliminary Notices

### Reminder – Comment Period for Active Preliminary Notices

This is a reminder that the comment period is still open for the following active Preliminary notices:

Notice #	Reference Chart #	Aids Affected (LL #)	Intent of Notice
<b>Newfoundland and Labrador Coast</b>			
<a href="#">206(P)/23</a>	4642	75.5	Aid to navigation to be Discontinued
<a href="#">207(P)/23</a>	4864	347	Fog Signal to be Discontinued
<b>Atlantic Coast</b>			
<a href="#">208(P)/23</a>	4381	LIST	Notice of Proposed Changes
<a href="#">209(P)/23</a>	4905	6103.1	Unlit Buoy to be Discontinued
<a href="#">210(P)/23</a>	4909	LIST	Notice of Proposed Changes
<b>Inland Waters</b>			
<a href="#">211(P)/23</a>	6249	1578, 1579, 9805, 9806	Aids to Navigation to be Discontinued

Please refer to the [Notices to Mariners - Monthly Summary of Temporary and Preliminary Notices](#) publication for details.

### Newfoundland and Labrador Coast

#### Temporary Notices

No notices applicable for this edition.

#### Preliminary Notices

No notices applicable for this edition.

### Atlantic Coast

#### Temporary Notices

#### \*313(T)/23 Batiscan au/to Lac Saint-Pierre – Waterway Information: Shallow Depth Reported

Reference chart: 1313

A shallower depth of 10.6 metres is located at the following positions:

46° 19' 58.9"N 072° 32' 40.9"W

(NW-Q-1823-22)

**\*314(T)/23 Approaches to / Approches à Bay of Fundy / Baie de Fundy – Obstruction :  
Scientific Moorings**

Reference chart: 4011

Subsurface scientific equipment deployed in 42° 50.437'N 066° 43.862'W. Top of equipment is at 214 metres water depth.

(NW-M-0285-23)

**\*315(T)/23 Georges Bank / Banc de Georges: Eastern Portion / Partie Est – Obstruction :  
Scientific Moorings**

Reference chart: 4255

Subsurface scientific equipment deployed in 42° 18.196'N 065° 59.250'W. Top of equipment is at 234 metres water depth.

(NW-M-0284-23)

**\*316(T)/23 Havre de Gaspé – Caution Concerning Aquaculture Sites**

Reference chart: 4416

Vicinity	Positions	Description
L'Anse-aux-Cousins	48° 51' 21.2"N 064° 30' 02.6"W 48° 51' 06.2"N 064° 29' 25.6"W 48° 51' 00.2"N 064° 30' 02.6"W 48° 51' 00.2"N 064° 29' 30.6"W	Unmarked aquaculture site with submerged equipment.
Havre de Gaspé	48° 51' 50.2"N 064° 29' 02.5"W 48° 51' 20.2"N 064° 28' 37.5"W 48° 51' 20.2"N 064° 28' 16.5"W 48° 50' 47.2"N 064° 28' 16.5"W 48° 51' 23.2"N 064° 29' 40.5"W 48° 51' 23.2"N 064° 29' 20.5"W 48° 51' 30.2"N 064° 29' 02.5"W	Unmarked aquaculture site with submerged equipment.
Havre de Gaspé	48° 51' 18.5"N 064° 27' 02.5"W 48° 51' 08.8"N 064° 26' 34.6"W 48° 50' 51.1"N 064° 26' 35.4"W 48° 50' 47.2"N 064° 26' 45.5"W 48° 50' 47.2"N 064° 27' 02.5"W	Unmarked aquaculture site with submerged equipment, some of which is located outside the defined area.
Havre de Gaspé	48° 50' 25.7"N 064° 28' 24.5"W 48° 50' 51.2"N 064° 29' 28.7"W 48° 51' 03.8"N 064° 29' 16.1"W 48° 50' 37.7"N 064° 28' 12.6"W	Unmarked aquaculture site with submerged equipment.
Havre de Gaspé	48° 50' 47.2"N 064° 27' 07.5"W 48° 50' 38.6"N 064° 27' 07.5"W 48° 50' 29.4"N 064° 27' 34.1"W 48° 50' 44.9"N 064° 28' 11.5"W 48° 50' 47.1"N 064° 28' 11.3"W	Aquaculture site with non-compliant buoyage and equipment at the surface.

Havre de Gaspé	48° 51' 17.6"N 064° 28' 11.6"W 48° 51' 00.2"N 064° 28' 11.6"W 48° 51' 17.6"N 064° 27' 07.6"W 48° 51' 00.2"N 064° 27' 07.6"W	Aquaculture site with non-compliant buoyage with surface and submerged equipment.
Baie de Gaspé	48° 51' 21.2"N 064° 30' 02.6"W 48° 51' 06.2"N 064° 29' 25.6"W 48° 51' 00.2"N 064° 30' 02.6"W 48° 51' 00.2"N 064° 29' 30.6"W	Unmarked aquaculture site with submerged equipment.

(NW-Q-0732-16, NW-Q-0735-16, NW-Q-0737-16, NW-Q-0758-16, NW-Q-0761-16, NW-Q-0794-16, NW-Q-1719-18)

**\*317(T)/23 Baie des Chaleurs / Chaleur Bay – Caution Concerning Aquaculture Sites**

Reference chart: 4486

Vicinity	Positions	Description
Cascapedia Bay	48° 07' 10.7"N 066° 01' 18.2"W 48° 07' 31.1"N 066° 00' 30.8"W 48° 07' 00.8"N 065° 59' 59.9"W 48° 06' 39.7"N 066° 00' 47.0"W	Aquaculture site with non-compliant buoyage with surface and submerged equipment.
Cascapedia Bay	48° 07' 22.0"N 065° 55' 12.0"W 48° 07' 22.0"N 065° 53' 14.0"W 48° 06' 33.0"N 065° 53' 14.0"W 48° 06' 33.0"N 065° 55' 12.0"W	Aquaculture site with non-compliant buoyage with submerged equipment.
Cascapedia Bay	48° 05' 24.2"N 066° 01' 42.8"W 48° 06' 11.2"N 066° 00' 07.8"W 48° 05' 36.2"N 065° 59' 29.8"W 48° 04' 49.2"N 066° 01' 04.8"W	Aquaculture site marked with non-compliant buoyage with surface and submerged equipment.
Tracadigache Bay	48° 05' 12.0"N 066° 12' 02.6"W 48° 05' 12.0"N 066° 11' 00.0"W 48° 04' 30.0"N 066° 11' 00.0"W 48° 04' 30.0"N 066° 12' 02.6"W	Aquaculture site with temporarily non-compliant buoyage.

(NW-Q-0769-16, NW-Q-0770-16, NW-Q-0783-16, NW-Q-0789-16)

**\*318(T)/23 Plans, Baie des Chaleurs/Chaleur Bay (côte nord/North Shore) – Caution Concerning Aquaculture Sites**

Reference chart: 4921

Vicinity	Positions	Description
Carleton-sur-Mer	48° 05' 21.9"N 066° 01' 55.5"W 48° 04' 45.0"N 066° 01' 15.3"W 48° 04' 21.7"N 066° 02' 11.5"W 48° 04' 56.2"N 066° 02' 51.2"W	Unmarked aquaculture site with submerged equipment.
Carleton-sur-Mer	48° 05' 50.6"N 066° 02' 27.5"W 48° 05' 29.7"N 066° 02' 04.7"W 48° 05' 04.8"N 066° 03' 00.7"W 48° 05' 25.6"N 066° 03' 23.5"W	Unmarked aquaculture site with submerged equipment.
Carleton-sur-Mer	48° 06' 14.9"N 066° 00' 02.5"W 48° 05' 39.1"N 065° 59' 22.1"W 48° 06' 28.1"N 065° 57' 41.7"W 48° 07' 02.8"N 065° 58' 21.3"W	Unmarked aquaculture site with submerged equipment.

(NW-Q-1716-18, NW-Q-1717-18, NW-Q-1718-18)

**Preliminary Notices**

No notices applicable for this edition.

**Inland Waters**

**Temporary Notices**

No notices applicable for this edition.

**Preliminary Notices**

No notices applicable for this edition.

## Section 2: Chart Corrections

### 1201 - Saint-Fulgence à/to Saguenay - New Chart - 07-FEB-2014 - NAD 1983 17-MAR-2023

		LNM/D. 14-JUN-2019
Delete	reported anchorage (See Chart 1, N10) This notice affects Electronic Navigational Chart: CA479094, CA579237	48°25'48.3"N 070°52'24.1"W  <i>DFO(6410764-01)</i>
Add	anchor berth GA1 (See Chart 1, N11.1) This notice affects Electronic Navigational Chart: CA479094, CA579237	48°25'28.2"N 070°52'14.4"W  <i>DFO(6410764-02)</i>
Add	anchor berth GA2 (See Chart 1, N11.1) This notice affects Electronic Navigational Chart: CA479094, CA579237	48°25'36.0"N 070°52'06.0"W  <i>DFO(6410764-03)</i>

### 1202 - Baie des Ha! Ha! - New Edition - 23-OCT-2020 - NAD 1983 17-MAR-2023

Add	anchor berth PA1 (See Chart 1, N11.1) This notice affects Electronic Navigational Chart: CA479094, CA579235	48°20'45.0"N 070°52'03.0"W  <i>DFO(6410764-04)</i>
Delete	reported anchorage (See Chart 1, N10) This notice affects Electronic Navigational Chart: CA479094, CA579235	48°20'53.0"N 070°52'15.3"W  <i>DFO(6410764-06)</i>

### 1202 - Cap à l'Est à St-Fulgence - Continuation A - New Edition - 23-OCT-2020 - NAD 1983 17-MAR-2023

Delete	reported anchorage (See Chart 1, N10) This notice affects Electronic Navigational Chart: CA479094, CA579237	48°25'48.3"N 070°52'24.1"W  <i>DFO(6410764-01)</i>
Add	anchor berth GA1 (See Chart 1, N11.1) This notice affects Electronic Navigational Chart: CA479094, CA579237	48°25'28.2"N 070°52'14.4"W  <i>DFO(6410764-02)</i>
Add	anchor berth GA2 (See Chart 1, N11.1) This notice affects Electronic Navigational Chart: CA479094, CA579237	48°25'36.0"N 070°52'06.0"W  <i>DFO(6410764-03)</i>
Add	anchor berth PA1 (See Chart 1, N11.1) This notice affects Electronic Navigational Chart: CA479094, CA579235	48°20'45.0"N 070°52'03.0"W  <i>DFO(6410764-04)</i>
Add	anchor berth PA2 (See Chart 1, N11.1) This notice affects Electronic Navigational Chart: CA479094	48°20'18.0"N 070°50'00.0"W  <i>DFO(6410764-05)</i>

Delete reported anchorage 48°20'53.0"N 070°52'15.3"W  
(See Chart 1, N10)  
This notice affects Electronic Navigational Chart: CA479094, CA579235  
*DFO(6410764-06)*

**1351 - Bassin de Chambly à/to Île Sainte-Thérèse - Sheet/Feuille 1 - New Edition - 18-NOV-2016 - NAD 1983**  
10-MAR-2023 LNM/D. 08-OCT-2021

Affix patch 45°27'30.0"N 073°14'38.0"W  
Download Patch - [https://www.notmar.gc.ca/chsftp/patches/1351\\_6410697\\_1\\_202302131049.pdf](https://www.notmar.gc.ca/chsftp/patches/1351_6410697_1_202302131049.pdf)  
This notice affects Electronic Navigational Chart: CA579120  
*DFO(6410697-01)*

**1431 - Baie Saint-François - New Edition - 25-FEB-2022 - NAD 1983**  
03-MAR-2023

Add red starboard hand lighted spar buoy, marked DV10/2 45°14'55.1"N 074°09'51.5"W  
(See Chart 1, Qb)  
This notice affects Electronic Navigational Chart: CA573386  
*(B2023003) LL(80.1) DFO(6605028-01)*

**1550 - Britannia Bay à/to Breckenridge - Sheet/Feuille 1 - New Edition - 27-MAY-2011 - NAD 1983**  
10-MAR-2023 LNM/D. 20-JAN-2023

Amend green port hand spar buoy, marked K9 to read 45°24'02.9"N 075°53'32.2"W  
green port hand lighted spar buoy 'FI G', marked K9  
(See Chart 1, Qc)  
*(B2023004) LL(1298) DFO(6605029-01)*

**4023 - Northumberland Strait / Détroit de Northumberland - New Edition - 27-DEC-2002 - World Geodetic System 1984**  
03-MAR-2023 LNM/D. 08-JUL-2022

Delete Note DIAGRAM/DIAGRAMME See Sailing Directions Voir Instructions 46°52'30.0"N 064°10'30.0"W  
nautiques Miminegash  
(See Chart 1, A18)  
This notice affects Electronic Navigational Chart: CA276286  
*DFO(6310561-01)*

Delete Note DIAGRAM/DIAGRAMME See Sailing Directions Voir Instructions 46°58'15.0"N 064°04'15.0"W  
nautiques Skippers Point/Tignish  
(See Chart 1, A18)  
This notice affects Electronic Navigational Chart: CA276286  
*DFO(6310561-02)*

Delete Note DIAGRAM/DIAGRAMME See Sailing Directions Voir Instructions 46°26'30.0"N 062°23'00.0"W  
nautiques Naufrage  
(See Chart 1, A18)  
This notice affects Electronic Navigational Chart: CA276286  
*DFO(6310561-03)*

Delete Note DIAGRAM/DIAGRAMME See Sailing Directions Voir Instructions 46°27'00.0"N 062°11'00.0"W  
nautiques North Lake  
(See Chart 1, A18)  
This notice affects Electronic Navigational Chart: CA276286  
*DFO(6310561-04)*

**4363 - Cape Smoky to / à St Paul Island - New Edition - 24-FEB-2017 - NAD 1983**

24-MAR-2023

LN/D. 16-DEC-2022

Delete Note DIAGRAM/DIAGRAMME See Sailing Directions Voir Instructions  
nautiques  
(See Chart 1, A18)  
This notice affects Electronic Navigational Chart: CA376167

46°47'52.0"N 060°20'45.0"W

*DFO(6310573-01)*

**4460 - Charlottetown Harbour - New Edition - 09-DEC-2005 - NAD 1983**

03-MAR-2023

LN/D. 06-JAN-2023

Affix patch  
Download Patch - [https://www.notmar.gc.ca/chsftp/patches/4460\\_6310556\\_1\\_202301310907.pdf](https://www.notmar.gc.ca/chsftp/patches/4460_6310556_1_202301310907.pdf)  
This notice affects Electronic Navigational Chart: CA576177

46°13'55.0"N 063°07'06.0"W

*DFO(6310556-01)*

**4530 - Hamilton Sound: Eastern Portion / Partie-est - New Edition - 15-MAR-2002 - NAD 1983**

10-MAR-2023

LN/D. 18-MAR-2022

Delete Note DIAGRAM / DIAGRAMME See Sailing Directions Voir Instructions  
nautiques  
(See Chart 1, A18)

49°27'06.0"N 053°58'20.0"W

*DFO(6310563-01)*

**4617 - Red Island to / à Pinchgut Point - New Edition - 30-APR-2010 - NAD 1983**

31-MAR-2023

LN/D. 24-JUN-2022

Amend FI 3s 16m 5M to read FI 4s16m5M against light  
(See Chart 1, P16)  
This notice affects Electronic Navigational Chart: CA276274, CA476300

47°23'58.2"N 054°08'43.8"W

*(N2023018) LL(49) DFO(6310602-01)*

**4652 - Corner Brook - New Edition - 29-MAY-2015 - NAD 1983**

17-MAR-2023

LN/D. 06-JAN-2023

Delete Note DIAGRAM/DIAGRAMME See Sailing Directions Voir Instructions  
nautiques  
(See Chart 1, A18)  
This notice affects Electronic Navigational Chart: CA576592

48°57'38.3"N 057°56'22.2"W

*DFO(6310572-03)*

**4652 - Humber Arm: Meadows Point to / à Humber River - New Edition - 29-MAY-2015 - NAD 1983**

17-MAR-2023

LN/D. 06-JAN-2023

Delete Note DIAGRAM/DIAGRAMME See Sailing Directions Voir Instructions  
nautiques  
(See Chart 1, A18)  
This notice affects Electronic Navigational Chart: CA576592

48°57'39.5"N 057°56'15.2"W

*DFO(6310572-01)*

Delete Note DIAGRAM/DIAGRAMME See Sailing Directions Voir Instructions  
nautiques  
(See Chart 1, A18)  
This notice affects Electronic Navigational Chart: CA576592

48°57'53.1"N 058°01'27.2"W

*DFO(6310572-02)*

**4653 - Bay of Islands - New Edition - 30-MAY-2003 - NAD 1983**

31-MAR-2023

LNМ/D. 22-OCT-2021

Add wreck, least depth unknown, dangerous to surface navigation, with legend PA Rep (2020)  
(See Chart 1, K28, B7, I3)  
This notice affects Electronic Navigational Chart: CA476190

49°09'39.6"N 058°08'00.0"W

*DFO(6310632-01)*

**4661 - Bear Head to / à Cow Head - New Edition - 04-JUL-2003 - NAD 1983**

17-MAR-2023

LNМ/D. 15-OCT-2021

Delete Note DIAGRAM/DIAGRAMME See Sailing Directions Voir Instructions nautiques  
(See Chart 1, A18)

49°54'15.0"N 057°46'56.0"W

*DFO(6310567-02)*

**4663 - Cow Head to / à Pointe Riche - New Edition - 01-AUG-2003 - NAD 1983**

17-MAR-2023

LNМ/D. 24-SEP-2021

Delete Note DIAGRAM/DIAGRAMME See Sailing Directions Voir Instructions nautiques  
(See Chart 1, A18)

49°53'25.0"N 057°47'31.0"W

*DFO(6310567-01)*

**4679 - Hawkes Bay, Port Saunders, Back Arm - New Edition - 29-NOV-2002 - NAD 1983**

24-MAR-2023

LNМ/D. 03-DEC-2021

Delete Note DIAGRAM/DIAGRAMME See Sailing Directions Voir Instructions nautiques  
(See Chart 1, A18)

50°39'05.8"N 057°16'19.0"W

*DFO(6310575-01)*

**4744 - Approaches to / approches à Spotted Island Harbour - New Edition - 20-DEC-2002 - NAD 1983**

24-MAR-2023

LNМ/D. 02-DEC-2022

Delete Note DIAGRAM/DIAGRAMME See Sailing Directions Voir Instructions nautiques  
(See Chart 1, A18)

53°27'48.6"N 055°46'08.5"W

*DFO(6310577-01)*

**4745 - White Point to / à Sandy Island - New Edition - 07-MAR-2003 - NAD 1983**

24-MAR-2023

LNМ/D. 02-DEC-2022

Delete Note DIAGRAM/DIAGRAMME See Sailing Directions Voir Instructions nautiques  
(See Chart 1, A18)

53°27'41.9"N 055°46'30.7"W

*DFO(6310577-02)*

**4821 - White Bay and / et Notre Dame Bay - New Chart - 23-APR-2004 - NAD 1983**

10-MAR-2023

LNМ/D. 11-NOV-2022

Delete Note DIAGRAM/DIAGRAMME See Sailing Directions Voir Instructions nautiques  
(See Chart 1, A18)  
This notice affects Electronic Navigational Chart: CA376656

49°59'04.0"N 055°54'57.0"W

*DFO(6310565-01)*

Delete DIAGRAM/DIAGRAMME See Sailing Directions Voir Instructions nautiques  
(See Chart 1, A18)  
This notice affects Electronic Navigational Chart: CA376656

49°51'02.0"N 055°44'41.0"W

*DFO(6310565-02)*



**4822 - Cape St John to / à St Anthony - New Chart - 30-JUN-2006 - NAD 1983**

10-MAR-2023

LNMD. 10-DEC-2021

Delete Note DIAGRAM/DIAGRAMME See Sailing Directions Voir Instructions 49°59'04.0"N 055°54'57.0"W  
nautiques  
(See Chart 1, A18)  
This notice affects Electronic Navigational Chart: CA376656  
*DFO(6310565-01)*

**4839 - Come by Chance and / et Arnold's Cove - New Edition - 28-JAN-2011 - NAD 1983**

24-MAR-2023

LNMD. 30-DEC-2022

Delete Note DIAGRAM/DIAGRAMME See Sailing Directions Voir Instructions 47°45'20.0"N 053°59'26.0"W  
nautiques  
(See Chart 1, A18)  
*DFO(6310571-02)*

**4839 - Head of / Fond de Placentia Bay - New Edition - 28-JAN-2011 - NAD 1983**

24-MAR-2023

LNMD. 30-DEC-2022

Delete Note DIAGRAM/DIAGRAMME See Sailing Directions Voir Instructions 47°46'04.0"N 053°59'48.0"W  
nautiques  
(See Chart 1, A18)  
*DFO(6310571-01)*

**4845 - Fermeuse Harbour - New Edition - 12-SEP-1997 - NAD 1983**

31-MAR-2023

LNMD. 02-SEP-2022

Reposition black, yellow and black East Cardinal pillar Q(3) 10s buoy, marked MF from 46°58'19.9"N 052°56'25.8"W  
(See Chart 1, Q130.3) to 46°58'18.8"N 052°56'23.0"W  
This notice affects Electronic Navigational Chart: CA576818  
*(N2023035) LL(511) DFO(6310630-01)*

**4845 - Lumley Cove - New Edition - 12-SEP-1997 - NAD 1983**

31-MAR-2023

LNMD. 02-SEP-2022

Delete red starboard hand lighted spar buoy FI R, marked MF2 46°58'17.0"N 052°56'35.0"W  
(See Chart 1, Qb)  
This notice affects Electronic Navigational Chart: CA576818  
*(N2023034) LL(511.21) DFO(6310629-01)*

Reposition black, yellow and black East Cardinal pillar Q(3) 10s buoy, marked MF from 46°58'19.9"N 052°56'25.8"W  
(See Chart 1, Q130.3) to 46°58'18.8"N 052°56'23.0"W  
This notice affects Electronic Navigational Chart: CA576818  
*(N2023035) LL(511) DFO(6310630-01)*

Reposition red starboard hand lighted spar buoy FI R, marked MF4 from 46°58'18.4"N 052°56'32.8"W  
(See Chart 1, Qb) to 46°58'18.1"N 052°56'32.8"W  
This notice affects Electronic Navigational Chart: CA576818  
*(N2023036) LL(511.22) DFO(6310631-01)*

**4845 - Renews Harbour to/à Motion Bay - New Edition - 12-SEP-1997 - NAD 1983**

31-MAR-2023

LNMD. 02-SEP-2022

Delete Note DIAGRAM/DIAGRAMME See Sailing Directions Voir Instructions 47°28'14.0"N 052°43'05.0"W  
nautiques  
(See Chart 1, A18)  
*DFO(6310570-01)*

**4846 - Motion Bay to / à Cape St Francis - New Edition - 15-DEC-1995 - NAD 1983**

03-MAR-2023

LNMD. 14-OCT-2022

Delete Note DIAGRAM/DIAGRAMME See Sailing Directions Voir Instructions  
nautiques  
(See Chart 1, A18)

47°28'06.0"N 052°44'26.0"W

*DFO(6310568-02)*

**4846 - St John's Harbour - New Edition - 15-DEC-1995 - NAD 1983**

03-MAR-2023

LNMD. 14-OCT-2022

Delete Note DIAGRAM/DIAGRAMME See Sailing Directions Voir Instructions  
nautiques  
(See Chart 1, A18)

47°33'55.0"N 052°42'25.0"W

*DFO(6310568-01)*

**4847 - Bell Island - New Edition - 03-AUG-2001 - NAD 1983**

24-MAR-2023

LNMD. 18-NOV-2022

Delete legend Fog Sig 30s against light  
(See Chart 1, P16)  
This notice affects Electronic Navigational Chart: CA376120, CA576121

47°37'45.7"N 052°55'26.0"W

*(N2023006) LL(494) DFO(6310590-01)*

**4847 - Conception Bay - New Edition - 03-AUG-2001 - NAD 1983**

24-MAR-2023

LNMD. 18-NOV-2022

Delete legend Fog Sig 30s against light  
(See Chart 1, P16)  
This notice affects Electronic Navigational Chart: CA376120, CA576121

47°37'45.9"N 052°55'27.0"W

*(N2023006) LL(494) DFO(6310590-01)*

**4850 - Cape St Francis to / à Baccalieu Island and / et Heart's Content - New Chart - 11-MAY-1990 - NAD 1983**

03-MAR-2023

LNMD. 23-DEC-2022

Delete Note DIAGRAM/DIAGRAMME See Sailing Directions Voir Instructions  
nautiques  
(See Chart 1, A18)  
This notice affects Electronic Navigational Chart: CA376146

48°05'42.0"N 052°54'17.0"W

*DFO(6310569-01)*

**4851 - Trinity Bay: Southern Portion / Partie Sud - New Edition - 30-SEP-2016 - World Geodetic System 1984**

03-MAR-2023

LNMD. 01-JUL-2022

Delete Note DIAGRAM / DIAGRAMME See Sailing Directions Voir Instructions  
nautiques  
(See Chart 1, A18)

47°34'13.0"N 053°41'12.0"W

*DFO(6310566-01)*

**4855 - Bonavista Bay: Southern Portion / Partie sud - New Chart - 06-JUN-1997 - NAD 1983**

10-MAR-2023

LNMD. 16-SEP-2022

Delete Note DIAGRAM/DIAGRAMME See Sailing Directions Voir Instructions  
nautiques  
(See Chart 1, A18)

48°25'55.0"N 054°01'45.0"W

*DFO(6310557-01)*

Delete DIAGRAM/DIAGRAMME See Sailing Directions Voir Instructions  
nautiques  
(See Chart 1, A18)

48°38'25.0"N 053°46'50.0"W

*DFO(6310557-02)*

**4857 - Lumsden Harbour - New Chart - 29-OCT-1999 - NAD 1983**

10-MAR-2023

LN/D. 21-JAN-2022

Delete Note DIAGRAM/DIAGRAMME See Sailing Directions Voir Instructions nautiques 49°17'44.0"N 053°35'02.0"W  
(See Chart 1, A18)  
*DFO(6310564-01)*

**4906 - West Point à / to Baie de Tracadie - New Chart - 18-MAR-1988 - NAD 1983**

10-MAR-2023

LN/D. 20-MAY-2022

Affix patch 46°51'39.0"N 064°52'48.0"W  
Download Patch - [https://www.notmar.gc.ca/chsftp/patches/4906\\_6310529\\_1\\_202302100723.pdf](https://www.notmar.gc.ca/chsftp/patches/4906_6310529_1_202302100723.pdf)  
This notice affects Electronic Navigational Chart: CA376062  
*DFO(6310529-01)*

Delete Note DIAGRAMME/DIAGRAM Voir Instructions nautiques See Sailing Directions 47°27'47.6"N 064°50'43.6"W  
(See Chart 1, A18)  
This notice affects Electronic Navigational Chart: CA376062  
*DFO(6310529-02)*

Delete Note DIAGRAMME/DIAGRAM Voir Instructions nautiques See Sailing Directions 46°59'28.7"N 064°49'56.0"W  
(See Chart 1, A18)  
This notice affects Electronic Navigational Chart: CA376062  
*DFO(6310529-03)*

Delete Note DIAGRAMME/DIAGRAM Voir Instructions nautiques See Sailing Directions 46°53'14.1"N 064°11'22.4"W  
(See Chart 1, A18)  
This notice affects Electronic Navigational Chart: CA376062  
*DFO(6310529-04)*

Delete Note DIAGRAMME/DIAGRAM Voir Instructions nautiques See Sailing Directions 46°57'32.8"N 064°05'04.4"W  
(See Chart 1, A18)  
This notice affects Electronic Navigational Chart: CA376062  
*DFO(6310529-05)*

**4913 - Caraquet Harbour, Baie de Shippegan and / et Miscou Harbour - New Chart - 07-AUG-1992 - NAD 1983**

24-MAR-2023

LN/D. 23-SEP-2022

Replace depth of 1.9 metres with depth of 1.7 metres 47°48'34.5"N 064°54'10.7"W  
(See Chart 1, I10)  
This notice affects Electronic Navigational Chart: CA476275  
*DFO(6310582-10)*

Add depth of 4.1 metres 47°48'29.2"N 064°53'40.5"W  
(See Chart 1, I10)  
This notice affects Electronic Navigational Chart: CA476275  
*DFO(6310582-11)*

Add depth of 1.8 metres 47°48'49.1"N 064°54'17.9"W  
(See Chart 1, I10)  
This notice affects Electronic Navigational Chart: CA476275  
*DFO(6310582-12)*

Delete depth of 1.8 metres 47°48'50.9"N 064°54'18.8"W  
(See Chart 1, I10)  
This notice affects Electronic Navigational Chart: CA476275  
*DFO(6310582-13)*

Add	depth of 5.6 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476275	47°48'28.4"N 064°53'30.7"W  <i>DFO(6310582-14)</i>
Add	depth of 3.6 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476275	47°48'23.2"N 064°53'14.8"W  <i>DFO(6310582-15)</i>
Delete	depth of 5.7 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476275	47°48'27.6"N 064°53'36.9"W  <i>DFO(6310582-16)</i>
Replace	depth of 5.6 metres with depth of 5.4 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476275	47°47'53.7"N 064°55'45.2"W  <i>DFO(6310582-17)</i>
Add	depth of 4.4 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476275	47°48'22.5"N 064°52'27.3"W  <i>DFO(6310582-18)</i>
Replace	depth of 8.0 metres with depth of 7.9 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476275	47°49'01.2"N 064°50'30.7"W  <i>DFO(6310582-19)</i>
Delete	depth of 9.5 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476275	47°49'42.0"N 064°48'30.5"W  <i>DFO(6310582-20)</i>
Add	depth of 9.1 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476275	47°49'44.5"N 064°48'30.0"W  <i>DFO(6310582-21)</i>
Add	depth of 9.5 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476275	47°50'08.0"N 064°47'48.6"W  <i>DFO(6310582-22)</i>
Add	note: ENSABLEMENT Les profondeurs cartographiées peuvent changer en raison de l'envasement et du curage.  SILTING Depths shown on this chart are subject to change as a result of silting and scouring. This notice affects Electronic Navigational Chart: CA476275	47°46'24.4"N 064°36'52.5"W  <i>DFO(6310582-24)</i>
Add	legend 'Voir/See note ENSABLEMENT/SILTING' (See Chart 1, A14)	47°51'26.3"N 064°46'45.0"W  <i>DFO(6310582-25)</i>

**4920 - Caraquet - New Edition - 14-DEC-2018 - NAD 1983**

24-MAR-2023

LNMD. 23-SEP-2022

Delete	depth of 4.3 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476275, CA576263	47°47'49.7"N 064°55'48.5"W	<i>DFO(6310582-01)</i>
Add	depth of 3.9 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476275, CA576263	47°47'50.1"N 064°55'49.1"W	<i>DFO(6310582-02)</i>
Add	depth of 4.7 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476275, CA576263	47°47'51.4"N 064°55'48.7"W	<i>DFO(6310582-03)</i>
Replace	depth of 4.3 metres with depth of 3.9 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476275, CA576263	47°47'52.3"N 064°55'49.3"W	<i>DFO(6310582-04)</i>
Delete	depth of 5.6 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476275, CA576263	47°47'54.1"N 064°55'44.2"W	<i>DFO(6310582-05)</i>
Add	depth of 5.4 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476275, CA576263	47°47'53.7"N 064°55'45.3"W	<i>DFO(6310582-06)</i>
Delete	depth of 7.2 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476275, CA576263	47°47'59.2"N 064°55'41.2"W	<i>DFO(6310582-07)</i>
Replace	depth of 7.1 metres with depth of 7.0 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476275, CA576263	47°47'58.4"N 064°55'27.8"W	<i>DFO(6310582-08)</i>
Replace	depth of 4.7 metres with depth of 4.6 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476275, CA576263	47°47'52.0"N 064°55'25.8"W	<i>DFO(6310582-09)</i>
Add	depth of 7.1 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476275, CA576263	47°47'59.7"N 064°55'41.0"W	<i>DFO(6310582-23)</i>
Replace	depth of 4.0 metres with depth of 2.9 metres (See Chart 1, I10) This notice affects Electronic Navigational Chart: CA476275	47°47'53.6"N 064°55'49.9"W	<i>DFO(6310582-26)</i>

**5032 - Approaches to / Approches à White Bear Arm - New Chart - 31-JAN-2003 - NAD 1983**

17-MAR-2023

LN/D. 05-AUG-2022

Delete Note DIAGRAM/DIAGRAMME See Sailing Directions Voir Instructions  
nautiques  
(See Chart 1, A18)  
This notice affects Electronic Navigational Chart: CA476634

52°46'25.4"N 056°07'55.0"W

*DFO(6310576-01)*

**5045 - Dog Islands to / à Cape Makkovik - New Edition - 01-MAR-2002 - NAD 1983**

31-MAR-2023

LN/D. 18-NOV-2022

Delete Note DIAGRAM/DIAGRAMME See Sailing Directions Voir Instructions  
nautiques  
(See Chart 1, A18)  
This notice affects Electronic Navigational Chart: CA376351

55°04'48.4"N 059°11'14.6"W

*DFO(6310578-01)*

**5046 - Kaipokok Bay - New Edition - 27-APR-2001 - NAD 1983**

31-MAR-2023

LN/D. 25-FEB-2022

Delete Note DIAGRAM/DIAGRAMME See Sailing Directions Voir Instructions  
nautiques  
(See Chart 1, A18)  
This notice affects Electronic Navigational Chart: CA376362

54°54'25.4"N 059°47'45.8"W

*DFO(6310580-01)*

**5049 - Davis Inlet to / aux Seniarlit Islands - New Edition - 25-NOV-2016 - NAD 1983**

31-MAR-2023

LN/D. 09-DEC-2022

Delete Note DIAGRAM/DIAGRAMME See Sailing Directions Voir Instructions  
nautiques  
(See Chart 1, A18)

55°56'24.3"N 061°06'09.8"W

*DFO(6310579-01)*

**5625 - Ice Hunter Rock to/à Chesterfield Narrows - New Edition - 28-DEC-2018 - World Geodetic System 1984**

31-MAR-2023

Add depth of 5.1 metres  
(See Chart 1, I10)

63°59'36.4"N 094°18'44.4"W

This notice affects Electronic Navigational Chart: CA573452

*DFO(6605035-01)*

**6419 - Norman Wells to/à Carcajou Ridge Kilometre 910 / Kilomètre 980 - New Edition - 27-APR-2018 - World Geodetic System 1984**

10-MAR-2023

LN/D. 11-MAR-2022

Delete green port hand can buoy  
(See Chart 1, Qb)

65°30'59.4"N 127°40'24.0"W

*DFO(6605012-01)*

Add red starboard hand conical buoy  
(See Chart 1, Qb)

65°31'05.4"N 127°40'14.4"W

*DFO(6605012-02)*

Reposition red starboard hand conical buoy  
(See Chart 1, Qb)

from 65°31'23.4"N 127°40'42.6"W  
to 65°31'23.4"N 127°40'28.8"W

*DFO(6605012-03)*

**6421 - Hardie Island to/à Fort Good Hope Kilometre 1040 / Kilometre 1100 - New Edition - 30-MAR-2018 - World Geodetic System 1984**  
10-MAR-2023

		LNM/D. 22-APR-2022
Delete	port hand daybeacon, marked RAM (See Chart 1, Qp)	66°04'24.8"N 129°04'40.5"W  <i>DFO(6605014-01)</i>
Reposition	red starboard hand conical buoy (See Chart 1, Qb)	from 66°04'25.3"N 129°05'18.0"W to 66°05'40.4"N 129°05'17.2"W <i>LL(3953.5) DFO(6605014-02)</i>
Reposition	red starboard hand conical buoy (See Chart 1, Qb)	from 66°04'19.4"N 129°05'40.1"W to 66°05'26.9"N 129°05'44.6"W <i>LL(3953.3) DFO(6605014-03)</i>
Reposition	red starboard hand conical buoy (See Chart 1, Qb)	from 66°04'15.1"N 129°05'54.7"W to 66°04'41.0"N 129°06'47.0"W <i>LL(3950) DFO(6605014-04)</i>
Reposition	green port hand can buoy (See Chart 1, Qc)	from 66°04'07.3"N 129°06'14.4"W to 66°05'06.0"N 129°06'06.2"W <i>LL(3953) DFO(6605014-05)</i>
Add	green port hand can buoy (See Chart 1, Qc)	66°04'53.5"N 129°06'26.1"W  <i>LL(3951.8) DFO(6605014-06)</i>
Add	green port hand can buoy (See Chart 1, Qc)	66°04'23.9"N 129°06'42.6"W  <i>LL(3948) DFO(6605014-07)</i>
Reposition	green port hand can buoy (See Chart 1, Qc)	from 66°03'51.6"N 129°06'49.2"W to 66°03'47.3"N 129°06'52.7"W  <i>LL(3952.7) DFO(6605014-08)</i>
Reposition	green port hand can buoy (See Chart 1, Qc)	from 66°03'42.4"N 129°07'11.5"W to 66°03'35.1"N 129°07'07.1"W <i>LL(3951.001) DFO(6605014-09)</i>
Add	green port hand can buoy (See Chart 1, Qc)	66°01'49.3"N 129°08'38.5"W  <i>LL(3947) DFO(6605014-10)</i>
Add	green port hand can buoy (See Chart 1, Qc)	65°59'38.5"N 129°07'09.2"W  <i>LL(3945.1) DFO(6605014-11)</i>
Add	red starboard hand conical buoy (See Chart 1, Qb)	65°59'32.3"N 129°07'06.2"W  <i>LL(3944.8) DFO(6605014-12)</i>
Add	green port hand can buoy (See Chart 1, Qc)	65°59'20.7"N 129°06'36.0"W  <i>LL(3944.9) DFO(6605014-13)</i>
Delete	red starboard hand conical buoy (See Chart 1, Qb)	65°59'08.2"N 129°06'26.3"W  <i>DFO(6605014-14)</i>

Add green port hand can buoy 65°58'59.2"N 129°06'09.3"W  
(See Chart 1, Qc)  
*LL(3944.6) DFO(6605014-15)*

**6423 - Askew Islands to à Bryan Island Kilometre 1180 / Kilometre 1240 - New Edition - 11-MAR-2022 - World Geodetic System 1984**  
03-MAR-2023

Delete red starboard hand conical buoy 67°05'18.6"N 130°15'10.6"W  
(See Chart 1, Qb)  
*DFO(6605022-01)*

Add green port hand can buoy 67°05'11.8"N 130°14'54.2"W  
(See Chart 1, Qc)  
*LL(4036) DFO(6605022-02)*

Reposition starboard hand daybeacon, marked RAM from 66°58'39.4"N 130°15'02.4"W  
(See Chart 1, Qp) to 66°58'45.6"N 130°15'10.0"W  
*LL(4024.4) DFO(6605022-03)*

Reposition green port hand can buoy from 66°58'37.3"N 130°14'16.5"W  
(See Chart 1, Qc) to 66°58'30.2"N 130°14'23.8"W  
*LL(4024.5) DFO(6605022-04)*

Reposition green port hand can buoy from 66°56'10.6"N 130°12'20.4"W  
(See Chart 1, Qc) to 66°56'08.5"N 130°12'10.0"W  
*LL(4018.7) DFO(6605022-05)*

Reposition red starboard hand conical buoy from 66°55'31.5"N 130°10'54.8"W  
(See Chart 1, Qb) to 66°55'27.7"N 130°10'42.0"W  
*LL(4018.4) DFO(6605022-06)*

Reposition port hand daybeacon, marked RAM from 66°52'37.7"N 130°07'12.1"W  
(See Chart 1, Qp) to 66°52'58.3"N 130°07'14.9"W  
*LL(4014.5) DFO(6605022-07)*

Reposition red starboard hand conical buoy from 66°53'17.1"N 130°07'55.0"W  
(See Chart 1, Qb) to 66°52'38.1"N 130°07'41.9"W  
*LL(4016.7) DFO(6605022-08)*

Reposition red starboard hand conical buoy from 66°52'02.8"N 130°07'33.0"W  
(See Chart 1, Qb) to 66°52'05.5"N 130°08'17.7"W  
*LL(4015.9) DFO(6605022-09)*

Reposition green port hand can buoy from 66°51'32.3"N 130°07'38.6"W  
(See Chart 1, Qc) to 66°51'32.6"N 130°07'51.8"W  
*LL(4013.9) DFO(6605022-10)*

**6425 - Travaillant River to à Adam Cabin Creek Kilometre 1325 / Kilomètre 1400 - New Edition - 01-APR-2022 - World Geodetic System 1984**  
10-MAR-2023

Add green port hand can buoy 67°12'12.5"N 132°47'01.7"W  
(See Chart 1, Qc)  
*DFO(6605024-01)*

Add red starboard hand conical buoy 67°12'01.1"N 132°47'57.8"W  
(See Chart 1, Qb)  
*LL(4125) DFO(6605024-02)*



Add	red starboard hand conical buoy (See Chart 1, Qb)	67°11'53.7"N 132°48'59.6"W <i>LL(4127.5) DFO(6605024-03)</i>
Add	red starboard hand conical buoy (See Chart 1, Qb)	67°11'41.6"N 132°50'09.7"W <i>LL(4127.8) DFO(6605024-04)</i>
Reposition	port hand daybeacon, marked RAM (See Chart 1, Qp)	from 67°19'33.6"N 132°17'56.9"W to 67°19'34.5"N 132°18'37.6"W <i>LL(4103.95) DFO(6605024-05)</i>
Reposition	red starboard hand conical buoy (See Chart 1, Qb)	from 67°19'10.8"N 132°18'46.7"W to 67°19'15.1"N 132°19'08.5"W <i>LL(4106) DFO(6605024-06)</i>
Reposition	red starboard hand conical buoy (See Chart 1, Qb)	from 67°18'40.4"N 132°19'56.8"W to 67°18'45.7"N 132°20'22.0"W <i>LL(4108.4) DFO(6605024-07)</i>
Delete	red starboard hand conical buoy (See Chart 1, Qb)	67°19'28.1"N 132°16'38.4"W <i>DFO(6605024-08)</i>
Delete	starboard hand daybeacon, marked RAM (See Chart 1, Qp)	67°21'21.5"N 131°52'36.5"W <i>DFO(6605024-09)</i>

**6426 - Adam Cabin Creek to à Point Separation Kilometre 1400 / Kilomètre 1480 - New Edition - 30-JAN-2015 - World Geodetic System 1984**

10-MAR-2023

LNM/D. 11-MAR-2022

Add	green port hand can buoy (See Chart 1, Qc)	67°12'10.2"N 132°59'21.5"W <i>DFO(6605015-01)</i>
Reposition	port hand daybeacon (See Chart 1, Qp)	from 67°13'45.4"N 133°01'56.9"W to 67°14'42.5"N 133°04'52.0"W <i>DFO(6605015-02)</i>
Reposition	red starboard hand conical buoy (See Chart 1, Qb)	from 67°22'16.6"N 133°28'47.6"W to 67°22'15.8"N 133°28'21.7"W <i>DFO(6605015-03)</i>
Reposition	red starboard hand conical buoy (See Chart 1, Qb)	from 67°21'56.4"N 133°27'46.8"W to 67°21'52.8"N 133°27'46.7"W <i>DFO(6605015-04)</i>
Reposition	red starboard hand conical buoy (See Chart 1, Qb)	from 67°21'34.5"N 133°27'28.5"W to 67°21'34.9"N 133°27'16.3"W <i>DFO(6605015-05)</i>
Reposition	red starboard hand conical buoy (See Chart 1, Qb)	from 67°21'06.4"N 133°26'40.6"W to 67°21'07.4"N 133°26'33.3"W <i>DFO(6605015-06)</i>
Add	green port hand can buoy (See Chart 1, Qc)	67°20'34.6"N 133°25'23.5"W <i>DFO(6605015-07)</i>



## Section 3: Radio Aids to Marine Navigation Corrections


### \*319/23 Radio Aids to Marine Navigation 2023 (Atlantic, St. Lawrence, Great Lakes, Lake Winnipeg, Arctic and Pacific)

#### Page 3-45

DELETE THE FOLLOWING FIGURE:

Figure 3-11 - Vessel Traffic Services - Sarnia VTS Zone and Areas

REPLACE WITH THE FOLLOWING:



**Page 4-73**

**ADD AS FOLLOWS:**

**4.3.11 Inspection of Radio Apparatus**

...

Owners and masters of Canadian vessels are advised that Transport Canada has delegated the authority to issue radio inspection certificates to Recognized Organizations under the Delegation Statutory Inspection Program. Vessels enrolled in the Delegation Statutory Inspection Program, as well as classed ships, are encouraged to contact a Recognized Organization for their radio inspection required by regulations under the *Canada Shipping Act, 2001*. Currently, the Recognized Organizations are the American Bureau of Shipping; Bureau Veritas; ClassNK; Det Norske Veritas Germanischer Lloyd; Korean Register; Lloyd's Register; and RINA Services SpA.

**Validity period of a Radio Inspection Certificate issued under the Navigation Safety Regulations, 2020**

Starting January 1, 2023 the Ship Radio Inspection Program will be moving towards longer validity periods for certain Radio Inspection Certificates issued under the *Navigation Safety Regulations, 2020*. This change only applies to vessels operating exclusively within the inland waters of Canada or Sea Area A1. Vessels operating exclusively within designated Sheltered Waters will continue to be eligible for 48 month certificates.

This change will not impact certificates issued under *Agreement between Canada and the United States of America for Promotion of Safety on the Great Lakes by Means of Radio, 1973* (GLA 1973) which continue to have a maximum validity of 13 months.

The program will be phasing in progressively longer certificate durations according the following schedule:

- Certificates issued from January 1<sup>st</sup>, 2023 to March 31<sup>st</sup>, 2023 will have a maximum duration of 1 year.
- Certificates issued from April 1<sup>st</sup>, 2023 to May 31<sup>st</sup>, 2023 will have a maximum duration of 2 years.
- Certificates issued from June 1<sup>st</sup>, 2023 to July 31<sup>st</sup>, 2023 will have a maximum duration of 3 years.
- Certificates issued on or after August 1<sup>st</sup> will have a maximum duration of 4 years.

## Section 4: Canadian Sailing Directions Corrections

---

The following **Canadian Sailing Directions** volumes have recently been updated on the [Canadian Hydrographic Service website](#).

No.	Title
<b>Atlantic Coast</b>	
<b>ATL104</b>	Cape North to Cape Canso (including Bras d'Or Lake)
<b>ATL105</b>	Cape Canso to Cape Sable (including Sable Island)
<b>ATL106</b>	Gulf of Maine and Bay of Fundy
<b>ATL107</b>	Saint John River
<b>ATL108</b>	Gulf of St. Lawrence (Southwest Portion)
<b>ATL112</b>	St. Lawrence River, Cap-Rouge to Montréal and Rivière Richelieu

Each volume includes a section entitled “Record of Changes” which lists all updates that are incorporated during the current calendar year.

## Section 5: List of Lights, Buoys and Fog Signals Corrections

The amendments are highlighted and deletions are crossed out. For general and region-specific information on the List of Lights, click on the following links: [Newfoundland and Labrador Coast](#), [Atlantic Coast](#), [Inland Waters](#) and [Pacific Coast](#).

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

### NEWFOUNDLAND AND LABRADOR COAST

#### PLACENTIA BAY (LL 14.4 – 79)

37.5 <del>H0400.4</del>	Shag Rocks Light	<del>Long Harbour.</del> 47 24 38.5 053 54 45.9	FI W 4s	12.8	5	Square skeleton tower, red and white rectangular daymark. 4.3	Flash 1 s; eclipse 3 s. Year round.  Chart:4617 Edn 03/23 (N23-016)
37.52 H0400.2	Fair Haven Breakwater Light	47 31 54.9 053 53 55.8	FI G 4s	.....	2	Mast.	Flash 1 s; eclipse 3 s. Year round.  Chart:4617 Edn 03/23 (N23-011)
49 <del>H0400</del>	Red Island Light	<del>On Herring Point.</del> 47 23 58.0 054 08 44.0	FI W 4s	16.1	5	Square skeleton tower, red and white rectangular daymark. 4.3	Flash 1 s; eclipse 3 s. Year round.  Chart:4617 Edn 03/23 (N23-018)

#### WHITE BAY (LL 235 – 269.3)

267.5 <del>H0692.6</del>	Ming's Bight Wharf Light	49 58 38.9 056 02 16.3	FI G 5s	3.4	4	<del>Cylindrical</del> Mast. 2.4	Flash 1 s; eclipse 4 s. Seasonal.  Chart:4821 Edn 03/23 (N23-025)
-----------------------------	--------------------------	---------------------------	---------	-----	---	-------------------------------------	---

#### NOTRE DAME BAY (LL 326 – 395)

391 <del>H0600</del>	Carmanville Wharf Light	<del>On NE end of wharf.</del> 49 24 13.9 054 16 50.1	FI R 4s	5.2	.....	<del>Cylindrical</del> Mast. 2.4	Flash 1 s; eclipse 3 s. Year round.  Chart:4530 Edn 03/23 (N19-093)
-------------------------	-------------------------	---	---------	-----	-------	-------------------------------------	---

#### CONCEPTION BAY (LL 471.7 – 498.5)

494 H0471	Bell Island Ferry Wharf Light & Fog Signal	<del>E. coast.</del> 47 37 45.9 052 55 26.0	Iso R 6s	7.0	4	Square skeleton tower, red and white rectangular daymark. 5.2	Year round. <del>Whistle – Blast 3 s; sil. 27 s.</del>  Chart:4847 Edn 03/23 (N23-006)
--------------	--	---	----------	-----	---	--	--

#### CAPE ST. FRANCIS TO RENEWS (LL 499 – 516)

511	Bar Shoal light buoy MF	Fermeuse Harbour Channel. 46 58 18.8 052 56 23.0	Q(3) W 10s	.....	.....	Black, yellow and black, marked "MF".	Year round.  Chart:4845 Edn 03/23 (N23-035)
511.21	Lumley Cove Outer light buoy MF2						<del>Delete from list.</del>  Chart:4845 Edn 03/23 (N23-034)

Notices to Mariners – Monthly Eastern Edition  
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
511.22	Lumley Cove Middle light buoy MF4	Fermeuse Harbour. 46 58 18.1 052 56 32.8	Fl R 4s	.....	.....	Red spar, marked "MF4".	Year round.  Chart:4845 Edn 03/23 (N23-036)

ATLANTIC COAST

**CAPE BRETON ISLAND, N.S. (LL 704.85 – 882.5)**

789	Cran Rock light buoy S2	46 16 25.6 060 11 29.1	Fl R 4s	.....	.....	Red spar, marked "S2".	Year round.  Chart:4266 Edn 03/23 (G23-003)
-----	----------------------------	---------------------------	---------	-------	-------	------------------------	--

**PRINCE EDWARD ISLAND (LL 942 – 1084.7)**

984	Prim Reefs light buoy C2	Off W. extremity of reefs. 46 02 40.3 063 06 47.6	Q R 1s	.....	.....	Red spar, marked "C2".	Year round.  Chart:4466 Edn 03/23 (G23-002)
-----	-----------------------------	--	--------	-------	-------	------------------------	--

**ST. LAWRENCE RIVER (LL 1584.5 – 1772, 1823.8 – 2185.7, 2273 – 2365.95)**

1732.3	Port de Rimouski light buoy HT11	48 28 56.7 068 31 06.7	Q G 1s	.....	.....	Green, marked "HT11".	Seasonal.  Chart:1236 Edn 03/23 (Q20-046)	
2063 H2380		W. of Champlain village. 46 26 06.2 072 21 26.0	F G	.....	19.7	13	Mast, fluorescent red rectangular daymark with black vertical stripe. 13.4	Visible in line of range. Operates 24 h. Emergency mode. Year round.
2063.1 H2380	Route de Champlain range		F G	.....	19.8	7	Mast. 13.4	Visible 120°. Operates 24 h. Year round.
2064 H2380.1		264°03' 454.6 m from front.	F G	.....	33.4	13	Square skeleton tower, fluorescent red daymark with black vertical stripe. 27.5	Visible in line of range. Operates 24 h. Emergency mode. Year round.
2064.1 H2380.1			F G	.....	33.4	7	Square skeleton tower. 27.5	Visible 120°. Operates 24 h. Year round.

Chart:1313  
Edn 03/23 (Q22-083, 085, 088, 089)

INLAND WATERS

**ST. LAWRENCE SEAWAY, CANAL DE BEAUHARNOIS TO KINGSTON (LL 33 – 401)**

80.1	Salaberry-de- Valleyfield Entrance light buoy DV10/2	45 14 55.1 074 09 51.5	Fl R 4s	.....	.....	Red spar, marked "DV10/2".	Seasonal.  Chart:1431 Edn 03/23 (B23-003)
80.2	Salaberry-de- Valleyfield Harbour Entrance light buoy DV11	45 14 55.1 074 09 54.8	Fl G 4s	.....	.....	Green spar, marked "DV11".	Operates 24 h. Seasonal.  Chart:1431 Edn 03/23 (B23-010)

Notices to Mariners – Monthly Eastern Edition  
Section 5: List of Lights, Buoys and Fog Signals Corrections

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
80.3	<b>Salaberry-de-Valleyfield Harbour Entrance light buoy DV13</b>	Lake St. Francis. 45 14 58.2 074 09 50.6	Fl G 4s	.....	.....	Green spar, marked "DV13".	<b>Operates 24 h.</b> Seasonal (in place year round).  Chart:1431 Edn 03/23 (B23-011)
80.4	<b>Salaberry-de-Valleyfield Approach light buoy DV15</b>	Lake St. Francis. 45 15 03.4 074 09 45.2	Fl G 4s	.....	.....	Green spar, marked "DV15".	<b>Operates 24 h.</b> Seasonal (in place year round).  Chart:1431 Edn 03/23 (B23-012)
<b>OTTAWA RIVER (LL 1255 – 1322)</b>							
1298	<b>Aylmer Island light buoy K9</b>	45 24 02.9 075 53 32.2	Fl G 4s	.....	.....	Green spar, marked "K9".	Seasonal.  Chart:1550 Edn 03/23 (B23-004, 013)
<b>LAKE OF THE WOODS (LL 1470 – 1514.9)</b>							
1492	Bishop Point	On island, W. tip of point. 49 29 31.3 094 46 34.8	Fl W 4s	7.6	6	Cylindrical mast, green and white rectangular daymark, green square in centre. 6.4	Visible from 340° through N., E. and S. to 224°. Seasonal.  Chart:6216 Edn 03/23 (D23-001)
1496.5	Penasse Island	N. of island. 49 22 17.8 094 57 32.5	Fl W 4s	9.9	6	Cylindrical mast, red and white rectangular daymark with red upper portion. 6.6	Visible from 181° through W. and N. to 076°. Seasonal.  Chart:6216 Edn 03/23 (D23-002)
<b>LAKE WINNIPEG (LL 1563.1 – 1625)</b>							
1596	Little Tamarack Island	NE. corner of island. 51 51 42.0 097 02 39.0	Fl W 4s	9.1	6	White square skeleton tower with red bands. 5.1	Seasonal.  Chart:6267 Edn 03/23 (P23-032)
1615	Scots Point	NW. side of the lake Winnipeg. 53 11 59.0 099 13 30.0	Fl W 4s	17.1	7	Red and white Square skeleton tower, red and white rectangular daymark. 15.5	Seasonal.  Chart:6241 Edn 03/23 (P23-011)
<b>GREAT SLAVE LAKE (LL 1671.7 – 1716)</b>							
1687	Hay River Inner range	On W. side of river entrance. 60 51 38.7 115 44 06.0	F R	.....	13.4	15 Square skeleton tower, red daymark with white vertical stripe. 9.1	<b>Operates 24 h.</b> Seasonal.
1688		On synchrolift building wall. 183° 42' 140 m from front.	F R	.....	25.0	..... Square skeleton tower, red daymark with white vertical stripe.	Operates 24 h. Seasonal.  Chart:6371 Edn 03/23 (A21-043)