Fisheries and Oceans Canada | Pêches et Océans Canada
Canadian Coast Guard | Garde côtière canadienne

VOL. 33, MONTHLY EDITION N^{O} 06
JUNE 27, 2008

Publication Number 40063779

NOTICES TO MARINERS PUBLICATION EASTERN EDITION

Published monthly by the

CANADIAN COAST GUARD

CONTENTS

		Page
Section 1	Safety and General Information	1 - 16
Section 2	Chart Corrections	17 - 27
Section 3	Corrections to Radio Aids to Marine Navigation	NIL
Section 4	Sailing Directions and Small Craft Guide Corrections	28 - 30
Section 5	List of Lights, Buoys and Fog signals Corrections	31, 32

Maritime Services Directorate
Aids to Navigation

Internet: www.notmar.gc.ca

EXPLANATORY NOTES

Geographical positions refer directly to the graduations of the largest scale Canadian Hydrographic chart unless otherwise indicated.

Bearings refer to the true compass and are measured clockwise from 000° (North) clockwise to 359°; those relating to lights are from seaward.

Visibility of lights is that in clear weather.

Depths - The units used for soundings (metres, fathoms or feet) are stated in the title of each chart.

Elevations are normally given above Higher High Water, Large Tides unless otherwise indicated.

Distances may be calculated as follows:

1 nautical mile	= 1 852 metres (6,076.1 feet)
1 statute mile	= 1 609.3 metres (5,280 feet)
1 metre	= 3.28 feet

Temporary & Preliminary Notices are indicated by a (T) or a (P) before the chart action. Please note that Nautical charts are not hand amended by the Canadian Hydrographic Service for Temporary (T) and Preliminary (P) Notices. It is recommended that mariners chart these corrections in pencil. Listing of charts affected by Temporary and Preliminary Notices are revised and promulgated quarterly in Section 1 of the Monthly Edition.

Please note that, in addition to the temporary and preliminary changes normally advertised as (T) and (P) Notices, there are a few permanent changes to navigational aids that have been advertised as Preliminary Notices to Mariners while charts are being updated for new editions.

Marine Information Report & Suggestion Sheet - Mariners are requested to notify the responsible authorities when new or suspected dangers to navigation are discovered, changes observed in aids to navigation or corrections to publications are seen to be necessary. Such communications can be made using the *Marine Information Report & Suggestion Sheet* inserted on the last page of each monthly edition of *Notices to Mariners.*

Monthly edition of Notices to Mariners - *Notices to Mariners* are issued free of charge on a monthly basis. Mariners now have a choice between specific *Regional* issue(s) they wish to receive. Requests to be placed on or removed from the mailing list should be made by using the form inserted on page iii of each monthly edition. Notification of changes to the mailing addresses, regional issues and/or number of copies required should also be transmitted by means of this form.

Canadian Nautical Charts & Publications - A source list of *Canadian Nautical Charts & publications is published in Notice No. 14* of the *Notices to Mariners Annual Edition April 2008.* The source supply and the prices effective at the time of printing are listed. For current chart edition dates refer to the following web site: http://www.chs-shc.gc.ca/pub/en/products/core.cfm

NOTE: Cette publication est aussi disponible en français.

CHART CORRECTIONS - SECTION 2

Corrections to nautical charts will be listed in numeric order by chart number. Each chart correction listed applies only to that particular chart. Related charts, if any, will have their own specific correction listed separately. Users should also refer to CHS Chart 1 Symbols, Abbreviations Terms for additional information pertaining to the correction of charts. The illustration below describes the elements that will comprise a typical Section 2 chart correction.



1 - Chart Number
2 - Chart Title
3 - Chart's latest New Edition date
4 - Horizontal Chart Datum
5 - Last Correction
6 - Chart action
7 - Notice type
8 - Weekly chart correction date
9 - List of light number
10 - CHS record reference number
11 - CCG Record reference number
12 - Chart No 1 reference number

The last correction number is identified with the **LNM/D** or **L**ast **N**otice to **M**ariners Number **/ D**ate. This number is expressed in either old notice number format (ex.: 594/99) or in day-month-year format which is the date known as the weekly chart correction date shown in the above diagram as item (8).

ADVISORY

NOTICES TO SHIPPING (WRITTEN AND BROADCAST)

The Canadian Coast Guard is implementing a number of changes to the aids to navigation system in Canada.

These changes are advertised as Notices to Shipping (Broadcast and Written) by the Canadian Coast Guard and are followed up with Notices to Mariners, then charts are updated by hand correction, reprints or new editions.

Mariners are advised that all relevant Written Notices to Shipping should be kept until superseded by Notices to Mariners or through revised charts issued by the Canadian Hydrographic Service.

Written Notices to Shipping are published weekly and are available from local Canadian Coast Guard Offices.

The Canadian Hydrographic Service is reviewing the impact of these changes with the Canadian Coast Guard and together we are preparing an action plan on the issuing of chart revisions.

For further information contact your local Regional Notices to Shipping (Notships) issuing authorities.

Newfoundland

Fisheries and Oceans Canada,
Canadian Coast Guard,
St. John's MCTS Centre
P.O. Box 5667
ST JOHN'S NL A1C 5X1
Telephone:709 772-2083 / 2106
Facsimile:709 772-5369

Maritimes

* Fisheries and Oceans Canada
Canadian Coast Guard
Sydney MCTS Centre
P.O. Box 8630
SYDNEY, N.S. B1P 6K7
Telephone: 902-564-7751 or 1-800-686-8676
Facsimile: 902-564-2446
Email: notshipssyd@mar.dfo-mpo.gc.ca

Quebec

***** Fisheries and Oceans Canada,
Canadian Coast Guard,
Regional Operations Centre (ROC)
101 Champlain Boulevard
QUEBEC QC G1K 7Y7
Telephone:418 648-5410 / 4427
Facsimile: 418 648-7244
Web site: www.marinfo.gc.ca

Central & Arctic

***** Fisheries and Oceans Canada,
Canadian Coast Guard,
Sarnia MCTS Centre
215 - 105 Christina Street
SARNIA ON N7T 7W1
Telephone:519 337-6360 or 1-800-265-0237
Facsimile:519 337-2498

* Fisheries and Oceans Canada,
Canadian Coast Guard,
Iqaluit MCTS Centre
P.O. Box 189
IQALUIT NU X0A 0H0
Telephone: 867-979-5269
Facsimile: 867-979-4264

*** Services provided in English and French**

MONTHLY EDITION OF NOTICES TO MARINERS

MAILING LIST CHANGES

I WISH TO CONTINUE RECEIVING THE PAPER COPY OF THE NOTICE ☐

Leader, Notices to Mariners
Navigation Aids
Navigation Systems
Canadian Coast Guard
200 Kent Street, Station 5N186
Ottawa, ON
K1A 0E6

Telephone (613) 993-6974
Facsimile (613) 998-8428
Internet **www.notmar.gc.ca**

Please indicate which edition you would like to receive.

EASTERN EDITION (Comprised of Arctic, Newfoundland, Maritimes, Gulf & River St. Lawrence and Central areas)_____

WESTERN EDITION (Comprised of Arctic and Pacific areas)_____

ADD _____ **AMEND** _____ **REMOVE** _____ **NO. OF COPIES** _____

OLD ADDRESS	
NAME	
STREET	**APT.**
CITY	**POSTAL CODE**
PROVINCE	**COUNTRY**
NEW ADDRESS	
NAME	
STREET	**APT.**
CITY	**POSTAL CODE**
PROVINCE	**COUNTRY**

ID number above address on label

or

Attach complete address label to this sheet

INDEX

CANADIAN HYDROGRAPHIC SERVICE - ANNOUNCEMENT REGARDING CANADIAN HYDROGRAPHIC SERVICE CHART PATCHES. 1

CANADIAN HYDROGRAPHIC SERVICE - ARCTIC CHARTS. 2

CANADIAN HYDROGRAPHIC SERVICE - CUMULATIVE CHART CORRECTIONS. 1

CANADIAN HYDROGRAPHIC SERVICE - CURRENT CHART EDITION DATES. 1

CANADIAN HYDROGRAPHIC SERVICE - PRINT ON DEMAND CHARTS - CARE AND USE. 1

*602 CANADIAN HYDROGRAPHIC SERVICE - ELECTRONIC NAVIGATION CHARTS. 3

*601 CANADIAN HYDROGRAPHIC SERVICE - NAUTICAL CHARTS. 2

*604 CANADIAN HYDROGRAPHIC SERVICE - NON EQUIVALENT ELECTRONIC NAVIGATION CHARTS. 4

*603 CANADIAN HYDROGRAPHIC SERVICE - RASTER DIGITAL CHART CD. 4

*605 CANADIAN HYDROGRAPHIC SERVICE - 2008 CANADIAN TIDE AND CURRENT TABLES. 4

*606(P) CARAQUET HARBOUR, BAIE DE SHIPPEGAN AND/ET MISCOU HARBOUR - LIGHT TO BE DISCONTINUED……..16

NUMERICAL INDEX OF CANADIAN CHARTS AFFECTED

Chart No.	Page	Chart No.	Page	Chart No.	Page
1209	17	4386	24	6426	2, 3
1220	17	4394	24	6427	2, 3
1226	17	4422	24	6428	2, 3
1233	18	4428	2, 3	6429	2, 3
1236	18	4486	24, 25	6430	2, 3
1310	18	4616	25	6431	2, 3
1311	2, 3, 18, 19	L/C4624	25	6432	2, 3
1312	19	4702	25	6434	2, 3
1313	19	4913	16	6435	2, 3
1315	20	4921	25, 26	6451	2, 3
1316	20	5033	26	6452	2, 3
1317	20	5043	27	6453	2, 3
1350	21	6213	27	6454	2, 3
1433	21, 22	6287	27	6455	2, 3
1554	22	6411	2, 3		
2067	22	6412	2, 3		
2202	22	6413	2, 3		
2225	22	6416	2, 3		
L/C2243	23	6417	2, 3		
L/C2300	23	6418	2, 3		
2307	23	6419	2, 3		
3955	2, 3	6420	2, 3		
4024	23	6421	2, 3		
L/C4118	23	6422	2, 3		
4124	24	6423	2, 3		
4236	24	6424	2, 3		
4385	24	6425	2, 3		

CANADIAN HYDROGRAPHIC SERVICE - ANNOUNCEMENT REGARDING CANADIAN HYDROGRAPHIC SERVICE CHART PATCHES.

CHS is introducing a new initiative with a full colour Patch on the Web. A link in the Notices to Mariners web site will be provided so clients can access the colour Patch. The colour Patch will be published in HTML and PDF format. Providing the Patches in colour (accessible to all via remote access to the Web) is an enhanced form of alternative service delivery in line with CHS strategic objectives.

Colour Web Patches are free to the mariner, and given the quality of many printers, should reproduce well. They will be available in real time all around the world which is an improvement since clients had to wait for the paper copy to be mailed.

Previously, in the *Notices to Mariners* (NTM) booklet, Patches were produced in full colour or a minimum of black and magenta.

Due to current budgetary constraints, Patches will now only be produced in black and white for publication in the NTM booklet.

Our level of service will change with this initiative and CHS intends to analyze market reaction to this innovation.

CHS welcomes your feedback on this new service at **chsinfo@dfo-mpo.gc.ca**

CANADIAN HYDROGRAPHIC SERVICE - CUMULATIVE CHART CORRECTIONS.

The cumulative Notice to Mariners corrections for charts can now be accessed at
http://www.notmar.gc.ca/search/notmar_e.php

CANADIAN HYDROGRAPHIC SERVICE - CURRENT CHART EDITION DATES.

CHART EDITIONS

The three terms described below are used to indicate the publication status of Canadian charts.

NEW CHART - "NEWCHT"
The first publication of a Canadian chart embracing an area not previously charted to the scale shown, or embracing an area different from any existing Canadian chart.

NEW EDITION - "NEWEDT"
A new issue of an existing chart containing amendments essential to navigation in addition to those issued in Notice to Mariners and making existing editions obsolete.

REPRINTS
A new issue of the current edition of a chart incorporating no amendments of navigational significance other than those previously promulgated in Notice to Mariners. It may also contain amendments from other sources provided they are not essential to navigation. Previous printings of the current edition remain in force.

The current chart edition dates can now be accessed at http://www.chs-shc.gc.ca/pub/en/products/core.cfm

CANADIAN HYDROGRAPHIC SERVICE - PRINT ON DEMAND CHARTS - CARE AND USE.

Background

By providing nautical charts to the public, the goal of the Canadian Hydrographic Service (CHS) is to provide services for safe navigation in a fiscally responsible manner. As a result, CHS continues to expand its portfolio of nautical paper charts that are printed using Print On Demand (POD) technology. These charts are easily recognized by their whiter paper and the coloured logo of the Canadian Hydrographic Service. This new technology enables CHS to print charts in a more efficient manner while enhancing chart content through being able to quickly add new and important information. POD technology provides customers with up-to-date charts without the historical hand-drawn corrections or glued-on patches. Additionally, this technology eliminates out-of-stock situations which arise with the traditional printing and warehousing methods. In the event of a national emergency, CHS can respond to the appropriate authorities with best available information very quickly.

Care of Your POD Chart

CHS encourages its customers to handle the POD charts more carefully than the traditional lithographic charts. When plotting information on POD charts, use HB pencils and apply limited pressure. Testing has suggested that an Indian gum eraser is more effective than alternatives when used on the product. This eraser is also suitable for charts printed using lithographic processes.

CANADIAN HYDROGRAPHIC SERVICE - ARCTIC CHARTS.

Please be advised that effective February 2007 all Arctic notices will appear in both the Eastern and Western paper editions of Notices to Mariners.

Mariners may obtain all Arctic chart notices via the Canadian Coast Guard Notices to Mariners online service www.notmar.gc.ca or by contacting the Canadian Coast Guard, Notices to Mariners office at the following coordinates:

Leader, Notices to Mariners
Aids to Navigation
Navigation Systems
Canadian Coast Guard
200 Kent Street, Station 5N186
Ottawa, ON
K1A 0E6

Telephone (613) 993-6974
Facsimile (613) 998-8428

***601 CANADIAN HYDROGRAPHIC SERVICE - NAUTICAL CHARTS.**

CHARTS	MAIN TITLE	SCALE	PUBLISHED	CAT#	PRICE
New Edition	All temporary and preliminary notices affecting the previous versions of the following chart(s) (is / are) now cancelled. For any outstanding notices please consult section 2 of this edition.				
1311	Sorel-Tracy à/to Varennes	1:40000	21-MAR-2008	1, 3	$20.00
3955	Plans - Prince Rupert Harbour	----	21-MAR-2008	2	$20.00
4428	Havre de Natashquan et les approches/and Approaches	1:10000	15-FEB-2008	1	$20.00
6411	Trail River to/à Camsell Bend	1:50000	25-JAN-2008	4	$12.00
6412	Camsell Bend to/à McGern Island	1:50000	25-JAN-2008	4	$12.00
6413	McGern Island to/à Wrigley River	1:50000	25-JAN-2008	4	$12.00
6416	Saline Island to/à Police Island	1:50000	25-JAN-2008	4	$12.00
6417	Tulita (Fort Norman), Police Island to/aux Halfway Islands	1:50000	25-JAN-2008	4	$12.00
6418	Norman Wells, Halfway Islands to/à Rader Island	1:50000	25-JAN-2008	4	$12.00
6419	Norman Wells to/à Carcajou Ridge	1:50000	25-JAN-2008	4	$12.00
6420	Carcajou Ridge to/à Hardie Island	1:50000	25-JAN-2008	4	$12.00
6421	Hardie Island to/à Fort Good Hope	1:50000	25-JAN-2008	4	$12.00
6422	Fort Good Hope to/à Askew Islands	1:50000	25-APR-2008	4	$12.00
6423	Askew Islands to/à Bryan Island	1:50000	25-JAN-2008	4	$12.00
6424	Bryan Island to/à Travaillant River	1:50000	25-JAN-2008	4	$12.00

CHARTS	MAIN TITLE	SCALE	PUBLISHED	CAT#	PRICE
New Edition	All temporary and preliminary notices affecting the previous versions of the following chart(s) (is / are) now cancelled. For any outstanding notices please consult section 2 of this edition.				
6425	Travaillant River to/à Adam Cabin Creek	1:50000	25-JAN-2008	4	$12.00
6426	Adam Cabin Creek to/à Point Separation	1:50000	25-JAN-2008	4	$12.00
6427	Point Separation to/au Aklavik Channel	1:50000	25-JAN-2008	4	$12.00
6428	Aklavik Channel to/au Napoiak Channel including/y compris Aklavik Channel to/à Aklavik	1:50000	25-JAN-2008	4	$12.00
6429	Kilometre/Kilomètre 1580 - 1645 including/y compris East Channel, Inuvik to/au Kilometre/Kilomètre 1645	1:50000	25-JAN-2008	4	$12.00
6430	East Channel, Kilometre/Kilomètre 1645 - 1710	1:50000	25-JAN-2008	4	$12.00
6431	East Channel, Lousy Point to/à Tuktoyaktuk	1:50000	25-JAN-2008	4	$12.00
6432	Kilometre/Kilomètre 1500 to/à Inuvik East Channel	1:50000	25-JAN-2008	4	$12.00
6434	Reindeer Channel, Tununuk Point to/à Shallow Bay	1:50000	25-JAN-2008	4	$12.00
6435	Middle Channel, Tununuk Point to/à Mackenzie Bay	1:50000	25-JAN-2008	4	$12.00
6451	Sans Sault Rapids	1:20000	25-JAN-2008	4	$12.00
6452	Mackenzie River / Fleuve Mackenzie (Kilometre / Kilomètre 0-58)	1:50000	25-JAN-2008	4	$12.00
6453	Mackenzie River/Fleuve Mackenzie (Kilometre Kilomètre 58-90)	1:25000	25-JAN-2008	4	$12.00
6454	Mackenzie River / Fleuve Mackenzie (Kilometre / Kilomètre 90-147)	1:50000	25-JAN-2008	4	$12.00
6455	Mackenzie River / Fleuve Mackenzie (Kilometre / Kilomètre 147-205)	1:50000	25-JAN-2008	4	$12.00

***602 CANADIAN HYDROGRAPHIC SERVICE - ELECTRONIC NAVIGATION CHARTS.**

RELEASED PRODUCTS	
S-57 ENC NUMBER	**CHART TITLE**
CA470577	CHANNELS VICINITY OF/CHENAUX PROXIMITÉ DE MILBANKE SOUND
CA570579	Nowish Cove
CA570580	Jackson Narrows
CA470581	Mathieson Channel Nothern Portion/Partie Nord
CA470582	Mussel Inlet (Continuation A)
CA470583	Kynoch Inlet (Continuation B)
CA470584	Finlayson Channel and/et Tolmie Channel
CA570585	Meyers Narrows
CA570586	Hiekish Narrows
CA476199	Mahone Bay
CA576649	Cow Head Wharves
CA476085	Port Harmon and Approaches / et les approches
CA576088	Port Harmon
CA476127	Buctouche Harbour

RELEASED PRODUCTS	
S-57 ENC NUMBER	**CHART TITLE**
CA476131	Richibucto Harbour
CA576200	Chester Harbour
CA576201	Mahone Harbour
CA576225	Mortier Bay
CA576226	Mooring Cove Wharves / Quais
CA576227	Marystown Wharves / Quais
CA479006	Baie des Sept-Îles
CA379028	Pointe de Moisie à/to Île du Grand Caouis

***603 CANADIAN HYDROGRAPHIC SERVICE - RASTER DIGITAL CHART CD.**

CHARTS	MAIN TITLE				
New Edition					
R/M1311	Sorel-Tracy à/to Varennes		21-MAR-2008		See Note 2
R/M3955	Plans - Prince Rupert Harbour		21-MAR-2008		See Note 2
R/M4428	Havre de Natashquan et les approches/and Approaches		15-FEB-2008		See Note 2

***604 CANADIAN HYDROGRAPHIC SERVICE - NON EQUIVALENT ELECTRONIC NAVIGATION CHARTS.**

Note: The following ENC products are not equivalent to the current editions of their corresponding paper charts and should not be used as a replacement.

NON EQUIVALENT PRODUCTS		
S-57 ENC NUMBER	**PAPER CHART NUMBER**	**CHART TITLE**
CA376093	4367	Flint Island to/à Cape Smoky
CA376094	4020	Strait of Belle Isle/Détroit de Belle Isle
CA476179	4466	Hillsborough Bay
CA476202	4211	Cape Lahave to/à Liverpool Bay
CA476327	4596	Bay of Exploits Sheet/feuille II (Middle/centre)
CA476328	4597	Bay of Exploits Sheet/feuille III (South/sud)

***605 CANADIAN HYDROGRAPHIC SERVICE - 2008 CANADIAN TIDE AND CURRENT TABLES.**

Volume 3 (St. Lawrence River and Saguenay Fiord).

Revised Tidal Predictions for the following Reference Ports:
Saint-François
Québec
Grondines

Replace pages 28 to 39 by the following pages.

The revised predictions have been posted on the CHS Tidal Web Site:
http://marees-tides.gc.ca/

SAINT-FRANÇOIS EST Z+5 **2008** **TIDE TABLES**

January-janvier

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0624	3.3	1.0	16	0545	2.6	0.8
	1154	14.8	4.5		1103	17.4	5.3
TU	1903	3.9	1.2	WE	1839	3.0	0.9
MA				ME	2339	14.4	4.4
2	0030	13.8	4.2	17	0645	2.6	0.8
	0715	5.2	1.6		1212	16.7	5.1
WE	1242	15.4	4.7	TH	1948	2.6	0.8
ME	2027	3.9	1.2	JE			
3	0133	13.1	4.0	18	0051	13.8	4.2
	0815	4.9	1.5		0748	3.0	0.9
TH	1354	15.4	4.7	FR	1318	17.1	5.2
JE	2142	3.6	1.1	VE	2115	2.3	0.7
4	0239	12.5	3.8	19	0206	13.1	4.0
	0927	3.9	1.2		0900	2.3	0.7
FR	1457	15.1	4.6	SA	1436	18.0	5.5
VE	2239	3.0	0.9	SA	2221	2.3	0.7
5	0345	12.8	3.9	20	0321	14.1	4.3
	1015	3.9	1.2		1006	2.6	0.8
SA	1545	16.4	5.0	SU	1533	19.0	5.8
SA	2324	3.0	0.9	DI	2324	2.0	0.6
6	0424	13.5	4.1	21	0418	14.8	4.5
	1100	3.6	1.1		1109	2.3	0.7
SU	1627	17.4	5.3	MO	1630	19.4	5.9
DI				LU			
7	0006	2.6	0.8	22	0018	1.6	0.5
	0503	14.4	4.4		0515	15.4	4.7
MO	1139	3.3	1.0	TU	1200	2.0	0.6
LU	1703	18.0	5.5	MA	1724	20.3	6.2
8	0042	2.3	0.7	23	0103	2.0	0.6
	0542	14.8	4.5		0557	16.7	5.1
TU	1209	3.3	1.0	WE	1251	2.0	0.6
MA	1736	19.4	5.9	ME	1806	20.7	6.3
9	0112	2.6	0.8	24	0145	2.0	0.6
	0609	15.7	4.8		0642	17.1	5.2
WE	1257	2.6	0.8	TH	1336	2.0	0.6
ME	1809	19.7	6.0	JE	1848	20.3	6.2
10	0157	1.6	0.5	25	0224	2.0	0.6
	0648	15.1	4.6		0721	17.4	5.3
TH	1336	2.0	0.6	FR	1421	2.3	0.7
JE	1854	18.7	5.7	VE	1930	19.7	6.0
11	0227	1.6	0.5	26	0300	2.0	0.6
	0727	16.7	5.1		0800	17.4	5.3
FR	1415	2.6	0.8	SA	1503	2.3	0.7
VE	1933	20.3	6.2	SA	2009	18.7	5.7
12	0303	2.3	0.7	27	0336	2.0	0.6
	0757	17.4	5.3		0839	17.4	5.3
SA	1506	2.0	0.6	SU	1545	2.6	0.8
SA	2009	18.7	5.7	DI	2051	17.4	5.3
13	0342	1.6	0.5	28	0409	2.3	0.7
	0842	16.7	5.1		0918	16.7	5.1
SU	1548	2.0	0.6	MO	1624	3.0	0.9
DI	2054	17.7	5.4	LU	2130	15.7	4.8
14	0418	2.0	0.6	29	0439	3.0	0.9
	0924	17.7	5.4		0957	16.1	4.9
MO	1630	3.0	0.9	TU	1709	3.6	1.1
LU	2136	18.0	5.5	MA	2212	14.4	4.4
15	0503	3.0	0.9	30	0512	3.6	1.1
	1009	18.0	5.5		1042	15.1	4.6
TU	1733	3.0	0.9	WE	1803	3.9	1.2
MA	2230	16.1	4.9	ME	2309	12.8	3.9
				31	0551	4.6	1.4
					1142	14.4	4.4
				TH	1921	4.6	1.4
				JE			

February-février

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0024	11.8	3.6	16	0021	12.8	3.9
	0657	5.2	1.6		0712	3.6	1.1
FR	1254	14.4	4.4	SA	1257	16.7	5.1
VE	2051	4.3	1.3	SA	2054	3.0	0.9
2	0151	11.5	3.5	17	0151	12.8	3.9
	0824	5.2	1.6		0839	3.6	1.1
SA	1409	15.1	4.6	SU	1418	17.4	5.3
SA	2206	3.6	1.1	DI	2209	2.6	0.8
3	0312	12.1	3.7	18	0315	13.8	4.2
	0936	4.6	1.4		0957	3.0	0.9
SU	1515	16.1	4.9	MO	1527	18.4	5.6
DI	2300	3.3	1.0	LU	2312	2.3	0.7
4	0406	13.1	4.0	19	0415	15.1	4.6
	1030	3.9	1.2		1100	2.6	0.8
MO	1606	17.1	5.2	TU	1624	19.0	5.8
LU	2342	3.0	0.9	MA			
5	0445	14.1	4.3	20	0003	2.0	0.6
	1118	3.3	1.0		0503	16.4	5.0
TU	1645	18.0	5.5	WE	1157	2.3	0.7
MA				ME	1712	19.7	6.0
6	0021	2.3	0.7	21	0045	2.0	0.6
	0521	15.4	4.7		0545	17.4	5.3
WE	1203	2.6	0.8	TH	1242	2.0	0.6
ME	1721	19.0	5.8	JE	1754	19.7	6.0
7	0054	2.0	0.6	22	0121	1.6	0.5
	0554	16.4	5.0		0621	18.0	5.5
TH	1242	2.3	0.7	FR	1324	2.0	0.6
JE	1757	19.7	6.0	VE	1833	19.4	5.9
8	0127	1.6	0.5	23	0154	1.6	0.5
	0627	17.4	5.3		0657	18.0	5.5
FR	1324	2.0	0.6	SA	1403	2.0	0.6
VE	1833	19.7	6.0	SA	1909	19.0	5.8
9	0203	1.6	0.5	24	0227	1.6	0.5
	0700	18.0	5.5		0727	18.4	5.6
SA	1406	1.6	0.5	SU	1439	2.0	0.6
SA	1909	19.7	6.0	DI	1942	18.0	5.5
10	0239	1.3	0.4	25	0257	2.0	0.6
	0736	18.7	5.7		0800	18.0	5.5
SU	1448	1.6	0.5	MO	1515	2.0	0.6
DI	1948	19.0	5.8	LU	2018	17.1	5.2
11	0315	1.3	0.4	26	0324	2.3	0.7
	0812	18.7	5.7		0833	17.4	5.3
MO	1533	1.6	0.5	TU	1551	2.6	0.8
LU	2033	18.0	5.5	MA	2054	15.4	4.7
12	0348	1.6	0.5	27	0348	2.6	0.8
	0854	18.7	5.7		0909	16.7	5.1
TU	1618	1.6	0.5	WE	1630	3.0	0.9
MA	2118	16.7	5.1	ME	2130	14.1	4.3
13	0427	2.0	0.6	28	0415	3.6	1.1
	0939	18.4	5.6		0951	15.7	4.8
WE	1712	2.0	0.6	TH	1715	3.9	1.2
ME	2206	15.1	4.6	JE	2215	12.5	3.8
14	0509	2.3	0.7	29	0445	4.3	1.3
	1033	17.7	5.4		1045	14.8	4.5
TH	1812	2.6	0.8	FR	1815	4.6	1.4
JE	2309	13.8	4.2	VE	2318	11.2	3.4
15	0600	3.0	0.9				
	1139	17.1	5.2				
FR	1927	3.0	0.9				
VE							

March-mars

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0539	5.2	1.6	16	0012	12.8	3.9
	1157	14.1	4.3		0703	3.9	1.2
SA	1957	4.6	1.4	SU	1245	16.4	5.0
SA				DI	2039	3.0	0.9
2	0054	10.8	3.3	17	0148	13.1	4.0
	0727	5.6	1.7		0836	3.9	1.2
SU	1327	14.4	4.4	MO	1409	16.7	5.1
DI	2124	3.9	1.2	LU	2151	3.0	0.9
3	0230	11.8	3.6	18	0306	14.4	4.4
	0900	4.9	1.5		0951	3.3	1.0
MO	1442	15.4	4.7	TU	1521	17.7	5.4
LU	2224	3.3	1.0	MA	2251	2.6	0.8
4	0333	13.1	4.0	19	0403	16.1	4.9
	1003	3.9	1.2		1054	2.6	0.8
TU	1533	16.7	5.1	WE	1612	18.4	5.6
MA	2306	2.6	0.8	ME	2336	2.3	0.7
5	0415	14.8	4.5	20	0445	17.1	5.2
	1057	3.3	1.0		1145	2.3	0.7
WE	1618	18.0	5.5	TH	1657	18.7	5.7
ME	2345	2.3	0.7	JE			
6	0451	16.1	4.9	21	0015	2.3	0.7
	1142	2.6	0.8		0521	18.0	5.5
TH	1657	18.7	5.7	FR	1227	2.0	0.6
JE				VE	1736	18.7	5.7
7	0021	2.0	0.6	22	0051	2.0	0.6
	0524	17.4	5.3		0554	18.7	5.7
FR	1227	2.0	0.6	SA	1306	2.0	0.6
VE	1733	19.4	5.9	SA	1809	18.4	5.6
8	0057	1.6	0.5	23	0121	2.0	0.6
	0554	18.7	5.7		0624	18.7	5.7
SA	1309	1.6	0.5	SU	1342	2.0	0.6
SA	1809	19.7	6.0	DI	1842	18.0	5.5
9	0133	1.6	0.5	24	0151	2.0	0.6
	0630	19.7	6.0		0654	18.7	5.7
SU	1351	1.3	0.4	MO	1415	2.0	0.6
DI	1848	19.4	5.9	LU	1915	17.4	5.3
10	0206	1.3	0.4	25	0218	2.3	0.7
	0706	20.0	6.1		0724	18.7	5.7
MO	1433	1.3	0.4	TU	1448	2.0	0.6
LU	1927	18.7	5.7	MA	1948	16.4	5.0
11	0242	1.3	0.4	26	0242	2.6	0.8
	0745	20.3	6.2		0757	18.0	5.5
TU	1518	1.3	0.4	WE	1521	2.6	0.8
MA	2009	17.7	5.4	ME	2021	15.4	4.7
12	0318	1.6	0.5	27	0309	3.0	0.9
	0827	20.0	6.1		0830	17.4	5.3
WE	1606	1.6	0.5	TH	1600	3.0	0.9
ME	2057	16.4	5.0	JE	2057	14.1	4.3
13	0357	2.0	0.6	28	0336	3.6	1.1
	0915	19.0	5.8		0912	16.7	5.1
TH	1657	2.3	0.7	FR	1642	3.9	1.2
JE	2148	14.8	4.5	VE	2139	13.1	4.0
14	0439	2.6	0.8	29	0409	4.6	1.4
	1009	18.0	5.5		1000	15.7	4.8
FR	1757	2.6	0.8	SA	1739	4.6	1.4
VE	2251	13.5	4.1	SA	2239	12.1	3.7
15	0539	3.6	1.1	30	0503	5.2	1.6
	1118	16.7	5.1		1106	14.8	4.5
SA	1915	3.3	1.0	SU	1900	4.6	1.4
SA				DI			
				31	0006	11.8	3.6
					0642	5.6	1.7
				MO	1230	14.8	4.5
				LU	2027	4.3	1.3

TABLE DES MARÉES **2008** **SAINT-FRANÇOIS** HNE Z+5

April-avril

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0139	12.5	3.8	16	0239	15.7	4.8
	0818	4.9	1.5		0942	3.3	1.0
TU	1351	15.4	4.7	WE	1500	17.1	5.2
MA	2130	3.6	1.1	ME	2218	3.0	0.9
2	0245	14.1	4.3	17	0333	17.1	5.2
	0930	3.9	1.2		1039	3.0	0.9
WE	1451	16.7	5.1	TH	1554	17.4	5.3
ME	2221	3.0	0.9	JE	2303	3.0	0.9
3	0330	15.7	4.8	18	0415	17.7	5.4
	1027	3.0	0.9		1130	2.6	0.8
TH	1542	17.7	5.4	FR	1636	17.7	5.4
JE	2306	2.6	0.8	VE	2342	3.0	0.9
4	0409	17.4	5.3	19	0451	18.4	5.6
	1118	2.3	0.7		1209	2.3	0.7
FR	1624	18.4	5.6	SA	1712	17.7	5.4
VE	2342	2.0	0.6	SA			
5	0445	18.7	5.7	20	0015	3.0	0.9
	1206	2.0	0.6		0521	18.7	5.7
SA	1703	19.0	5.8	SU	1245	2.3	0.7
SA				DI	1745	17.4	5.3
6	0021	2.0	0.6	21	0045	3.0	0.9
	0521	20.0	6.1		0551	19.0	5.8
SU	1248	1.6	0.5	MO	1321	2.3	0.7
DI	1745	19.0	5.8	LU	1818	17.1	5.2
7	0057	1.6	0.5	22	0112	3.0	0.9
	0557	20.7	6.3		0621	19.0	5.8
MO	1333	1.3	0.4	TU	1354	2.3	0.7
LU	1827	18.7	5.7	MA	1848	16.7	5.1
8	0136	1.6	0.5	23	0142	3.0	0.9
	0636	21.3	6.5		0651	18.7	5.7
TU	1418	1.3	0.4	WE	1427	2.6	0.8
MA	1909	18.0	5.5	ME	1924	16.1	4.9
9	0212	1.6	0.5	24	0212	3.3	1.0
	0718	21.0	6.4		0727	18.4	5.6
WE	1503	1.6	0.5	TH	1500	3.0	0.9
ME	1954	17.1	5.2	JE	1957	15.4	4.7
10	0251	2.0	0.6	25	0242	3.6	1.1
	0806	20.3	6.2		0803	18.0	5.5
TH	1551	2.0	0.6	FR	1539	3.3	1.0
JE	2042	16.1	4.9	VE	2036	14.4	4.4
11	0336	2.6	0.8	26	0315	3.9	1.2
	0857	19.4	5.9		0845	17.4	5.3
FR	1645	2.3	0.7	SA	1621	3.6	1.1
VE	2139	14.8	4.5	SA	2121	13.8	4.2
12	0424	3.3	1.0	27	0357	4.3	1.3
	0957	18.0	5.5		0933	16.4	5.0
SA	1745	3.0	0.9	SU	1715	3.9	1.2
SA	2245	13.8	4.2	DI	2218	13.1	4.0
13	0533	3.9	1.2	28	0457	4.9	1.5
	1109	17.1	5.2		1036	15.7	4.8
SU	1900	3.3	1.0	MO	1821	4.3	1.3
DI				LU	2327	13.1	4.0
14	0009	13.8	4.2	29	0615	4.9	1.5
	0700	4.3	1.3		1148	15.4	4.7
MO	1233	16.4	5.0	TU	1927	3.9	1.2
LU	2018	3.3	1.0	MA			
15	0133	14.4	4.4	30	0045	13.8	4.2
	0827	3.9	1.2		0739	4.6	1.4
TU	1354	16.4	5.0	WE	1303	15.7	4.8
MA	2124	3.3	1.0	ME	2033	3.6	1.1

May-mai

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0148	15.1	4.6	16	0257	17.1	5.2
	0851	3.6	1.1		1015	3.0	0.9
TH	1406	16.4	5.0	FR	1527	16.1	4.9
JE	2127	3.0	0.9	VE	2224	3.3	1.0
2	0242	16.7	5.1	17	0342	17.7	5.4
	0954	3.0	0.9		1106	2.6	0.8
FR	1503	17.1	5.2	SA	1612	16.1	4.9
VE	2218	2.6	0.8	SA	2303	3.3	1.0
3	0327	18.0	5.5	18	0418	18.0	5.5
	1051	2.3	0.7		1148	2.6	0.8
SA	1551	17.7	5.4	SU	1651	16.1	4.9
SA	2300	2.3	0.7	DI	2339	3.3	1.0
4	0406	19.7	6.0	19	0451	18.4	5.6
	1142	1.6	0.5		1224	2.6	0.8
SU	1636	18.0	5.5	MO	1727	16.1	4.9
DI	2342	2.3	0.7	LU			
5	0448	20.7	6.3	20	0012	3.3	1.0
	1230	1.6	0.5		0524	18.7	5.7
MO	1721	18.0	5.5	TU	1300	2.6	0.8
LU				MA	1800	15.7	4.8
6	0024	2.0	0.6	21	0042	3.3	1.0
	0530	21.3	6.5		0557	18.7	5.7
TU	1315	1.6	0.5	WE	1333	2.6	0.8
MA	1806	17.7	5.4	ME	1833	15.7	4.8
7	0106	2.0	0.6	22	0112	3.3	1.0
	0612	21.7	6.6		0630	18.7	5.7
WE	1403	1.6	0.5	TH	1409	2.6	0.8
ME	1851	17.4	5.3	JE	1903	15.4	4.7
8	0148	2.3	0.7	23	0148	3.3	1.0
	0700	21.3	6.5		0709	18.7	5.7
TH	1451	2.0	0.6	FR	1445	3.0	0.9
JE	1942	16.7	5.1	VE	1942	15.1	4.6
9	0233	2.3	0.7	24	0224	3.3	1.0
	0751	20.7	6.3		0748	18.4	5.6
FR	1542	2.3	0.7	SA	1524	3.0	0.9
VE	2036	16.1	4.9	SA	2024	15.1	4.6
10	0324	3.0	0.9	25	0306	3.6	1.1
	0845	19.4	5.9		0830	17.7	5.4
SA	1636	2.6	0.8	SU	1606	3.3	1.0
SA	2133	15.4	4.7	DI	2109	14.8	4.5
11	0421	3.3	1.0	26	0351	3.9	1.2
	0948	18.4	5.6		0918	17.1	5.2
SU	1733	3.0	0.9	MO	1651	3.3	1.0
DI	2239	15.1	4.6	LU	2200	14.8	4.5
12	0530	3.9	1.2	27	0448	3.9	1.2
	1057	17.1	5.2		1009	16.4	5.0
MO	1836	3.3	1.0	TU	1745	3.3	1.0
LU	2351	15.1	4.6	MA	2254	14.8	4.5
13	0648	3.9	1.2	28	0554	3.9	1.2
	1212	16.1	4.9		1109	16.1	4.9
TU	1939	3.3	1.0	WE	1839	3.3	1.0
MA				ME	2357	15.1	4.6
14	0100	15.4	4.7	29	0703	3.6	1.1
	0806	3.9	1.2		1215	15.7	4.8
WE	1327	16.1	4.9	TH	1936	3.3	1.0
ME	2042	3.6	1.1	JE			
15	0203	16.4	5.0	30	0057	16.1	4.9
	0918	3.3	1.0		0812	3.3	1.0
TH	1430	16.1	4.9	FR	1324	15.7	4.8
JE	2136	3.6	1.1	VE	2036	3.0	0.9
				31	0154	17.1	5.2
					0921	2.6	0.8
				SA	1424	16.1	4.9
				SA	2130	2.6	0.8

June-juin

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0245	18.4	5.6	16	0348	17.1	5.2
	1021	2.0	0.6		1127	2.6	0.8
SU	1521	16.4	5.0	MO	1633	14.4	4.4
DI	2221	2.6	0.8	LU	2306	3.6	1.1
2	0333	19.7	6.0	17	0430	17.7	5.4
	1118	1.6	0.5		1206	2.6	0.8
MO	1612	16.7	5.1	TU	1712	14.8	4.5
LU	2309	2.3	0.7	MA	2345	3.6	1.1
3	0421	20.7	6.3	18	0506	18.0	5.5
	1209	1.6	0.5		1242	2.6	0.8
TU	1700	16.7	5.1	WE	1745	14.8	4.5
MA	2357	2.0	0.6	ME			
4	0509	21.3	6.5	19	0021	3.3	1.0
	1300	1.6	0.5		0542	18.4	5.6
WE	1751	16.7	5.1	TH	1318	2.6	0.8
ME				JE	1818	15.1	4.6
5	0045	2.0	0.6	20	0057	3.3	1.0
	0600	21.3	6.5		0618	18.4	5.6
TH	1351	1.6	0.5	FR	1354	2.6	0.8
JE	1842	16.7	5.1	VE	1854	15.1	4.6
6	0133	2.3	0.7	21	0133	3.0	0.9
	0651	21.0	6.4		0657	18.7	5.7
FR	1439	2.0	0.6	SA	1430	2.3	0.7
VE	1933	16.4	5.0	SA	1930	15.4	4.7
7	0224	2.3	0.7	22	0212	3.0	0.9
	0742	20.3	6.2		0733	18.4	5.6
SA	1527	2.0	0.6	SU	1506	2.3	0.7
SA	2027	16.4	5.0	DI	2009	15.7	4.8
8	0318	2.6	0.8	23	0254	3.0	0.9
	0836	19.4	5.9		0815	18.0	5.5
SU	1618	2.3	0.7	MO	1545	2.3	0.7
DI	2121	16.1	4.9	LU	2051	15.7	4.8
9	0415	3.0	0.9	24	0342	3.0	0.9
	0936	18.0	5.5		0857	17.7	5.4
MO	1706	2.6	0.8	TU	1627	2.3	0.7
LU	2221	16.1	4.9	MA	2133	16.1	4.9
10	0515	3.3	1.0	25	0433	3.0	0.9
	1033	16.7	5.1		0945	16.7	5.1
TU	1800	3.0	0.9	WE	1709	2.3	0.7
MA	2318	15.7	4.8	ME	2221	16.1	4.9
11	0621	3.6	1.1	26	0527	3.0	0.9
	1139	15.7	4.8		1039	16.1	4.9
WE	1851	3.3	1.0	TH	1757	2.6	0.8
ME				JE	2315	16.1	4.9
12	0021	15.7	4.8	27	0630	3.0	0.9
	0730	3.6	1.1		1139	15.4	4.7
TH	1245	14.8	4.5	FR	1848	2.6	0.8
JE	1948	3.6	1.1	VE			
13	0121	16.1	4.9	28	0012	16.4	5.0
	0839	3.3	1.0		0739	2.6	0.8
FR	1354	14.4	4.4	SA	1245	14.8	4.5
VE	2048	3.9	1.2	SA	1945	2.6	0.8
14	0215	16.4	5.0	29	0112	17.1	5.2
	0945	3.3	1.0		0851	2.3	0.7
SA	1454	14.4	4.4	SU	1351	14.4	4.4
SA	2139	3.9	1.2	DI	2048	2.6	0.8
15	0306	16.7	5.1	30	0212	18.0	5.5
	1039	3.0	0.9		0957	2.0	0.6
SU	1548	14.4	4.4	MO	1457	14.8	4.5
DI	2227	3.9	1.2	LU	2148	2.6	0.8

RÉVISÉE - REVISED

SAINT-FRANÇOIS EST Z+5 **2008** **TIDE TABLES**

July-juillet

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0312	19.0	5.8	16	0412	17.1	5.2
	1100	1.6	0.5		1148	2.6	0.8
TU	1557	15.1	4.6	WE	1654	13.8	4.2
MA	2245	2.3	0.7	ME	2324	3.6	1.1
2	0406	20.0	6.1	17	0451	17.7	5.4
	1154	1.6	0.5		1227	2.6	0.8
WE	1651	15.4	4.7	TH	1730	14.4	4.4
ME	2339	2.0	0.6	JE			
3	0500	20.7	6.3	18	0003	3.0	0.9
	1248	1.6	0.5		0527	18.4	5.6
TH	1742	16.1	4.9	FR	1300	2.3	0.7
JE				VE	1800	15.1	4.6
4	0033	2.0	0.6	19	0042	2.6	0.8
	0551	20.7	6.3		0603	18.7	5.7
FR	1336	1.6	0.5	SA	1333	2.3	0.7
VE	1833	16.4	5.0	SA	1833	15.7	4.8
5	0124	2.0	0.6	20	0121	2.3	0.7
	0642	20.7	6.3		0639	18.7	5.7
SA	1424	1.6	0.5	SU	1409	2.0	0.6
SA	1921	16.7	5.1	DI	1909	16.4	5.0
6	0215	2.0	0.6	21	0200	2.3	0.7
	0730	20.0	6.1		0715	18.7	5.7
SU	1509	1.6	0.5	MO	1442	1.6	0.5
DI	2009	17.1	5.2	LU	1945	16.7	5.1
7	0306	2.3	0.7	22	0242	2.0	0.6
	0821	19.0	5.8		0751	18.4	5.6
MO	1551	1.6	0.5	TU	1518	1.6	0.5
LU	2100	16.7	5.1	MA	2021	17.1	5.2
8	0357	2.3	0.7	23	0327	2.0	0.6
	0909	17.7	5.4		0833	17.7	5.4
TU	1633	2.0	0.6	WE	1557	1.6	0.5
MA	2148	16.7	5.1	ME	2103	17.1	5.2
9	0448	2.6	0.8	24	0412	2.0	0.6
	1000	16.4	5.0		0918	17.1	5.2
WE	1715	2.6	0.8	TH	1636	2.0	0.6
ME	2236	16.1	4.9	JE	2145	17.1	5.2
10	0542	3.0	0.9	25	0503	2.0	0.6
	1054	15.1	4.6		1006	15.7	4.8
TH	1757	3.0	0.9	FR	1718	2.0	0.6
JE	2327	15.7	4.8	VE	2236	17.1	5.2
11	0645	3.3	1.0	26	0603	2.3	0.7
	1154	13.8	4.2		1103	14.8	4.5
FR	1848	3.6	1.1	SA	1806	2.3	0.7
VE				SA	2333	16.7	5.1
12	0027	15.4	4.7	27	0709	2.3	0.7
	0754	3.6	1.1		1209	13.8	4.2
SA	1303	12.8	3.9	SU	1906	2.6	0.8
SA	1948	4.3	1.3	DI			
13	0127	15.1	4.6	28	0042	17.1	5.2
	0909	3.3	1.0		0827	2.3	0.7
SU	1415	12.8	3.9	MO	1324	13.1	4.0
DI	2054	4.6	1.4	LU	2015	3.0	0.9
14	0230	15.7	4.8	29	0151	17.4	5.3
	1012	3.3	1.0		0942	2.3	0.7
MO	1521	12.8	3.9	TU	1439	13.5	4.1
LU	2151	4.3	1.3	MA	2130	2.6	0.8
15	0324	16.4	5.0	30	0300	18.4	5.6
	1106	3.0	0.9		1048	2.0	0.6
TU	1612	13.5	4.1	WE	1545	14.4	4.4
MA	2239	3.9	1.2	ME	2236	2.3	0.7
				31	0400	19.4	5.9
					1145	1.6	0.5
				TH	1642	15.4	4.7
				JE	2333	2.0	0.6

August-août

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0454	20.0	6.1	16	0509	18.0	5.5
	1236	1.6	0.5		1236	2.0	0.6
FR	1733	16.1	4.9	SA	1736	15.7	4.8
VE				SA			
2	0027	1.6	0.5	17	0027	2.3	0.7
	0542	20.0	6.1		0542	18.7	5.7
SA	1321	1.6	0.5	SU	1306	1.6	0.5
SA	1818	17.1	5.2	DI	1806	16.7	5.1
3	0118	1.6	0.5	18	0106	1.6	0.5
	0630	20.0	6.1		0615	18.7	5.7
SU	1400	1.3	0.4	MO	1339	1.6	0.5
DI	1900	17.4	5.3	LU	1839	17.4	5.3
4	0203	1.6	0.5	19	0145	1.6	0.5
	0712	19.4	5.9		0651	18.7	5.7
MO	1439	1.6	0.5	TU	1412	1.3	0.4
LU	1942	17.7	5.4	MA	1912	18.0	5.5
5	0248	1.6	0.5	20	0227	1.3	0.4
	0754	18.4	5.6		0730	18.4	5.6
TU	1518	1.6	0.5	WE	1448	1.3	0.4
MA	2024	17.4	5.3	ME	1951	18.4	5.6
6	0330	2.0	0.6	21	0309	1.3	0.4
	0839	17.4	5.3		0809	17.7	5.4
WE	1551	2.0	0.6	TH	1524	1.3	0.4
ME	2103	17.1	5.2	JE	2030	18.4	5.6
7	0415	2.3	0.7	22	0354	1.3	0.4
	0921	15.7	4.8		0854	16.4	5.0
TH	1627	2.3	0.7	FR	1600	1.6	0.5
JE	2145	16.4	5.0	VE	2112	18.0	5.5
8	0500	2.6	0.8	23	0442	1.6	0.5
	1006	14.4	4.4		0942	15.1	4.6
FR	1700	3.0	0.9	SA	1642	2.0	0.6
VE	2233	15.4	4.7	SA	2203	17.4	5.3
9	0551	3.3	1.0	24	0539	2.0	0.6
	1100	12.8	3.9		1039	13.8	4.2
SA	1742	3.9	1.2	SU	1730	2.6	0.8
SA	2327	14.8	4.5	DI	2306	16.7	5.1
10	0703	3.9	1.2	25	0651	2.6	0.8
	1209	11.8	3.6		1148	12.8	3.9
SU	1842	4.6	1.4	MO	1839	3.0	0.9
DI				LU			
11	0036	14.4	4.4	26	0021	16.4	5.0
	0827	3.9	1.2		0812	2.6	0.8
MO	1333	11.5	3.5	TU	1312	12.8	3.9
LU	2006	4.9	1.5	MA	2003	3.3	1.0
12	0151	14.8	4.5	27	0142	16.7	5.1
	0945	3.6	1.1		0930	2.3	0.7
TU	1451	11.8	3.6	WE	1436	13.5	4.1
MA	2118	4.6	1.4	ME	2121	2.6	0.8
13	0257	15.7	4.8	28	0254	17.7	5.4
	1042	3.0	0.9		1036	2.0	0.6
WE	1548	12.8	3.9	TH	1542	14.8	4.5
ME	2218	3.9	1.2	JE	2230	2.3	0.7
14	0351	16.7	5.1	29	0354	18.7	5.7
	1127	2.6	0.8		1130	1.6	0.5
TH	1630	13.8	4.2	FR	1633	16.1	4.9
JE	2306	3.3	1.0	VE	2327	1.6	0.5
15	0433	17.4	5.3	30	0445	19.4	5.9
	1203	2.3	0.7		1215	1.6	0.5
FR	1706	14.8	4.5	SA	1715	17.1	5.2
VE	2348	2.6	0.8	SA			
				31	0018	1.6	0.5
					0530	19.4	5.9
				SU	1254	1.6	0.5
				DI	1757	18.0	5.5

September-septembre

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0103	1.3	0.4	16	0048	1.3	0.4
	0612	19.0	5.8		0551	18.7	5.7
MO	1330	1.6	0.5	TU	1306	1.6	0.5
LU	1833	18.4	5.6	MA	1806	19.0	5.8
2	0145	1.3	0.4	17	0127	1.3	0.4
	0648	18.7	5.7		0627	18.7	5.7
TU	1406	1.6	0.5	WE	1339	1.3	0.4
MA	1909	18.4	5.6	ME	1839	19.4	5.9
3	0224	1.6	0.5	18	0209	1.0	0.3
	0727	17.7	5.4		0706	18.0	5.5
WE	1436	1.6	0.5	TH	1415	1.3	0.4
ME	1945	18.0	5.5	JE	1918	19.7	6.0
4	0303	1.6	0.5	19	0251	1.3	0.4
	0806	16.7	5.1		0748	17.4	5.3
TH	1506	2.0	0.6	FR	1451	1.6	0.5
JE	2021	17.4	5.3	VE	2000	19.4	5.9
5	0339	2.0	0.6	20	0336	1.3	0.4
	0842	15.4	4.7		0833	16.1	4.9
FR	1536	2.6	0.8	SA	1530	2.0	0.6
VE	2057	16.7	5.1	SA	2045	18.7	5.7
6	0418	2.6	0.8	21	0424	1.6	0.5
	0924	14.1	4.3		0921	14.8	4.5
SA	1606	3.3	1.0	SU	1612	2.3	0.7
SA	2139	15.7	4.8	DI	2139	17.7	5.4
7	0506	3.3	1.0	22	0524	2.3	0.7
	1009	12.5	3.8		1021	13.5	4.1
SU	1642	4.3	1.3	MO	1709	3.3	1.0
DI	2236	14.8	4.5	LU	2248	16.7	5.1
8	0612	3.9	1.2	23	0636	2.6	0.8
	1115	11.5	3.5		1139	12.8	3.9
MO	1739	5.2	1.6	TU	1830	3.6	1.1
LU	2348	14.1	4.3	MA			
9	0745	4.3	1.3	24	0009	16.4	5.0
	1245	11.2	3.4		0800	3.0	0.9
TU	1921	5.2	1.6	WE	1309	13.1	4.0
MA				ME	2000	3.3	1.0
10	0112	14.4	4.4	25	0136	16.4	5.0
	0906	3.9	1.2		0915	2.6	0.8
WE	1415	11.8	3.6	TH	1427	14.4	4.4
ME	2045	4.6	1.4	JE	2121	3.0	0.9
11	0224	15.4	4.7	26	0248	17.4	5.3
	1006	3.3	1.0		1015	2.3	0.7
TH	1512	13.1	4.0	FR	1527	16.1	4.9
JE	2151	3.9	1.2	VE	2227	2.3	0.7
12	0318	16.4	5.0	27	0348	18.0	5.5
	1048	3.0	0.9		1106	2.0	0.6
FR	1554	14.8	4.5	SA	1615	17.4	5.3
VE	2242	3.0	0.9	SA	2321	2.0	0.6
13	0403	17.4	5.3	28	0433	18.4	5.6
	1127	2.6	0.8		1148	2.0	0.6
SA	1630	16.1	4.9	SU	1654	18.0	5.5
SA	2327	2.3	0.7	DI			
14	0439	18.0	5.5	29	0006	1.6	0.5
	1200	2.0	0.6		0515	18.4	5.6
SU	1703	17.1	5.2	MO	1224	2.0	0.6
DI				LU	1730	18.7	5.7
15	0006	2.0	0.6	30	0048	1.6	0.5
	0515	18.4	5.6		0551	18.4	5.6
MO	1233	1.6	0.5	TU	1257	2.0	0.6
LU	1733	18.4	5.6	MA	1803	19.0	5.8

QUÉBEC EST Z+5 **2008** **TIDE TABLES**

January-janvier

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0727	2.0	0.6	16	0651	1.3	0.4
	1242	13.5	4.1		1148	16.1	4.9
TU	2003	2.6	0.8	WE	1945	1.3	0.4
MA				ME			
2	0118	12.8	3.9	17	0024	13.1	4.0
	0809	3.6	1.1		0748	1.3	0.4
WE	1333	14.4	4.4	TH	1254	15.4	4.7
ME	2124	2.6	0.8	JE	2054	1.0	0.3
3	0224	12.1	3.7	18	0133	12.5	3.8
	0912	3.3	1.0		0848	1.3	0.4
TH	1439	14.1	4.3	FR	1403	16.1	4.9
JE	2239	2.0	0.6	VE	2221	1.0	0.3
4	0327	11.2	3.4	19	0251	11.8	3.6
	1024	2.3	0.7		1003	0.7	0.2
FR	1542	14.1	4.3	SA	1518	16.7	5.1
VE	2339	1.3	0.4	SA	2327	1.0	0.3
5	0433	11.5	3.5	20	0403	12.8	3.9
	1112	2.3	0.7		1109	1.3	0.4
SA	1630	15.4	4.7	SU	1615	17.7	5.4
SA				DI			
6	0027	1.3	0.4	21	0033	0.7	0.2
	0512	12.1	3.7		0503	13.5	4.1
SU	1200	2.0	0.6	MO	1215	0.7	0.2
DI	1712	16.1	4.9	LU	1712	18.0	5.5
7	0109	1.3	0.4	22	0130	0.3	0.1
	0551	13.1	4.0		0554	14.1	4.3
MO	1242	1.6	0.5	TU	1309	0.7	0.2
LU	1745	16.7	5.1	MA	1803	19.0	5.8
8	0148	0.7	0.2	23	0212	0.7	0.2
	0627	13.5	4.1		0636	15.4	4.7
TU	1315	1.6	0.5	WE	1400	0.7	0.2
MA	1818	18.0	5.5	ME	1845	19.4	5.9
9	0218	1.3	0.4	24	0257	0.7	0.2
	0651	14.4	4.4		0721	15.7	4.8
WE	1400	1.3	0.4	TH	1445	0.7	0.2
ME	1848	18.4	5.6	JE	1927	19.0	5.8
10	0309	0.3	0.1	25	0336	0.7	0.2
	0727	13.8	4.2		0800	16.1	4.9
TH	1445	0.3	0.1	FR	1530	1.0	0.3
JE	1933	17.4	5.3	VE	2009	18.4	5.6
11	0336	0.3	0.1	26	0412	0.7	0.2
	0806	15.4	4.7		0842	16.1	4.9
FR	1521	1.3	0.4	SA	1609	1.0	0.3
VE	2012	19.0	5.8	SA	2051	17.4	5.3
12	0415	1.0	0.3	27	0445	1.0	0.3
	0836	15.7	4.8		0921	15.7	4.8
SA	1615	0.7	0.2	SU	1651	1.3	0.4
SA	2051	17.4	5.3	DI	2133	16.1	4.9
13	0454	0.3	0.1	28	0515	1.0	0.3
	0924	15.4	4.7		1000	15.4	4.7
SU	1654	0.7	0.2	MO	1730	1.6	0.5
DI	2136	16.4	5.0	LU	2215	14.8	4.5
14	0527	0.7	0.2	29	0545	1.6	0.5
	1006	16.4	5.0		1042	14.8	4.5
MO	1736	1.6	0.5	TU	1812	2.0	0.6
LU	2218	16.7	5.1	MA	2300	13.1	4.0
15	0609	1.3	0.4	30	0609	2.0	0.6
	1051	16.7	5.1		1130	14.1	4.3
TU	1839	1.6	0.5	WE	1903	2.6	0.8
MA	2315	14.8	4.5	ME	2357	11.5	3.5
				31	0645	3.0	0.9
					1227	13.5	4.1
				TH	2015	3.0	0.9
				JE			

February-février

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0109	10.2	3.1	16	0109	11.5	3.5
	0745	3.6	1.1		0812	2.0	0.6
FR	1342	13.5	4.1	SA	1339	15.7	4.8
VE	2145	2.6	0.8	SA	2157	1.3	0.4
2	0245	10.2	3.1	17	0242	11.5	3.5
	0915	3.6	1.1		0939	1.6	0.5
SA	1500	14.1	4.3	SU	1500	16.1	4.9
SA	2303	2.0	0.6	DI	2315	1.0	0.3
3	0403	10.8	3.3	18	0400	12.5	3.8
	1030	3.0	0.9		1100	1.3	0.4
SU	1600	15.1	4.6	MO	1612	17.1	5.2
DI				LU			
4	0000	1.6	0.5	19	0018	1.0	0.3
	0457	11.8	3.6		0500	13.8	4.2
MO	1130	2.3	0.7	TU	1206	1.0	0.3
LU	1648	16.1	4.9	MA	1706	17.7	5.4
5	0045	1.3	0.4	20	0109	0.7	0.2
	0533	12.8	3.9		0545	15.1	4.6
TU	1221	1.6	0.5	WE	1303	0.7	0.2
MA	1727	17.1	5.2	ME	1751	18.4	5.6
6	0124	1.0	0.3	21	0154	0.7	0.2
	0606	14.1	4.3		0624	15.7	4.8
WE	1306	1.3	0.4	TH	1351	0.7	0.2
ME	1803	17.7	5.4	JE	1833	18.4	5.6
7	0203	0.7	0.2	22	0230	0.3	0.1
	0636	15.1	4.6		0700	16.4	5.0
TH	1348	1.0	0.3	FR	1433	0.7	0.2
JE	1836	18.4	5.6	VE	1912	18.0	5.5
8	0239	0.3	0.1	23	0306	0.3	0.1
	0706	16.1	4.9		0736	16.7	5.1
FR	1433	0.7	0.2	SA	1512	0.7	0.2
VE	1912	18.4	5.6	SA	1948	17.7	5.4
9	0312	0.3	0.1	24	0336	0.3	0.1
	0739	16.7	5.1		0809	16.7	5.1
SA	1515	0.3	0.1	SU	1548	0.7	0.2
SA	1948	18.4	5.6	DI	2024	16.7	5.1
10	0348	0.3	0.1	25	0403	0.7	0.2
	0815	17.1	5.2		0845	16.7	5.1
SU	1557	0.3	0.1	MO	1624	0.7	0.2
DI	2027	17.7	5.4	LU	2100	15.7	4.8
11	0424	0.3	0.1	26	0430	1.0	0.3
	0854	17.4	5.3		0918	16.1	4.9
MO	1642	0.3	0.1	TU	1657	1.0	0.3
LU	2112	16.7	5.1	MA	2136	14.1	4.3
12	0500	0.3	0.1	27	0454	1.3	0.4
	0933	17.4	5.3		0954	15.4	4.7
TU	1727	0.3	0.1	WE	1730	1.6	0.5
MA	2157	15.4	4.7	ME	2218	12.8	3.9
13	0533	0.3	0.1	28	0515	2.0	0.6
	1021	17.1	5.2		1036	14.8	4.5
WE	1818	0.7	0.2	TH	1812	2.3	0.7
ME	2251	13.8	4.2	JE	2306	11.2	3.4
14	0612	1.0	0.3	29	0539	2.6	0.8
	1118	16.4	5.0		1124	13.8	4.2
TH	1918	1.0	0.3	FR	1912	3.0	0.9
JE	2351	12.5	3.8	VE			
15	0703	1.3	0.4				
	1221	15.7	4.8				
FR	2030	1.3	0.4				
VE							

March-mars

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0006	9.8	3.0	16	0103	11.5	3.5
	0627	3.6	1.1		0800	2.3	0.7
SA	1239	13.1	4.0	SU	1327	15.4	4.7
SA	2048	3.0	0.9	DI	2142	1.6	0.5
2	0154	9.5	2.9	17	0239	11.8	3.6
	0812	3.9	1.2		0936	2.0	0.6
SU	1409	13.5	4.1	MO	1454	15.7	4.8
DI	2218	2.3	0.7	LU	2257	1.3	0.4
3	0330	10.5	3.2	18	0354	13.1	4.0
	0951	3.0	0.9		1054	1.6	0.5
MO	1524	14.4	4.4	TU	1603	16.4	5.0
LU	2321	1.6	0.5	MA	2357	1.0	0.3
4	0424	11.8	3.6	19	0445	14.8	4.5
	1100	2.3	0.7		1200	1.3	0.4
TU	1618	15.7	4.8	WE	1657	17.1	5.2
MA				ME			
5	0009	1.3	0.4	20	0045	1.0	0.3
	0506	13.5	4.1		0527	15.7	4.8
WE	1157	1.6	0.5	TH	1251	1.0	0.3
ME	1703	16.7	5.1	JE	1739	17.4	5.3
6	0051	1.0	0.3	21	0124	0.7	0.2
	0536	14.8	4.5		0603	16.7	5.1
TH	1248	1.0	0.3	FR	1336	0.7	0.2
JE	1736	17.4	5.3	VE	1818	17.4	5.3
7	0130	0.7	0.2	22	0157	0.7	0.2
	0606	16.1	4.9		0633	17.1	5.2
FR	1333	0.7	0.2	SA	1415	0.7	0.2
VE	1812	18.0	5.5	SA	1851	17.1	5.2
8	0206	0.7	0.2	23	0227	0.7	0.2
	0633	17.4	5.3		0706	17.4	5.3
SA	1418	0.3	0.1	SU	1451	0.7	0.2
SA	1848	18.4	5.6	DI	1924	16.7	5.1
9	0242	0.3	0.1	24	0257	0.7	0.2
	0709	18.0	5.5		0736	17.4	5.3
SU	1503	0.3	0.1	MO	1524	0.7	0.2
DI	1927	18.0	5.5	LU	1957	16.1	4.9
10	0318	0.3	0.1	25	0324	1.0	0.3
	0742	18.7	5.7		0806	17.1	5.2
MO	1545	0.3	0.1	TU	1557	0.7	0.2
LU	2006	17.4	5.3	MA	2030	15.1	4.6
11	0354	0.3	0.1	26	0348	1.0	0.3
	0821	18.7	5.7		0839	16.7	5.1
TU	1630	0.3	0.1	WE	1627	1.0	0.3
MA	2048	16.4	5.0	ME	2106	14.1	4.3
12	0427	0.3	0.1	27	0412	1.6	0.5
	0906	18.4	5.6		0915	16.4	5.0
WE	1715	0.3	0.1	TH	1703	1.6	0.5
ME	2136	15.1	4.6	JE	2139	12.8	3.9
13	0503	0.7	0.2	28	0439	2.3	0.7
	0954	17.7	5.4		0957	15.4	4.7
TH	1803	1.0	0.3	FR	1742	2.3	0.7
JE	2230	13.5	4.1	VE	2224	11.8	3.6
14	0545	1.3	0.4	29	0509	3.0	0.9
	1051	16.7	5.1		1045	14.4	4.4
FR	1900	1.3	0.4	SA	1836	3.0	0.9
VE	2333	12.1	3.7	SA	2321	10.5	3.2
15	0639	2.0	0.6	30	0557	3.6	1.1
	1203	15.7	4.8		1151	13.8	4.2
SA	2018	1.6	0.5	SU	2000	3.3	1.0
SA				DI			
				31	0048	10.5	3.2
					0733	3.9	1.2
				MO	1318	13.8	4.2
				LU	2124	2.6	0.8

TABLE DES MARÉES **2008** **QUÉBEC** HNE Z+5

April-avril

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0233	11.5	3.5	16	0327	14.4	4.4
	0912	3.3	1.0		1045	2.0	0.6
TU	1439	14.4	4.4	WE	1545	15.7	4.8
MA	2230	2.3	0.7	ME	2324	1.6	0.5
2	0330	12.8	3.9	17	0418	15.7	4.8
	1030	2.6	0.8		1145	1.6	0.5
WE	1539	15.4	4.7	TH	1636	16.1	4.9
ME	2324	1.6	0.5	JE			
3	0415	14.4	4.4	18	0009	1.6	0.5
	1133	1.6	0.5		0457	16.7	5.1
TH	1624	16.4	5.0	FR	1236	1.3	0.4
JE				VE	1718	16.4	5.0
4	0012	1.3	0.4	19	0048	1.6	0.5
	0451	16.1	4.9		0530	17.1	5.2
FR	1224	1.3	0.4	SA	1318	1.3	0.4
VE	1706	17.1	5.2	SA	1754	16.4	5.0
5	0051	1.0	0.3	20	0121	1.6	0.5
	0524	17.4	5.3		0603	17.4	5.3
SA	1315	0.7	0.2	SU	1354	1.3	0.4
SA	1745	17.7	5.4	DI	1827	16.1	4.9
6	0130	0.7	0.2	21	0151	1.6	0.5
	0600	18.7	5.7		0633	17.7	5.4
SU	1400	0.3	0.1	MO	1430	1.0	0.3
DI	1824	17.7	5.4	LU	1857	15.7	4.8
7	0209	0.7	0.2	22	0221	1.6	0.5
	0636	19.4	5.9		0703	17.7	5.4
MO	1445	0.3	0.1	TU	1503	1.3	0.4
LU	1903	17.4	5.3	MA	1930	15.4	4.7
8	0245	0.7	0.2	23	0248	1.6	0.5
	0715	19.7	6.0		0733	17.7	5.4
TU	1530	0.3	0.1	WE	1533	1.3	0.4
MA	1948	16.7	5.1	ME	2003	14.8	4.5
9	0321	0.7	0.2	24	0315	2.0	0.6
	0757	19.7	6.0		0809	17.4	5.3
WE	1615	0.7	0.2	TH	1609	1.6	0.5
ME	2033	15.7	4.8	JE	2039	14.1	4.3
10	0400	0.7	0.2	25	0345	2.0	0.6
	0845	19.0	5.8		0848	16.7	5.1
TH	1700	0.7	0.2	FR	1642	2.0	0.6
JE	2121	14.4	4.4	VE	2115	13.1	4.0
11	0442	1.0	0.3	26	0418	2.3	0.7
	0936	18.0	5.5		0930	16.1	4.9
FR	1751	1.0	0.3	SA	1724	2.3	0.7
VE	2221	13.5	4.1	SA	2206	12.5	3.8
12	0527	1.6	0.5	27	0457	3.0	0.9
	1039	17.1	5.2		1021	15.4	4.7
SA	1851	1.6	0.5	SU	1815	2.6	0.8
SA	2330	12.5	3.8	DI	2303	11.8	3.6
13	0630	2.3	0.7	28	0554	3.3	1.0
	1154	15.7	4.8		1124	14.4	4.4
SU	2003	2.0	0.6	MO	1915	2.6	0.8
DI				LU			
14	0057	12.5	3.8	29	0018	11.8	3.6
	0800	2.6	0.8		0709	3.3	1.0
MO	1321	15.1	4.6	TU	1236	14.1	4.3
LU	2118	2.0	0.6	MA	2027	2.3	0.7
15	0221	13.5	4.1	30	0133	12.8	3.9
	0930	2.3	0.7		0836	3.0	0.9
TU	1442	15.4	4.7	WE	1351	14.4	4.4
MA	2227	1.6	0.5	ME	2133	2.0	0.6

May-mai

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0236	13.8	4.2	16	0342	15.7	4.8
	0951	2.3	0.7		1121	1.6	0.5
TH	1454	15.1	4.6	FR	1612	14.8	4.5
JE	2230	1.6	0.5	VE	2327	2.0	0.6
2	0327	15.4	4.7	17	0424	16.4	5.0
	1100	1.3	0.4		1209	1.3	0.4
FR	1548	15.7	4.8	SA	1657	14.8	4.5
VE	2321	1.3	0.4	SA			
3	0409	16.7	5.1	18	0006	2.0	0.6
	1157	1.0	0.3		0503	16.7	5.1
SA	1633	16.4	5.0	SU	1254	1.3	0.4
SA				DI	1736	14.8	4.5
4	0009	1.0	0.3	19	0042	2.0	0.6
	0448	18.0	5.5		0536	17.1	5.2
SU	1251	0.7	0.2	MO	1333	1.0	0.3
DI	1715	16.7	5.1	LU	1809	14.8	4.5
5	0051	1.0	0.3	20	0115	2.0	0.6
	0527	19.4	5.9		0609	17.4	5.3
MO	1339	0.7	0.2	TU	1406	1.0	0.3
LU	1757	16.7	5.1	MA	1842	14.4	4.4
6	0133	1.0	0.3	21	0145	2.0	0.6
	0606	20.0	6.1		0642	17.4	5.3
TU	1427	0.7	0.2	WE	1439	1.3	0.4
MA	1842	16.4	5.0	ME	1915	14.4	4.4
7	0215	1.0	0.3	22	0218	1.6	0.5
	0651	20.3	6.2		0715	17.4	5.3
WE	1515	0.7	0.2	TH	1515	1.3	0.4
ME	1930	16.1	4.9	JE	1951	14.1	4.3
8	0257	1.0	0.3	23	0251	2.0	0.6
	0739	20.0	6.1		0751	17.4	5.3
TH	1603	1.0	0.3	FR	1551	1.3	0.4
JE	2018	15.4	4.7	VE	2027	13.8	4.2
9	0342	1.3	0.4	24	0327	2.0	0.6
	0830	19.4	5.9		0830	17.1	5.2
FR	1651	1.0	0.3	SA	1630	1.6	0.5
VE	2112	14.8	4.5	SA	2106	13.8	4.2
10	0430	1.6	0.5	25	0409	2.0	0.6
	0927	18.4	5.6		0915	16.4	5.0
SA	1742	1.3	0.4	SU	1709	1.6	0.5
SA	2215	14.1	4.3	DI	2151	13.5	4.1
11	0524	2.0	0.6	26	0454	2.3	0.7
	1030	17.1	5.2		1000	16.1	4.9
SU	1839	1.6	0.5	MO	1757	2.0	0.6
DI	2321	13.8	4.2	LU	2245	13.5	4.1
12	0633	2.3	0.7	27	0548	2.6	0.8
	1142	15.7	4.8		1057	15.4	4.7
MO	1939	1.6	0.5	TU	1848	2.0	0.6
LU				MA	2342	13.5	4.1
13	0036	13.8	4.2	28	0651	2.3	0.7
	0748	2.6	0.8		1157	14.8	4.5
TU	1257	15.1	4.6	WE	1942	2.0	0.6
MA	2042	2.0	0.6	ME			
14	0148	14.4	4.4	29	0045	14.1	4.3
	0909	2.3	0.7		0803	2.3	0.7
WE	1412	14.8	4.5	TH	1306	14.4	4.4
ME	2145	2.0	0.6	JE	2042	1.6	0.5
15	0248	15.1	4.6	30	0142	14.8	4.5
	1021	2.0	0.6		0915	1.6	0.5
TH	1518	14.8	4.5	FR	1409	14.4	4.4
JE	2239	2.0	0.6	VE	2136	1.6	0.5
				31	0236	16.1	4.9
					1027	1.3	0.4
				SA	1509	14.8	4.5
				SA	2233	1.3	0.4

June-juin

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0327	17.1	5.2	16	0433	15.7	4.8
	1130	0.7	0.2		1230	1.0	0.3
SU	1603	15.1	4.6	MO	1721	13.1	4.0
DI	2327	1.0	0.3	LU			
2	0415	18.4	5.6	17	0006	2.0	0.6
	1227	0.7	0.2		0515	16.4	5.0
MO	1654	15.1	4.6	TU	1309	1.0	0.3
LU				MA	1800	13.5	4.1
3	0018	1.0	0.3	18	0045	2.0	0.6
	0500	19.4	5.9		0551	16.7	5.1
TU	1321	0.3	0.1	WE	1348	1.0	0.3
MA	1742	15.4	4.7	ME	1833	13.5	4.1
4	0106	1.0	0.3	19	0121	1.6	0.5
	0548	19.7	6.0		0627	17.1	5.2
WE	1412	0.3	0.1	TH	1424	1.0	0.3
ME	1830	15.4	4.7	JE	1906	13.8	4.2
5	0154	0.7	0.2	20	0200	1.3	0.4
	0639	20.0	6.1		0703	17.4	5.3
TH	1500	0.7	0.2	FR	1500	1.0	0.3
JE	1921	15.4	4.7	VE	1939	13.8	4.2
6	0242	0.7	0.2	21	0236	1.3	0.4
	0730	19.7	6.0		0739	17.4	5.3
FR	1548	0.7	0.2	SA	1536	1.0	0.3
VE	2015	15.1	4.6	SA	2015	14.1	4.3
7	0333	1.0	0.3	22	0318	1.3	0.4
	0824	19.0	5.8		0818	17.1	5.2
SA	1636	0.7	0.2	SU	1612	0.7	0.2
SA	2106	15.1	4.6	DI	2054	14.4	4.4
8	0424	1.3	0.4	23	0400	1.3	0.4
	0918	18.0	5.5		0857	16.7	5.1
SU	1724	1.0	0.3	MO	1651	0.7	0.2
DI	2203	14.8	4.5	LU	2136	14.4	4.4
9	0518	1.6	0.5	24	0445	1.3	0.4
	1018	16.7	5.1		0942	16.4	5.0
MO	1815	1.0	0.3	TU	1733	0.7	0.2
LU	2303	14.8	4.5	MA	2218	14.4	4.4
10	0618	1.6	0.5	25	0536	1.3	0.4
	1118	15.4	4.7		1030	15.7	4.8
TU	1903	1.3	0.4	WE	1815	0.7	0.2
MA				ME	2306	14.8	4.5
11	0006	14.8	4.5	26	0630	1.3	0.4
	0721	2.0	0.6		1124	14.8	4.5
WE	1224	14.4	4.4	TH	1900	1.0	0.3
ME	1954	1.6	0.5	JE			
12	0106	14.8	4.5	27	0000	14.8	4.5
	0830	2.0	0.6		0733	1.3	0.4
TH	1333	13.5	4.1	FR	1224	14.1	4.3
JE	2048	2.0	0.6	VE	1951	1.0	0.3
13	0203	14.8	4.5	28	0057	15.4	4.7
	0942	1.6	0.5		0842	1.0	0.3
FR	1442	13.1	4.0	SA	1330	13.5	4.1
VE	2145	2.0	0.6	SA	2048	1.0	0.3
14	0300	15.1	4.6	29	0154	16.1	4.9
	1045	1.3	0.4		0954	0.7	0.2
SA	1542	13.1	4.0	SU	1439	13.1	4.0
SA	2239	2.3	0.7	DI	2148	1.0	0.3
15	0351	15.4	4.7	30	0254	16.7	5.1
	1142	1.3	0.4		1103	0.3	0.1
SU	1636	13.1	4.0	MO	1539	13.5	4.1
DI	2327	2.3	0.7	LU	2251	1.0	0.3

RÉVISÉE - REVISED

33

QUÉBEC EST Z+5 **2008** **TIDE TABLES**

July-juillet

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0351	17.7	5.4	16	0454	15.7	4.8
	1206	0.3	0.1		1254	1.0	0.3
TU	1639	13.8	4.2	WE	1745	12.5	3.8
MA	2351	0.7	0.2	ME			
2	0445	18.7	5.7	17	0024	1.6	0.5
	1306	0.0	0.0		0536	16.4	5.0
WE	1733	14.1	4.3	TH	1333	1.0	0.3
ME				JE	1815	13.1	4.0
3	0048	0.3	0.1	18	0106	1.3	0.4
	0539	19.0	5.8		0612	17.1	5.2
TH	1357	0.0	0.0	FR	1406	1.0	0.3
JE	1824	14.8	4.5	VE	1848	13.8	4.2
4	0142	0.3	0.1	19	0148	1.0	0.3
	0630	19.4	5.9		0645	17.4	5.3
FR	1448	0.0	0.0	SA	1442	0.7	0.2
VE	1915	15.1	4.6	SA	1918	14.4	4.4
5	0233	0.3	0.1	20	0227	1.0	0.3
	0721	19.0	5.8		0721	17.4	5.3
SA	1533	0.0	0.0	SU	1518	0.3	0.1
SA	2003	15.4	4.7	DI	1951	14.8	4.5
6	0324	0.3	0.1	21	0309	0.7	0.2
	0812	18.7	5.7		0757	17.4	5.3
SU	1618	0.3	0.1	MO	1551	0.3	0.1
DI	2051	15.4	4.7	LU	2027	15.4	4.7
7	0412	0.7	0.2	22	0351	0.7	0.2
	0903	17.7	5.4		0833	17.1	5.2
MO	1700	0.3	0.1	TU	1627	0.3	0.1
LU	2142	15.4	4.7	MA	2103	15.7	4.8
8	0503	1.0	0.3	23	0433	0.7	0.2
	0954	16.4	5.0		0915	16.4	5.0
TU	1739	0.7	0.2	WE	1706	0.3	0.1
MA	2230	15.4	4.7	ME	2145	15.7	4.8
9	0551	1.3	0.4	24	0521	0.7	0.2
	1045	15.1	4.6		1000	15.7	4.8
WE	1818	1.0	0.3	TH	1742	0.3	0.1
ME	2321	14.8	4.5	JE	2230	15.7	4.8
10	0645	1.6	0.5	25	0609	0.7	0.2
	1142	13.8	4.2		1051	14.4	4.4
TH	1857	1.3	0.4	FR	1821	0.7	0.2
JE				VE	2321	15.7	4.8
11	0012	14.4	4.4	26	0706	0.7	0.2
	0742	1.6	0.5		1148	13.1	4.0
FR	1245	12.5	3.8	SA	1909	1.0	0.3
VE	1945	2.0	0.6	SA			
12	0112	14.1	4.3	27	0018	15.4	4.7
	0851	2.0	0.6		0812	1.0	0.3
SA	1357	11.5	3.5	SU	1257	12.5	3.8
SA	2045	2.6	0.8	DI	2006	1.0	0.3
13	0212	14.1	4.3	28	0121	15.7	4.8
	1006	1.6	0.5		0930	0.7	0.2
SU	1509	11.5	3.5	MO	1412	11.8	3.6
DI	2148	2.6	0.8	LU	2118	1.0	0.3
14	0315	14.4	4.4	29	0233	16.4	5.0
	1112	1.3	0.4		1048	0.7	0.2
MO	1612	11.5	3.5	TU	1527	12.1	3.7
LU	2248	2.3	0.7	MA	2230	1.0	0.3
15	0409	15.1	4.6	30	0339	17.1	5.2
	1206	1.3	0.4		1154	0.3	0.1
TU	1703	12.1	3.7	WE	1630	12.8	3.9
MA	2339	2.0	0.6	ME	2339	0.7	0.2
				31	0442	18.0	5.5
					1254	0.3	0.1
				TH	1727	13.8	4.2
				JE			

August-août

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0039	0.3	0.1	16	0051	1.0	0.3
	0536	18.7	5.7		0551	16.7	5.1
FR	1345	0.3	0.1	SA	1342	0.7	0.2
VE	1815	14.8	4.5	SA	1821	14.4	4.4
2	0136	0.3	0.1	17	0133	0.7	0.2
	0624	18.7	5.7		0624	17.4	5.3
SA	1430	0.0	0.0	SU	1415	0.3	0.1
SA	1900	15.7	4.8	DI	1848	15.4	4.7
3	0224	0.3	0.1	18	0215	0.3	0.1
	0709	18.7	5.7		0657	17.4	5.3
SU	1512	0.0	0.0	MO	1448	0.0	0.0
DI	1942	16.1	4.9	LU	1921	16.1	4.9
4	0312	0.3	0.1	19	0254	0.0	0.0
	0754	18.0	5.5		0733	17.4	5.3
MO	1551	0.0	0.0	TU	1524	0.0	0.0
LU	2024	16.4	5.0	MA	1954	16.7	5.1
5	0357	0.3	0.1	20	0336	0.0	0.0
	0836	17.1	5.2		0809	17.1	5.2
TU	1624	0.3	0.1	WE	1557	0.0	0.0
MA	2106	16.1	4.9	ME	2030	16.7	5.1
6	0439	0.7	0.2	21	0418	0.0	0.0
	0921	15.7	4.8		0851	16.4	5.0
WE	1700	0.3	0.1	TH	1633	0.0	0.0
ME	2148	15.7	4.8	JE	2109	16.7	5.1
7	0521	0.7	0.2	22	0503	0.0	0.0
	1006	14.4	4.4		0936	15.1	4.6
TH	1730	0.7	0.2	FR	1709	0.0	0.0
JE	2230	15.1	4.6	VE	2157	16.7	5.1
8	0600	1.0	0.3	23	0548	0.3	0.1
	1054	13.1	4.0		1024	13.8	4.2
FR	1800	1.3	0.4	SA	1745	0.3	0.1
VE	2315	14.4	4.4	SA	2248	16.1	4.9
9	0651	1.6	0.5	24	0645	0.7	0.2
	1151	11.5	3.5		1124	12.5	3.8
SA	1836	2.3	0.7	SU	1833	1.0	0.3
SA				DI	2348	15.4	4.7
10	0012	13.5	4.1	25	0751	1.0	0.3
	0800	2.0	0.6		1236	11.5	3.5
SU	1303	10.5	3.2	MO	1936	1.3	0.4
DI	1933	3.0	0.9	LU			
11	0121	13.1	4.0	26	0103	15.4	4.7
	0921	2.0	0.6		0915	1.0	0.3
MO	1430	10.2	3.1	TU	1403	11.5	3.5
LU	2057	3.0	0.9	MA	2100	1.3	0.4
12	0236	13.8	4.2	27	0221	15.7	4.8
	1042	1.6	0.5		1033	0.7	0.2
TU	1548	10.5	3.2	WE	1524	12.1	3.7
MA	2215	2.6	0.8	ME	2224	1.0	0.3
13	0342	14.4	4.4	28	0336	16.4	5.0
	1142	1.3	0.4		1142	0.3	0.1
WE	1639	11.5	3.5	TH	1627	13.5	4.1
ME	2318	2.3	0.7	JE	2336	0.7	0.2
14	0436	15.4	4.7	29	0436	17.4	5.3
	1230	1.3	0.4		1236	0.3	0.1
TH	1721	12.5	3.8	FR	1718	14.8	4.5
JE				VE			
15	0006	1.6	0.5	30	0036	0.3	0.1
	0515	16.4	5.0		0527	17.7	5.4
FR	1309	1.0	0.3	SA	1324	0.0	0.0
VE	1751	13.5	4.1	SA	1757	15.7	4.8
				31	0127	0.0	0.0
					0612	18.0	5.5
				SU	1403	0.0	0.0
				DI	1836	16.4	5.0

September-septembre

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0212	0.0	0.0	16	0157	0.3	0.1
	0651	17.7	5.4		0630	17.4	5.3
MO	1442	0.0	0.0	TU	1415	0.3	0.1
LU	1912	17.1	5.2	MA	1845	17.7	5.4
2	0254	0.0	0.0	17	0239	0.0	0.0
	0730	17.4	5.3		0706	17.4	5.3
TU	1515	0.3	0.1	WE	1451	0.0	0.0
MA	1951	17.1	5.2	ME	1918	18.0	5.5
3	0333	0.0	0.0	18	0321	0.0	0.0
	0809	16.4	5.0		0745	16.7	5.1
WE	1545	0.3	0.1	TH	1524	0.0	0.0
ME	2027	16.7	5.1	JE	1957	18.4	5.6
4	0409	0.3	0.1	19	0403	0.0	0.0
	0848	15.4	4.7		0827	15.7	4.8
TH	1615	0.7	0.2	FR	1600	0.3	0.1
JE	2103	16.1	4.9	VE	2039	18.0	5.5
5	0445	0.7	0.2	20	0445	0.0	0.0
	0927	14.1	4.3		0912	14.8	4.5
FR	1639	1.0	0.3	SA	1636	0.3	0.1
VE	2142	15.4	4.7	SA	2127	17.4	5.3
6	0521	1.0	0.3	21	0533	0.3	0.1
	1012	12.8	3.9		1006	13.5	4.1
SA	1706	1.6	0.5	SU	1718	1.0	0.3
SA	2224	14.4	4.4	DI	2221	16.4	5.0
7	0603	1.6	0.5	22	0627	0.7	0.2
	1100	11.2	3.4		1109	12.1	3.7
SU	1736	2.3	0.7	MO	1809	1.3	0.4
DI	2318	13.5	4.1	LU	2330	15.7	4.8
8	0706	2.3	0.7	23	0739	1.0	0.3
	1209	10.2	3.1		1230	11.5	3.5
MO	1827	3.3	1.0	TU	1927	2.0	0.6
LU				MA			
9	0030	13.1	4.0	24	0051	15.1	4.6
	0836	2.6	0.8		0900	1.3	0.4
TU	1345	9.8	3.0	WE	1400	11.8	3.6
MA	2009	3.6	1.1	ME	2100	1.6	0.5
10	0157	13.5	4.1	25	0218	15.4	4.7
	1000	2.3	0.7		1018	1.0	0.3
WE	1509	10.8	3.3	TH	1515	13.1	4.0
ME	2142	3.0	0.9	JE	2224	1.3	0.4
11	0312	14.1	4.3	26	0333	16.1	4.9
	1103	1.6	0.5		1121	0.7	0.2
TH	1606	12.1	3.7	FR	1612	14.8	4.5
JE	2251	2.3	0.7	VE	2333	0.7	0.2
12	0406	15.1	4.6	27	0430	16.7	5.1
	1151	1.3	0.4		1212	0.7	0.2
FR	1642	13.5	4.1	SA	1657	15.7	4.8
VE	2345	1.6	0.5	SA			
13	0448	16.1	4.9	28	0027	0.3	0.1
	1233	1.0	0.3		0515	17.1	5.2
SA	1715	14.8	4.5	SU	1254	0.3	0.1
SA				DI	1736	16.7	5.1
14	0033	1.0	0.3	29	0115	0.3	0.1
	0521	16.7	5.1		0554	17.1	5.2
SU	1309	0.7	0.2	MO	1333	0.3	0.1
DI	1745	15.7	4.8	LU	1809	17.4	5.3
15	0115	0.7	0.2	30	0157	0.0	0.0
	0554	17.1	5.2		0633	16.7	5.1
MO	1342	0.3	0.1	TU	1406	0.3	0.1
LU	1812	16.7	5.1	MA	1842	17.4	5.3

TABLE DES MARÉES **2008** **QUÉBEC** HNE Z+5

October-octobre

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0233	0.0	0.0	16	0218	−0.3	−0.1
	0706	16.4	5.0		0642	16.7	5.1
WE	1436	0.7	0.2	TH	1415	0.3	0.1
ME	1915	17.4	5.3	JE	1851	19.4	5.9
2	0309	0.3	0.1	17	0303	−0.3	−0.1
	0742	15.7	4.8		0724	16.1	4.9
TH	1506	0.7	0.2	FR	1454	0.3	0.1
JE	1948	17.1	5.2	VE	1930	19.4	5.9
3	0342	0.3	0.1	18	0345	0.0	0.0
	0818	14.8	4.5		0809	15.4	4.7
FR	1533	1.0	0.3	SA	1533	0.3	0.1
VE	2024	16.7	5.1	SA	2018	18.7	5.7
4	0415	0.7	0.2	19	0433	0.0	0.0
	0857	13.8	4.2		0900	14.4	4.4
SA	1557	1.3	0.4	SU	1612	0.7	0.2
SA	2103	16.1	4.9	DI	2109	18.0	5.5
5	0451	1.0	0.3	20	0521	0.3	0.1
	0936	12.5	3.8		0957	13.5	4.1
SU	1624	2.0	0.6	MO	1700	1.3	0.4
DI	2142	15.1	4.6	LU	2209	16.7	5.1
6	0530	1.6	0.5	21	0618	1.0	0.3
	1027	11.5	3.5		1103	12.8	3.9
MO	1657	2.6	0.8	TU	1800	1.6	0.5
LU	2236	14.1	4.3	MA	2321	15.7	4.8
7	0624	2.3	0.7	22	0724	1.3	0.4
	1130	10.5	3.2		1224	12.5	3.8
TU	1751	3.3	1.0	WE	1924	2.0	0.6
MA	2342	13.5	4.1	ME			
8	0739	2.6	0.8	23	0042	15.1	4.6
	1257	10.5	3.2		0839	1.3	0.4
WE	1924	3.6	1.1	TH	1348	13.5	4.1
ME				JE	2054	1.6	0.5
9	0109	13.1	4.0	24	0206	15.1	4.6
	0900	2.3	0.7		0948	1.3	0.4
TH	1421	11.5	3.5	FR	1454	14.4	4.4
JE	2057	3.0	0.9	VE	2212	1.3	0.4
10	0227	13.8	4.2	25	0318	15.4	4.7
	1006	1.6	0.5		1048	1.0	0.3
FR	1518	12.8	3.9	SA	1548	15.7	4.8
VE	2212	2.0	0.6	SA	2318	1.0	0.3
11	0327	14.8	4.5	26	0412	15.7	4.8
	1100	1.3	0.4		1139	1.0	0.3
SA	1600	14.1	4.3	SU	1633	16.7	5.1
SA	2312	1.3	0.4	DI			
12	0412	15.4	4.7	27	0012	0.7	0.2
	1142	1.0	0.3		0500	16.1	4.9
SU	1636	15.7	4.8	MO	1221	1.0	0.3
DI				LU	1709	17.4	5.3
13	0003	0.7	0.2	28	0057	0.3	0.1
	0451	16.1	4.9		0539	16.1	4.9
MO	1224	0.7	0.2	TU	1257	1.0	0.3
LU	1706	16.7	5.1	MA	1745	17.7	5.4
14	0051	0.0	0.0	29	0136	0.3	0.1
	0527	16.7	5.1		0615	15.7	4.8
TU	1300	0.3	0.1	WE	1330	1.0	0.3
MA	1739	18.0	5.5	ME	1815	17.7	5.4
15	0136	0.0	0.0	30	0212	0.3	0.1
	0606	16.7	5.1		0648	15.4	4.7
WE	1339	0.3	0.1	TH	1400	1.0	0.3
ME	1812	18.7	5.7	JE	1848	17.7	5.4
				31	0245	0.3	0.1
					0721	14.8	4.5
				FR	1430	1.0	0.3
				VE	1921	17.4	5.3

November-novembre

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0318	0.7	0.2	16	0333	0.0	0.0
	0757	14.4	4.4		0757	15.1	4.6
SA	1457	1.3	0.4	SU	1515	0.7	0.2
SA	1957	17.1	5.2	DI	2003	19.4	5.9
2	0354	1.0	0.3	17	0421	0.3	0.1
	0833	13.8	4.2		0851	14.8	4.5
SU	1527	1.6	0.5	MO	1603	1.0	0.3
DI	2033	16.7	5.1	LU	2057	18.4	5.6
3	0427	1.3	0.4	18	0512	0.3	0.1
	0915	13.1	4.0		0951	14.1	4.3
MO	1600	2.0	0.6	TU	1654	1.3	0.4
LU	2118	15.7	4.8	MA	2200	17.4	5.3
4	0506	1.6	0.5	19	0603	0.7	0.2
	1000	12.5	3.8		1054	13.8	4.2
TU	1642	2.3	0.7	WE	1757	1.6	0.5
MA	2206	15.1	4.6	ME	2306	16.1	4.9
5	0554	2.0	0.6	20	0703	1.0	0.3
	1057	11.8	3.6		1203	14.1	4.3
WE	1733	3.0	0.9	TH	1912	2.0	0.6
ME	2306	14.1	4.3	JE			
6	0651	2.3	0.7	21	0024	15.1	4.6
	1203	11.8	3.6		0803	1.3	0.4
TH	1848	3.0	0.9	FR	1315	14.4	4.4
JE				VE	2033	1.6	0.5
7	0015	13.8	4.2	22	0139	14.4	4.4
	0757	2.3	0.7		0906	1.3	0.4
FR	1315	12.5	3.8	SA	1421	15.1	4.6
VE	2009	2.6	0.8	SA	2148	1.3	0.4
8	0130	13.8	4.2	23	0251	14.4	4.4
	0900	2.0	0.6		1006	1.3	0.4
SA	1415	13.5	4.1	SU	1515	15.7	4.8
SA	2127	2.0	0.6	DI	2254	1.0	0.3
9	0236	14.1	4.3	24	0351	14.4	4.4
	1000	1.3	0.4		1100	1.3	0.4
SU	1506	14.8	4.5	MO	1603	16.4	5.0
DI	2233	1.3	0.4	LU	2351	1.0	0.3
10	0330	14.8	4.5	25	0442	14.4	4.4
	1051	1.0	0.3		1145	1.6	0.5
MO	1551	16.1	4.9	TU	1645	17.1	5.2
LU	2333	0.7	0.2	MA			
11	0418	15.4	4.7	26	0036	0.7	0.2
	1139	0.7	0.2		0521	14.8	4.5
TU	1630	17.4	5.3	WE	1224	1.6	0.5
MA				ME	1721	17.4	5.3
12	0024	0.3	0.1	27	0118	0.7	0.2
	0500	15.7	4.8		0600	14.4	4.4
WE	1224	0.7	0.2	TH	1300	1.3	0.4
ME	1706	18.7	5.7	JE	1757	17.4	5.3
13	0115	0.0	0.0	28	0154	0.7	0.2
	0542	15.7	4.8		0633	14.4	4.4
TH	1306	0.3	0.1	FR	1333	1.3	0.4
JE	1745	19.4	5.9	VE	1830	17.7	5.4
14	0200	−0.3	−0.1	29	0230	0.7	0.2
	0624	15.7	4.8		0706	14.4	4.4
FR	1348	0.3	0.1	SA	1406	1.6	0.5
VE	1827	20.0	6.1	SA	1903	17.7	5.4
15	0248	0.0	0.0	30	0303	1.0	0.3
	0712	15.4	4.7		0742	14.1	4.3
SA	1430	0.3	0.1	SU	1439	1.6	0.5
SA	1915	20.0	6.1	DI	1939	17.4	5.3

December-décembre

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0339	1.0	0.3	16	0412	0.3	0.1
	0815	13.8	4.2		0839	15.4	4.7
MO	1512	1.6	0.5	TU	1600	0.7	0.2
LU	2018	17.4	5.3	MA	2048	18.7	5.7
2	0415	1.3	0.4	17	0457	0.3	0.1
	0854	13.8	4.2		0933	15.4	4.7
TU	1551	1.6	0.5	WE	1651	1.0	0.3
MA	2057	16.7	5.1	ME	2145	17.4	5.3
3	0451	1.3	0.4	18	0542	0.7	0.2
	0936	13.5	4.1		1030	15.1	4.6
WE	1633	2.0	0.6	TH	1748	1.3	0.4
ME	2139	16.1	4.9	JE	2245	16.1	4.9
4	0530	1.3	0.4	19	0630	1.0	0.3
	1024	13.5	4.1		1130	15.1	4.6
TH	1721	2.3	0.7	FR	1848	1.6	0.5
JE	2230	15.1	4.6	VE	2348	14.8	4.5
5	0615	1.6	0.5	20	0718	1.3	0.4
	1118	13.5	4.1		1230	14.8	4.5
FR	1818	2.3	0.7	SA	1957	2.0	0.6
VE	2327	14.4	4.4	SA			
6	0706	1.6	0.5	21	0100	13.5	4.1
	1215	13.8	4.2		0812	1.6	0.5
SA	1927	2.3	0.7	SU	1333	14.8	4.5
SA				DI	2109	1.6	0.5
7	0033	13.8	4.2	22	0212	12.8	3.9
	0800	1.6	0.5		0915	2.0	0.6
SU	1315	14.1	4.3	MO	1433	15.1	4.6
DI	2039	2.0	0.6	LU	2221	1.6	0.5
8	0142	13.5	4.1	23	0321	12.8	3.9
	0900	1.6	0.5		1015	2.0	0.6
MO	1412	15.1	4.6	TU	1533	15.4	4.7
LU	2151	1.3	0.4	MA	2324	1.3	0.4
9	0245	13.8	4.2	24	0421	12.8	3.9
	1000	1.3	0.4		1112	2.0	0.6
TU	1506	16.4	5.0	WE	1621	16.1	4.9
MA	2300	1.0	0.3	ME			
10	0342	14.1	4.3	25	0018	1.3	0.4
	1057	1.0	0.3		0509	13.1	4.0
WE	1554	17.7	5.4	TH	1157	2.0	0.6
ME				JE	1706	16.7	5.1
11	0000	0.3	0.1	26	0103	1.3	0.4
	0433	14.4	4.4		0548	13.5	4.1
TH	1151	0.7	0.2	FR	1239	2.0	0.6
JE	1642	18.7	5.7	VE	1742	17.1	5.2
12	0057	0.3	0.1	27	0142	1.0	0.3
	0524	14.8	4.5		0624	13.8	4.2
FR	1242	0.7	0.2	SA	1318	1.6	0.5
VE	1727	19.7	6.0	SA	1818	17.7	5.4
13	0148	0.0	0.0	28	0218	1.0	0.3
	0612	15.1	4.6		0654	14.1	4.3
SA	1330	0.7	0.2	SU	1354	1.6	0.5
SA	1815	20.0	6.1	DI	1851	17.7	5.4
14	0236	0.0	0.0	29	0251	1.0	0.3
	0657	15.4	4.7		0724	14.4	4.4
SU	1418	0.3	0.1	MO	1430	1.3	0.4
DI	1906	20.0	6.1	LU	1924	18.0	5.5
15	0327	0.3	0.1	30	0327	1.0	0.3
	0748	15.4	4.7		0757	14.4	4.4
MO	1509	0.7	0.2	TU	1506	1.3	0.4
LU	1957	19.7	6.0	MA	2000	17.7	5.4
				31	0357	1.0	0.3
					0830	14.8	4.5
				WE	1545	1.3	0.4
				ME	2036	17.4	5.3

RÉVISÉE - REVISED 35

GRONDINES EST Z+5 **2008** **TIDE TABLES**

January-janvier

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0229	9.5	2.9	16	0150	10.2	3.1
	1101	4.9	1.5		1013	4.9	1.5
TU	1514	9.5	2.9	WE	1414	11.2	3.4
MA	2340	4.9	1.5	ME	2313	4.9	1.5
2	0350	8.9	2.7	17	0302	9.2	2.8
	1143	5.2	1.6		1113	4.6	1.4
WE	1559	9.8	3.0	TH	1523	10.5	3.2
ME				JE			
3	0101	4.9	1.5	18	0025	4.6	1.4
	0459	8.5	2.6		0411	8.5	2.6
TH	1249	4.9	1.5	FR	1213	4.3	1.3
JE	1708	9.8	3.0	VE	1629	10.8	3.3
4	0213	4.6	1.4	19	0149	4.3	1.3
	0605	7.9	2.4		0529	8.2	2.5
FR	1355	4.6	1.4	SA	1325	3.9	1.2
VE	1814	9.5	2.9	SA	1741	11.2	3.4
5	0313	4.3	1.3	20	0255	4.3	1.3
	0708	7.9	2.4		0641	8.9	2.7
SA	1440	4.6	1.4	SU	1431	4.3	1.3
SA	1856	10.5	3.2	DI	1838	11.8	3.6
6	0355	4.6	1.4	21	0358	4.6	1.4
	0747	8.5	2.6		0738	9.2	2.8
SU	1525	4.3	1.3	MO	1534	4.3	1.3
DI	1935	10.8	3.3	LU	1938	12.1	3.7
7	0440	4.6	1.4	22	0452	4.6	1.4
	0826	8.9	2.7		0832	9.8	3.0
MO	1607	4.3	1.3	TU	1625	4.6	1.4
LU	2011	11.2	3.4	MA	2032	12.8	3.9
8	0516	4.3	1.3	23	0534	4.9	1.5
	0902	9.2	2.8		0914	10.5	3.2
TU	1634	4.6	1.4	WE	1716	4.9	1.5
MA	2041	12.1	3.7	ME	2114	13.1	4.0
9	0543	4.9	1.5	24	0616	5.2	1.6
	0926	9.8	3.0		0956	11.2	3.4
WE	1722	4.6	1.4	TH	1804	5.2	1.6
ME	2117	12.5	3.8	JE	2156	13.1	4.0
10	0634	4.9	1.5	25	0658	5.6	1.7
	1008	9.5	2.9		1038	11.5	3.5
TH	1804	4.6	1.4	FR	1849	5.6	1.7
JE	2202	11.8	3.6	VE	2238	12.8	3.9
11	0658	4.9	1.5	26	0734	5.6	1.7
	1044	10.5	3.2		1117	11.5	3.5
FR	1840	4.9	1.5	SA	1931	5.6	1.7
VE	2238	13.1	4.0	SA	2320	12.1	3.7
12	0734	5.2	1.6	27	0807	5.6	1.7
	1111	11.2	3.4		1156	11.2	3.4
SA	1934	4.9	1.5	SU	2013	5.6	1.7
SA	2323	11.8	3.6	DI			
13	0816	4.9	1.5	28	0005	11.5	3.5
	1159	10.5	3.2		0840	5.2	1.6
SU	2016	4.9	1.5	MO	1232	10.8	3.3
DI				LU	2058	5.2	1.6
14	0005	11.5	3.5	29	0047	10.5	3.2
	0846	4.9	1.5		0913	5.2	1.6
MO	1238	11.2	3.4	TU	1314	10.5	3.2
LU	2055	5.2	1.6	MA	2146	5.2	1.6
15	0047	11.8	3.6	30	0138	9.2	2.8
	0928	5.2	1.6		0943	4.9	1.5
TU	1320	11.8	3.6	WE	1359	9.8	3.0
MA	2204	5.2	1.6	ME	2243	4.9	1.5
				31	0235	7.9	2.4
					1025	4.6	1.4
				TH	1456	9.2	2.8
				JE	2358	4.3	1.3

February-février

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0347	6.9	2.1	16	0001	3.9	1.2
	1128	4.3	1.3		0347	7.5	2.3
FR	1605	8.9	2.7	SA	1137	3.6	1.1
VE				SA	1605	10.2	3.1
2	0125	3.9	1.2	17	0128	3.9	1.2
	0517	6.6	2.0		0517	7.5	2.3
SA	1246	3.9	1.2	SU	1304	3.9	1.2
SA	1723	9.2	2.8	DI	1726	10.8	3.3
3	0240	3.6	1.1	18	0243	3.9	1.2
	0635	6.9	2.1		0635	8.5	2.6
SU	1358	3.6	1.1	MO	1422	3.9	1.2
DI	1823	9.8	3.0	LU	1835	11.5	3.5
4	0334	3.6	1.1	19	0343	4.3	1.3
	0726	7.5	2.3		0732	9.2	2.8
MO	1455	3.6	1.1	TU	1528	3.9	1.2
LU	1914	10.5	3.2	MA	1932	11.8	3.6
5	0413	3.6	1.1	20	0431	4.3	1.3
	0802	8.5	2.6		0817	9.8	3.0
TU	1543	3.6	1.1	WE	1619	3.9	1.2
MA	1953	11.2	3.4	ME	2020	12.1	3.7
6	0449	3.9	1.2	21	0513	4.3	1.3
	0835	9.2	2.8		0856	10.5	3.2
WE	1628	3.9	1.2	TH	1707	3.9	1.2
ME	2029	11.5	3.5	JE	2059	11.8	3.6
7	0522	3.9	1.2	22	0549	4.3	1.3
	0908	9.8	3.0		0932	10.8	3.3
TH	1707	3.9	1.2	FR	1749	3.9	1.2
JE	2102	12.1	3.7	VE	2138	11.8	3.6
8	0558	4.3	1.3	23	0625	3.9	1.2
	0941	10.8	3.3		1008	11.2	3.4
FR	1749	4.3	1.3	SA	1828	3.9	1.2
VE	2141	12.1	3.7	SA	2217	11.5	3.5
9	0631	4.6	1.4	24	0655	3.9	1.2
	1014	11.2	3.4		1041	11.2	3.4
SA	1834	4.6	1.4	SU	1907	3.9	1.2
SA	2220	12.1	3.7	DI	2253	10.8	3.3
10	0707	4.6	1.4	25	0722	3.9	1.2
	1047	11.5	3.5		1111	10.8	3.3
SU	1916	4.6	1.4	MO	1943	3.9	1.2
DI	2259	11.8	3.6	LU	2329	10.2	3.1
11	0743	4.6	1.4	26	0752	3.6	1.1
	1126	11.5	3.5		1144	10.5	3.2
MO	2001	4.3	1.3	TU	2022	3.6	1.1
LU	2344	11.2	3.4	MA			
12	0816	4.3	1.3	27	0008	9.2	2.8
	1205	11.5	3.5		0816	3.6	1.1
TU	2049	4.3	1.3	WE	1220	9.8	3.0
MA				ME	2101	3.6	1.1
13	0032	10.2	3.1	28	0050	8.2	2.5
	0855	3.9	1.2		0843	3.3	1.0
WE	1250	11.2	3.4	TH	1259	9.2	2.8
ME	2143	4.3	1.3	JE	2149	3.3	1.0
14	0123	9.2	2.8	29	0138	6.9	2.1
	0937	3.9	1.2		0913	3.0	0.9
TH	1344	10.8	3.3	FR	1347	8.5	2.6
JE	2246	3.9	1.2	VE	2255	3.0	0.9
15	0226	8.2	2.5				
	1028	3.6	1.1				
FR	1447	10.5	3.2				
VE							

March-mars

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0241	5.9	1.8	16	0338	7.5	2.3
	1010	2.6	0.8		1128	3.6	1.1
SA	1459	7.9	2.4	SU	1550	10.2	3.1
SA				DI			
2	0031	2.6	0.8	17	0110	3.9	1.2
	0423	5.2	1.6		0508	7.9	2.4
SU	1149	2.6	0.8	MO	1301	3.6	1.1
DI	1632	7.9	2.4	LU	1720	10.2	3.1
3	0149	2.3	0.7	18	0222	3.9	1.2
	0550	6.2	1.9		0623	8.9	2.7
MO	1316	2.6	0.8	TU	1416	3.9	1.2
LU	1747	8.9	2.7	MA	1829	10.8	3.3
4	0249	2.6	0.8	19	0322	3.9	1.2
	0650	7.2	2.2		0714	9.8	3.0
TU	1425	3.0	0.9	WE	1522	3.9	1.2
MA	1841	9.8	3.0	ME	1923	11.2	3.4
5	0334	3.0	0.9	20	0407	3.9	1.2
	0729	8.5	2.6		0756	10.5	3.2
WE	1519	3.3	1.0	TH	1610	3.9	1.2
ME	1926	10.8	3.3	JE	2005	11.5	3.5
6	0413	3.6	1.1	21	0443	3.9	1.2
	0805	9.8	3.0		0832	10.8	3.3
TH	1607	3.9	1.2	FR	1655	3.9	1.2
JE	2005	11.8	3.6	VE	2044	11.5	3.5
7	0452	4.6	1.4	22	0516	3.9	1.2
	0835	11.2	3.4		0902	11.2	3.4
FR	1652	4.9	1.5	SA	1731	3.9	1.2
VE	2041	12.5	3.8	SA	2120	11.2	3.4
8	0525	5.2	1.6	23	0546	3.9	1.2
	0908	11.8	3.6		0935	11.5	3.5
SA	1737	5.2	1.6	SU	1807	3.9	1.2
SA	2120	12.5	3.8	DI	2153	10.8	3.3
9	0601	5.2	1.6	24	0616	3.9	1.2
	0941	12.5	3.8		1005	11.2	3.4
SU	1822	5.2	1.6	MO	1843	3.9	1.2
DI	2159	12.5	3.8	LU	2226	10.5	3.2
10	0637	5.2	1.6	25	0643	3.9	1.2
	1017	12.8	3.9		1032	11.2	3.4
MO	1904	5.2	1.6	TU	1916	3.9	1.2
LU	2241	12.1	3.7	MA	2302	9.8	3.0
11	0710	5.2	1.6	26	0710	3.9	1.2
	1053	12.8	3.9		1105	11.2	3.4
TU	1949	5.2	1.6	WE	1952	3.9	1.2
MA	2326	11.2	3.4	ME	2338	9.5	2.9
12	0746	4.9	1.5	27	0737	4.3	1.3
	1135	12.5	3.8		1141	11.2	3.4
WE	2037	4.9	1.5	TH	2034	4.9	1.5
ME				JE			
13	0014	10.2	3.1	28	0020	8.9	2.7
	0825	4.6	1.4		0807	4.9	1.5
TH	1223	12.1	3.7	FR	1223	10.8	3.3
JE	2128	4.6	1.4	VE	2122	5.2	1.6
14	0108	9.2	2.8	29	0105	8.5	2.6
	0910	4.3	1.3		0843	5.2	1.6
FR	1320	11.2	3.4	SA	1314	10.2	3.1
VE	2231	4.3	1.3	SA	2225	5.2	1.6
15	0214	8.2	2.5	30	0211	7.9	2.4
	1004	3.9	1.2		0940	5.2	1.6
SA	1426	10.5	3.2	SU	1423	9.5	2.9
SA	2349	3.9	1.2	DI	2346	5.2	1.6
				31	0338	7.5	2.3
					1113	5.2	1.6
				MO	1550	9.5	2.9
				LU			

Fluctuations in river outflow may cause actual water levels to differ from these predicted values.

REVISED - RÉVISÉE

TABLE DES MARÉES **2008** **GRONDINES** HNE Z+5

April-avril

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0104	5.2	1.6	16	0158	5.6	1.7
	0508	8.2	2.5		0559	10.5	3.2
TU	1246	5.2	1.6	WE	1413	5.6	1.7
MA	1705	10.2	3.1	ME	1817	11.2	3.4
2	0204	5.2	1.6	17	0249	5.6	1.7
	0608	9.2	2.8		0647	11.2	3.4
WE	1358	5.2	1.6	TH	1513	5.2	1.6
ME	1808	10.8	3.3	JE	1908	11.5	3.5
3	0252	5.2	1.6	18	0334	5.6	1.7
	0647	10.5	3.2		0729	11.5	3.5
TH	1458	5.6	1.7	FR	1558	5.6	1.7
JE	1856	11.5	3.5	VE	1950	11.5	3.5
4	0334	5.6	1.7	19	0413	5.6	1.7
	0723	11.5	3.5		0802	12.1	3.7
FR	1549	5.6	1.7	SA	1640	5.9	1.8
VE	1938	12.1	3.7	SA	2029	11.8	3.6
5	0413	5.6	1.7	20	0443	5.9	1.8
	0759	12.1	3.7		0832	12.5	3.8
SA	1634	5.6	1.7	SU	1719	6.2	1.9
SA	2017	12.5	3.8	DI	2105	11.8	3.6
6	0449	5.9	1.8	21	0513	6.2	1.9
	0832	13.1	4.0		0902	12.8	3.9
SU	1719	5.9	1.8	MO	1752	6.2	1.9
DI	2059	12.5	3.8	LU	2138	11.5	3.5
7	0525	5.9	1.8	22	0543	6.2	1.9
	0908	13.5	4.1		0932	12.8	3.9
MO	1804	5.9	1.8	TU	1825	6.2	1.9
LU	2141	12.1	3.7	MA	2208	11.2	3.4
8	0601	5.9	1.8	23	0610	6.2	1.9
	0944	13.8	4.2		1005	12.8	3.9
TU	1849	5.9	1.8	WE	1901	6.2	1.9
MA	2226	11.8	3.6	ME	2244	10.8	3.3
9	0640	5.6	1.7	24	0640	6.2	1.9
	1026	13.8	4.2		1038	12.5	3.8
WE	1937	5.9	1.8	TH	1937	6.2	1.9
ME	2311	11.2	3.4	JE	2320	10.2	3.1
10	0719	5.6	1.7	25	0713	5.9	1.8
	1114	13.5	4.1		1117	12.1	3.7
TH	2028	5.6	1.7	FR	2016	5.9	1.8
JE				VE			
11	0002	10.5	3.2	26	0002	9.8	3.0
	0804	5.2	1.6		0746	5.6	1.7
FR	1205	12.5	3.8	SA	1159	11.5	3.5
VE	2119	5.2	1.6	SA	2058	5.6	1.7
12	0059	9.5	2.9	27	0047	9.2	2.8
	0855	4.9	1.5		0831	5.6	1.7
SA	1305	11.8	3.6	SU	1250	10.8	3.3
SA	2222	4.9	1.5	DI	2155	5.2	1.6
13	0211	8.9	2.7	28	0144	8.5	2.6
	1004	4.9	1.5		0928	5.2	1.6
SU	1420	10.8	3.3	MO	1353	10.2	3.1
DI	2337	4.9	1.5	LU	2255	5.2	1.6
14	0332	8.9	2.7	29	0253	8.5	2.6
	1128	4.9	1.5		1046	4.9	1.5
MO	1547	10.8	3.3	TU	1505	9.8	3.0
LU				MA			
15	0049	5.2	1.6	30	0001	4.9	1.5
	0453	9.5	2.9		0408	8.9	2.7
TU	1258	5.2	1.6	WE	1207	4.9	1.5
MA	1711	10.8	3.3	ME	1617	9.8	3.0

May-mai

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0104	4.9	1.5	16	0207	4.9	1.5
	0505	9.8	3.0		0608	10.8	3.3
TH	1319	4.9	1.5	FR	1449	4.9	1.5
JE	1720	10.5	3.2	VE	1844	10.2	3.1
2	0155	4.9	1.5	17	0252	4.9	1.5
	0553	10.8	3.3		0653	11.2	3.4
FR	1425	5.2	1.6	SA	1537	4.9	1.5
VE	1817	11.2	3.4	SA	1929	10.2	3.1
3	0246	5.2	1.6	18	0328	4.9	1.5
	0638	11.8	3.6		0729	11.5	3.5
SA	1519	5.6	1.7	SU	1619	4.9	1.5
SA	1908	11.5	3.5	DI	2008	10.2	3.1
4	0328	5.9	1.8	19	0404	4.9	1.5
	0717	12.8	3.9		0802	11.8	3.6
SU	1610	5.9	1.8	MO	1655	4.9	1.5
DI	1953	12.1	3.7	LU	2041	10.2	3.1
5	0410	6.2	1.9	20	0437	4.9	1.5
	0759	13.8	4.2		0835	11.8	3.6
MO	1701	6.6	2.0	TU	1731	4.9	1.5
LU	2038	12.1	3.7	MA	2117	10.2	3.1
6	0452	6.6	2.0	21	0510	4.9	1.5
	0838	14.4	4.4		0908	11.8	3.6
TU	1752	6.9	2.1	WE	1804	4.9	1.5
MA	2123	12.1	3.7	ME	2150	9.8	3.0
7	0534	6.9	2.1	22	0540	4.9	1.5
	0923	14.8	4.5		0941	11.8	3.6
WE	1840	6.9	2.1	TH	1840	4.9	1.5
ME	2211	11.8	3.6	JE	2223	9.8	3.0
8	0619	6.6	2.0	23	0616	4.9	1.5
	1008	14.4	4.4		1017	11.8	3.6
TH	1928	6.9	2.1	FR	1916	4.9	1.5
JE	2302	11.5	3.5	VE	2302	9.5	2.9
9	0704	6.6	2.0	24	0652	4.9	1.5
	1059	14.1	4.3		1056	11.8	3.6
FR	2019	6.6	2.0	SA	1958	4.9	1.5
VE	2356	10.8	3.3	SA	2341	9.5	2.9
10	0755	6.2	1.9	25	0734	4.9	1.5
	1156	13.1	4.0		1141	11.5	3.5
SA	2113	6.2	1.9	SU	2040	5.2	1.6
SA				DI			
11	0056	10.5	3.2	26	0029	9.5	2.9
	0852	5.9	1.8		0819	5.2	1.6
SU	1259	12.1	3.7	MO	1229	11.2	3.4
DI	2210	5.9	1.8	LU	2125	5.2	1.6
12	0159	10.2	3.1	27	0120	9.5	2.9
	1001	5.6	1.7		0916	5.2	1.6
MO	1408	11.2	3.4	TU	1326	10.8	3.3
LU	2310	5.6	1.7	MA	2216	4.9	1.5
13	0311	9.8	3.0	28	0217	9.5	2.9
	1122	5.6	1.7		1022	4.9	1.5
TU	1526	10.5	3.2	WE	1426	10.2	3.1
MA				ME	2313	4.9	1.5
14	0013	5.2	1.6	29	0314	9.8	3.0
	0417	10.2	3.1		1131	4.9	1.5
WE	1237	5.2	1.6	TH	1535	9.8	3.0
ME	1644	10.2	3.1	JE			
15	0113	4.9	1.5	30	0007	4.6	1.4
	0517	10.5	3.2		0411	10.2	3.1
TH	1349	4.9	1.5	FR	1243	4.6	1.4
JE	1747	10.2	3.1	VE	1638	9.8	3.0
				31	0104	4.6	1.4
					0505	10.8	3.3
				SA	1349	4.6	1.4
				SA	1741	9.8	3.0

June-juin

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0155	4.6	1.4	16	0249	3.0	0.9
	0553	11.5	3.5		0656	9.8	3.0
SU	1452	4.6	1.4	MO	1552	2.6	0.8
DI	1835	10.2	3.1	LU	1944	8.2	2.5
2	0243	4.6	1.4	17	0331	3.0	0.9
	0644	12.5	3.8		0735	10.2	3.1
MO	1549	4.9	1.5	TU	1634	3.0	0.9
LU	1929	10.5	3.2	MA	2026	8.2	2.5
3	0334	4.9	1.5	18	0407	3.0	0.9
	0729	13.1	4.0		0814	10.5	3.2
TU	1640	4.9	1.5	WE	1710	3.0	0.9
MA	2020	10.5	3.2	ME	2059	8.5	2.6
4	0422	4.9	1.5	19	0443	3.0	0.9
	0817	13.5	4.1		0850	10.5	3.2
WE	1731	5.2	1.6	TH	1743	3.0	0.9
ME	2108	10.5	3.2	JE	2132	8.5	2.6
5	0510	4.9	1.5	20	0519	3.0	0.9
	0905	13.5	4.1		0926	10.8	3.3
TH	1822	5.2	1.6	FR	1819	3.0	0.9
JE	2159	10.5	3.2	VE	2208	8.5	2.6
6	0601	4.9	1.5	21	0558	3.0	0.9
	0956	13.1	4.0		1002	10.8	3.3
FR	1913	4.9	1.5	SA	1855	3.0	0.9
VE	2250	10.5	3.2	SA	2244	8.9	2.7
7	0649	4.9	1.5	22	0637	3.0	0.9
	1050	12.8	3.9		1041	10.8	3.3
SA	2001	4.9	1.5	SU	1934	3.0	0.9
SA	2344	10.2	3.1	DI	2320	8.9	2.7
8	0746	4.6	1.4	23	0719	3.0	0.9
	1144	12.1	3.7		1123	10.5	3.2
SU	2049	4.6	1.4	MO	2013	3.0	0.9
DI				LU			
9	0035	10.2	3.1	24	0002	9.2	2.8
	0843	4.3	1.3		0807	3.0	0.9
MO	1244	11.2	3.4	TU	1205	10.2	3.1
LU	2140	3.9	1.2	MA	2052	3.0	0.9
10	0132	9.8	3.0	25	0044	9.2	2.8
	0943	3.9	1.2		0855	3.0	0.9
TU	1344	10.2	3.1	WE	1253	9.8	3.0
MA	2228	3.6	1.1	ME	2137	2.6	0.8
11	0229	9.5	2.9	26	0132	9.2	2.8
	1049	3.6	1.1		0952	2.6	0.8
WE	1450	9.2	2.8	TH	1347	9.2	2.8
ME	2319	3.3	1.0	JE	2222	2.6	0.8
12	0329	9.2	2.8	27	0223	9.2	2.8
	1201	3.3	1.0		1055	2.6	0.8
TH	1556	8.5	2.6	FR	1450	8.5	2.6
JE				VE	2313	2.3	0.7
13	0016	3.0	0.9	28	0320	9.5	2.9
	0426	9.2	2.8		1204	2.3	0.7
FR	1310	3.0	0.9	SA	1556	8.2	2.5
VE	1705	8.2	2.5	SA			
14	0113	3.0	0.9	29	0010	2.3	0.7
	0520	9.5	2.9		0420	9.8	3.0
SA	1413	3.0	0.9	SU	1316	2.3	0.7
SA	1808	8.2	2.5	DI	1702	7.9	2.4
15	0204	3.0	0.9	30	0110	2.3	0.7
	0611	9.5	2.9		0517	10.2	3.1
SU	1507	2.6	0.8	MO	1425	2.3	0.7
DI	1859	8.2	2.5	LU	1808	8.2	2.5

Les niveaux d'eau réels peuvent s'écarter des valeurs prédites suite à des fluctuations du débit du fleuve.

37

RÉVISÉE - REVISED

GRONDINES EST Z+5 **2008** **TIDE TABLES**

July-juillet

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0210	2.3	0.7	16	0304	2.6	0.8
	0617	10.5	3.2		0717	9.8	3.0
TU	1525	2.6	0.8	WE	1616	3.0	0.9
MA	1908	8.5	2.6	ME	2011	7.9	2.4
2	0307	2.3	0.7	17	0346	3.0	0.9
	0714	11.2	3.4		0759	10.5	3.2
WE	1622	2.6	0.8	TH	1655	3.3	1.0
ME	2005	8.9	2.7	JE	2044	8.2	2.5
3	0404	2.6	0.8	18	0428	3.3	1.0
	0808	11.5	3.5		0835	10.8	3.3
TH	1716	3.0	0.9	FR	1731	3.3	1.0
JE	2056	9.2	2.8	VE	2114	8.9	2.7
4	0455	3.0	0.9	19	0507	3.3	1.0
	0859	11.8	3.6		0911	11.2	3.4
FR	1804	3.0	0.9	SA	1804	3.3	1.0
VE	2144	9.5	2.9	SA	2147	9.2	2.8
5	0549	3.0	0.9	20	0546	3.3	1.0
	0947	11.5	3.5		0944	11.2	3.4
SA	1849	3.3	1.0	SU	1837	3.3	1.0
SA	2232	9.8	3.0	DI	2220	9.5	2.9
6	0640	3.0	0.9	21	0625	3.3	1.0
	1038	11.5	3.5		1020	11.2	3.4
SU	1934	3.0	0.9	MO	1913	3.3	1.0
DI	2320	9.8	3.0	LU	2256	9.8	3.0
7	0731	3.0	0.9	22	0707	3.3	1.0
	1126	10.8	3.3		1102	10.8	3.3
MO	2019	3.0	0.9	TU	1946	3.3	1.0
LU				MA	2335	10.2	3.1
8	0008	9.8	3.0	23	0752	3.3	1.0
	0822	3.0	0.9		1141	10.5	3.2
TU	1217	10.2	3.1	WE	2025	3.3	1.0
MA	2101	3.0	0.9	ME			
9	0056	9.5	2.9	24	0014	10.2	3.1
	0916	3.0	0.9		0840	3.3	1.0
WE	1311	9.5	2.9	TH	1229	9.8	3.0
ME	2143	3.0	0.9	JE	2101	3.3	1.0
10	0144	9.5	2.9	25	0056	10.2	3.1
	1010	3.0	0.9		0931	3.3	1.0
TH	1405	8.5	2.6	FR	1320	9.2	2.8
JE	2225	2.6	0.8	VE	2143	3.0	0.9
11	0235	8.9	2.7	26	0144	9.8	3.0
	1116	2.6	0.8		1031	3.0	0.9
FR	1511	7.5	2.3	SA	1417	8.2	2.5
VE	2316	2.6	0.8	SA	2231	2.6	0.8
12	0332	8.5	2.6	27	0241	9.5	2.9
	1225	2.6	0.8		1140	2.6	0.8
SA	1620	6.9	2.1	SU	1526	7.5	2.3
SA				DI	2328	2.3	0.7
13	0013	2.3	0.7	28	0347	9.8	3.0
	0432	8.5	2.6		1255	2.6	0.8
SU	1337	2.3	0.7	MO	1641	7.2	2.2
DI	1729	6.6	2.0	LU			
14	0116	2.3	0.7	29	0037	2.3	0.7
	0535	8.9	2.7		0456	9.8	3.0
MO	1440	2.3	0.7	TU	1410	2.3	0.7
LU	1838	6.9	2.1	MA	1756	7.2	2.2
15	0213	2.6	0.8	30	0149	2.3	0.7
	0629	9.2	2.8		0605	10.5	3.2
TU	1534	2.6	0.8	WE	1516	2.6	0.8
MA	1929	7.2	2.2	ME	1859	7.9	2.4
				31	0255	2.3	0.7
					0708	10.8	3.3
				TH	1613	3.0	0.9
				JE	1956	8.9	2.7

August-août

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0355	3.0	0.9	16	0413	3.0	0.9
	0802	11.5	3.5		0814	10.5	3.2
FR	1701	3.3	1.0	SA	1704	3.0	0.9
VE	2044	9.5	2.9	SA	2047	9.2	2.8
2	0452	3.3	1.0	17	0452	3.0	0.9
	0850	11.8	3.6		0850	10.8	3.3
SA	1749	3.3	1.0	SU	1734	3.0	0.9
SA	2129	9.8	3.0	DI	2117	9.8	3.0
3	0540	3.3	1.0	18	0531	3.0	0.9
	0935	11.5	3.5		0923	10.8	3.3
SU	1828	3.3	1.0	MO	1807	3.0	0.9
DI	2211	10.2	3.1	LU	2150	10.2	3.1
4	0628	3.3	1.0	19	0610	3.0	0.9
	1020	11.2	3.4		0959	10.8	3.3
MO	1907	3.3	1.0	TU	1840	3.3	1.0
LU	2253	10.5	3.2	MA	2223	10.5	3.2
5	0713	3.3	1.0	20	0652	3.3	1.0
	1105	10.8	3.3		1038	10.8	3.3
TU	1946	3.3	1.0	WE	1913	3.3	1.0
MA	2332	10.2	3.1	ME	2259	10.5	3.2
6	0758	3.3	1.0	21	0737	3.3	1.0
	1147	10.2	3.1		1120	10.2	3.1
WE	2019	3.0	0.9	TH	1949	3.0	0.9
ME				JE	2338	10.5	3.2
7	0014	9.8	3.0	22	0819	3.0	0.9
	0843	3.0	0.9		1205	9.5	2.9
TH	1232	9.2	2.8	FR	2025	3.0	0.9
JE	2052	2.6	0.8	VE			
8	0056	9.5	2.9	23	0023	10.5	3.2
	0931	2.6	0.8		0910	3.0	0.9
FR	1320	7.9	2.4	SA	1253	8.5	2.6
VE	2128	2.6	0.8	SA	2107	2.6	0.8
9	0138	8.9	2.7	24	0111	10.2	3.1
	1022	2.3	0.7		1010	2.6	0.8
SA	1417	6.9	2.1	SU	1353	7.5	2.3
SA	2207	2.3	0.7	DI	2158	2.3	0.7
10	0232	8.2	2.5	25	0211	9.5	2.9
	1134	2.0	0.6		1119	2.3	0.7
SU	1526	5.9	1.8	MO	1505	6.9	2.1
DI	2307	2.0	0.6	LU	2304	2.0	0.6
11	0341	7.9	2.4	26	0326	9.2	2.8
	1255	2.0	0.6		1240	2.3	0.7
MO	1653	5.6	1.7	TU	1629	6.6	2.0
LU				MA			
12	0028	2.0	0.6	27	0025	2.0	0.6
	0456	7.9	2.4		0447	9.5	2.9
TU	1410	2.0	0.6	WE	1358	2.0	0.6
MA	1811	5.9	1.8	ME	1750	7.2	2.2
13	0143	2.3	0.7	28	0143	2.0	0.6
	0605	8.9	2.7		0602	9.8	3.0
WE	1510	2.3	0.7	TH	1501	2.3	0.7
ME	1905	6.9	2.1	JE	1853	7.9	2.4
14	0240	2.6	0.8	29	0252	2.0	0.6
	0656	9.5	2.9		0702	10.2	3.1
TH	1555	2.6	0.8	FR	1555	2.3	0.7
JE	1947	7.9	2.4	VE	1941	8.9	2.7
15	0328	2.6	0.8	30	0352	2.3	0.7
	0738	10.2	3.1		0753	10.5	3.2
FR	1631	3.0	0.9	SA	1640	2.6	0.8
VE	2017	8.5	2.6	SA	2026	9.8	3.0
				31	0443	2.6	0.8
					0838	10.8	3.3
				SU	1722	3.0	0.9
				DI	2105	10.5	3.2

September-septembre

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0528	3.0	0.9	16	0513	3.9	1.2
	0920	11.2	3.4		0859	11.2	3.4
MO	1758	3.3	1.0	TU	1734	3.9	1.2
LU	2141	10.5	3.2	MA	2114	11.5	3.5
2	0610	3.3	1.0	17	0555	3.9	1.2
	0959	10.8	3.3		0938	11.2	3.4
TU	1831	3.3	1.0	WE	1807	3.9	1.2
MA	2217	10.5	3.2	ME	2150	11.8	3.6
3	0649	3.3	1.0	18	0637	3.9	1.2
	1035	10.2	3.1		1017	10.8	3.3
WE	1901	3.0	0.9	TH	1840	3.9	1.2
ME	2253	10.5	3.2	JE	2226	11.8	3.6
4	0728	3.0	0.9	19	0719	3.9	1.2
	1114	9.5	2.9		1059	10.5	3.2
TH	1931	3.0	0.9	FR	1916	3.6	1.1
JE	2329	10.2	3.1	VE	2308	11.5	3.5
5	0807	3.0	0.9	20	0807	3.6	1.1
	1153	8.9	2.7		1144	9.5	2.9
FR	2004	2.6	0.8	SA	1955	3.3	1.0
VE				SA	2353	11.2	3.4
6	0005	9.5	2.9	21	0858	3.3	1.0
	0849	2.6	0.8		1238	8.5	2.6
SA	1238	7.5	2.3	SU	2040	3.0	0.9
SA	2034	2.3	0.7	DI			
7	0047	8.9	2.7	22	0047	10.5	3.2
	0937	2.3	0.7		0955	3.0	0.9
SU	1329	6.6	2.0	MO	1338	7.5	2.3
DI	2110	2.3	0.7	LU	2134	2.6	0.8
8	0141	8.2	2.5	23	0153	9.8	3.0
	1046	2.0	0.6		1107	2.6	0.8
MO	1435	5.6	1.7	TU	1456	7.2	2.2
LU	2207	2.0	0.6	MA	2252	2.3	0.7
9	0253	7.5	2.3	24	0314	9.2	2.8
	1210	2.3	0.7		1228	2.3	0.7
TU	1614	5.6	1.7	WE	1623	7.2	2.2
MA	2343	3.0	0.9	ME			
10	0420	8.2	2.5	25	0022	2.3	0.7
	1331	3.3	1.0		0441	9.5	2.9
WE	1738	6.9	2.1	TH	1343	2.3	0.7
ME				JE	1741	7.9	2.4
11	0110	3.9	1.2	26	0143	2.3	0.7
	0535	9.5	2.9		0556	9.8	3.0
TH	1434	4.3	1.3	FR	1440	2.3	0.7
JE	1835	8.2	2.5	VE	1838	8.9	2.7
12	0216	4.3	1.3	27	0249	2.3	0.7
	0629	10.2	3.1		0653	10.2	3.1
FR	1522	4.3	1.3	SA	1531	2.6	0.8
VE	1914	9.2	2.8	SA	1923	9.8	3.0
13	0307	4.3	1.3	28	0346	2.6	0.8
	0714	10.8	3.3		0741	10.5	3.2
SA	1555	4.3	1.3	SU	1610	3.0	0.9
SA	1944	9.8	3.0	DI	2002	10.5	3.2
14	0352	4.3	1.3	29	0431	3.0	0.9
	0750	11.2	3.4		0823	10.5	3.2
SU	1628	4.3	1.3	MO	1649	3.0	0.9
DI	2014	10.5	3.2	LU	2038	10.8	3.3
15	0434	3.9	1.2	30	0513	3.0	0.9
	0823	11.2	3.4		0859	10.5	3.2
MO	1701	3.9	1.2	TU	1722	3.3	1.0
LU	2044	11.2	3.4	MA	2111	10.8	3.3

Fluctuations in river outflow may cause actual water levels to differ from these predicted values.

REVISED - RÉVISÉE

TABLE DES MARÉES **2008** **GRONDINES** HNE Z+5

October-octobre

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0549	3.3	1.0	16	0534	3.0	0.9
	0935	10.2	3.1		0914	10.5	3.2
WE	1752	3.3	1.0	TH	1728	3.0	0.9
ME	2141	10.8	3.3	JE	2117	11.5	3.5
2	0625	3.0	0.9	17	0616	3.3	1.0
	1011	9.8	3.0		0956	10.2	3.1
TH	1822	3.0	0.9	FR	1807	3.3	1.0
JE	2214	10.8	3.3	VE	2159	11.8	3.6
3	0701	3.0	0.9	18	0701	3.3	1.0
	1044	9.2	2.8		1041	9.8	3.0
FR	1852	3.0	0.9	SA	1849	3.0	0.9
VE	2247	10.5	3.2	SA	2244	11.5	3.5
4	0737	3.0	0.9	19	0749	3.0	0.9
	1123	8.5	2.6		1129	9.2	2.8
SA	1922	2.6	0.8	SU	1931	2.6	0.8
SA	2326	9.8	3.0	DI	2335	10.8	3.3
5	0816	2.6	0.8	20	0840	2.6	0.8
	1202	7.5	2.3		1226	8.2	2.5
SU	1952	2.3	0.7	MO	2022	2.6	0.8
DI				LU			
6	0005	9.2	2.8	21	0032	10.2	3.1
	0901	2.3	0.7		0943	2.6	0.8
MO	1253	6.6	2.0	TU	1332	7.9	2.4
LU	2031	2.3	0.7	MA	2125	2.3	0.7
7	0056	8.5	2.6	22	0141	9.5	2.9
	1001	2.3	0.7		1052	2.3	0.7
TU	1356	5.9	1.8	WE	1447	7.5	2.3
MA	2128	2.3	0.7	ME	2249	2.3	0.7
8	0205	7.9	2.4	23	0305	9.2	2.8
	1119	2.0	0.6		1204	2.0	0.6
WE	1514	5.9	1.8	TH	1608	7.9	2.4
ME	2258	2.0	0.6	JE			
9	0329	7.5	2.3	24	0016	2.0	0.6
	1231	1.6	0.5		0426	8.9	2.7
TH	1638	6.2	1.9	FR	1310	2.0	0.6
JE				VE	1717	8.5	2.6
10	0025	2.0	0.6	25	0134	2.0	0.6
	0444	7.9	2.4		0541	9.2	2.8
FR	1331	1.6	0.5	SA	1410	2.3	0.7
VE	1738	7.2	2.2	SA	1814	9.5	2.9
11	0134	2.0	0.6	26	0237	2.3	0.7
	0547	8.5	2.6		0638	9.5	2.9
SA	1422	2.0	0.6	SU	1455	2.3	0.7
SA	1823	8.2	2.5	DI	1856	9.8	3.0
12	0231	2.0	0.6	27	0331	2.3	0.7
	0635	9.2	2.8		0723	9.5	2.9
SU	1501	2.0	0.6	MO	1537	2.3	0.7
DI	1859	9.2	2.8	LU	1935	10.2	3.1
13	0322	2.0	0.6	28	0416	2.3	0.7
	0717	9.5	2.9		0805	9.8	3.0
MO	1540	2.3	0.7	TU	1613	2.6	0.8
LU	1932	10.2	3.1	MA	2011	10.5	3.2
14	0407	2.3	0.7	29	0452	2.6	0.8
	0753	9.8	3.0		0841	9.5	2.9
TU	1616	2.6	0.8	WE	1646	2.6	0.8
MA	2005	10.8	3.3	ME	2041	10.5	3.2
15	0449	2.6	0.8	30	0528	2.6	0.8
	0832	10.2	3.1		0914	9.5	2.9
WE	1652	2.6	0.8	TH	1716	2.6	0.8
ME	2041	11.2	3.4	JE	2111	10.5	3.2
				31	0601	2.6	0.8
					0950	9.2	2.8
				FR	1746	2.6	0.8
				VE	2144	10.5	3.2

November-novembre

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0637	2.6	0.8	16	0649	3.0	0.9
	1023	8.9	2.7		1029	9.5	2.9
SA	1816	2.3	0.7	SU	1828	3.0	0.9
SA	2220	10.2	3.1	DI	2232	11.8	3.6
2	0713	2.3	0.7	17	0740	3.0	0.9
	1059	8.2	2.5		1120	9.2	2.8
SU	1849	2.3	0.7	MO	1919	3.0	0.9
DI	2256	9.8	3.0	LU	2326	11.2	3.4
3	0752	2.3	0.7	18	0831	3.0	0.9
	1138	7.9	2.4		1217	8.9	2.7
MO	1925	2.3	0.7	TU	2016	2.6	0.8
LU	2338	9.5	2.9	MA			
4	0834	2.3	0.7	19	0023	10.5	3.2
	1226	7.2	2.2		0928	2.6	0.8
TU	2007	2.3	0.7	WE	1317	8.5	2.6
MA				ME	2119	2.6	0.8
5	0026	8.9	2.7	20	0129	9.8	3.0
	0925	2.3	0.7		1025	2.3	0.7
WE	1320	6.9	2.1	TH	1426	8.5	2.6
ME	2104	2.3	0.7	JE	2237	2.3	0.7
6	0123	8.5	2.6	21	0244	9.2	2.8
	1025	2.0	0.6		1128	2.3	0.7
TH	1426	6.9	2.1	FR	1535	8.5	2.6
JE	2216	2.0	0.6	VE	2358	2.3	0.7
7	0235	7.9	2.4	22	0402	8.5	2.6
	1128	1.6	0.5		1228	2.0	0.6
FR	1535	7.2	2.2	SA	1641	8.9	2.7
VE	2337	2.0	0.6	SA			
8	0347	7.9	2.4	23	0113	2.0	0.6
	1225	1.6	0.5		0514	8.5	2.6
SA	1638	7.9	2.4	SU	1328	2.0	0.6
SA				DI	1738	9.2	2.8
9	0052	2.0	0.6	24	0216	2.0	0.6
	0456	8.2	2.5		0614	8.5	2.6
SU	1322	2.0	0.6	MO	1419	2.0	0.6
DI	1729	8.9	2.7	LU	1829	9.8	3.0
10	0155	2.0	0.6	25	0310	2.3	0.7
	0553	8.9	2.7		0705	8.9	2.7
MO	1410	2.0	0.6	TU	1504	2.6	0.8
LU	1814	9.5	2.9	MA	1908	10.2	3.1
11	0249	2.0	0.6	26	0355	2.6	0.8
	0641	9.2	2.8		0750	9.2	2.8
TU	1455	2.3	0.7	WE	1543	3.0	0.9
MA	1853	10.5	3.2	ME	1944	10.5	3.2
12	0340	2.3	0.7	27	0437	2.6	0.8
	0729	9.5	2.9		0826	9.2	2.8
WE	1537	2.3	0.7	TH	1619	3.0	0.9
ME	1935	10.8	3.3	JE	2020	10.8	3.3
13	0428	2.6	0.8	28	0513	2.6	0.8
	0811	9.8	3.0		0859	8.9	2.7
TH	1619	2.6	0.8	FR	1652	3.0	0.9
JE	2014	11.5	3.5	VE	2053	10.8	3.3
14	0513	2.6	0.8	29	0549	3.0	0.9
	0856	9.8	3.0		0932	8.9	2.7
FR	1701	2.6	0.8	SA	1725	3.0	0.9
VE	2056	11.8	3.6	SA	2129	10.8	3.3
15	0601	3.0	0.9	30	0625	3.0	0.9
	0941	9.8	3.0		1008	8.9	2.7
SA	1743	3.0	0.9	SU	1758	3.0	0.9
SA	2144	11.8	3.6	DI	2202	10.8	3.3

December-décembre

Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0701	3.0	0.9	16	0731	3.6	1.1
	1044	8.9	2.7		1111	9.8	3.0
MO	1834	3.3	1.0	TU	1916	3.6	1.1
LU	2241	10.8	3.3	MA	2314	11.8	3.6
2	0737	3.3	1.0	17	0819	3.6	1.1
	1123	8.9	2.7		1205	9.8	3.0
TU	1913	3.3	1.0	WE	2010	3.3	1.0
MA	2320	10.5	3.2	ME			
3	0816	3.3	1.0	18	0008	11.2	3.4
	1205	8.5	2.6		0904	3.3	1.0
WE	1958	3.3	1.0	TH	1256	9.8	3.0
ME				JE	2110	3.3	1.0
4	0002	10.2	3.1	19	0108	10.2	3.1
	0858	3.3	1.0		0952	3.0	0.9
TH	1247	8.5	2.6	FR	1353	9.5	2.9
JE	2046	3.3	1.0	VE	2213	3.0	0.9
5	0050	9.5	2.9	20	0211	9.2	2.8
	0940	3.0	0.9		1043	2.6	0.8
FR	1341	8.2	2.5	SA	1450	9.2	2.8
VE	2143	3.0	0.9	SA	2322	2.6	0.8
6	0147	8.9	2.7	21	0320	8.2	2.5
	1031	2.6	0.8		1140	2.3	0.7
SA	1435	8.5	2.6	SU	1553	9.2	2.8
SA	2252	2.6	0.8	DI			
7	0256	8.5	2.6	22	0037	2.6	0.8
	1125	2.6	0.8		0435	7.5	2.3
SU	1538	8.9	2.7	MO	1240	2.3	0.7
DI				LU	1656	9.2	2.8
8	0004	2.6	0.8	23	0149	2.3	0.7
	0402	8.2	2.5		0544	7.5	2.3
MO	1225	2.6	0.8	TU	1340	2.6	0.8
LU	1635	9.5	2.9	MA	1756	9.5	2.9
9	0116	2.6	0.8	24	0249	2.6	0.8
	0511	8.5	2.6		0644	7.9	2.4
TU	1319	2.6	0.8	WE	1434	3.0	0.9
MA	1729	10.2	3.1	ME	1847	10.2	3.1
10	0222	2.6	0.8	25	0343	3.3	1.0
	0611	8.9	2.7		0738	8.5	2.6
WE	1413	2.6	0.8	TH	1519	3.6	1.1
ME	1820	10.8	3.3	JE	1929	10.8	3.3
11	0319	3.0	0.9	26	0428	3.6	1.1
	0705	9.2	2.8		0817	8.9	2.7
TH	1507	3.0	0.9	FR	1601	3.9	1.2
JE	1908	11.5	3.5	VE	2008	11.2	3.4
12	0413	3.3	1.0	27	0507	3.9	1.2
	0753	9.5	2.9		0853	9.2	2.8
FR	1555	3.3	1.0	SA	1637	4.3	1.3
VE	1956	12.1	3.7	SA	2044	11.8	3.6
13	0507	3.6	1.1	28	0543	4.3	1.3
	0841	9.8	3.0		0926	9.5	2.9
SA	1646	3.3	1.0	SU	1713	4.3	1.3
SA	2044	12.5	3.8	DI	2117	11.8	3.6
14	0555	3.6	1.1	29	0616	4.6	1.4
	0932	9.8	3.0		0959	9.5	2.9
SU	1734	3.6	1.1	MO	1749	4.3	1.3
DI	2132	12.5	3.8	LU	2150	11.8	3.6
15	0643	3.6	1.1	30	0649	4.6	1.4
	1020	9.8	3.0		1032	9.8	3.0
MO	1825	3.6	1.1	TU	1825	4.3	1.3
LU	2223	12.1	3.7	MA	2226	11.8	3.6
				31	0722	4.3	1.3
					1102	9.8	3.0
				WE	1904	4.3	1.3
				ME	2302	11.5	3.5

Les niveaux d'eau réels peuvent s'écarter des valeurs prédites suite à des fluctuations du débit du fleuve.

39

RÉVISÉE - REVISED

***606(P) CARAQUET HARBOUR, BAIE DE SHIPPEGAN AND/ET MISCOU HARBOUR - LIGHT TO BE DISCONTINUED.**

Reference chart: 4913

The Canadian Coast Guard intends to permanently discontinue the following aid to navigation:

Shippegan Gully Inner Breakwater Light LL1250.6 (47°43' 22.8" N 64°40' 06" W)

Comments on this action are solicited from Mariners and other interested parties. Comments should be directed to: Darren Gaudet, A/Superintendent of Aids to Navigation, Canadian Coast Guard, P.O. Box 1000, Dartmouth, NS, B2Y 3Z8 within three months from the date of this Notice. (Email: GaudetD@mar.dfo-mpo.gc.ca). Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

(G20080-034)

1209 - Saint-Fulgence à/to Rivière Shipshaw - New Edition - 14-DEC-1984 - NAD 1927

20-JUN-2008 LNM/D. 11-JAN-2008

Delete rear range/leading light F G 78ft (Priv) with leading line, legend Monument Price and bearing legends 052° and 232° 232°, 118m from the front range/leading light
(See Chart No. 1, P20.2)

(Q2008004) LL(1823) DFO(6407608-01)

This notice might affect Electronic Navigational Chart: CA579077

Delete front range/leading light F G 53ft (Priv) 48°25'45.8"N 071°02'36.6"W
(See Chart No. 1, P20.2)

(Q2008028) LL(1822) DFO(6407645-01)

This notice might affect Electronic Navigational Chart: CA579077

Add sector light F RWG 30ft 48°25'45.8"N 071°02'36.5"W
Visible through an arc of 005º,
red from 229° 30' to 231°30',
alternating red and white from 231º30' to 231º50',
white from 231°50' to 232°10',
alternating green and white from 232º10' to 232º30'
and green from 232°30' to 234°30'.
Charted sector extend 1.2 NM from light.
(See Chart No. 1, P30.3)

(Q2008028) LL(1822) DFO(6407645-02)

This notice might affect Electronic Navigational Chart: CA579077

1220 - Sept-Îles - New Edition - 09-JAN-2004 - NAD 1983

20-JUN-2008 LNM/D. 23-MAY-2008

Affix patch 50°11'05.0"N 066°21'50.0"W

Download Patch - http://www.chs-shc.gc.ca/patches/1220_PA_234763.pdf

DFO(6407644-01)

This notice might affect Electronic Navigational Chart: CA579008

1226 - Quai Public/Public Wharf - New Edition - 19-NOV-1999 - NAD 1983

27-JUN-2008 LNM/D. 29-JUN-2007

Delete depth of 5 metres 8 decimetres 49°13'31.6"N 068°07'39.6"W
(See Chart No. 1, I10)

DFO(6407627-04)

This notice might affect Electronic Navigational Chart: CA579049

Add depth of 2 metres 49°13'42.3"N 068°08'01.8"W
(See Chart No. 1, I10)

DFO(6407627-01)

This notice might affect Electronic Navigational Chart: CA579049

Add depth of 1 metre 4 decimetres 49°13'40.5"N 068°07'57.1"W
(See Chart No. 1, I10)

DFO(6407627-02)

This notice might affect Electronic Navigational Chart: CA579049

Add depth of 3 metres 6 decimetres 49°13'30.5"N 068°07'37.8"W
(See Chart No. 1, I10)

DFO(6407627-03)

This notice might affect Electronic Navigational Chart: CA579049

1233 - Cap aux Oies à/to Sault-au-Cochon - New Edition - 09-NOV-2001 - NAD 1983

27-JUN-2008 LNM/D. 11-APR-2008

Delete calling-in point number 9 with arrowhead pointing 214° 47°14'55.6"N 070°33'24.2"W
(See Chart No. 1, M40)

DFO(6407636-01)

This notice might affect Electronic Navigational Chart: CA479021

Add calling-in point number 9 with arrowhead pointing 041° and 221° 47°11'18.5"N 070°37'12.4"W
(See Chart No. 1, M40)

DFO(6407636-02)

1236 - Pointe des Monts aux/to Escoumins - New Edition - 23-JUL-2004 - NAD 1983

27-JUN-2008 LNM/D. 25-APR-2008

Add depth of 4 metres 5 decimetres 49°03'30.7"N 068°17'07.6"W
(See Chart No. 1, I10)

DFO(6407627-05)

This notice might affect Electronic Navigational Chart: CA279037

1310 - Section B-C - New Edition - 15-FEB-2008 - NAD 1983

20-JUN-2008

Add limit of dredged channel
(See Chart No. 1, I20) joining 45°34'00.0"N 073°30'43.3"W
45°34'37.3"N 073°30'19.0"W
45°35'10.0"N 073°30'09.4"W
45°35'45.3"N 073°30'18.5"W
45°36'32.0"N 073°30'14.5"W
45°36'38.4"N 073°30'12.6"W
and 45°36'42.0"N 073°30'10.3"W

DFO(6407649-01)

This notice might affect Electronic Navigational Chart: CA579080

27-JUN-2008 LNM/D. 20-JUN-2008

Amend calling-in point number 25 to read 26 45°37'55.5"N 073°29'15.7"W
(See Chart No. 1, M40)

DFO(6407634-01)

Amend calling-in point number 26 to read 27 45°31'36.7"N 073°31'39.8"W
(See Chart No. 1, M40)

DFO(6407634-02)

This notice might affect Electronic Navigational Chart: CA579080

1310 - Section A-B - New Edition - 15-FEB-2008 - NAD 1983

27-JUN-2008 LNM/D. 20-JUN-2008

Amend calling-in point number 25 to read 26 45°37'55.5"N 073°29'15.7"W
(See Chart No. 1, M40)

DFO(6407634-01)

This notice might affect Electronic Navigational Chart: CA579001

1311 - Sorel-Tracy à/to Varennes - New Edition - 21-MAR-2008 - NAD 1983

27-JUN-2008

Amend calling-in point number 22 to read 23 46°00'54.0"N 073°10'23.0"W
(See Chart n° 1, M40)

DFO(6407646-04)

This notice might affect Electronic Navigational Chart: CA479155

Amend calling-in point number 23 to read 24 45°50'08.2"N 073°17'16.3"W
(See Chart n° 1, M40)

DFO(6407646-05)

This notice might affect Electronic Navigational Chart: CA479155

Amend calling-in point number 24 to read 25 45°43'35.9"N 073°25'26.9"W
(See Chart n° 1, M40)

DFO(6407646-06)

This notice might affect Electronic Navigational Chart: CA479155

1311 - Terminal de Contrecoeur - New Edition - 21-MAR-2008 - NAD 1983

27-JUN-2008

Amend calling-in point number 23 to read 24 45°50'08.1"N 073°17'16.6"W
(See Chart n° 1, M40)

DFO(6407646-05)

This notice might affect Electronic Navigational Chart: CA579156

1312 - Lac Saint-Pierre - New Edition - 08-JUN-2007 - NAD 1983

27-JUN-2008 LNM/D. 29-FEB-2008

Delete black, yellow and black East cardinal pillar buoy , marked Ours 46°06'18.1"N 073°02'58.4"W
(See Chart n° 1, Q130.3)

(Q2008027) DFO(6407643-01)

This notice might affect Electronic Navigational Chart: CA479129

Amend calling-in point number 19A to read 20 46°16'25.9"N 072°37'16.8"W
(See Chart n° 1, M40)

DFO(6407646-01)

This notice might affect Electronic Navigational Chart: CA479129

Amend calling-in point number 20 to read 21 46°12'41.0"N 072°49'01.5"W
(See Chart n° 1, M40)

DFO(6407646-02)

This notice might affect Electronic Navigational Chart: CA479129

Amend calling-in point number 21 to read 22 46°05'12.0"N 073°00'19.8"W
(See Chart n° 1, M40)

DFO(6407646-03)

This notice might affect Electronic Navigational Chart: CA479129

Add yellow cautionary spar buoy, marked Ours 46°05'55.6"N 073°03'26.0"W
(See Chart n° 1, Qm)

(Q2008027) DFO(6407643-02)

This notice might affect Electronic Navigational Chart: CA479129

1312 - Port de Sorel-Tracy - New Edition - 08-JUN-2007 - NAD 1983

27-JUN-2008 LNM/D. 29-FEB-2008

Delete calling-in point 21A with arrowhead pointing 160.5° and 340.5° 46°02'34.1"N 073°07'07.4"W
(See Chart No. 1, M40)

DFO(6407638-01)

This notice might affect Electronic Navigational Chart: CA579130

1313 - Batiscan au/to Lac Saint-Pierre - New Edition - 02-FEB-2007 - NAD 1983

27-JUN-2008 LNM/D. 21-MAR-2008

Amend calling-in point number 19A to read 20 46°16'26.2"N 072°37'17.1"W
(See Chart n° 1, M40)

DFO(6407646-01)

1315 - Québec à/to Donnacona - New Edition - 21-JUN-2002 - NAD 1983

27-JUN-2008 LNM/D. 14-MAR-2008

Amend calling-in point number 13 to read 12 46°48'32.0"N 071°11'43.0"W
(See Chart n° 1, M40)

DFO(6407641-01)

This notice might affect Electronic Navigational Chart: CA479020

Amend calling-in point number 13A to read 13 46°46'11.9"N 071°14'22.2"W
(See Chart n° 1, M40)

DFO(6407641-02)

This notice might affect Electronic Navigational Chart: CA479020

1316 - Port de Québec - New Edition - 23-JUN-2006 - NAD 1983

27-JUN-2008 LNM/D. 15-FEB-2008

Amend calling-in point number 13 to read 12 46°48'33.3"N 071°11'48.7"W
(See Chart No. 1, M40)

DFO(6407637-01)

This notice might affect Electronic Navigational Chart: CA579003

Amend calling-in point number 13A to read 13 46°46'12.0"N 071°14'24.0"W
(See Chart No. 1, M40)

DFO(6407637-02)

This notice might affect Electronic Navigational Chart: CA579003

Amend calling-in point number 12 to read 11 46°50'22.9"N 071°07'51.0"W
(See Chart No. 1, M40)

DFO(6407637-03)

This notice might affect Electronic Navigational Chart: CA579003

1317 - Sault-au-Cochon à/to Québec - New Edition - 17-AUG-2001 - NAD 1983

27-JUN-2008 LNM/D. 18-JAN-2008

Delete calling-in point number 10 with arrowhead pointing 026° and 203° 47°06'24.8"N 070°42'28.5"W
(See Chart No. 1, M40)

DFO(6407639-02)

Add calling-in point number 9 with arrowhead pointing 041° and 221° 47°11'18.5"N 070°37'12.4"W
(See Chart No. 1, M40)

DFO(6407639-01)

1317 - Continuation A - New Edition - 17-AUG-2001 - NAD 1983

27-JUN-2008 LNM/D. 18-JAN-2008

Amend calling-in point number 11 to read 10 46°51'15.2"N 071°00'07.3"W
(See Chart No. 1, M40)

DFO(6407639-03)

Amend calling-in point number 12 to read 11 46°50'22.9"N 071°07'49.5"W
(See Chart No. 1, M40)

DFO(6407639-04)

Amend calling-in point number 13 to read 12 46°48'34.6"N 071°11'45.0"W
(See Chart No. 1, M40)

DFO(6407639-05)

1350 - Sorel-Tracy - Sheet 1 - New Edition - 15-DEC-2006 - NAD 1983

27-JUN-2008 LNM/D. 23-MAY-2008

Delete	calling-in point 21A with arrowhead pointing 160.5° and 340.5° (See Chart No. 1, M40)	46°02'34.1"N 073°07'07.4"W
		DFO(6407638-01)

1433 - Île St-Régis to/à Croil Islands B-C - New Chart - 28-MAY-1999 - NAD 1983

06-JUN-2008 LNM/D. 30-MAY-2008

Delete	flagstaff (See Chart No. 1, E27)	44°59'31.6"N 074°56'53.8"W
		DFO(6603185-02)
Delete	tank (See Chart No. 1, E32)	44°57'52.0"N 074°55'02.5"W
		DFO(6603185-03)
Delete	tank (See Chart No. 1, E32)	44°57'52.5"N 074°55'00.0"W
		DFO(6603185-04)
Delete	tank (See Chart No. 1, E32)	44°57'53.9"N 074°54'58.0"W
		DFO(6603185-05)
Delete	tank (See Chart No. 1, E32)	44°57'56.0"N 074°54'58.0"W
		DFO(6603185-06)
Delete	tank (See Chart No. 1, E32)	44°57'54.0"N 074°54'56.0"W
		DFO(6603185-07)
Delete	tank (See Chart No. 1, E32)	44°57'56.0"N 074°54'55.5"W
		DFO(6603185-08)
Delete	tank (See Chart No. 1, E32)	44°57'57.0"N 074°54'54.5"W
		DFO(6603185-09)
Delete	islet (See Chart No. 1, K10)	44°59'28.0"N 074°49'25.8"W
		DFO(6603185-10)
Delete	private light Fl Y (See Chart No. 1, P1)	45°01'37.2"N 074°53'20.5"W
		DFO(6603185-12)
Delete	islet (See Chart No. 1, K10)	44°59'19.3"N 074°52'58.4"W
		DFO(6603185-13)
Add	microwave tower with elevation of 101m, R Lts. (See Chart No. 1, Ec)	45°00'30.2"N 075°00'26.8"W
		DFO(6603185-01)

Add	rock awash (See Chart No. 1, K12)	44°59'28.0"N 074°49'25.8"W
		DFO(6603185-11)
Add	rock which covers and uncovers with drying height of 0.9m. (See Chart No. 1, K11)	44°59'19.3"N 074°52'58.4"W
		DFO(6603185-14)

1554 - Maraboo Lake à/to Bald Rock - Sheet 2 - New Edition - 16-JUN-2006 - NAD 1983

27-JUN-2008

Add	red starboard hand spar buoy, marked K90	46°16'24.4"N 078°13'42.1"W
		(B2008076) DFO(6603213-01)

2067 - Hamilton Harbour - New Edition - 15-JUN-2007 - World Geodetic System 1984

27-JUN-2008

Replace	red starboard hand spar buoy with red starboard hand lighted spar buoy Fl R	43°16'27.8"N 079°47'31.5"W
		LL(537.722) DFO(6603212-01)
Replace	red starboard hand spar buoy with red starboard hand lighted spar buoy Fl R	43°16'18.0"N 079°47'20.3"W
		LL(537.724) DFO(6603212-02)

2202 - Tomahawk Island to/à Twelve Mile Bay - Sheet 2 - New Edition - 05-JAN-2007 - NAD 1983

27-JUN-2008 LNM/D. 30-NOV-2007

Add	submarine cable (See Chart No. 1, L30.1)	joining	45°06'04.0"N 080°05'19.0"W
			45°06'02.7"N 080°05'15.0"W
			45°06'02.0"N 080°05'13.0"W
			45°06'01.2"N 080°05'10.2"W
			45°05'59.0"N 080°04'59.2"W
			45°05'59.0"N 080°04'48.0"W
		and	45°05'58.0"N 080°04'44.5"W
			DFO(6603207-01)

2202 - Twelve Mile Bay to/à Rose Island - Sheet 3 - New Edition - 05-JAN-2007 - NAD 1983

27-JUN-2008 LNM/D. 30-NOV-2007

Add	submarine cable (See Chart No. 1, L30.1)	joining	45°06'05.5"N 080°05'38.0"W
			45°06'07.3"N 080°05'34.5"W
			45°06'07.9"N 080°05'30.0"W
			45°06'01.2"N 080°05'10.2"W
			45°05'59.0"N 080°04'59.2"W
			45°05'59.0"N 080°04'48.0"W
		and	45°05'58.0"N 080°04'44.5"W
			DFO(6603207-01)

2225 - Approaches to / Approches à Parry Sound - New Edition - 08-MAR-1991 - NAD 1927

06-JUN-2008 LNM/D. 02-MAY-2008

Amend	legend F G 40 ft to read F G 38 ft against light	45°22'15.0"N 080°19'19.5"W
		(D2008017) LL(909) DFO(6603206-01)

This notice might affect Electronic Navigational Chart: CA573283, CA573284

L/C2243 - Bateau Island to/à Byng Inlet - New Edition - 30-AUG-1985 - NAD 1927

06-JUN-2008 LNM/D. 02-MAY-2008

Amend legend F G 40 ft to read F G 38 ft against light 45°22'15.0"N 080°19'19.5"W

(D2008017) LL(909) DFO(6603206-01)

L/C2300 - Lake Superior/Lac Supérieur - New Chart - 24-APR-1998 - NAD 1983

06-JUN-2008 LNM/D. 02-MAY-2008

Amend legend Fl 10s 31 ft to read Fl 10s 39m against light 47°14'27.4"N 084°39'02.4"W

DFO(6603204-01)

This notice might affect Electronic Navigational Chart: CA173289

2307 - Coppermine Point to/à Cape Gargantua - New Edition - 09-JUN-2006 - NAD 1983

06-JUN-2008 LNM/D. 02-MAY-2008

Amend legend Fl 10s 30ft to read Fl 10s 129ft against light 47°14'27.4"N 084°39'02.4"W

DFO(6603204-01)

This notice might affect Electronic Navigational Chart: CA373110

4024 - Baie des Chaleurs/Chaleur Bay aux/to Îles de la Madeleine - New Edition - 03-MAR-2000 - NAD 1983

27-JUN-2008 LNM/D. 21-DEC-2007

Delete depth of 3 metres 4 decimetres 48°01'33.4"N 065°28'56.6"W
(See Chart No. 1, I10)

DFO(6407632-13)

This notice might affect Electronic Navigational Chart: CA279075

Delete depth of 3 metres 7 decimetres 48°01'48.2"N 065°29'58.4"W
(See Chart No. 1, I10)

DFO(6407632-14)

This notice might affect Electronic Navigational Chart: CA279075

Replace depth of 4 metres with depth of 3 metres 2 decimetres 48°00'19.3"N 065°14'42.8"W
(See Chart No. 1, I10)

DFO(6407631-06)

This notice might affect Electronic Navigational Chart: CA279075

Add depth of 2 metres 3 decimetres 48°01'53.2"N 065°30'02.8"W
(See Chart No. 1, I10)

DFO(6407632-10)

This notice might affect Electronic Navigational Chart: CA279075

Add depth of 2 metres 6 decimetres 48°01'34.2"N 065°29'15.2"W
(See Chart No. 1, I10)

DFO(6407632-11)

This notice might affect Electronic Navigational Chart: CA279075

L/C4118 - Continuation A - New Edition - 13-NOV-1998 - NAD 1983

13-JUN-2008 LNM/D. 08-FEB-2008

Delete red and white fairway lighted pillar bell buoy Mo(A), marked marked HJ, BELL 44°27'15.0"N 066°02'30.0"W
(See Chart No 1 Qh)

(F2004003) LL (232) DFO(6303844-01)

4124 - Letete Passage, Letang Harbour and/et Blacks Harbour - New Edition - 07-APR-2000 - NAD 1983

20-JUN-2008 LNM/D. 28-DEC-2007

Delete BELL against black and yellow North cardinal lighted pillar buoy Q, marked SAA (See Chart No 1 Q130.3) 45°02'31.7"N 066°54'08.0"W

LL(70.5) DFO(6303876-01)

4236 - Taylors Head to/à Shut-In Island - New Edition - 13-JUL-2001 - NAD 1983

20-JUN-2008 LNM/D. 06-MAY-2005

Affix patch 44°44'00.0"N 063°01'00.0"W

Download Patch - http://www.chs-shc.gc.ca/patches/4236_PA_233047.pdf

DFO(6303955-01)

This notice might affect Electronic Navigational Chart: CA376083

4385 - Chebucto Head to/à Betty Island - New Edition - 07-JUN-1996 - NAD 1983

13-JUN-2008 LNM/D. 06-APR-2007

Add light FlR against red starboard hand conical buoy, marked AM64 (See Chart No 1 Qf) 44°28'03.3"N 063°46'49.8"W

(F2004177) LL(494.01) DFO(6303852-01)

4386 - St.Margaret's Bay - New Edition - 16-JUL-2004 - NAD 1983

13-JUN-2008 LNM/D. 28-DEC-2007

Add light FlR against red starboard hand conical buoy, marked AM64 (See Chart No 1 Qf) 44°28'03.3"N 063°46'49.8"W

(F2004177) LL(494.01) DFO(6303852-01)

4394 - Lahave River West Ironbound Island to/à Riverport - New Edition - 26-JUL-2002 - NAD 1983

13-JUN-2008 LNM/D. 04-APR-2008

Replace red starboard hand lighted pillar bell buoy QR, marked T54 with red, green and red starboard bifurcation lighted pillar bell buoy Fl(2+1) 6s, marked TD 44°15'30.4"N 064°20'15.7"W

(F2008011) LL (426.25)(F2008010) LL(426) DFO(6303849-01)

4422 - Cardigan Bay - New Edition - 26-DEC-2003 - NAD 1983

13-JUN-2008 LNM/D. 07-SEP-2007

Delete red starboard hand spar buoy, marked NJ10 46°13'12.8"N 062°32'36.7"W

(G2008004) DFO(6303835-01)

4486 - Baie des Chaleurs/Chaleur Bay - New Edition - 19-FEB-1999 - NAD 1983

27-JUN-2008 LNM/D. 25-JAN-2008

Delete depth of 2 fathoms 5 feet (See Chart No. 1, I10) 48°02'56.6"N 065°31'44.8"W

DFO(6407632-05)

This notice might affect Electronic Navigational Chart: CA376187

Delete depth of 2 fathoms (See Chart No. 1, I10) 48°01'51.0"N 065°29'58.3"W

DFO(6407632-06)

This notice might affect Electronic Navigational Chart: CA376187

Delete depth of 2 fathoms 4 feet (See Chart No. 1, I10) 48°01'34.6"N 065°29'21.4"W

DFO(6407632-07)

This notice might affect Electronic Navigational Chart: CA376187

Replace depth of 4 fathoms 2 feet with drying height of 0 fathom 48°00'47.2"N 065°15'07.1"W
(See Chart No. 1, I10)

DFO(6407631-07)

This notice might affect Electronic Navigational Chart: CA376187

Replace depth of 2 fathoms 1 foot with depth of 1 fathom 1 foot 48°02'13.7"N 065°30'12.3"W
(See Chart No. 1, I10)

DFO(6407632-12)

This notice might affect Electronic Navigational Chart: CA376187

Add depth of 1 fathom 4 feet 48°03'16.1"N 065°32'09.2"W
(See Chart No. 1, I10)

DFO(6407632-08)

This notice might affect Electronic Navigational Chart: CA376187

Add depth of 1 fathom 3 feet 48°02'54.5"N 065°31'34.5"W
(See Chart No. 1, I10)

DFO(6407632-09)

This notice might affect Electronic Navigational Chart: CA376187

Add depth of 1 fathom 1 foot 48°01'53.2"N 065°30'02.8"W
(See Chart No. 1, I10)

DFO(6407632-10)

This notice might affect Electronic Navigational Chart: CA376187

Add depth of 1 fathom 3 feet 48°01'34.2"N 065°29'15.2"W
(See Chart No. 1, I10)

DFO(6407632-11)

This notice might affect Electronic Navigational Chart: CA376187

4616 - Burin Harbours and Approches / et les approches - New Edition - 06-JUN-2003 - NAD 1983

13-JUN-2008 LNM/D. 14-DEC-2007

Delete overhead cable with vertical clearance of 100 feet between 46°59'00.0"N 055°12'15.0"W
and 46°58'48.0"N 055°11'57.0"W

DFO(6303839-01)

L/C4624 - Long Island to/à St. Lawrence Harbours - New Edition - 07-JAN-2000 - NAD 1983

13-JUN-2008 LNM/D. 21-DEC-2007

Delete overhead cable with vertical clearance of 30 metres between 46°59'00.0"N 055°12'15.0"W
and 46°58'48.0"N 055°11'57.0"W

DFO(6303839-01)

4702 - Corbett Island to/à Ship Harbour Head - New Edition - 28-MAY-2004 - NAD 1983

27-JUN-2008 LNM/D. 23-MAR-2007

Reposition yellow, black and yellow West cardinal lighted pillar buoy Q(9) 15s, marked NGM
(See Chart No 1 Q130.3) from 52°51'34.0"N 055°47'20.0"W
to 52°51'34.8"N 055°47'14.9"W

(N2007042) LL(279.809) DFO(6303862-01)

4921 - Abords de/Approches to Paspébiac - Sheet 1 - New Edition - 06-MAR-1998 - NAD 1983

27-JUN-2008 LNM/D. 18-APR-2008

Delete depth of 5 metres 8 decimetres 48°00'36.8"N 065°15'06.4"W
(See Chart No. 1, I10)

DFO(6407631-01)

This notice might affect Electronic Navigational Chart: CA479073

Delete depth of 5 metres 2 decimetres 48°00'18.7"N 065°14'36.9"W
(See Chart No. 1, I10)

DFO(6407631-02)

This notice might affect Electronic Navigational Chart: CA479073

Add depth of 4 metres 4 decimetres 48°00'37.9"N 065°15'10.9"W
(See Chart No. 1, I10)

DFO(6407631-03)

This notice might affect Electronic Navigational Chart: CA479073

Add depth of 3 metres 2 decimetres 48°00'19.0"N 065°14'41.9"W
(See Chart No. 1, I10)

DFO(6407631-04)

This notice might affect Electronic Navigational Chart: CA479073

Add drying height of 0 metre 1 decimetre 48°00'47.6"N 065°15'06.9"W
(See Chart No. 1, I15)

DFO(6407631-05)

This notice might affect Electronic Navigational Chart: CA479073

Add depth of 3 metres 5 decimetres 48°01'43.1"N 065°12'53.9"W
(See Chart No. 1, I10)

DFO(6407631-08)

This notice might affect Electronic Navigational Chart: CA479073

4921 - Havre de Beaubassin - Sheet 1 - New Edition - 06-MAR-1998 - NAD 1983

27-JUN-2008 LNM/D. 18-APR-2008

Delete depth of 0 metre 7 decimetres 48°02'06.2"N 065°29'03.8"W
(See Chart No. 1, I10)

DFO(6407632-02)

This notice might affect Electronic Navigational Chart: CA579061

Add depth of 0 metre 8 decimetres 48°02'04.3"N 065°28'54.4"W
(See Chart No. 1, I10)

DFO(6407632-01)

This notice might affect Electronic Navigational Chart: CA579061

Add drying height of 0 metre 48°02'06.3"N 065°29'04.1"W
(See Chart No. 1, I15)

DFO(6407632-03)

This notice might affect Electronic Navigational Chart: CA579061

Add drying height of 0 metre 4 decimetres 48°02'04.1"N 065°29'02.2"W
(See Chart No. 1, I15)

DFO(6407632-04)

This notice might affect Electronic Navigational Chart: CA579061

5033 - Hawke Bay and / et Squasho Run - New Chart - 09-MAY-2003 - NAD 1983

27-JUN-2008 LNM/D. 23-MAR-2007

Reposition yellow, black and yellow West cardinal lighted pillar
buoy Q(9) 15s, marked NGM
(See Chart No 1 Q130.3) from 52°51'34.0"N 055°47'20.0"W
to 52°51'34.8"N 055°47'14.9"W

(N2007042) LL(279.809) DFO(6303862-01)

5043 - Quaker Hat to/à Cape Harrison - New Edition - 20-AUG-1999 - NAD 1983

20-JUN-2008 LNM/D. 04-APR-2008

Delete legend (89) 54°53'58.0"N 057°53'26.0"W

DFO(6303857-01)

6213 - Whitefish Bay - Sheet 1 - New Edition - 08-FEB-2002 - NAD 1983

13-JUN-2008 LNM/D. 28-FEB-2003

Add submarine power cable
(See Chart No. 1, L31.1)

joining 49°25'21.0"N 093°59'55.0"W
49°25'19.3"N 094°00'00.0"W
49°25'24.6"N 094°00'01.2"W
49°25'22.8"N 094°00'08.2"W
and 49°25'23.0"N 094°00'21.0"W

DFO(6603205-01)

6287 - Minaki to/à Kenora - side 2 - Sheet 2 - New Edition - 07-JUN-2002 - NAD 1983

27-JUN-2008 LNM/D. 21-JUL-2006

Add submarine power cable
(See Chart No. 1, L31.1)

joining 49°46'15.7"N 094°34'59.5"W
49°46'15.7"N 094°35'10.0"W
49°46'11.6"N 094°35'32.1"W
49°45'58.3"N 094°35'47.8"W
49°46'02.0"N 094°35'49.1"W
and 49°46'01.9"N 094°35'53.3"W

DFO(6603208-01)

ATL 100 — General Information — Atlantic Coast, Second Edition, 2007 —

Chapter 3 — Paragraph 271, line 6
Delete: *Small Craft Warning*
Replace by: *Strong wind warning*

(Q2008-034.1)

ATL 101 — Newfoundland — Northeast and East Coasts, First Edition, 1997 —

Chapter 3 — Paragraph 214, line 6 – after correction promulgated in Monthly Edition No. 5/2002
Insert: A large stone breakwater has been constructed from the outer end of the SE wharf to a point about 246 feet (75 m) off the outer end of the basin. A shoal with a reported depth of 2 feet (0.7 m) lies about 282 feet (25 m) WNW of the outer end of the breakwater; caution is advised.

(N2008-05.9)

ATL 109 — Gulf of St. Lawrence (Northeast Portion), First Edition, 2006 —

Chapter 4 — In the vicinity of paragraph 71
Replace the **CORNER BROOK** Diagram with the new one provided in Section IV of this Monthly Edition.

(N2008-05.8)

ATL 110 — St. Lawrence River — Cap Whittle/Gap Gaspé to Les Escoumins and Anticosti Island, Second Edition, 2002 —

Chapter 1 — In the vicinity of paragraph 283, **Table 1.3 Sept-Îles — Wharves**
Make the following correction in the "**Depth**" column.

Berth	Depth metres
Quai de la relance	
40	13.5 (Re: Correction promulgated in Monthly Edition No. 4/2004)
41	10.8 (Re: Correction promulgated in Monthly Edition No. 4/2004)

(Q2008-021.1)

Quai Pointe-Noire	
30	15.8 (Re: Corrections promulgated in Monthly Edition No. 11/2002 and 4/2004)
31	

(Q2008-021.2)

Chapter 1 — Paragraph 295, lines 4 to 7 (Re: Correction promulgated in Monthly Edition No. 8/2003)
Delete: "Although ... 12.7 m."

(Q2008-021.3)

Chapter 3 — Paragraph 177, lines 4 and 5
Delete: lie on **Pointe au Père**; the point is low.
Replace by: , lying on Pointe au Père which is low and rocky, have been rock bound and now form a large pier that extends 310 m to the NW. The **submerged remains** of the former wharf are at a depth of 2.4 m. Just downstream of the pier, an **outfall pipe** extends 430 m offshore in a NNW direction. Additionally, telecommunication submarine cables cross the river between Pointe au Père and Baie-Comeau. Mariners must consult the chart to find their location and should not anchor in the vicinity of these cables.

(Q2008-035.1)

ATL 111 — St. Lawrence River — Île Verte to Québec and Fjord du Saguenay, Third Edition, 2007 —

Chapter 2 — Paragraph 47, last line
Add: A **shoal**, at a depth of 3.6 m, lies immediately *(47°03'N, 70°47'W)* NW of the leading lights.

(Q2008-030.1)

Chapter 3 — Paragraph 124, lines 4 to 7
Delete: "• A fluorescent-orange … 3 miles above Le Bassin."

(Q2008-030.2)

Chapter 3 — Paragraph 131, lines 6 and 7
Delete: "**Île à Durand** … beacon."

(Q2008-030.3)

Chapter 3 — Delete paragraph 138.

(Q2008-030.4)

ATL 112 — St. Lawrence River — Cap-Rouge to Monréal and Rivière Richelieu, Second Edition, 2001 —

Chapter 2 — Paragraph 118, lines 3 and 4
Delete: "There are **buoys** … the chart."

(Q2007-040.1)

Chapter 2 — Paragraph 157, line 1
Delete: Fuel oil tanks,

(Q2008-009.1)

CORNER BROOK Scale 1:3 000 Échelle



Sources: Surveyed by CHS in 2007, 2004, 1990, 1986 and 1966. Sources: Levé par le SHC en 2007, 2004, 1990, 1986 et 1966.

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nomi-nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
NEWFOUNDLAND								
279.809	*Gull and Matthews Rock West Cardinal light buoy NGM*	*NNE. of Cape Bluff.* *52 51 34.8* *55 47 14.9*	*Q(9)*	*W*	*15s*	*.....*	*Yellow, black and yellow, marked "NGM".*	*Seasonal.* **Chart:5033** **Edn 06/08(N07-042)**
ATLANTIC								
426	*Cockawee Shoal light and bell buoy T54*							*Delete from list.* **Chart:4394** **Edn 06/08(F08-010)**
426.25	*Cockawee Shoal bifurcation light and bell buoy TD*	*N. of East Spectacle Island.* *44 15 30.4* *64 20 15.7*	*Fl (2+1)*	*R*	*6s*	*…..*	*…..*	*Red, green, red, marked "TD".*	*Year round.* **Chart:4394** **Edn 06/08(F08-010)**
572.6	*Jeddore Harbour light buoy YT9*	*44 43 10.7* *63 00 16.9*	*Fl*	*G*	*4s*	*.....*	*.....*	*Green, marked "YT9".*	*Year round.* **Chart:4236** **Edn 06/08(F08-037)**
573	*Marsh Point light buoy YT11*	*44 43 23.6* *63 00 11.7*	*Q*	*G*	*1s*	*.....*	*.....*	*Green, marked "YT11".*	*Year round.* **Chart:4236** **Edn 06/08(F08-034)**
1523 *H1878*	Pointe de l'Ouest	On W. extremity of island. 49 51 50.4 64 31 26.1	Fl	W	5s	27.5	12	Skeleton tower. 19.8	Flash 1 s; eclipse 4 s. Operates at night only. Year round. **Chart:4430** **Edn 06/08(Q07-029)**
1822 1823	Monument Price range								Delete from list. **Chart:1209** **Edn 06/08(Q08-004,028)**
1822	Monument Price Sector	48 25 45.8 71 02 36.5	F Al RW Al GW	R W G	…..	9.1	13	Rectangular skeleton tower.	Visible over an arc of 005°. Red from 229°30' to 231°30'; Al RW from 231°30' to 231°50'; white from 231°50' to 232°10'; Al GW from 232°10' to 232° 30'; green from 232°30' to 234°30'. Year round. **Chart:1209** **Edn 06/08(Q08-028)**
INLAND WATERS								
537.722	*Hamilton Harbour Pier 22 Middle North lighted spar buoy*	*43 16 27.8* *79 47 31.5*	*Fl*	*R*	*4s*	*.....*	*.....*	*Red spar.*	*Privately maintained.* *Seasonal.* **Chart:2067** **Edn 06/08(B08-082)**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi-nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
INLAND WATERS							
537.724	*Hamilton Harbour Pier 22 South lighted spar buoy*	*43 16 18* *79 47 20.3*	*Fl R 4s*	*.....*	*.....*	*Red spar.*	*Privately maintained. Seasonal.*

Chart:2067
Edn 06/08(B08-081)

CANADIAN COAST GUARD
MARINE INFORMATION REPORT AND SUGGESTION SHEET

Date: .....

Name of Ship or Sender:.....

Address of Sender: .....
Street # Street Name

Town / City: ..... Prov / State: ..... Postal Code / Zip Code: .....

Tel / Fax / E-mail address of sender (if appropriate): .....

Observation Date: ..... Time (UTC): .....

Geographical Position: .....

Coordinate Position: Lat: ..... Long: .....

Position Method: ❑ DGPS ❑ GPS with WAAS ❑ GPS ❑ Radar ❑Other

Horizontal Datum Used: ❑WGS 84 ❑ NAD 27 ❑ Other

Estimated Position Accuracy:.....

Chart #: ..... Datum: ❑ NAD 27 ❑ NAD 83

Chart Edition: ..... Last Correction applied: .....

Publications affected: (Quote Volume and page): ....

*Full details (Attach additional sheets as necessary) ... .

Mariners are requested to notify the responsible authorities when new or suspected dangers to navigation are discovered, changes are observed in aids to navigation, or corrections to publications are seen to be necessary.

In the case of new or suspected dangers to navigation, it is important that all details be given in order to aid with future investigations. Items of interest include heights, depths, physical description, type of bottom and equipment method used to position the item. It is helpful to mark details on chart, which will be promptly replaced by the Canadian Hydrographic Service.

Reports should be made to the nearest Marine Communications and Traffic Services Centre (MCTS) and should be confirmed in writing to:

Director, Navigation Systems
Canadian Coast Guard
Department of Fisheries and Oceans
Ottawa, Ontario, K1A 0E6

In the case of information concerning aids to navigation or the List of Lights, Buoys and Fog Signals.

OR

Dominion Hydrographer
Canadian Hydrographic Service
Department of Fisheries and Oceans
Ottawa, Ontario, K1A 0E6

In the case of new or suspected dangers to navigation or where corrections to "Sailing Directions" appear to be necessary.

CHSINFO@DFO-MPO.GC.CA

Or general questions on Coast Guard programs or services please send an e-mail message to:

info@dfo-mpo.gc.ca
(Please include your postal code and e-mail address)