



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canadian
Coast Guard

Garde côtière
canadienne



VOL. 33, MONTHLY EDITION N° 10
OCTOBER 31, 2008

Publication Number 40063779

NOTICES TO MARINERS PUBLICATION EASTERN EDITION

Published monthly by the
CANADIAN COAST GUARD

CONTENTS

	Page
Section 1 Safety and General Information	1 - 6
Section 2 Chart Corrections.....	7 - 31
Section 3 Corrections to Radio Aids to Marine Navigation.....	32
Section 4 Sailing Directions and Small Craft Guide Corrections.....	33
Section 5 List of Lights, Buoys and Fog signals Corrections	34 - 41

Maritime Services Directorate
Aids to Navigation

Internet: www.notmar.gc.ca



Canada

EXPLANATORY NOTES

Geographical positions refer directly to the graduations of the largest scale Canadian Hydrographic chart unless otherwise indicated.

Bearings refer to the true compass and are measured clockwise from 000° (North) clockwise to 359°; those relating to lights are from seaward.

Visibility of lights is that in clear weather.

Depths - The units used for soundings (metres, fathoms or feet) are stated in the title of each chart.

Elevations are normally given above Higher High Water, Large Tides unless otherwise indicated.

Distances may be calculated as follows:

1 nautical mile = 1 852 metres (6,076.1 feet)

1 statute mile = 1 609.3 metres (5,280 feet)

1 metre = 3.28 feet

Temporary & Preliminary Notices are indicated by a (T) or a (P) before the chart action. Please note that Nautical charts are not hand amended by the Canadian Hydrographic Service for Temporary (T) and Preliminary (P) Notices. It is recommended that mariners chart these corrections in pencil. Listing of charts affected by Temporary and Preliminary Notices are revised and promulgated quarterly in Section 1 of the Monthly Edition.

Please note that, in addition to the temporary and preliminary changes normally advertised as (T) and (P) Notices, there are a few permanent changes to navigational aids that have been advertised as Preliminary Notices to Mariners while charts are being updated for new editions.

Marine Information Report & Suggestion Sheet - Mariners are requested to notify the responsible authorities when new or suspected dangers to navigation are discovered, changes observed in aids to navigation or corrections to publications are seen to be necessary. Such communications can be made using the *Marine Information Report & Suggestion Sheet* inserted on the last page of each monthly edition of *Notices to Mariners*.


Monthly edition of Notices to Mariners - *Notices to Mariners* are issued free of charge on a monthly basis. Mariners now have a choice between specific *Regional* issue(s) they wish to receive. Requests to be placed on or removed from the mailing list should be made by using the form inserted on page iii of each monthly edition. Notification of changes to the mailing addresses, regional issues and/or number of copies required should also be transmitted by means of this form.

Canadian Nautical Charts & Publications - A source list of *Canadian Nautical Charts & publications* is published in Notice No. 14 of the *Notices to Mariners Annual Edition April 2008*. The source supply and the prices effective at the time of printing are listed. For current chart edition dates refer to the following web site: <http://www.chs-shc.gc.ca/pub/en/products/core.cfm>

NOTE: Cette publication est aussi disponible en français.

CHART CORRECTIONS - SECTION 2

Corrections to nautical charts will be listed in numeric order by chart number. Each chart correction listed applies only to that particular chart. Related charts, if any, will have their own specific correction listed separately. Users should also refer to CHS Chart 1 Symbols, Abbreviations Terms for additional information pertaining to the correction of charts. The illustration below describes the elements that will comprise a typical Section 2 chart correction.



1 - Chart Number

2 - Chart Title

3 - Chart's latest New Edition date

4 - Horizontal Chart Datum

5 - Last Correction

6 - Chart action

7 - Notice type

8 - Weekly chart correction date

9 - List of light number

10 - CHS record reference number

11 - CCG Record reference number

12 - Chart No 1 reference number

The last correction number is identified with the **LNM/D** or **Last Notice to Mariners Number / Date**. This number is expressed in either old notice number format (ex.: 594/99) or in day-month-year format which is the date known as the weekly chart correction date shown in the above diagram as item (8).

ADVISORY

NOTICES TO SHIPPING (WRITTEN AND BROADCAST)

The Canadian Coast Guard is implementing a number of changes to the aids to navigation system in Canada.

These changes are advertised as Notices to Shipping (Broadcast and Written) by the Canadian Coast Guard and are followed up with Notices to Mariners, then charts are updated by hand correction, reprints or new editions.

Mariners are advised that all relevant Written Notices to Shipping should be kept until superseded by Notices to Mariners or through revised charts issued by the Canadian Hydrographic Service.

Written Notices to Shipping are published weekly and are available from local Canadian Coast Guard Offices.

The Canadian Hydrographic Service is reviewing the impact of these changes with the Canadian Coast Guard and together we are preparing an action plan on the issuing of chart revisions.

For further information contact your local Regional Notices to Shipping (Notships) issuing authorities.

Newfoundland

Fisheries and Oceans Canada,
Canadian Coast Guard,
St. John's MCTS Centre
P.O. Box 5667
ST JOHN'S NL A1C 5X1
Telephone: 709 772-2083 / 2106
Facsimile: 709 772-5369

Quebec

* Fisheries and Oceans Canada,
Canadian Coast Guard,
Regional Operations Centre (ROC)
101 Champlain Boulevard
QUEBEC QC G1K 7Y7
Telephone: 418 648-5410 / 4427
Facsimile: 418 648-7244
Web site: www.marinfo.gc.ca

Maritimes

* Fisheries and Oceans Canada
Canadian Coast Guard
Sydney MCTS Centre
P.O. Box 8630
SYDNEY, N.S. B1P 6K7
Telephone: 902-564-7751 or 1-800-686-8676
Facsimile: 902-564-2446
Email: notshipssyd@mar.dfo-mpo.gc.ca

Central & Arctic

* Fisheries and Oceans Canada,
Canadian Coast Guard,
Sarnia MCTS Centre
215 - 105 Christina Street
SARNIA ON N7T 7W1
Telephone: 519 337-6360 or 1-800-265-0237
Facsimile: 519 337-2498

* Fisheries and Oceans Canada,
Canadian Coast Guard,
Iqaluit MCTS Centre
P.O. Box 189
IQALUIT NU X0A 0H0
Telephone: 867-979-5269
Facsimile: 867-979-4264

* Services provided in English and French

MONTHLY EDITION OF NOTICES TO MARINERS

MAILING LIST CHANGES

I WISH TO CONTINUE RECEIVING THE PAPER COPY OF THE NOTICE

Leader, Notices to Mariners
Navigation Aids
Navigation Systems
Canadian Coast Guard
200 Kent Street, Station 5N186
Ottawa, ON
K1A 0E6

Telephone (613) 993-6974
Facsimile (613) 998-8428
Internet www.notmar.gc.ca

Please indicate which edition you would like to receive.

EASTERN EDITION (Comprised of Arctic, Newfoundland, Maritimes, Gulf & River St. Lawrence and Central areas)_____

WESTERN EDITION (Comprised of Arctic and Pacific areas)_____

ADD _____ **AMEND** _____ **REMOVE** _____ **NO. OF COPIES** _____

OLD ADDRESS	
NAME	
STREET	APT.
CITY	POSTAL CODE
PROVINCE	COUNTRY
NEW ADDRESS	
NAME	
STREET	APT.
CITY	POSTAL CODE
PROVINCE	COUNTRY

ID number above address on label

or

Attach complete address label to this sheet

INDEX

CANADIAN HYDROGRAPHIC SERVICE - ANNOUNCEMENT REGARDING CANADIAN HYDROGRAPHIC SERVICE CHART PATCHES.	1
CANADIAN HYDROGRAPHIC SERVICE - CUMULATIVE CHART CORRECTIONS.	1
CANADIAN HYDROGRAPHIC SERVICE - CURRENT CHART EDITION DATES.	1
CANADIAN HYDROGRAPHIC SERVICE - PRINT ON DEMAND CHARTS - CARE AND USE.....	1
*1002 CANADIAN HYDROGRAPHIC SERVICE - ELECTRONIC NAVIGATIONAL CHARTS.	2
*1001 CANADIAN HYDROGRAPHIC SERVICE - NAUTICAL CHARTS.....	2
*1004 CANADIAN HYDROGRAPHIC SERVICE - NON EQUIVALENT ELECTRONIC NAVIGATIONAL CHARTS.....	5
*1003 CANADIAN HYDROGRAPHIC SERVICE - RASTER DIGITAL CHARTS (BSB V4).....	2
*1005 CANSO HARBOUR AND APPROACHES/ET LES APPROCHES - RANGE LIGHTS DISCONTINUED.	6

NUMERICAL INDEX OF CANADIAN CHARTS AFFECTED

Chart No.	Page	Chart No.	Page	Chart No.	Page
1226	7	4026	19	4820	26
1233	7, 8	4115	19, 20	4825	26, 27
1234	8, 9	4141	20	4826	27, 28
1313	9	4142	20	L/C4832	28, 29
1314	10	4210	20	4844	29
1316	10	4211	20	L/C4845	29
1317	2, 10	4233	20	L/C4846	29
1431	11	L/C4240	20	4848	2
1432	11, 12	4244	21	4849	29
1433	12, 13	4281	6, 21	L/C4854	30
1434	13, 14	4307	21	4862	30
1435	14	4308	21	5001	30
1436	14	L/C4320	22	7568	31
1439	14, 15	4335	22	7620	31
1510	15	4374	22	7661	31
2017	15, 16	4379	22, 23	7662	31
2018	16	4386	23	7663	31
2064	16	4456	23		
2250	17	4468	23, 24		
4000	17	4491	24		
4001	17, 18	4615	24		
4002	18	4619	24, 25		
4003	18	4652	25		
4012	18	4653	25		
4013	18	4654	25		
4015	18, 19	4661	25, 26		
4025	19	4817	26		

**SECTION 1 – Edition 10/2008
SAFETY AND GENERAL INFORMATION**

CANADIAN HYDROGRAPHIC SERVICE - ANNOUNCEMENT REGARDING CANADIAN HYDROGRAPHIC SERVICE CHART PATCHES.

CHS is introducing a new initiative with a full colour Patch on the Web. A link in the Notices to Mariners web site will be provided so clients can access the colour Patch. The colour Patch will be published in HTML and PDF format. Providing the Patches in colour (accessible to all via remote access to the Web) is an enhanced form of alternative service delivery in line with CHS strategic objectives.

Colour Web Patches are free to the mariner, and given the quality of many printers, should reproduce well. They will be available in real time all around the world which is an improvement since clients had to wait for the paper copy to be mailed.

Previously, in the *Notices to Mariners* (NTM) booklet, Patches were produced in full colour or a minimum of black and magenta.

Due to current budgetary constraints, Patches will now only be produced in black and white for publication in the NTM booklet.

Our level of service will change with this initiative and CHS intends to analyze market reaction to this innovation.

CHS welcomes your feedback on this new service at chsinfo@df-mpo.gc.ca

CANADIAN HYDROGRAPHIC SERVICE - CUMULATIVE CHART CORRECTIONS.

The cumulative Notice to Mariners corrections for charts can now be accessed at http://www.notmar.gc.ca/search/notmar_e.php

CANADIAN HYDROGRAPHIC SERVICE - CURRENT CHART EDITION DATES.

CHART EDITIONS

The three terms described below are used to indicate the publication status of Canadian charts.

NEW CHART - "NEWCHT"

The first publication of a Canadian chart embracing an area not previously charted to the scale shown, or embracing an area different from any existing Canadian chart.

NEW EDITION - "NEWEDT"

A new issue of an existing chart containing amendments essential to navigation in addition to those issued in Notice to Mariners and making existing editions obsolete.

REPRINTS

A new issue of the current edition of a chart incorporating no amendments of navigational significance other than those previously promulgated in Notice to Mariners. It may also contain amendments from other sources provided they are not essential to navigation. Previous printings of the current edition remain in force.

The current chart edition dates can now be accessed at <http://www.chs-shc.gc.ca/pub/en/products/core.cfm>

CANADIAN HYDROGRAPHIC SERVICE - PRINT ON DEMAND CHARTS - CARE AND USE.

Background

By providing nautical charts to the public, the goal of the Canadian Hydrographic Service (CHS) is to provide services for safe navigation in a fiscally responsible manner. As a result, CHS continues to expand its portfolio of nautical paper charts that are printed using Print On Demand (POD) technology. These charts are easily recognized by their whiter paper and the coloured logo of the Canadian Hydrographic Service. This new technology enables CHS to print charts in a more efficient manner while enhancing chart content through being able to quickly add new and important information. POD technology provides customers with up-to-date charts without the historical hand-drawn corrections or glued-on patches. Additionally, this technology eliminates out-of-stock situations which arise with the traditional printing and warehousing methods. In the event of a national emergency, CHS can respond to the appropriate authorities with best available information very quickly.

**SECTION 1 – Edition 10/2008
SAFETY AND GENERAL INFORMATION**

Care of Your POD Chart

CHS encourages its customers to handle the POD charts more carefully than the traditional lithographic charts. When plotting information on POD charts, use HB pencils and apply limited pressure. Testing has suggested that an Indian gum eraser is more effective than alternatives when used on the product. This eraser is also suitable for charts printed using lithographic processes.

***1001 CANADIAN HYDROGRAPHIC SERVICE - NAUTICAL CHARTS.**

CHARTS	MAIN TITLE	SCALE	PUBLISHED	CAT#	PRICE
New Edition	All temporary and preliminary notices affecting the previous versions of the following chart(s) (is / are) now cancelled. For any outstanding notices please consult section 2 of this edition.				
1317	Sault-au-Cochon à/to Québec	1:50000	04-JUL-2008	1	\$20.00
4848	Holyrood and/et Long Pond	----	25-JUL-2008	1	\$20.00

***1003 CANADIAN HYDROGRAPHIC SERVICE - RASTER DIGITAL CHARTS (BSB V4).**

CHARTS	MAIN TITLE			
New Edition	All temporary and preliminary notices affecting the previous versions of the following chart(s) (is / are) now cancelled. For any outstanding notices please consult section 2 of this edition.			
R/M1317	Sault-au-Cochon à/to Québec		04-JUL-2008	See Note 2
R/M4848	Holyrood and/et Long Pond		25-JUL-2008	See Note 2

***1002 CANADIAN HYDROGRAPHIC SERVICE - ELECTRONIC NAVIGATIONAL CHARTS.**

RELEASED PRODUCTS	
S-57 ENC NUMBER	CHART TITLE
CA476664	Pearl Island to/à Cape La Have
CA570006	Active Pass
CA570007	Porlier Pass
CA570008	Montague Harbour
CA370016	Strait of Georgia, Northern Portion/Partie Nord
CA470019	Cordero Channel
CA470022	Johnstone Strait, Race Passage and/et Current Passage
CA570029	Kenneth Passage
CA470062	Bute Inlet, Stuart Island to/à Hovel Bay
CA470070	Thetis Island to/à Nanaimo
CA570073	Vancouver Harbour, Western Portion/Partie Ouest
CA470074	Approches to/Approches à Prince Rupert Harbour
CA570092	Hayden Passage
CA570093	Hot Springs Cove
CA470095	Jervis Inlet
CA570096	Malibu Rapids
CA570097	Sechelt Rapids
CA470103	Desolation Sound and/et Sutil Channel
CA370109	Cape Scott to Cape Calvert
CA570114	Sooke
CA570123	Vancouver Harbour, Central Portion/Partie Centrale
CA570124	Second Narrows
CA570127	Vancouver Harbour, Eastern Portion/Partie Est
CA570128	Tilbury Island to/à New Westminster

**SECTION 1 – Edition 10/2008
SAFETY AND GENERAL INFORMATION**

RELEASED PRODUCTS	
S-57 ENC NUMBER	CHART TITLE
CA570132	Darby Channel
CA370141	Juan de Fuca Strait, Eastern Portion/Partie Est
CA570153	Chemainus Bay
CA570154	Ladysmith Harbour
CA570156	Dodd Narrows to/à Flat Top Islands
CA570157	Dodd Narrows
CA370165	Quatsino Sound to/à Queen Charlotte Strait
CA470167	Alberni Inlet
CA570174	Malaspina Inlet, Okeover Inlet and/et Lancelot Inlet
CA570175	Okeover Inlet
CA570177	Fraser River/Fleuve Fraser, Mitchell Island to/à New Westminster
CA570182	Nitinat Narrows to/à Nitinat Lake
CA670183	Nitinat Narrows
CA570184	Port San Juan
CA570193	Approaches to/Approches à Nanoose Harbour
CA570195	Approaches to/Approches à Campbell River
CA570212	Head of/Fond de Pipestem Inlet
CA470218	Baynes Sound
CA570219	Comox Harbour
CA570224	Chatham Channel
CA570238	Fulford Harbour
CA570241	Genoa Bay
CA570248	Kitimat
CA570250	Duncan Bay
CA370257	Knight Inlet
CA570260	Draney Narrows
CA570261	Approaches to/Approches à Winter Harbour
CA570262	Okisollo Channel
CA570263	Whiterock Passage
CA470266	Approaches to/Approches à Toba Inlet
CA470267	Head of/Fond de Toba Inlet
CA470273	Continuation A - Head of/Fond de Herbert Inlet
CA570277	Gold River
CA470279	Muchalet Inlet
CA570282	Tahsis
CA470290	Finlayson Arm
CA370298	Bonilla Island to/à Edye Passage (Part 1 of 4)
CA370299	Bonilla Island to/à Edye Passage (Part 2 of 4)
CA370300	Bonilla Island to/à Edye Passage (Part 3 of 4)
CA370301	Bonilla Island to/à Edye Passage (Part 4 of 4)
CA470315	Malacca Passage to/à Bell Passage (Part 2 of 2)
CA570319	Namu Harbour
CA470322	Queens Sound to/a Seaforth Channel (part 1 of 3)
CA470323	St John Harbour
CA470325	Cousins Inlet - Continuation A
CA570326	Ocean Falls
CA570328	Gunboat Passage
CA570329	Troup Narrows
CA470334	Tofino Inlet to/à Millar Channel (Part 2 of 2)
CA570336	Broken Group
CA470338	Barkley Sound (Part 2 of 2)

**SECTION 1 – Edition 10/2008
SAFETY AND GENERAL INFORMATION**

RELEASED PRODUCTS	
S-57 ENC NUMBER	CHART TITLE
CA470341	Millar Channel to/à Estevan Point (Part 1 of 2 Western half)
CA470342	Millar Channel to/à Estevan Point (Part 2 of 2)
CA470351	Nootka Sound (Part 1 of 2)
CA470352	Nootka Sound (Part 2 of 2)
CA470355	Esperanza Inlet (Part 2 of 2)
CA370372	Selwyn Inlet to/à Lawn Point (Northern Portion, Part 1 of 2)
CA370373	Selwyn Inlet to/à Lawn Point (Southern Portion, Part 2 of 2)
CA470379	Carpenter Bay to/à Burnaby Island
CA370381	Strait of Georgia, Central Portion/Partie Centrale (Part 1 of 2)
CA370382	Strait of Georgia, Central Portion/Partie Centrale (Part 2 of 2)
CA470386	Queens Sound and Approaches/et les approches (Part 2 of 3)
CA470431	Brooks Bay
CA470443	APPROACHES TO/APPROCHES À DOUGLAS CHANNEL
CA470444	APPROACHES TO/APPROCHES À DOUGLAS CHANNEL (part 2 of 2)
CA370555	Scott Channel
CA570562	Victoria Harbour
CA570566	Bella Bella
CA470568	Queens Sound to/a Seaforth Channel (part 2 of 3)
CA470569	Queens Sound to/a Seaforth Channel (part 3 of 3)
CA570572	Iroquois Passage
CA570573	Sidney
CA570575	Tsehum Harbour
CA470577	CHANNELS VICINITY OF/CHENAUX PROXIMITÉ DE MILBANKE SOUND
CA570579	Nowish Cove
CA570580	Jackson Narrows
CA470581	Mathieson Channel Northern Portion/Partie Nord
CA470582	Mussel Inlet (Continuation A)
CA470583	Kynoch Inlet (Continuation B)
CA470584	Finlayson Channel and/et Tolmie Channel
CA570585	Meyers Narrows
CA570586	Hiekish Narrows
CA470587	Graham Reach
CA470588	Fraser Reach
CA570589	Butedale
CA470593	Grenville Channel Compartment A-B
CA470594	Grenville Channel Compartment B-C
CA570595	Union Passage
CA570596	BAKER INLET
CA470597	Grenville Channel to/à Chatham Sound
CA573013	Oshawa Harbour
CA473025	Grindstone Island to/à Carleton Island
CA473035	Whaleback Shoal to/au Summerland Group
CA573108	Clarkson Harbour
CA473232	Île Saint-Regis to Croil Islands
CA473255	Bridport Inlet and Approaches/et Les Approches
CA473271	Port Severn to Deer Island
CA473277	Upper Gap to/à Telegraph Narrows
CA373287	Owen Sound to/a Giants Tomb Island
CA473300	Canal de Beauharnois - East end to Lac Saint-François
CA473305	Long Point Bay
CA573309	Parry Sound Harbour

**SECTION 1 – Edition 10/2008
SAFETY AND GENERAL INFORMATION**

RELEASED PRODUCTS	
S-57 ENC NUMBER	CHART TITLE
CA376045	Liverpool Harbour to/à Lockeport Harbour
CA576116	Ultramar (Wharf/Quai)
CA576117	Generator Plant (Wharf) / Centrale d'énergie (Quai)
CA576118	Holyrood (Marina)
CA176140	Cape Breton to/à Cape Cod
CA276204	Halifax to/à Sydney
CA476221	St. Peter's Bay to Strait of Canso
CA376278	Bras D'Or Lake-East Bay
CA579007	Pointe Noire
CA579024	Saint-Jean-Port-Joli
CA579033	Saint-Simeon
CA579039	Forestville
CA579042	Canal de la Rive Sud
CA479045	Lac Saint-Louis
CA579047	Port-Cartier
CA579048	Baie-Comeau
CA579050	Quais/Wharves Cargill-Reynolds
CA479051	Baie des Homards Mouillages/Anchorage
CA579054	Tadoussac
CA579055	Cap-Chat
CA579056	Les Méchins
CA579060	Carleton
CA579069	Baie de Port-Daniel
CA579072	Quai / Wharf Chandler
CA579074	Quai / Wharf Paspébiac-Ouest
CA379086	Cap des Rosiers à/to Chandler
CA579089	Havre de Gaspé
CA579090	Marina de Gaspé
CA479152	Pointe de l'Ouest
CA579156	Terminal Contrecoeur
CA579213	Grande-Vallée
CA579224	Mouillage St-Nicolas

***1004 CANADIAN HYDROGRAPHIC SERVICE - NON EQUIVALENT ELECTRONIC NAVIGATIONAL CHARTS.**

Note: The following ENC products are not equivalent to the current editions of their corresponding paper charts and should not be used as a replacement.

NON EQUIVALENT PRODUCTS		
S-57 ENC NUMBER	PAPER CHART NUMBER	CHART TITLE
CA176030	4001	Gulf of Maine to Strait of Belle Isle au Déroit de Belle Isle
CA276101	4049	Grand Bank, Northern Portion/Grand Banc, Partie Nord to/à Flemish Pass/Passe Flamande
CA276113	8048	Cape Harrison to/à St Michael Bay
CA276367	4255	Georges Bank/Banc de Georges Eastern Portion/Partie Est
CA276801	4012	Yarmouth to/à Halifax
CA376062	4906	West Point à/to Baie de Tracadie
CA376083	4236	Taylor's Head to/à Shut-in Island
CA376093	4367	Flint Island to/à Cape Smoky
CA376094	4020	Strait of Belle Isle/Déroit de Belle Isle

**SECTION 1 – Edition 10/2008
SAFETY AND GENERAL INFORMATION**

NON EQUIVALENT PRODUCTS		
S-57 ENC NUMBER	PAPER CHART NUMBER	CHART TITLE
CA376164	4625	Burin Peninsula to/à Saint-Pierre
CA376187	4486	Baie des Chaleurs / Chaleur Bay
CA376219	5135	Approaches to/Approches à Hamilton Inlet
CA376248	4403	East Point to/à Cape Bear
CA376272	4279	Bras D'Or Lake
CA376289	4098	Sable Island/Île de Sable
CA376340	4854	Catalina Harbour to/à Inner Gooseberry Islands
CA476043	4210	Cape Sable to/a Pubnico Harbour
CA476073	4845	Fermeuse Harbour
CA476179	4466	Hillsborough Bay
CA476202	4211	Cape Lahave to/à Liverpool Bay
CA476327	4596	Bay of Exploits Sheet/feuille II (Middle/centre)
CA476328	4597	Bay of Exploits Sheet/feuille III (South/sud)
CA576002	4203	Halifax Harbour - Black Point to/à Point Pleasant
CA576040	4209	Lockeport Harbour
CA576072	4845	Lumley Cove

***1005 CANSO HARBOUR AND APPROACHES/ET LES APPROCHES - RANGE LIGHTS DISCONTINUED.**

Reference: Notice 1207(P)/2007 & 107(P)/2008 are cancelled. (Chart: 4281).

(G2008-035, 036)

**SECTION 2 – Edition 10/2008
CHART CORRECTIONS**

1226 - Port-Cartier - New Edition - 19-NOV-1999 - NAD 1983

24-OCT-2008		LNM/D. 27-JUN-2008
Add	drying height of 0 metre 3 decimetres (See Chart No. 1, I15)	50°01'02.0"N 066°48'54.9"W
		<i>DFO(6407663-01)</i>
	This notice might affect Electronic Navigational Chart: CA579047	
Amend	legend 15,2m (1980) to read 15,2m (See Chart No. 1, I23)	50°01'56.1"N 066°47'06.5"W
		<i>DFO(6407730-01)</i>
	This notice might affect Electronic Navigational Chart: CA579047	
Amend	legend 11,3m (1980) to read 11,3m (See Chart No. 1, I23)	50°02'01.6"N 066°46'41.4"W
		<i>DFO(6407730-02)</i>
	This notice might affect Electronic Navigational Chart: CA579047	
Amend	legend 6,1m (1980) to read 6,1m (See Chart No. 1, I23)	50°01'59.1"N 066°46'41.9"W
		<i>DFO(6407730-03)</i>
	This notice might affect Electronic Navigational Chart: CA579047	
Amend	legend 16,6m (1970) to read 16,6m (See Chart No. 1, I23)	50°01'29.3"N 066°47'09.8"W
		<i>DFO(6407730-04)</i>
	This notice might affect Electronic Navigational Chart: CA579047	
Delete	depth of 14 metres 6 decimetres (See Chart No. 1, I10)	50°01'23.0"N 066°47'17.6"W
		<i>DFO(6407738-01)</i>
	This notice might affect Electronic Navigational Chart: CA579047	
Add	depth of 14 metres 6 decimetres (See Chart No. 1, I10)	50°01'15.8"N 066°47'21.2"W
		<i>DFO(6407738-02)</i>
	This notice might affect Electronic Navigational Chart: CA579047	
Add	depth of 13 metres 8 decimetres (See Chart No. 1, I10)	50°01'22.6"N 066°47'17.9"W
		<i>DFO(6407738-03)</i>
	This notice might affect Electronic Navigational Chart: CA579047	

1233 - Cap aux Oies à/to Sault-au-Cochon - New Edition - 09-NOV-2001 - NAD 1983

31-OCT-2008		LNM/D. 27-JUN-2008
Replace	depth of 8 metres 6 decimetres with depth of 8 metres 4 decimetres (See Chart No. 1, I10)	47°11'36.8"N 070°21'29.6"W
		<i>DFO(6407633-01)</i>
Delete	depth of 9 metres 2 decimetres (See Chart No. 1, I10)	47°11'39.0"N 070°21'09.3"W
		<i>DFO(6407633-02)</i>
Delete	depth of 15 metres 8 decimetres (See Chart No. 1, I10)	47°11'27.8"N 070°21'22.8"W
		<i>DFO(6407633-03)</i>

**SECTION 2 – Edition 10/2008
CHART CORRECTIONS**

Delete	depth of 8 metres (See Chart No. 1, I10)	47°11'57.7"N 070°20'43.7"W
		<i>DFO(6407633-04)</i>
	This notice might affect Electronic Navigational Chart: CA479021	
Add	depth of 9 metres 3 decimetres (See Chart No. 1, I10)	47°11'40.5"N 070°21'10.7"W
		<i>DFO(6407633-05)</i>
Add	depth of 15 metres 4 decimetres (See Chart No. 1, I10)	47°11'29.0"N 070°21'23.0"W
		<i>DFO(6407633-06)</i>
Add	depth of 7 metres 9 decimetres (See Chart No. 1, I10)	47°11'55.9"N 070°20'43.4"W
		<i>DFO(6407633-07)</i>
Delete	depth of 14 metres 9 decimetres (See Chart No. 1, I10)	47°10'18.4"N 070°38'36.3"W
		<i>DFO(6407633-10)</i>
Delete	depth of 14 metres 2 decimetres (See Chart No. 1, I10)	47°09'55.7"N 070°39'02.4"W
		<i>DFO(6407633-11)</i>
Delete	depth of 17 metres 4 decimetres (See Chart No. 1, I10)	47°10'43.4"N 070°38'01.0"W
		<i>DFO(6407633-12)</i>
Add	depth of 15 metres 8 decimetres (See Chart No. 1, I10)	47°10'05.2"N 070°38'51.4"W
		<i>DFO(6407633-13)</i>
Add	depth of 17 metres 7 decimetres (See Chart No. 1, I10)	47°10'39.7"N 070°38'05.3"W
		<i>DFO(6407633-14)</i>
Amend	legend FI 6s 25m 12M to read FI 6s 25m 10M against light (See Chart n° 1, P16)	47°12'20.7"N 070°21'34.4"W
		<i>(Q2008063) LL(1876) DFO(6407731-01)</i>
	This notice might affect Electronic Navigational Chart: CA479021	

1234 - Cap-à-l'Aigle - New Edition - 25-MAY-2001 - NAD 1983

17-OCT-2008

LNM/D. 25-APR-2008

Add	depth of 1 metre 9 decimetres (See Chart No. 1, I10)	47°39'47.1"N 070°05'45.9"W
		<i>DFO(6407727-01)</i>
	This notice might affect Electronic Navigational Chart: CA579034	
Add	depth of 1 metre 4 decimetres (See Chart No. 1, I10)	47°39'46.0"N 070°05'47.8"W
		<i>DFO(6407727-02)</i>
	This notice might affect Electronic Navigational Chart: CA579034	

**SECTION 2 – Edition 10/2008
CHART CORRECTIONS**

1234 - Port de Pointe-au-Pic - New Edition - 25-MAY-2001 - NAD 1983

24-OCT-2008

LN/D. 17-OCT-2008

Delete depth of 2 metres 3 decimetres
(See Chart No. 1, I10) 47°37'23.3"N 070°08'25.8"W

DFO(6407725-01)

This notice might affect Electronic Navigational Chart: CA579032

Add depth of 2 metres
(See Chart No. 1, I10) 47°37'23.6"N 070°08'25.5"W

DFO(6407725-02)

This notice might affect Electronic Navigational Chart: CA579032

Add depth of 0 metre 4 decimetres
(See Chart No. 1, I10) 47°37'24.9"N 070°08'23.4"W

DFO(6407725-03)

This notice might affect Electronic Navigational Chart: CA579032

Add drying height of 0 metre 3 decimetres
(See Chart No. 1, I15) 47°37'24.2"N 070°08'19.4"W

DFO(6407725-04)

This notice might affect Electronic Navigational Chart: CA579032

Delete depth of 0 metre 3 decimetres
(See Chart No. 1, I10) 47°37'26.0"N 070°08'21.2"W

DFO(6407725-05)

This notice might affect Electronic Navigational Chart: CA579032

Add depth of 0 metre 8 decimetres
(See Chart No. 1, I10) 47°37'26.1"N 070°08'21.3"W

DFO(6407725-06)

This notice might affect Electronic Navigational Chart: CA579032

1313 - Batiscan au/to Lac Saint-Pierre - New Edition - 02-FEB-2007 - NAD 1983

17-OCT-2008

LN/D. 12-SEP-2008

Replace depth of 6 metres 5 decimetres with depth of 6 metres 3 decimetres
(See Chart No. 1, I10) 46°29'15.2"N 072°14'04.0"W

DFO(6407693-01)

This notice might affect Electronic Navigational Chart: CA479014

Replace depth of 9 metres 5 decimetres with depth of 8 metres 8 decimetres
(See Chart No. 1, I10) 46°28'57.5"N 072°14'09.3"W

DFO(6407693-02)

This notice might affect Electronic Navigational Chart: CA479014

Add drying height of 0 metre 4 decimetres
(See Chart No. 1, I10) 46°22'46.7"N 072°26'24.7"W

DFO(6407699-01)

This notice might affect Electronic Navigational Chart: CA479014

Add depth of 8 metres 5 decimetres
(See Chart No. 1, I10) 46°22'40.0"N 072°27'08.1"W

DFO(6407699-02)

This notice might affect Electronic Navigational Chart: CA479014

**SECTION 2 – Edition 10/2008
CHART CORRECTIONS**

1314 - Donnacona à/to Batiscan - New Edition - 15-FEB-2008 - NAD 1983

17-OCT-2008		LNM/D. 26-SEP-2008
Replace	depth of 6 metres 5 decimetres with depth of 6 metres 3 decimetres (See Chart No. 1, I10)	46°29'15.2"N 072°14'04.0"W
		<i>DFO(6407693-01)</i>
Replace	depth of 9 metres 5 decimetres with depth of 8 metres 8 decimetres (See Chart No. 1, I10)	46°28'57.5"N 072°14'09.3"W
		<i>DFO(6407693-02)</i>

1316 - Port de Québec - New Edition - 23-JUN-2006 - NAD 1983

17-OCT-2008		LNM/D. 27-JUN-2008
Add	depth of 11 metres 7 decimetres (See Chart No. 1, I10)	46°47'33.5"N 071°13'03.4"W
	This notice might affect Electronic Navigational Chart: CA579003	<i>DFO(6407697-01)</i>
Delete	depth of 10 metres 7 decimetres (See Chart No. 1, I10)	46°47'17.3"N 071°13'30.9"W
	This notice might affect Electronic Navigational Chart: CA579003	<i>DFO(6407697-02)</i>
Add	depth of 10 metres 1decimetre (See Chart No. 1, I10)	46°47'17.8"N 071°13'30.9"W
	This notice might affect Electronic Navigational Chart: CA579003	<i>DFO(6407697-03)</i>

1317 - Sault-au-Cochon à/to Québec - New Edition - 04-JUL-2008 - NAD 1983

31-OCT-2008		
Delete	depth of 10 metres 4 decimetres (See Chart No. 1, I10)	46°53'49.5"N 070°55'23.5"W
	This notice might affect Electronic Navigational Chart: CA479025	<i>DFO(6407717-01)</i>
Add	depth of 9 metres 9 decimetres (See Chart No. 1, I10)	46°53'49.2"N 070°55'15.4"W
	This notice might affect Electronic Navigational Chart: CA479025	<i>DFO(6407717-02)</i>
Add	obstruction with known depth of 11 metres 5 decimetres (See Chart No. 1, K41)	46°55'32.8"N 070°51'00.2"W
	This notice might affect Electronic Navigational Chart: CA479025	<i>DFO(6407722-01)</i>

1317 - Continuation A - New Edition - 04-JUL-2008 - NAD 1983

31-OCT-2008		
Delete	depth of 10 metres 4 decimetres (See Chart No. 1, I10)	46°53'49.5"N 070°55'23.5"W
		<i>DFO(6407717-01)</i>
Add	depth of 9 metres 9 decimetres (See Chart No. 1, I10)	49°53'49.2"N 070°55'15.4"W
		<i>DFO(6407717-02)</i>

**SECTION 2 – Edition 10/2008
CHART CORRECTIONS**

1431 - Canal de Beauharnois - New Chart - 17-JAN-2003 - NAD 1983

31-OCT-2008		LNM/D. 07-MAR-2008
Replace	red starboard hand lighted spar buoy Q R, marked C22 with red starboard hand lighted pillar buoy Q R, marked C22	45°13'26.3"N 074°02'07.3"W
		<i>(B2008145) LL(53) DFO(6603302-01)</i>
	This notice might affect Electronic Navigational Chart: CA473300	
Replace	green port hand lighted spar buoy FI G, marked C21 with green port hand lighted pillar buoy FI G, marked C21	45°13'24.2"N 074°01'47.6"W
		<i>(B2008146) LL(54) DFO(6603303-01)</i>
	This notice might affect Electronic Navigational Chart: CA473300	
Replace	red starboard hand lighted spar buoy FI R, marked C24 with red starboard hand lighted pillar buoy FI R, marked C24	45°13'20.2"N 074°02'51.6"W
		<i>(B2008147) LL(57) DFO(6603304-01)</i>
	This notice might affect Electronic Navigational Chart: CA473300	
Replace	green port hand lighted spar buoy FI G, marked C27 with green port hand lighted pillar buoy FI G, marked C27	45°13'14.7"N 074°03'42.6"W
		<i>(B2008148) LL(58) DFO(6603305-01)</i>
	This notice might affect Electronic Navigational Chart: CA473300	
Replace	green port hand lighted spar buoy FI G, marked C31 with green port hand lighted pillar buoy FI G, marked C31	45°13'15.1"N 074°04'56.6"W
		<i>(B2008149) LL(64) DFO(6603306-01)</i>
	This notice might affect Electronic Navigational Chart: CA473300	

1431 - Port de Valleyfield - New Chart - 17-JAN-2003 - NAD 1983

31-OCT-2008		LNM/D. 07-MAR-2008
Replace	green port hand lighted spar buoy FI G, marked C31 with green port hand lighted pillar buoy FI G, marked C31	45°13'15.1"N 074°04'56.6"W
		<i>(B2008149) LL(64) DFO(6603306-01)</i>
Replace	red starboard hand lighted spar buoy FI R, marked C30 with red starboard hand lighted pillar buoy FI R, marked C30	45°13'20.6"N 074°05'05.6"W
		<i>(B2008150) LL(65) DFO(6603307-01)</i>

1432 - Lac Saint-François/Lake St. Francis B-C - New Chart - 09-JUL-1999 - NAD 1983

24-OCT-2008		LNM/D. 30-MAY-2008
Replace	red starboard hand lighted pillar buoy FI R, marked D64 with red starboard hand lighted spar buoy FI R, marked D64	45°03'28.5"N 074°32'31.3"W
		<i>(B2008097) LL(140) DFO(6603252-01)</i>
Replace	green port hand lighted pillar buoy FI G, marked D65 with green port hand lighted spar buoy FI G, marked D65	45°03'12.1"N 074°32'57.6"W
		<i>(B2008098) LL(141.3) DFO(6603253-01)</i>
Replace	red starboard hand lighted pillar buoy FI R, marked D68 with red starboard hand lighted spar buoy FI R, marked D68	45°03'08.0"N 074°33'19.5"W
		<i>(B2008099) LL(143) DFO(6603254-01)</i>
Replace	green port hand lighted pillar buoy FI G, marked D69 with green port hand lighted spar buoy FI G, marked D69	45°02'48.0"N 074°33'54.5"W
		<i>(B2008100) LL(145) DFO(6603255-01)</i>

**SECTION 2 – Edition 10/2008
CHART CORRECTIONS**

Replace	red starboard hand lighted pillar buoy Q R, marked D74 with red starboard hand lighted spar buoy Q R, marked D74	45°02'39.9"N 074°34'34.5"W <i>(B2008101) LL(149) DFO(6603256-01)</i>
Replace	yellow anchorage lighted pillar buoy FI Y, marked DK with yellow anchorage lighted spar buoy FI Y, marked DK	45°02'20.2"N 074°35'16.7"W <i>(B2008102) LL(150) DFO(6603257-01)</i>
Replace	yellow anchorage lighted pillar buoy FI Y, marked DM with yellow anchorage lighted spar buoy FI Y, marked DM	45°02'10.2"N 074°35'45.2"W <i>(B2008103) LL(150.5) DFO(6603258-01)</i>
Replace	yellow anchorage lighted pillar buoy FI Y, marked DX with yellow anchorage lighted spar buoy FI Y, marked DX	45°02'37.7"N 074°35'41.7"W <i>(B2008104) LL(150.8) DFO(6603259-01)</i>
Replace	green port hand lighted pillar buoy Q G, marked D77 with green port hand lighted spar buoy Q G, marked D77	45°02'22.5"N 074°35'58.6"W <i>(B2008105) LL(152) DFO(6603260-01)</i>
Replace	red starboard hand lighted pillar buoy FI R, marked D82 with red starboard hand lighted spar buoy FI R, marked D82	45°02'13.0"N 074°36'35.9"W <i>(B2008106) LL(153.7) DFO(6603261-01)</i>
Replace	red starboard hand lighted pillar buoy FI R, marked D84 with red starboard hand lighted spar buoy FI R, marked D84	45°02'05.5"N 074°36'55.0"W <i>(B2008107) LL(154) DFO(6603262-01)</i>
31-OCT-2008		LNM/D. 24-OCT-2008
Replace	red starboard hand lighted spar buoy FI R, marked D58 with red starboard hand lighted pillar buoy FI R, marked D58	45°04'13.9"N 074°31'19.2"W <i>(B2008151) LL(133.5) DFO(6603308-01)</i>
Replace	green port hand lighted spar buoy FI G, marked D57 with green port hand lighted pillar buoy FI G, marked D57	45°04'09.5"N 074°31'16.5"W <i>(B2008152) LL(134) DFO(6603309-01)</i>
1433 - Île St-Régis to/à Croil Islands A- B - New Chart - 28-MAY-1999 - NAD 1983		
24-OCT-2008		LNM/D. 25-JUL-2008
Replace	yellow anchorage lighted pillar buoy FI Y, marked DK with yellow anchorage lighted spar buoy FI Y, marked DK	45°02'20.2"N 074°35'16.7"W <i>(B2008102) LL(150) DFO(6603257-01)</i>
Replace	yellow anchorage lighted pillar buoy FI Y, marked DM with yellow anchorage lighted spar buoy FI Y, marked DM	45°02'10.2"N 074°35'45.2"W <i>(B2008103) LL(150.5) DFO(6603258-01)</i>
Replace	yellow anchorage lighted pillar buoy FI Y, marked DX with yellow anchorage lighted spar buoy FI Y, marked DX	45°02'37.7"N 074°35'41.7"W <i>(B2008104) LL(150.8) DFO(6603259-01)</i>
Replace	green port hand lighted pillar buoy Q G, marked D77 with green port hand lighted spar buoy Q G, marked D77	45°02'22.5"N 074°35'58.6"W <i>(B2008105) LL(152) DFO(6603260-01)</i>

**SECTION 2 – Edition 10/2008
CHART CORRECTIONS**

Replace red starboard hand lighted pillar buoy FI R, marked D82 with red starboard hand lighted spar buoy FI R, marked D82 45°02'13.0"N 074°36'35.9"W
(B2008106) LL(153.7) DFO(6603261-01)

Replace red starboard hand lighted pillar buoy FI R, marked D84 with red starboard hand lighted spar buoy FI R, marked D84 45°02'05.5"N 074°36'55.0"W
(B2008107) LL(154) DFO(6603262-01)

31-OCT-2008 LNM/D. 24-OCT-2008
Replace red, green and red starboard bifurcation lighted pillar buoy FI (2+1) R, marked DCB with red, green and red starboard bifurcation lighted spar buoy FI (2+1) R, marked DCB 45°01'14.2"N 074°39'06.1"W
(B2008124) LL(157) DFO(6603281-01)

1434 - A à/to B - New Chart - 01-MAR-1996 - NAD 1983

24-OCT-2008 LNM/D. 10-AUG-2007
Replace red starboard hand lighted pillar buoy Q R, marked 72 with red starboard hand lighted spar buoy Q R, marked 72 44°55'46.9"N 075°05'26.2"W
(B2008108) LL(240) DFO(6603263-01)

Replace red starboard hand lighted pillar buoy FI R, marked 74 with red starboard hand lighted spar buoy FI R, marked 74 44°55'23.4"N 075°06'34.0"W
(B2008109) LL(242) DFO(6603264-01)

Replace red starboard hand lighted pillar buoy Q R, marked 78 with red starboard hand lighted spar buoy Q R, marked 78 44°55'07.7"N 075°07'56.6"W
(B2008110) LL(245) DFO(6603265-01)

31-OCT-2008 LNM/D. 24-OCT-2008
Replace red starboard hand lighted pillar buoy FI R, marked 84 with red starboard hand lighted spar buoy FI R, marked 84 44°53'48.0"N 075°09'43.0"W
(B2008111) LL(250) DFO(6603268-01)

Replace red starboard hand lighted pillar buoy FI R, marked 86 with red starboard hand lighted spar buoy FI R, marked 86 44°53'11.9"N 075°11'01.6"W
(B2008112) LL(255) DFO(6603269-01)

Replace red starboard hand lighted pillar buoy FI R, marked 88 with red starboard hand lighted spar buoy FI R, marked 88 44°53'05.2"N 075°11'21.9"W
(B2008113) LL(256) DFO(6603270-01)

1434 - B à/to C - New Chart - 01-MAR-1996 - NAD 1983

31-OCT-2008 LNM/D. 24-OCT-2008
Replace red starboard hand lighted pillar buoy FI R, marked 84 with red starboard hand lighted spar buoy FI R, marked 84 44°53'48.0"N 075°09'43.0"W
(B2008111) LL(250) DFO(6603268-01)

Replace red starboard hand lighted pillar buoy FI R, marked 86 with red starboard hand lighted spar buoy FI R, marked 86 44°53'11.9"N 075°11'01.6"W
(B2008112) LL(255) DFO(6603269-01)

Replace red starboard hand lighted pillar buoy FI R, marked 88 with red starboard hand lighted spar buoy FI R, marked 88 44°53'05.2"N 075°11'21.9"W
(B2008113) LL(256) DFO(6603270-01)

**SECTION 2 – Edition 10/2008
CHART CORRECTIONS**

Replace	green port hand lighted pillar buoy FI G, marked 95 with green port hand lighted spar buoy FI G, marked 95	44°52'31.2"N 075°13'23.0"W <i>(B2008114) LL(262) DFO(6603271-01)</i>
Replace	red starboard hand lighted pillar buoy FI R, marked 96A with red starboard hand lighted spar buoy FI R, marked 96A	44°52'20.2"N 075°13'57.5"W <i>(B2008115) LL(264) DFO(6603272-01)</i>
Replace	red starboard hand lighted pillar buoy FI R, marked 98 with red starboard hand lighted spar buoy FI R, marked 98	44°52'11.0"N 075°14'23.2"W <i>(B2008116) LL(266) DFO(6603273-01)</i>
Replace	red starboard hand lighted pillar buoy Q R, marked 104 with red starboard hand lighted spar buoy Q R, marked 104	44°51'17.4"N 075°16'23.5"W <i>(B2008117) LL(270) DFO(6603274-01)</i>
Replace	red starboard hand lighted pillar buoy Q R, marked 108 with red starboard hand lighted spar buoy Q R, marked 108	44°50'32.8"N 075°18'16.2"W <i>(B2008118) LL(275) DFO(6603275-01)</i>
Replace	red starboard hand lighted pillar buoy FI R, marked 108A with red starboard hand lighted spar buoy FI R, marked 108A	44°50'22.2"N 075°18'29.9"W <i>(B2008119) LL(280) DFO(6603276-01)</i>
Replace	green port hand lighted pillar buoy Q G, marked 109 with green port hand lighted spar buoy Q G, marked 109	44°50'13.1"N 075°18'27.3"W <i>(B2008120) LL(281) DFO(6603277-01)</i>

1435 - Cardinal to/à Whaleback Shoal A-B - New Chart - 15-DEC-1995 - NAD 1983

31-OCT-2008		LNM/D. 17-OCT-2008
Replace	green port hand lighted pillar buoy FI G, marked 131A with green port hand lighted spar buoy FI G, marked 131A	44°43'41.7"N 075°27'56.8"W <i>(B2008123) LL(309) DFO(6603280-01)</i>

1435 - Cardinal to/à Whaleback Shoal B-C - New Chart - 15-DEC-1995 - NAD 1983

17-OCT-2008		LNM/D. 26-SEP-2008
Delete	red starboard hand conical buoy, marked 154	44°30'25.5"N 075°46'22.8"W <i>DFO(6603250-01)</i>

1435 - Prescott/Ogdensburg - New Chart - 15-DEC-1995 - NAD 1983

31-OCT-2008		LNM/D. 17-OCT-2008
Replace	green port hand lighted pillar buoy FI G, marked 131A with green port hand lighted spar buoy FI G, marked 131A	44°43'41.7"N 075°27'56.8"W <i>(B2008123) LL(309) DFO(6603280-01)</i>

1436 - Whaleback Shoal to/au Summerland Group - New Chart - 15-JAN-1993 - NAD 1983

17-OCT-2008		LNM/D. 26-SEP-2008
Delete	red starboard hand conical buoy, marked 154	44°30'25.5"N 075°46'22.8"W <i>DFO(6603250-01)</i>

1439 - Carleton Island to/au Charity Shoal - New Edition - 08-DEC-2000 - NAD 1983

31-OCT-2008		LNM/D. 26-SEP-2008
Replace	red starboard hand lighted pillar buoy FI R, marked KH2 with red starboard hand lighted spar buoy FI R, marked KH2	44°13'25.0"N 076°28'18.5"W <i>(B2008125) LL(405.6) DFO(6603282-01)</i>

**SECTION 2 – Edition 10/2008
CHART CORRECTIONS**

This notice might affect Electronic Navigational Chart: CA473036

Replace green port hand lighted pillar buoy FI G, marked K1 with green port hand lighted spar buoy FI G, marked K1 44°12'50.0"N 076°29'14.5"W
(B2008126) LL(407) DFO(6603283-01)

This notice might affect Electronic Navigational Chart: CA473036

Replace green port hand lighted pillar buoy FI G, marked K3 with green port hand lighted spar buoy FI G, marked K3 44°12'39.5"N 076°30'39.5"W
(B2008127) LL(409) DFO(6603284-01)

This notice might affect Electronic Navigational Chart: CA473036

Replace green port hand lighted pillar buoy FI G, marked K5 with green port hand lighted spar buoy FI G, marked K5 44°11'58.0"N 076°32'51.0"W
(B2008128) LL(415) DFO(6603285-01)

This notice might affect Electronic Navigational Chart: CA473036

1510 - Lac Saint-Louis à/to Carillon - Compartment B-C - Sheet 1 - New Edition - 25-JUL-2003 - NAD 1983

10-OCT-2008 LNM/D. 15-AUG-2008
Add port hand daybeacon 45°23'12.9"N 073°59'59.4"W
(See Chart No. 1, Qt)
(Q2008061) DFO(6407723-01)

Add starboard hand daybeacon 45°23'13.0"N 073°59'58.0"W
(See Chart No. 1, Qt)
(Q2008062) DFO(6407724-01)

2017 - Kingston Harbour and Approaches/et les approches - New Chart - 13-JUL-1990 - NAD 1983

31-OCT-2008 LNM/D. 26-SEP-2008
Replace red starboard hand lighted pillar buoy FI R, marked KH2 with red starboard hand lighted spar buoy FI R, marked KH2 44°13'25.4"N 076°28'16.3"W
(B2008125) LL(405.6) DFO(6603282-01)

This notice might affect Electronic Navigational Chart: CA573118

Replace green port hand lighted pillar buoy FI G, marked K1 with green port hand lighted spar buoy FI G, marked K1 44°12'50.0"N 076°29'12.8"W
(B2008126) LL(407) DFO(6603283-01)

This notice might affect Electronic Navigational Chart: CA573118

Replace green port hand lighted pillar buoy FI G, marked K3 with green port hand lighted spar buoy FI G, marked K3 44°12'39.5"N 076°30'38.5"W
(B2008127) LL(409) DFO(6603284-01)

This notice might affect Electronic Navigational Chart: CA573118

Replace green port hand lighted pillar buoy FI G, marked K5 with green port hand lighted spar buoy FI G, marked K5 44°11'58.5"N 076°32'51.0"W
(B2008128) LL(415) DFO(6603285-01)

This notice might affect Electronic Navigational Chart: CA573118

Replace red starboard hand lighted pillar buoy FI R, marked K8 with red starboard hand lighted spar buoy FI R, marked K8 44°11'20.0"N 076°35'01.0"W
(B2008129) LL(416) DFO(6603286-01)

This notice might affect Electronic Navigational Chart: CA573118

**SECTION 2 – Edition 10/2008
CHART CORRECTIONS**

Replace green port hand lighted pillar buoy FI G, marked K9 with green port hand lighted spar buoy FI G, marked K9 44°10'11.2"N 076°35'51.8"W
(B2008130) LL(417) DFO(6603287-01)
This notice might affect Electronic Navigational Chart: CA573118

Replace green port hand lighted pillar buoy FI G, marked KN3 with green port hand lighted spar buoy FI G, marked KN3 44°12'02.3"N 076°35'25.5"W
(B2008131) LL(418) DFO(6603288-01)
This notice might affect Electronic Navigational Chart: CA573118

2018 - Lower Gap to à Adolphus Reach - New Chart - 22-JUN-1990 - NAD 1983

31-OCT-2008 LNM/D. 26-SEP-2008
Replace green port hand lighted pillar buoy FI G, marked K5 with green port hand lighted spar buoy FI G, marked K5 44°11'58.0"N 076°32'51.0"W
(B2008128) LL(415) DFO(6603285-01)
This notice might affect Electronic Navigational Chart: CA473276

Replace red starboard hand lighted pillar buoy FI R, marked K8 with red starboard hand lighted spar buoy FI R, marked K8 44°11'20.0"N 076°35'01.0"W
(B2008129) LL(416) DFO(6603286-01)
This notice might affect Electronic Navigational Chart: CA473276

Replace green port hand lighted pillar buoy FI G, marked K9 with green port hand lighted spar buoy FI G, marked K9 44°10'11.2"N 076°35'51.8"W
(B2008130) LL(417) DFO(6603287-01)
This notice might affect Electronic Navigational Chart: CA473276

Replace green port hand lighted pillar buoy FI G, marked KN3 with green port hand lighted spar buoy FI G, marked KN3 44°12'02.3"N 076°35'25.5"W
(B2008131) LL(418) DFO(6603288-01)
This notice might affect Electronic Navigational Chart: CA473276

2064 - Kingston to à False Ducks Islands - New Edition - 05-MAR-1999 - NAD 1983

31-OCT-2008 LNM/D. 26-SEP-2008
Replace green port hand lighted pillar buoy FI G, marked K5 with green port hand lighted spar buoy FI G, marked K5 44°11'58.0"N 076°32'51.0"W
(B2008128) LL(415) DFO(6603285-01)
This notice might affect Electronic Navigational Chart: CA373063

Replace red starboard hand lighted pillar buoy FI R, marked K8 with red starboard hand lighted spar buoy FI R, marked K8 44°11'17.0"N 076°35'01.0"W
(B2008129) LL(416) DFO(6603286-01)
This notice might affect Electronic Navigational Chart: CA373063

Replace green port hand lighted pillar buoy FI G, marked K9 with green port hand lighted spar buoy FI G, marked K9 44°10'11.2"N 076°35'53.5"W
(B2008130) LL(417) DFO(6603287-01)
This notice might affect Electronic Navigational Chart: CA373063

Replace green port hand lighted pillar buoy FI G, marked KN3 with green port hand lighted spar buoy FI G, marked KN3 44°12'02.3"N 076°35'26.5"W
(B2008131) LL(418) DFO(6603288-01)
This notice might affect Electronic Navigational Chart: CA373063

**SECTION 2 – Edition 10/2008
CHART CORRECTIONS**

2250 - Bruce Mines to/à Sugar Island - New Chart - 09-MAY-1986 - NAD 1927

17-OCT-2008

Replace red starboard hand lighted pillar buoy QR, marked Q28 with red starboard hand lighted spar buoy QR, marked Q28

LNM/D. 23-NOV-2007
46°16'17.0"N 084°06'55.0"W

LL(1063.5) DFO(6603249-01)

This notice might affect Electronic Navigational Chart: CA473285

4000 - Gulf of Maine to/à Baffin Bay / Baie de Baffin - New Edition - 25-JUL-2003 - NAD 1983

03-OCT-2008

(T)Add subsurface mooring at a depth of 2450 metres below the surface

LNM/D. 23-MAY-2008
48°49'53.2"N 047°27'15.7"W

The mooring is temporary and will be removed by June 2009.

DFO(6303957-01)

(T)Add subsurface mooring at a depth of 100 metres below the surface

48°32'58.5"N 047°39'02.5"W

The mooring is temporary and will be removed by June 2009.

DFO(6303957-02)

(T)Add subsurface mooring at a depth of 2700 metres below the surface

49°08'14.9"N 046°55'16.1"W

The mooring is temporary and will be removed by June 2009.

DFO(6303957-03)

(T)Add subsurface mooring at a depth of 1700 metres below the surface

50°30'41.6"N 046°15'51.0"W

The mooring is temporary and will be removed by June 2009.

DFO(6303958-01)

(T)Add subsurface mooring at a depth of 2150 metres below the surface

50°23'44.1"N 046°49'38.8"W

The mooring is temporary and will be removed by June 2009.

DFO(6303958-02)

(T)Add subsurface mooring at a depth of 2150 metres below the surface

50°33'33.2"N 045°56'26.0"W

The mooring is temporary and will be removed by June 2009.

DFO(6303958-03)

4001 - Gulf of Maine to Strait of Belle Isle au Déroit de Belle Isle - New Edition - 01-DEC-1995 - NAD 1983

03-OCT-2008

(T)Add subsurface mooring at a depth of 2450 metres below the surface

LNM/D. 01-AUG-2008
48°49'53.2"N 047°27'15.7"W

The mooring is temporary and will be removed by June 2009.

DFO(6303957-01)

This notice might affect Electronic Navigational Chart: CA176030

(T)Add subsurface mooring at a depth of 100 metres below the surface

48°32'58.5"N 047°39'02.5"W

The mooring is temporary and will be removed by June 2009.

DFO(6303957-02)

This notice might affect Electronic Navigational Chart: CA176030

(T)Add subsurface mooring at a depth of 2700 metres below the surface

49°08'14.9"N 046°55'16.1"W

**SECTION 2 – Edition 10/2008
CHART CORRECTIONS**

The mooring is temporary and will be removed by June 2009.

DFO(6303957-03)

This notice might affect Electronic Navigational Chart: CA176030

(T)Add subsurface mooring at a depth of 1700 metres below the surface 50°30'41.6"N 046°15'51.0"W

The mooring is temporary and will be removed by June 2009.

DFO(6303958-01)

This notice might affect Electronic Navigational Chart: CA176030

(T)Add subsurface mooring at a depth of 2150 metres below the surface 50°23'44.1"N 046°49'38.8"W

The mooring is temporary and will be removed by June 2009.

DFO(6303958-02)

This notice might affect Electronic Navigational Chart: CA176030

(T)Add subsurface mooring at a depth of 2150 metres below the surface 50°33'33.2"N 045°56'26.0"W

The mooring is temporary and will be removed by June 2009.

DFO(6303958-03)

This notice might affect Electronic Navigational Chart: CA176030

4002 - Golfe du Saint-Laurent / Gulf of St. Lawrence - New Edition - 27-DEC-1991 - NAD 1927

31-OCT-2008

LNM/D. 01-AUG-2008

Amend FI to read LFI against light
(See Chart No 1 P16) 45°37'19.0"N 060°29'20.2"W

LL(743) DFO(6304039-01)

This notice might affect Electronic Navigational Chart: CA179172

4003 - Cape Breton to/à Cape Cod - New Edition - 21-MAR-2003 - NAD 1983

31-OCT-2008

LNM/D. 08-AUG-2008

Amend FI 8M to read LFI 8M against light
(See Chart No 1 P16) 45°37'19.2"N 060°29'17.6"W

LL(743) DFO(6304039-01)

This notice might affect Electronic Navigational Chart: CA176140

4012 - Yarmouth to/à Halifax - New Edition - 14-FEB-2003 - NAD 1983

31-OCT-2008

LNM/D. 26-SEP-2008

Amend FG 22m to read FIR 22m against light
(See Chart No 1 P 16) 44°29'30.4"N 063°55'00.0"W

(F2008110) LL(487) DFO(6304027-01)

This notice might affect Electronic Navigational Chart: CA276801

4013 - Halifax to/à Sydney - New Edition - 06-SEP-2002 - NAD 1983

31-OCT-2008

LNM/D. 26-SEP-2008

Amend FI 12s 78ft 8M to read LFI 12s 78ft 8M against light
(See Chart No 1 P16) 45°37'19.2"N 060°29'17.6"W

LL(743) DFO(6304039-01)

This notice might affect Electronic Navigational Chart: CA276204

4015 - Sydney to/à Saint-Pierre - New Edition - 28-MAR-2003 - NAD 1983

31-OCT-2008

LNM/D. 01-AUG-2008

Add depth of 8 fathoms, 2 feet
(See Chart No. 1, I10) 47°26'55.8"N 057°16'17.4"W

DFO(6304083-08)

**SECTION 2 – Edition 10/2008
CHART CORRECTIONS**

Add	depth of 7 fathoms, 3 feet (See Chart No. 1, I10)	47°26'41.4"N 057°10'38.9"W <i>DFO(6304083-13)</i>
Delete	depth of 11 fathoms (See Chart No. 1, I10)	47°27'03.8"N 057°08'04.0"W <i>DFO(6304083-17)</i>
Add	depth of 6 fathoms, 1 foot (See Chart No. 1, I10)	47°27'05.9"N 057°07'56.3"W <i>DFO(6304083-18)</i>
Delete	depth of 11 fathoms (See Chart No. 1, I10)	47°22'45.3"N 056°57'31.7"W <i>DFO(6304083-20)</i>
Add	depth of 4 fathoms, 5 feet (See Chart No. 1, I10)	47°22'55.1"N 056°57'38.0"W <i>DFO(6304083-22)</i>

4025 - Cap Whittle à/to Havre-Saint-Pierre et/and Île d'Anticosti - New Edition - 24-MAR-2006 - NAD 1983

10-OCT-2008		LNM/D. 17-NOV-2006
Delete	depth of 0 metre 9 decimetres (See Chart No. 1, I10)	50°13'18.1"N 063°19'00.7"W <i>DFO(6407720-01)</i>
Add	depth of 0 metre 2 decimetres (See Chart No. 1, I10)	50°13'05.5"N 063°19'38.6"W <i>DFO(6407720-02)</i>

4026 - Havre-Saint-Pierre et/and Cap des Rosiers à/to Pointe des Monts - New Edition - 12-JAN-2001 - NAD 1983

10-OCT-2008		LNM/D. 16-MAR-2007
Delete	depth of 0 metre 9 decimetres (See Chart No. 1, I10)	50°13'18.1"N 063°19'00.7"W <i>DFO(6407720-01)</i>
	This notice might affect Electronic Navigational Chart: CA279044	
Add	depth of 0 metre 2 decimetres (See Chart No. 1, I10)	50°13'05.5"N 063°19'38.6"W <i>DFO(6407720-02)</i>
	This notice might affect Electronic Navigational Chart: CA279044	

4115 - Passamaquoddy Bay and/et St. Croix River - New Chart - 31-DEC-1999 - NAD 1983

17-OCT-2008		LNM/D. 28-DEC-2007
Reposition	red starboard hand spar buoy, marked SM4 (See Chart No 1 Qf)	from 45°06'29.5"N 066°53'50.2"W to 45°06'29.0"N 066°53'45.3"W <i>(F2008071) LL(5075.1) DFO(6303986-01)</i>
	This notice might affect Electronic Navigational Chart: CA476035	
Reposition	red starboard hand spar buoy, marked SM6 (See Chart No 1 Qf)	from 45°06'27.3"N 066°53'26.9"W to 45°06'32.4"N 066°53'20.9"W <i>(F2008072) LL(5075.12) DFO(6303987-01)</i>
	This notice might affect Electronic Navigational Chart: CA476035	

**SECTION 2 – Edition 10/2008
CHART CORRECTIONS**

Reposition red starboard hand spar buoy, marked SM8
(See Chart No 1 Qf) from 45°06'43.3"N 066°53'09.4"W
to 45°06'49.2"N 066°53'05.6"W
(F2008073) LL(5075.14) DFO(6303988-01)

This notice might affect Electronic Navigational Chart: CA476035

4141 - GRAND BAY TO/À EVANDALE INCLUDING/Y COMPRIS BELLEISLE BAY - Sheet 2 - New Edition - 01-NOV-1996 - NAD 1983

10-OCT-2008 LNM/D. 02-NOV-2007
Reposition green port hand spar buoy, marked J59 from 45°30'42.2"N 066°04'46.9"W
to 45°30'41.4"N 066°04'45.1"W
(F2008084) LL(5126.59) DFO(6304044-01)

4142 - Grand Lake - Sheet 4 - New Edition - 01-NOV-1996 - NAD 1983

10-OCT-2008 LNM/D. 05-OCT-2007
Amend FR to read Iso R against light 45°54'27.9"N 066°01'22.1"W
(See Chart No 1 P16) (F2008129) LL(140) DFO(6304059-01)

4210 - Cape Sable to/à Pubnico Harbour - New Chart - 05-APR-1991 - NAD 1983

17-OCT-2008 LNM/D. 14-MAR-2008
Add starboard hand daybeacon with radar reflector 43°26'02.0"N 065°38'50.0"W
(See Chart No 1 Qt, S4) (F2008127) DFO(6304000-01)

This notice might affect Electronic Navigational Chart: CA476043

4211 - Cape Lahave to/à Liverpool Bay - New Edition - 20-JUN-2003 - NAD 1983

10-OCT-2008 LNM/D. 08-FEB-2008
Amend legend 13ft (2004) to read 11ft (2008) 44°02'52.0"N 064°42'21.0"W
(See Chart No. 1, I22) DFO(6304053-13)

This notice might affect Electronic Navigational Chart: CA476202

4233 - Cape Canso to/à Country Island - New Chart - 11-JAN-1991 - NAD 1983

03-OCT-2008 LNM/D. 09-MAY-2008
Delete front range/leading lights FI and F 45°21'10.4"N 061°01'16.5"W
(See Chart No 1 P20.2) (G2008035) LL(682.4) DFO(6303973-01)

Delete rear range/leading lights FI and F with leading line and bearing legend 140° 45°20'49.6"N 061°00'51.8"W
320°
(See Chart No 1Pe) (G2008036) LL(682.5) DFO(6303973-02)

This notice might affect Electronic Navigational Chart: CA376067

L/C4240 - Liverpool Harbour to/à Lockeport Harbour - New Chart - 06-OCT-1989 - NAD 1983

10-OCT-2008 LNM/D. 16-MAY-2008
Amend legend 4.0m (2004) to read 3.4m (2008) 44°02'39.0"N 064°41'56.0"W
(See Chart No. 1, I22) DFO(6304053-13)

This notice might affect Electronic Navigational Chart: CA376045

**SECTION 2 – Edition 10/2008
CHART CORRECTIONS**

4244 - Wedgeport and Vicinity/et les Abords - New Edition - 26-DEC-2003 - NAD 1983

31-OCT-2008 LNM/D. 26-SEP-2008
 Amend TE2 to read TE2/2 against red starboard hand spar buoy 43°44'17.8"N 065°56'30.4"W
(F2008078) DFO(6304040-01)
 This notice might affect Electronic Navigational Chart: CA476048

Add red starboard hand lighted spar buoy FIR, marked TE2 43°44'04.6"N 065°56'41.6"W
(F2008079) LL(294.551) DFO(6304041-01)
 (See Chart No 1 Qf)
 This notice might affect Electronic Navigational Chart: CA476048

Delete light FIR 43°44'02.0"N 065°56'37.8"W
(F2008080) LL(294.5) DFO(6304042-01)
 This notice might affect Electronic Navigational Chart: CA476048

4281 - Canso Harbour and Approaches/et les approches - New Edition - 16-NOV-2001 - NAD 1983

03-OCT-2008 LNM/D. 30-APR-2004
 Delete front range/leading lights Fl 4s 18m and F 17m 45°21'10.4"N 061°01'16.5"W
(G2008035) LL(682.4) DFO(6303973-01)
 (See Chart No 1 P20.2)

Delete rear range/leading lights Fl 4s 39m and F 38m with leading 45°20'49.6"N 061°00'51.8"W
(G2008036) LL(682.5) DFO(6303973-02)
 line and bearing legend 140°
 (See Chart No 1Pe)
 This notice might affect Electronic Navigational Chart: CA576527

4307 - Canso Harbour to/au Strait of Canso - New Edition - 04-JAN-2008 - NAD 1983

03-OCT-2008 LNM/D. 26-SEP-2008
 Delete front range/leading lights Fl 4s 58ft and F 56ft 45°21'10.4"N 061°01'16.5"W
(G2008035) LL(682.4) DFO(6303973-01)
 (See Chart No 1 P20.2)
 This notice might affect Electronic Navigational Chart: CA476277

Delete rear range/leading lights Fl 4s 128ft and F 126ft with 45°20'49.6"N 061°00'51.8"W
 eading line southeast of calling-in point 5A
 (See Chart No 1Pe)
 Outer section of the Port Malcolm range/leading line is at
 calling-in point 5A.
(G2008036) LL(682.5) DFO(6303973-02)
 This notice might affect Electronic Navigational Chart: CA476277

4308 - St. Peters Bay to/à Strait of Canso - New Edition - 21-MAR-2003 - NAD 1983

03-OCT-2008 LNM/D. 09-MAY-2008
 Delete leading line between 45°25'32.6"N 061°06'26.4"W
and 45°25'18.3"N 061°06'10.0"W
 (See Chart No 1Pe)
 Outer section of the Port Malcolm range/leading line is at
 calling-in point 5A.
(G2008036) LL(682.5) DFO(6303973-02)

**SECTION 2 – Edition 10/2008
CHART CORRECTIONS**

L/C4320 - Egg Island to/à West ironbound Island - New Edition - 26-SEP-1997 - NAD 1983

31-OCT-2008 LNM/D. 26-SEP-2008
 Amend FG 72ft to read FIR 5s 72ft against light 44°29'30.4"N 063°55'07.2"W
 (See Chart No 1 P 16)
 (F2008110) LL(487) DFO(6304027-01)

4335 - Strait of Canso and Approaches/et les approches - New Edition - 04-JAN-2008 - NAD 1983

03-OCT-2008 LNM/D. 09-MAY-2008
 Delete front range/leading lights FI and F 45°21'10.4"N 061°01'16.5"W
 (See Chart No 1 P20.2)
 (G2008035) LL(682.4) DFO(6303973-01)

Delete rear range/leading lights FI and F with leading line and 45°20'49.6"N 061°00'51.8"W
 bearing legend 140° southeast of calling-in point 5A
 (See Chart No 1Pe)
 Outer section of the Port Malcolm range/leading line is at calling-in
 point 5A.
 (G2008036) LL(682.5) DFO(6303973-02)

4374 - Red Point to/à Guyon Island - New Edition - 08-NOV-2002 - NAD 1983

31-OCT-2008 LNM/D. 22-DEC-2006
 Amend FI to read LFI 12s against light 45°37'19.2"N 060°29'17.6"W
 (See Chart No 1 P16)
 LL(743) DFO(6304039-01)
 This notice might affect Electronic Navigational Chart: CA376295

4379 - Liverpool Harbour - New Edition - 18-JUL-2003 - NAD 1983

10-OCT-2008 LNM/D. 04-NOV-2005
 Delete depth of 10 feet 44°02'28.3"N 064°42'53.5"W
 (See Chart No. 1, I10)
 DFO(6304053-01)
 Delete depth of 17 feet 44°02'35.8"N 064°42'41.5"W
 (See Chart No. 1, I10)
 DFO(6304053-02)
 Delete depth of 15 feet 44°02'47.4"N 064°42'28.3"W
 (See Chart No. 1, I10)
 DFO(6304053-03)
 Delete depth of 14 feet 44°02'43.1"N 064°42'27.7"W
 (See Chart No. 1, I10)
 DFO(6304053-04)
 Delete depth of 12 feet 44°02'32.0"N 064°42'53.6"W
 (See Chart No. 1, I10)
 DFO(6304053-05)
 Delete depth of 14 feet 44°02'31.5"N 064°42'57.3"W
 (See Chart No. 1, I10)
 DFO(6304053-06)

**SECTION 2 – Edition 10/2008
CHART CORRECTIONS**

Delete	depth of 14 feet (See Chart No. 1, I10)	44°02'31.0"N 064°42'58.6"W <i>DFO(6304053-07)</i>
Add	depth of 7 feet (See Chart No. 1, I10)	44°02'28.8"N 064°42'52.5"W <i>DFO(6304053-08)</i>
Add	depth of 12 feet (See Chart No. 1, I10)	44°02'35.7"N 064°42'41.6"W <i>DFO(6304053-09)</i>
Add	depth of 10 feet (See Chart No. 1, I10)	44°02'43.4"N 064°42'35.4"W <i>DFO(6304053-10)</i>
Add	depth of 12 feet (See Chart No. 1, I10)	44°02'47.1"N 064°42'28.2"W <i>DFO(6304053-11)</i>
Add	depth of 12 feet (See Chart No. 1, I10)	44°02'43.8"N 064°42'26.9"W <i>DFO(6304053-12)</i>
Amend	legend 13ft (2004) to read 11ft (2008) (See Chart No. 1, I22)	44°02'46.0"N 064°42'25.0"W <i>DFO(6304053-13)</i>
Amend	legend 13ft (2004) to read 11ft (2008) (See Chart No. 1, I22)	44°02'44.0"N 064°41'54.0"W <i>DFO(6304053-14)</i>
Delete	depth of 14 feet (See Chart No. 1, I10)	44°02'44.9"N 064°42'34.4"W <i>DFO(6304053-15)</i>

4386 - St.Margaret's Bay - New Edition - 16-JUL-2004 - NAD 1983

31-OCT-2008		LNM/D. 13-JUN-2008
Amend	FG 22m to read FIR 5s 22m against light (See Chart No 1 P 16)	44°29'30.4"N 063°55'07.2"W <i>(F2008110) LL(487) DFO(6304027-01)</i>
This notice might affect Electronic Navigational Chart: CA476195		

4456 - Baie Piashti à/to Petite Île au Marteau - New Edition - 26-MAR-2004 - NAD 1983

10-OCT-2008		LNM/D. 08-DEC-2006
Affix	patch	50°13'00.0"N 063°20'00.0"W <i>DFO(6407721-01)</i>
Download Patch - http://www.chs-shc.gc.ca/patches/4456_PA_238579.pdf		

4468 - Île du Petit Mécatina aux/to Îles Sainte-Marie - New Edition - 12-JUL-1985 - NAD 1927

17-OCT-2008		LNM/D. 11-MAY-2007
Add	green port hand lighted can buoy FI G, marked CS3 (See Chart No. 1, Q21,Qg)	50°27'26.5"N 059°37'20.7"W <i>(Q2008051) LL(1561.72) DFO(6407708-01)</i>

**SECTION 2 – Edition 10/2008
CHART CORRECTIONS**

Delete green port hand lighted can buoy FI G, marked CS1
(See Chart No. 1, Q21,Qg) 50°27'15.6"N 059°37'27.1"W
(Q2008052) LL(1561.8) DFO(6407709-01)

Delete red starboard hand conical lighted buoy FI R, marked CS4
(See Chart No. 1, Q20,Qf) 50°27'13.7"N 059°37'16.0"W
(Q2008053) LL(1561.9) DFO(6407710-01)

Add red and white fairway lighted spherical buoy Mo(A), marked CHE
(See Chart No. 1, Q22,Qh) 50°27'13.1"N 059°37'26.4"W
(Q2008054) LL(1561.71) DFO(6407711-01)

4491 - Malpeque Bay - New Edition - 13-DEC-2002 - NAD 1983

10-OCT-2008 LNM/D. 22-FEB-2008
Add dangerous underwater rock of 6 feet or less, reported (2008)
(See Chart No 1 K13) 46°39'21.4"N 063°54'08.1"W
DFO(6304038-01)

Add dangerous underwater rock of 6 feet or less, reported (2008)
(See Chart No 1 K13) 46°39'21.7"N 063°54'05.0"W
DFO(6304038-02)

Add dangerous underwater rock of 6 feet or less, reported (2008)
(See Chart No 1 K13) 46°39'21.5"N 063°53'59.4"W
DFO(6304038-03)

4615 - Harbours in Placentia Bay Petite Forte to Broad Cove Head - New Edition - 20-AUG-1999 - NAD 1983

31-OCT-2008 LNM/D. 14-JAN-2005
CANCELS private yellow cautionary spar buoy 47°23'34.1"N 054°49'06.1"W
This buoy is permanently discontinued. Notice 2-NOV-2007(T),
DFO(6303669-R1) is now cancelled.
DFO(6303669-01)

4619 - Presque Harbour to à Bar Haven Island and/et Paradise Sound - New Edition - 20-NOV-1998 - NAD 1983

31-OCT-2008 LNM/D. 17-OCT-2008
CANCELS private yellow cautionary spar buoy 47°31'48.2"N 054°29'33.8"W
This buoy is permanently discontinued. Notice 2-NOV-2007(T),
DFO(6303667-R3) is now cancelled.
DFO(6303667-03)

This notice might affect Electronic Navigational Chart: CA476805

CANCELS private yellow cautionary spar buoy 47°24'42.0"N 054°29'37.2"W
This buoy is permanently discontinued. Notice 2-NOV-2007(T),
DFO(6303668-R1) is now cancelled.
DFO(6303668-01)

This notice might affect Electronic Navigational Chart: CA476805

4619 - Continuation A - New Edition - 20-NOV-1998 - NAD 1983

31-OCT-2008 LNM/D. 17-OCT-2008
CANCELS private yellow cautionary spar buoy 47°28'09.2"N 054°32'19.4"W
This buoy is permanently discontinued. Notice 2-NOV-2007(T),
DFO(6303667-R1) is now cancelled.
DFO(6303667-01)

**SECTION 2 – Edition 10/2008
CHART CORRECTIONS**

This notice might affect Electronic Navigational Chart: CA476520

17-OCT-2008 LNM/D. 30-SEP-2005
Add light QR 47°23'43.0"N 054°35'15.0"W
(See Chart No 1 P1)
(N2007060) LL(51.69) DFO(6303991-01)

This notice might affect Electronic Navigational Chart: CA476520

4652 - Corner Brook - New Edition - 10-JAN-2003 - NAD 1983

31-OCT-2008 LNM/D. 21-JUL-2006
Add note: 48°57'30.0"N 057°56'26.0"W
DIAGRAM / DIAGRAMME
See Sailing Directions
Voir Instructions nautiques
DFO(6304036-01)

This notice might affect Electronic Navigational Chart: CA576186

4653 - Bay of Islands - New Edition - 30-MAY-2003 - NAD 1983

24-OCT-2008 LNM/D. 03-AUG-2007
Add yellow and black South cardinal lighted pillar buoy Q(6)+LFI 15s, 49°04'48.4"N 058°09'46.4"W
marked XWC
(See Chart No 1 Q130.3)
(N2008028) LL(197.5) DFO(6304019-01)

This notice might affect Electronic Navigational Chart: CA476190

Add green port hand lighted spar buoy QG, marked XL1 49°06'23.2"N 058°20'36.1"W
(See Chart No 1 Qg)
(N2008029) LL(193.4) DFO(6304020-01)

This notice might affect Electronic Navigational Chart: CA476190

Delete light FIG 6s 61ft 49°06'21.0"N 058°20'35.2"W
(See Chart No 1 P1)
(N2008030) LL(194) DFO(6304022-01)

This notice might affect Electronic Navigational Chart: CA476190

4654 - Lark Harbour and/et York Harbour (Bay of Islands) - New Edition - 22-NOV-2002 - NAD 1983

24-OCT-2008 LNM/D. 03-AUG-2007
Add green port hand lighted spar buoy QG, marked XL1 49°06'23.2"N 058°20'36.1"W
(See Chart No 1 Qg)
(N2008029) LL(193.4) DFO(6304020-01)

Delete light FIG 6s 61ft 49°06'21.0"N 058°20'35.2"W
(See Chart No 1 P1)
(N2008030) LL(194) DFO(6304022-01)

4661 - Bear Head to/à Cow Head - New Edition - 04-JUL-2003 - NAD 1983

24-OCT-2008
Add yellow and black South cardinal lighted pillar buoy Q(6)+LFI 15s, 49°04'48.4"N 058°09'46.4"W
marked XWC
(See Chart No 1 Q130.3)
(N2008028) LL(197.5) DFO(6304019-01)

**SECTION 2 – Edition 10/2008
CHART CORRECTIONS**

Delete light FIG
(See Chart No 1 P1) 49°06'24.0"N 058°20'25.0"W

(N2008030) LL(194) DFO(6304022-01)

4817 - Bay Bulls to/à St. Mary's Bay - New Edition - 23-AUG-2002 - NAD 1983

31-OCT-2008 LNM/D. 23-SEP-2005
Add black, yellow and black East cardinal lighted pillar buoy Q(3) 10s,
marked MCB 47°04'20.3"N 052°50'17.5"W
(See Chart No 1 Q130.3)

(N2008034) LL(508.211) DFO(6304033-01)

This notice might affect Electronic Navigational Chart: CA376075

4820 - Cape Freels to/à Exploits Islands - New Chart - 01-JUL-2005 - NAD 1983

10-OCT-2008 LNM/D. 25-MAY-2007
Add sector light F RWG 49°41'14.5"N 054°33'17.1"W
(See Chart No 1 P1)

(N2008040) LL(362.5) DFO(6304063-02)

4825 - Burgeo and/et Ramea Islands - New Chart - 01-MAR-2002 - NAD 1983

31-OCT-2008 LNM/D. 31-AUG-2007
Delete depth of 16 metres, 5 decimetres 47°30'01.9"N 057°23'25.0"W
(See Chart No. 1, I10)

DFO(6304083-01)

Delete depth of 27 metres, 4 decimetres 47°29'58.8"N 057°23'22.9"W
(See Chart No. 1, I10)

DFO(6304083-02)

Add depth of 10 metres, 4 decimetres 47°30'00.2"N 057°23'25.5"W
(See Chart No. 1, I10)

DFO(6304083-03)

Add depth of 5 metres, 1 decimetre 47°30'03.5"N 057°23'33.8"W
(See Chart No. 1, I10)

DFO(6304083-04)

Delete depth of 27 metres, 4 decimetres 47°29'50.9"N 057°23'48.0"W
(See Chart No. 1, I10)

DFO(6304083-05)

Delete depth of 15 metres, 5 decimetres 47°29'52.4"N 057°23'38.0"W
(See Chart No. 1, I10)

DFO(6304083-06)

Add depth of 9 metres, 2 decimetres 47°29'52.4"N 057°23'50.1"W
(See Chart No. 1, I10)

DFO(6304083-07)

Add depth of 11 metres 47°27'48.6"N 057°16'34.2"W
(See Chart No. 1, I10)

DFO(6304083-09)

**SECTION 2 – Edition 10/2008
CHART CORRECTIONS**

Delete	depth of 42 metres (See Chart No. 1, I10)	47°28'09.8"N 057°16'37.0"W <i>DFO(6304083-10)</i>
--------	--	--

Add	depth of 16 metres, 4 decimetres (See Chart No. 1, I10)	47°28'08.1"N 057°16'35.3"W <i>DFO(6304083-11)</i>
-----	--	--

Add	depth of 12 metres, 4 decimetres (See Chart No. 1, I10)	47°29'50.5"N 057°23'38.9"W <i>DFO(6304083-24)</i>
-----	--	--

4826 - Burgeo to/a François - New Chart - 24-FEB-2006 - NAD 1983

31-OCT-2008

Delete	depth of 16 metres, 5 decimetres (See Chart No. 1, I10)	47°30'01.9"N 057°23'26.1"W <i>DFO(6304083-01)</i>
--------	--	--

Add	depth of 5 metres, 1 decimetre (See Chart No. 1, I10)	47°30'03.5"N 057°23'33.8"W <i>DFO(6304083-04)</i>
-----	--	--

Delete	depth of 15 metres, 5 decimetres (See Chart No. 1, I10)	47°29'52.4"N 057°23'38.0"W <i>DFO(6304083-06)</i>
--------	--	--

Add	depth of 9 metres, 2 decimetres (See Chart No. 1, I10)	47°29'52.4"N 057°23'50.1"W <i>DFO(6304083-07)</i>
-----	---	--

Add	depth of 15 metres, 3 decimetres (See Chart No. 1, I10)	47°26'55.8"N 057°16'17.4"W <i>DFO(6304083-08)</i>
-----	--	--

Add	depth of 11 metres (See Chart No. 1, I10)	47°27'48.6"N 057°16'34.2"W <i>DFO(6304083-09)</i>
-----	--	--

Delete	depth of 42 metres (See Chart No. 1, I10)	47°28'09.8"N 057°16'37.0"W <i>DFO(6304083-10)</i>
--------	--	--

Add	depth of 16 metres, 4 decimetres (See Chart No. 1, I10)	47°28'08.1"N 057°16'35.3"W <i>DFO(6304083-11)</i>
-----	--	--

Delete	depth of 33 metres (See Chart No. 1, I10)	47°26'45.0"N 057°10'37.1"W <i>DFO(6304083-12)</i>
--------	--	--

Add	depth of 13 metres, 7 decimetres (See Chart No. 1, I10)	47°26'41.4"N 057°10'38.9"W <i>DFO(6304083-13)</i>
-----	--	--

**SECTION 2 – Edition 10/2008
CHART CORRECTIONS**

Delete	depth of 38 metres (See Chart No. 1, I10)	47°25'34.6"N 057°08'12.7"W <i>DFO(6304083-14)</i>
Delete	depth of 18 metres, 3 decimetres (See Chart No. 1, I10)	47°25'29.2"N 057°08'12.7"W <i>DFO(6304083-15)</i>
Add	depth of 14 metres, 8 decimetres (See Chart No. 1, I10)	47°25'34.6"N 057°08'14.9"W <i>DFO(6304083-16)</i>
Delete	depth of 20 metres, 1 decimetre (See Chart No. 1, I10)	47°27'03.8"N 057°08'04.0"W <i>DFO(6304083-17)</i>
Add	depth of 11 metres, 4 decimetres (See Chart No. 1, I10)	47°27'05.9"N 057°07'56.3"W <i>DFO(6304083-18)</i>
Add	depth of 27 metres, 3 decimetres (See Chart No. 1, I10)	47°27'13.7"N 057°07'58.2"W <i>DFO(6304083-19)</i>
Delete	depth of 20 metres, 1 decimetre (See Chart No. 1, I10)	47°22'45.3"N 056°57'30.0"W <i>DFO(6304083-20)</i>
Add	depth of 14 metres, 2 decimetres (See Chart No. 1, I10)	47°22'46.8"N 056°57'29.9"W <i>DFO(6304083-21)</i>
Add	depth of 8 metres, 8 decimetres (See Chart No. 1, I10)	47°22'55.1"N 056°57'38.0"W <i>DFO(6304083-22)</i>
Add	depth of 13 metres, 3 decimetres (See Chart No. 1, I10)	47°23'06.9"N 056°57'37.5"W <i>DFO(6304083-23)</i>

L/C4832 - Fortune Bay - Southern Portion/Partie sud - New Chart - 02-OCT-1987 - NAD 1983

17-OCT-2008		LNM/D. 30-MAY-2008
Add	light Fl(2) RWG (See Chart No 1 P1)	47°06'04.7"N 055°45'02.8"W <i>(N2005019) LL(106.5) DFO(6304125-02)</i>

L/C4832 - Grand Bank Harbour - New Chart - 02-OCT-1987 - NAD 1983

17-OCT-2008		LNM/D. 30-MAY-2008
Affix	patch	47°06'04.0"N 055°45'00.0"W
	Download Patch - http://www.chs-shc.gc.ca/patches/4832_PA_236706.pdf	
		<i>(N2005019) LL(106.5) DFO(6304125-01)</i>

**SECTION 2 – Edition 10/2008
CHART CORRECTIONS**

Amend FRWG to read FI(2) RWG against light
(See Chart No 1 P16) 47°06'04.7"N 055°45'02.8"W
This action updates the Grand Bank sector light appearing on the patch.

LL(106.5) DFO(6304125-03)

4844 - Cape Pine to/à Renews Harbour - New Edition - 08-MAR-2002 - NAD 1983

24-OCT-2008 LNM/D. 18-JAN-2008
Delete light FIG 46°42'17.1"N 053°15'40.0"W
(N2008017) *LL(1.9) DFO(6304014-01)*

This notice might affect Electronic Navigational Chart: CA376106

Add green port hand lighted spar buoy FIG, marked MPS1
(See Chart No 1 Qg) 46°42'16.5"N 053°15'41.3"W
(N2008025) *LL(1.91) DFO(6304015-01)*

This notice might affect Electronic Navigational Chart: CA376106

L/C4845 - Renews Harbour to /à Motion Bay - New Edition - 12-SEP-1997 - NAD 1983

17-OCT-2008 LNM/D. 21-SEP-2007
Amend 2lts FI to read 2 Lts FIG FI R against light
(See Chart No 1 P1) 47°27'51.0"N 052°42'16.5"W
LL(507.6) LL(507.7) DFO(6304011-01)

31-OCT-2008 LNM/D. 17-OCT-2008
Add black, yellow and black East cardinal lighted pillar buoy Q(3) 10s,
marked MCB 47°04'20.3"N 052°50'17.5"W
(See Chart No 1 Q130.3)
(N2008034) LL(508.211) DFO(6304033-01)

This notice might affect Electronic Navigational Chart: CA376070

L/C4845 - BAY BULLS AND/ET WITLESS BAY - New Edition - 12-SEP-1997 - NAD 1983

31-OCT-2008 LNM/D. 17-OCT-2008
Delete light FI R 47°18'53.0"N 052°48'39.0"W
(See Chart No 1 P1)
(N2008036) LL(507.89) DFO(6304037-01)

This notice might affect Electronic Navigational Chart: CA476071

L/C4846 - Motion Bay to/à Cape St Francis - New Edition - 15-DEC-1995 - NAD 1983

17-OCT-2008 LNM/D. 30-NOV-2007
Amend 2lts FI to read 2 Lts FIG FI R against light
(See Chart No 1 P1) 47°27'51.0"N 052°42'16.5"W
LL(507.6) LL(505.7) DFO(6304011-01)

This notice might affect Electronic Navigational Chart: CA376015

4849 - Bonavista Harbour - New Chart - 30-DEC-1988 - NAD 1983

03-OCT-2008 LNM/D. 28-DEC-2007
Delete green port hand lighted spar buoy FIG, marked JB3
(See Chart No 1 Qg) 48°39'02.5"N 053°07'54.8"W
(N2008008) LL(445.2) DFO(6303961-01)

Add green port hand lighted pillar buoy FIG, marked JB5
48°39'02.5"N 053°07'54.8"W
(N2008007) LL(446.1) DFO(6303961-02)

**SECTION 2 – Edition 10/2008
CHART CORRECTIONS**

L/C4854 - Catalina Harbour to/à Inner Gooseberry Islands - New Chart - 25-APR-1997 - NAD 1983

03-OCT-2008		LNM/D. 01-SEP-2006
Delete	green port hand lighted pillar buoy FIG, marked JB5 (See Chart No 1 Qg)	48°40'13.2"N 053°07'27.0"W
		<i>(N2008007) LL(446.1) DFO(6303960-01)</i>
	This notice might affect Electronic Navigational Chart: CA376340	
Add	green port hand lighted spar buoy FIG, marked JB3 (See Chart No 1 Qg)	48°40'12.2"N 053°07'27.0"W
		<i>(N2008008) LL(445.2) DFO(6303960-02)</i>
	This notice might affect Electronic Navigational Chart: CA376340	
Delete	green port hand lighted spar buoy FIG, marked JB3 (See Chart No 1 Qg)	48°39'02.5"N 053°07'54.8"W
		<i>(N2008008) LL(445.2) DFO(6303961-01)</i>
	This notice might affect Electronic Navigational Chart: CA376340	
Add	green port hand lighted pillar buoy FIG, marked JB5	48°39'02.5"N 053°07'54.8"W
		<i>(N2008007) LL(446.1) DFO(6303961-02)</i>
	This notice might affect Electronic Navigational Chart: CA376340	

4862 - Carmanville to/à Bacalhao Island and/et Fogo - New Chart - 26-DEC-2003 - NAD 1983

17-OCT-2008		LNM/D. 10-OCT-2008
Add	green port hand lighted spar buoy FIG, marked DWG5 (See Chart No 1 Qg)	49°40'32.0"N 054°23'36.0"W
		<i>(N2008024) LL(344.41) DFO(6304012-01)</i>
Add	green port hand lighted spar buoy FIG, marked DWG7 (See Chart No 1 Qg)	49°40'23.1"N 054°24'05.9"W
		<i>(N2008023) LL(344.42) DFO(6304035-01)</i>
10-OCT-2008		LNM/D. 02-NOV-2007
Amend	sectors against sector light FRWG (See Chart No 1P40)	49°41'14.5"N 054°33'17.1"W
	Visible through an arc of 5°, red from 301° to 300½°, oscillating red and white from 300½° to 299½°, white from 299½° to 297½°, oscillating green and white from 297½° to 296½° and green from 296½° to 296°. Charted sectors extend 3.3 NM from light.	
		<i>(N2008040) LL(362.5) DFO(6304063-01)</i>

5001 - Labrador Sea/Mer du Labrador - New Edition - 17-JAN-2003 - NAD 1983

03-OCT-2008		LNM/D. 09-FEB-2007
(T)Add	subsurface mooring at a depth of 1700 metres below the surface	50°30'41.6"N 046°15'51.0"W
	The mooring is temporary and will be removed by June 2009.	<i>DFO(6303958-01)</i>
(T)Add	subsurface mooring at a depth of 2150 metres below the surface	50°33'33.2"N 045°56'26.0"W
	The mooring is temporary and will be removed by June 2009.	<i>DFO(6303958-03)</i>

**SECTION 2 – Edition 10/2008
CHART CORRECTIONS**

7568 - Lancaster Sound and/et Admiralty Inlet - New Chart - 05-JUL-1985

31-OCT-2008		LNM/D. (921-1985)
Delete	dangerous underwater rock of 2 metres or less (See Chart No. 1 K13)	72°12'05.0"N 086°15'34.0"W
		<i>DFO(6603267-01)</i>
Add	dangerous underwater rock with depth of 1.9 metres and 2 metre contour (See Chart No. 1 K14)	72°12'00.5"N 086°14'30.0"W
		<i>DFO(6603267-02)</i>

7620 - Demarcation Bay to/à Liverpool Bay - New Chart - 02-MAY-1997 - NAD 1983

03-OCT-2008		LNM/D. 12-NOV-2004
Reposition	light Fl 6s 48m and radar transponder beacon and radar reflector. (See Chart No.1, P1 and S3.1 and S4)	from 69°46'25.0"N 134°24'35.0"W to 69°46'27.4"N 134°23'19.6"W <i>(A2008009) LL(2503) DFO(6603243-01)</i>

7661 - Workboat Passage - New Chart - 14-MAR-1986 - NAD 1927

03-OCT-2008		LNM/D. 12-NOV-2004
Reposition	front leading beacon (See Chart No.1, Q120)	from 69°32'15.5"N 139°09'00.0"W to 69°32'15.4"N 139°08'57.5"W <i>(A2008008) DFO(6603242-01)</i>
Reposition	rear leading beacon (See Chart No.1, Q120)	from 69°32'19.5"N 139°09'05.0"W to 69°32'27.7"N 139°09'08.3"W <i>(A2008010) DFO(6603242-02)</i>

7662 - Mackenzie Bay - New Edition - 14-NOV-2003 - NAD 1983

03-OCT-2008		
Reposition	light Fl 6s 48m and radar transponder beacon and radar reflector. (See Chart No.1, P1 and S3.1 and S4)	from 69°46'28.0"N 134°24'36.0"W to 69°46'27.4"N 134°23'19.6"W <i>(A2008009) LL(2503) DFO(6603243-01)</i>

7663 - Kugmallit Bay - New Edition - 25-APR-1997 - NAD 1983

03-OCT-2008		LNM/D. 12-NOV-2004
Reposition	light Fl 6s 48m and radar transponder beacon and radar reflector. (See Chart No.1, P1 and S3.1 and S4)	from 69°46'26.0"N 134°24'36.0"W to 69°46'27.4"N 134°23'19.6"W <i>(A2008009) LL(2503) DFO(6603243-01)</i>

SECTION 3 – Edition 10/2008
CORRECTIONS TO RADIO AIDS TO MARINE NAVIGATION

*CANADIAN COAST GUARD PUBLICATION - AMENDMENT TO THE RADIO AIDS TO MARINE NAVIGATION
(ATLANTIC, ST-LAWRENCE, GREAT LAKES, LAKE WINNIPEG AND EASTERN ARCTIC) PUBLICATION - 2008

Page 2-36

DELETE:

2007	2598J3E	RADIOTELEPHONY: <ul style="list-style-type: none">• Notices to Shipping:<ul style="list-style-type: none">Nearshore - Cape Pine to TwillingateOffshore - North Atlantic to Cape Bauld.• Loran C Notices to Shipping for chains 5930 and 7930.• Notices to Shipping revising the position of every reported offshore exploration and exploitation vessel.• Notices to Fishermen (when available).
------	---------	---

ADD:

2007	2598J3E	RADIOTELEPHONY: <ul style="list-style-type: none">• Notices to Shipping:<ul style="list-style-type: none">Nearshore - Cape Pine to TwillingateOffshore - North Atlantic to Cape Bauld.• Loran C Notices to Shipping for chains 5930 and 7270.• Notices to Shipping revising the position of every reported offshore exploration and exploitation vessel.• Notices to Fishermen (when available).
------	---------	--

SECTION 4 – Edition 10/2008
SAILING DIRECTIONS AND SMALL CRAFT GUIDE CORRECTIONS

ATL 109 — Gulf of St. Lawrence (Northeast Portion), First Edition, 2006 —

Chapter 2 — Paragraph 180, line 6
Delete: *CS2 (1561.7)* and *CS1 (1561.8)*

(Q2008-044.1)

ATL 111 — St. Lawrence River — Île Verte to Québec and Fjord du Saguenay, Third Edition, 2007 —

Chapter 1 — Paragraph 84, line 5
Delete: 0.8 to 1.5 m
Replace by: 0.3 to 0.8 m

(Q2008-042.1)

ATL 112 — St. Lawrence River — Cap-Rouge to Montréal and Rivière Richelieu, Second Edition, 2001 —

Chapter 2 — Delete paragraph 246 (Re: Correction promulgated in Monthly Edition No. 1/2004)
Replace by: ²⁴⁶ A **marina** (*Marina de La Ronde*) is located at **Port Sainte-Hélène**, a basin on the NE side of Île Sainte-Hélène. **Lighted buoys** mark the channel that leads to the basin; the basin is accessed through the upstream entrance. A shoal is found in the northern part of the basin. There is a **launching ramp** in the basin. See the Appendix for marina services.

(Q2008-037.1)

Chapter 2 — Delete paragraph 247
Replace by: ²⁴⁷ A **marina** (*Port d'Escale du Vieux-Port de Montréal*) is located within the Jacques-Cartier basin. Another **marina** (*Yacht-Club de Montréal*) is located within the Horloge basin. The access to the basin is partially obstructed by a floating breakwater protecting the marina; private **lights** are situated at each extremities. See the Appendix for marina services.

(Q2008-037.2)

CEN 301 — St. Lawrence River, Montréal to Kingston, First Edition, 1996 —

Chapter 1 — Delete paragraph 289.

(C2008-008.01)

SECTION 5 – Edition 10/2008
LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NEWFOUNDLAND

1.9	Black Rock						Delete from list.	Chart:4844 Edn 10/08(N08-017)	
1.91	Black Rock light buoy MPS1	46 42 16.5 53 15 41.3	Fl G	4s	Green spar, marked "MPS1".	Seasonal.	Chart:4844 Edn 10/08(N08-025)
51.69	Southeast Bight Point	47 23 43 54 35 15	Q R	1s	25.0	4	Square skeleton tower, red and white rectangular daymark. 3.7	Year round.	Chart:4619 Edn 10/08(N07-060)
106.5	Grand Bank Sector	Grand Bank Harbour. 47 06 04.7 55 45 02.8	F R Al W RW G Al GW	14.5s	9.1	Skeleton tower. 6.9	Visible over an arc of 010°. Red from 069°30' to 072°35'; Al RW from 072°35' to 074°16'; white from 074°16' to 074°44'; Al GW from 074°44' to 076°25'; green from 076°25' to 079°30'. The center of the light is 074°30'. Visible from the channel at 254°30'. Year round.	Chart:4832 Edn 10/08(N05-019)
193.4	Lark Harbour Entrance light buoy XL1	49 06 23.2 58 20 36.1	Q G	1s	Green spar, marked "XL1".	Year round.	Chart:4654 Edn 10/08(N08-029)
194 H189	Tortoise Point							Delete from list.	Chart:4654 Edn 10/08(N08-030)
197.5	Peter Point Shoal South Cardinal light buoy XWC	Woods Island. 49 04 48.4 58 09 46.4	Q(6) W +LFl	15s	Yellow and black, marked "XWC".	Seasonal.	Chart:4653 Edn 10/08(N08-028)
344.41	Skiners Rock light buoy DWG5	49 40 32 54 23 36	Fl G	4s	Green spar, marked "DWG5".	Seasonal.	Chart:4862 Edn 10/08(N08-024)
344.42	Old Tim light buoy DWG7	49 40 23.1 54 24 05.9	Fl G	4s	Green spar, marked "DWG7".	Seasonal.	Chart:4862 Edn 10/08(N08-035)

SECTION 5 – Edition 10/2008
LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NEWFOUNDLAND

362.5	Bacalhao Island Sector	49 41 14.5 54 33 17.1	F R W G	71	Square skeleton tower. 3.6	Visible through an arc of 5°, red from 301° to 300 ½°, oscillating red and white from 300 ½° to 299 ½°, white from 299 ½° to 297 ½°, oscillating green and white from 297 ½° to 296 ½° and green from 296 ½° to 296°. Charted sectors extend 3.3NM from light. The operation of the light will be made remotely on channel 65A (156.275 MHz). Mariners requiring the operation of the light will have to key the microphone of the VHF radio 3 consecutive times within 5 seconds on channel 65A (156.275 MHz) to turn the light on. The light automatically shuts off after 1 hour or manually by keying the microphone of the VHF radio 5 times within 5 seconds. Year round.	Chart:4862 Edn 10/08(N08-040)
445.2	Bonavista Entrance light buoy JB3							Delete from list.	Chart:4849 Edn 10/08(N08-008)
445.2	Bonavista Outer Shoal light buoy JB5	48 39 02.5 53 07 54.8	Fl G	4s	Green spar, marked "JB5".	Seasonal.	Chart:4849 Edn 10/08(N08-008)
446.1	Red Rock Shoal light buoy JB5							Delete from list.	Chart:4854 Edn 10/08(N08-007)
446.1	Red Rock Shoal light buoy JB3	48 40 12.2 53 07 27	Fl G	4s	Green, marked "JB3".	Seasonal.	Chart:4854 Edn 10/08(N08-007)
507.89	Bay Bulls Dolphin Wharf							Delete from list.	Chart:4845 Edn 10/08(N08-036)
508.211	Old Harry East Cardinal light buoy MCB	47 04 20.3 52 50 17.5	Q(3) W	10s	Black, yellow, black, marked "MCB".	Year round.	Chart:4845 Edn 10/08(N08-034)
511.25	Fermeuse Wharf	46 58 14 52 56 42	Fl G	4s	2	Cylindrical mast. 2.1	Year round.	Chart:4845 Edn 10/08(N08-038)

SECTION 5 – Edition 10/2008
LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
73 <i>H4120.4</i>	Morgan Ledge	SW. of Greens Point. 45 02 14 66 53 36.3	Fl R	6s	5.0	4 Red square skeleton tower. 4.9	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:4124 Edn 10/08(F08-131)
74.35	Pomeroy Ledge	45 02 17.8 66 54 41.8	Fl R	4s	4.9	4 Red cylindrical skeleton tower. 4.9	Radar reflector. Operates at night only. Year round. Chart:4124 Edn 10/08(F08-132)
140	Fanjoys Point	45 54 27.9 66 01 22.1	Iso R	4s	12.2 Cylindrical tower, red and white horizontal bands. 7.4	Operates at night only. Seasonal. Chart:4142 Edn 10/08(F08-129)
189.5 <i>H3957</i>	Upper Pereaue	45 12 04.5 64 22 41.3	Fl R	4s	4.1	4 Triangular skeleton tower. 4.1	Radar reflector. Operates at night only. Seasonal. Chart:4140 Edn 10/08(F08-134)
191 <i>H3956</i>	Minas Basin	On outer SW. corner of wharf at Delhaven. 45 12 07.6 64 22 47.7	F R	7.1	7 Triangular skeleton tower. 7.1	Operates at night only. Year round. Chart:4140 Edn 10/08(F08-135)
294.5	Deadmans Ledge						Delete from list. Chart:4244 Edn 10/08(F08-080)
294.551	<i>Indian Sluice light buoy TE2</i>	43 44 04.6 65 56 41.6	Fl R	4s Red spar, marked "TE2".	Year round. Chart:4244 Edn 10/08(F08-079)
487 <i>H3660</i>	Peggy's Point	E. side of entrance to St. Margret's Bay. 44 29 30.4 63 55 07.2	Fl R	5s	22.0	10 White octagonal tower, red upper portion. 13.2	Flash 1.5 s; eclipse 3.5 s. Visible from 290° through N. and E. to 136°. Year round. Chart:4386 Edn 10/08(F08-082,110)
498 <i>H3650</i>	Terence Bay	On Tennant Point. 44 27 36.6 63 42 20.4	F R	14.6	8 White square tower. 7.3	Operates at night only. Year round. Chart:4385 Edn 10/08(F08-133)
682.4 <i>H3418</i>	Durell Island range						Delete from list.
682.5 <i>H3418.1</i>							Chart:4281 Edn 10/08(G08-035,036)
943 <i>H920</i>	East Point	Near S. shore of point. 46 27 07.2 61 58 17.7	Fl W	5s	30.5	11 White octagonal tower, red upper portion. 19.5	Flash 2 s; eclipse 3 s. Year round. Chart:4403 Edn 10/08(G08-061)

SECTION 5 – Edition 10/2008
LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

ATLANTIC

993.5	Blockhouse Point light buoy C7	46 11 36.2 63 07 33.7	Fl G	4s	Green, marked "C7".	Seasonal. Chart:4460 Edn 10/08(G08-060)
1173.5	Miramichi Bar light buoy M14	47 07 52.1 64 59 20.8	Q R	1s	Red spar, marked "M14".	Seasonal. (In place Year round.) Chart:4911 Edn 10/08(G08-062)
1561.71	Light buoy CHE	At river entrance. 50 27 13.1 59 37 26.4	Mo(A) W	6s	Red and white vertical stripes, marked "CHE".	Seasonal. Chart:4468 Edn 10/08(Q08-054)
1561.72	Light buoy CS3	At river entrance. 50 27 26.5 59 37 20.7	Fl G	4s	Green, marked "CS3".	Seasonal. Chart:4468 Edn 10/08(Q08-051)
1561.8	Light buoy CS1							Delete from list. Chart:4468 Edn 10/08(Q08-052)
1561.9	Light buoy CS4							Delete from list. Chart:4468 Edn 10/08(Q08-053)
1876 H2228	Pilier de Pierre	S. side of islet. 47 12 20.7 70 21 34.4	Fl W	6s	25.3	10	Cylindrical tower. 12.7	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal. Chart:1233 Edn 10/08(Q08-063)
Inland LL. 2503	Pullen Island Racon - - (G) X & S Band	On island, Kugmallit Bay. 69 46 27.4 134 23 19.6	Fl W	6s	47.4	7	Tripod skeleton tower, white daymark, red vertical stripe. 9.1	Flash 0.5 s; eclipse 5.5 s. Radar reflector. Seasonal. Chart:7663 Edn 10/08(A08-009)

INLAND WATERS

53	Light buoy C22	45 13 26.3 74 02 07.3	Q R	1s	Red, marked "C22".	Winter spar. Seasonal. Chart:1431 Edn 10/08(B08-145)
54	Light buoy C21	45 13 24.2 74 01 47.6	Fl G	4s	Green, marked "C21".	Winter spar. Seasonal. Chart:1431 Edn 10/08(B08-146)
57	Light buoy C24	45 13 20.2 74 02 51.6	Fl R	4s	Red, marked "C24".	Winter spar. Seasonal. Chart:1431 Edn 10/08(B08-147)

SECTION 5 – Edition 10/2008
LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
INLAND WATERS							
58	Light buoy C27	45 13 14.7 74 03 42.6	Fl G	4s	Green, marked "C27".	Winter spar. Seasonal. Chart:1431 Edn 10/08(B08-148)
64	Light buoy C31	45 13 15.1 74 04 56.6	Fl G	4s	Green, marked "C31".	Winter spar. Seasonal. Chart:1431 Edn 10/08(B08-149)
65	Light buoy C30	45 13 20.2 74 05 04.6	Fl R	4s	Red, marked "C30".	Winter spar. Seasonal. Chart:1431 Edn 10/08(B08-150)
133.5	Light buoy D58	45 04 13.9 74 31 19.2	Fl R	4s	Red, marked "D58".	Winter spar. Seasonal. Chart:1432 Edn 10/08(B08-151)
134	Light buoy D57	SE. of Cameron Island. 45 04 09.5 74 31 16.5	Fl G	4s	Green, marked "D57".	Winter spar. Seasonal. Chart:1432 Edn 10/08(B08-152)
140	Lighted spar D64	SE. of Renshaw Island. 45 03 28.5 74 32 31.3	Fl R	4s	Red spar, marked "D64".	Seasonal. (In place Year round.) Chart:1432 Edn 10/08(B08-097)
141.3	Lighted spar D65	NE. of Stanley Island. 45 03 12.1 74 32 57.6	Fl G	4s	Green spar, marked "D65".	Seasonal. (In place Year round.) Chart:1432 Edn 10/08(B08-098)
143	Lighted spar D68	45 03 08 74 33 19.5	Fl R	4s	Red spar, marked "D68".	Seasonal. (In place Year round.) Chart:1432 Edn 10/08(B08-099)
145	Lighted spar D69	45 02 48 74 33 54.5	Fl G	4s	Green spar, marked "D69".	Seasonal. (In place Year round.) Chart:1432 Edn 10/08(B08-100)
149	Lighted spar D74	45 02 39.9 74 34 34.5	Q R	1s	Red spar, marked "D74".	Seasonal. (In place Year round.) Chart:1432 Edn 10/08(B08-101)
150	Dickerson Island Anchorage Area lighted spar DK	NE. of island. 45 02 20.2 74 35 16.7	Fl Y	4s	Yellow spar, marked "DK".	Seasonal. (In place Year round.) Chart:1432 Edn 10/08(B08-102)

SECTION 5 – Edition 10/2008
LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

INLAND WATERS

150.5	<i>Dickerson Island Anchorage Area South lighted spar DM</i>	45 02 10.2 74 35 45.2	<i>Fl Y</i>	4s	<i>Yellow spar, marked "DM".</i>	<i>Seasonal. (In place Year round.)</i>	Chart:1432 Edn 10/08(B08-103)
150.8	<i>Danis Point Anchorage lighted spar DX</i>	45 02 37.7 74 35 41.7	<i>Fl Y</i>	4s	<i>Yellow spar, marked "DX".</i>	<i>Seasonal. (In place Year round.)</i>	Chart:1432 Edn 10/08(B08-104)
152	<i>Lighted spar D77</i>	<i>E. of Provast Point. 45 02 22.5 74 35 58.6</i>	<i>Q G</i>	1s	<i>Green spar, marked "D77".</i>	<i>Seasonal. (In place Year round.)</i>	Chart:1432 Edn 10/08(B08-105)
153.7	<i>Lighted spar D82</i>	45 02 13 74 36 35.9	<i>Fl R</i>	4s	<i>Red spar, marked "D82".</i>	<i>Seasonal. (In place Year round.)</i>	Chart:1433 Edn 10/08(B08-106)
154	<i>Lighted spar D84</i>	45 02 05.5 74 36 55	<i>Fl R</i>	4s	<i>Red spar, marked "D84".</i>	<i>Seasonal. (In place Year round.)</i>	Chart:1432 Edn 10/08(B08-107)
157	<i>Cornwall Island lighted spar DCB</i>	45 01 14.2 74 39 06.1	<i>Fl R (2+1)</i>	6s	<i>Red, green and red spar, marked "DCB".</i>	<i>Seasonal. (In place Year round.)</i>	Chart:1433 Edn 10/08(B08-124)
240	<i>Lighted spar 72</i>	44 55 46.9 75 05 26.2	<i>Q R</i>	1s	<i>Red spar, marked "72".</i>	<i>Seasonal. (In place Year round.)</i>	Chart:1434 Edn 10/08(B08-108)
242	<i>Lighted spar 74</i>	<i>On N. edge of channel. 44 55 23.4 75 06 34</i>	<i>Fl R</i>	4s	<i>Red spar, marked "74".</i>	<i>Seasonal. (In place Year round.)</i>	Chart:1434 Edn 10/08(B08-109)
245	<i>Lighted spar 78</i>	<i>Marks turn in channel. 44 55 07.7 75 07 56.6</i>	<i>Q R</i>	1s	<i>Red spar, marked "78".</i>	<i>Seasonal. (In place Year round.)</i>	Chart:1434 Edn 10/08(B08-110)
250	<i>Lighted spar 84</i>	44 53 48 75 09 43	<i>Fl R</i>	4s	<i>Red spar, marked "84".</i>	<i>Seasonal. (In place Year round.)</i>	Chart:1434 Edn 10/08(B08-111)
255	<i>Lighted spar 86</i>	44 53 11.9 75 11 01.6	<i>Fl R</i>	4s	<i>Red spar, marked "86".</i>	<i>Seasonal. (In place Year round.)</i>	Chart:1434 Edn 10/08(B08-112)

SECTION 5 – Edition 10/2008
LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

INLAND WATERS

256	<i>Lighted spar 88</i>	<i>On N. edge of channel. 44 53 05.2 75 11 21.9</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "88".</i>	<i>Seasonal. (In place Year round.)</i>	Chart:1434 Edn 10/08(B08-113)
262	<i>Lighted spar 95</i>	<i>44 52 31.1 75 13 21.6</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "95".</i>	<i>Seasonal. (In place Year round.)</i>	Chart:1434 Edn 10/08(B08-114)
264	<i>Lighted spar 96A</i>	<i>Off Rapide Plat Point. 44 52 20.2 75 13 57.5</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "96A".</i>	<i>Seasonal. (In place Year round.)</i>	Chart:1434 Edn 10/08(B08-115)
266	<i>Lighted spar 98</i>	<i>Off Robertson Point. 44 52 11 75 14 23.2</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "98".</i>	<i>Seasonal. (In place Year round.)</i>	Chart:1434 Edn 10/08(B08-116)
270	<i>Lighted spar 104</i>	<i>44 51 17.4 75 16 23.5</i>	<i>Q R</i>	<i>1s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "104".</i>	<i>Seasonal. (In place Year round.)</i>	Chart:1434 Edn 10/08(B08-117)
275	<i>Lighted spar 108</i>	<i>44 50 32.8 75 18 16.2</i>	<i>Q R</i>	<i>1s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "108".</i>	<i>Seasonal. (In place Year round.)</i>	Chart:1434 Edn 10/08(B08-118)
280	<i>Lighted spar 108A</i>	<i>44 50 22.2 75 18 29.9</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "108A".</i>	<i>Seasonal. (In place Year round.)</i>	Chart:1434 Edn 10/08(B08-119)
281	<i>Lighted spar 109</i>	<i>44 50 13.1 75 18 27.3</i>	<i>Q G</i>	<i>1s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "109".</i>	<i>Seasonal. (In place Year round.)</i>	Chart:1434 Edn 10/08(B08-120)
283.1	<i>Lighted spar 111</i>	<i>44 49 15.2 75 19 06.1</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "111".</i>	<i>Seasonal. (In place Year round.)</i>	Chart:1434 Edn 10/08(B08-121)
283.5	<i>Lighted spar 112</i>	<i>44 49 02.9 75 19 29.9</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "112".</i>	<i>Seasonal. (In place Year round.)</i>	Chart:1434 Edn 10/08(B08-122)
309	<i>Lighted spar 131A</i>	<i>44 43 41.7 75 27 56.8</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "131A".</i>	<i>Seasonal. (In place Year round.)</i>	Chart:1435 Edn 10/08(B08-123)

SECTION 5 – Edition 10/2008
LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
405.6	Point Frederick Shoal lighted spar KH2	44 13 25 76 28 17.5	Fl R	4s	Red spar, marked "KH2".	Seasonal. (In place Year round.) Chart:2017 Edn 10/08(B08-125)
407	Myles Shoal lighted spar K1	N. side of shoal. 44 12 50 76 29 12.8	Fl G	4s	Green spar, marked "K1".	Seasonal. (In place Year round.) Chart:2017 Edn 10/08(B08-126)
409	Penitentiary Shoal lighted spar K3	N. side of shoal. 44 12 39.5 76 30 39.5	Fl G	4s	Green spar, marked "K3".	Seasonal. (In place Year round.) Chart:2017 Edn 10/08(B08-127)
415	Snake Island lighted spar K5	NW. of island. 44 11 58 76 32 51	Fl G	4s	Green spar, marked "K5".	Seasonal. (In place Year round.) Chart:2017 Edn 10/08(B08-128)
416	Salmon Island South Shoal lighted spar K8	44 11 20 76 35 01	Fl R	4s	Red spar, marked "K8".	Seasonal. (In place Year round.) Chart:2017 Edn 10/08(B08-129)
417	Melville Shoal Southwest lighted spar K9	44 10 11.2 76 35 51.8	Fl G	4s	Green spar, marked "K9".	Seasonal. (In place Year round.) Chart:2018 Edn 10/08(B08-130)
418	Salmon Island lighted spar KN3	NE. end of island. 44 12 02.3 76 35 25.2	Fl G	4s	Green spar, marked "KN3".	Seasonal. (In place Year round.) Chart:2017 Edn 10/08(B08-131)
585	Port Bruce	On outer end of W. pier. 42 39 09.7 81 00 30	Fl G	4s	9.6	4 White cylindrical tower, green upper portion. 7.8	Seasonal. Chart:2121 Edn 10/08(B08-096)
1201	Dixie range	On pier. 45 25 16 73 44 45	Q G	1s	8.4	4 Cylindrical tower on 1-pile dolphin, orange rectangular daymark, black vertical stripe. 22.6	Visible 360°. Operates at night only. Seasonal.
1202		050°43' 2037.6m from front.	Q G	1s	24.6	12 Skeleton tower, orange daymark, black vertical stripe. 22.6	Visible in line of range. Operates at night only. Seasonal. Chart:1410 Edn 10/08(Q08-042)
2503	Pullen Island Racon - - . (G) X & S Band	On island, Kugmallit Bay. 69 46 27.4 134 23 19.6	Fl W	6s	47.4	7 Tripod skeleton tower, white daymark, red vertical stripe. 9.1	Flash 0.5 s; eclipse 5.5 s. Radar reflector. Seasonal. Chart:7663 Edn 10/08(A08-009)

**CANADIAN COAST GUARD
MARINE INFORMATION REPORT AND SUGGESTION SHEET**

Date:

Name of Ship or Sender:.....

Address of Sender:

Street #

Street Name

Town / City:..... Prov / State: Postal Code / Zip Code:

Tel / Fax / E-mail address of sender (if appropriate):

Observation Date: Time (UTC):

Geographical Position:.....

Coordinate Position: Lat: Long:.....

Position Method: DGPS GPS with WAAS GPS Radar Other

Horizontal Datum Used: WGS 84 NAD 27 Other

Estimated Position Accuracy:.....

Chart #: Datum: NAD 27 NAD 83

Chart Edition: Last Correction applied:

Publications affected: (Quote Volume and page):.....

*Full details (Attach additional sheets as necessary)

Mariners are requested to notify the responsible authorities when new or suspected dangers to navigation are discovered, changes are observed in aids to navigation, or corrections to publications are seen to be necessary.

In the case of new or suspected dangers to navigation, it is important that all details be given in order to aid with future investigations. Items of interest include heights, depths, physical description, type of bottom and equipment method used to position the item. It is helpful to mark details on chart, which will be promptly replaced by the Canadian Hydrographic Service.

Reports should be made to the nearest Marine Communications and Traffic Services Centre (MCTS) and should be confirmed in writing to:

Director, Navigation Systems
Canadian Coast Guard
Department of Fisheries and Oceans
Ottawa, Ontario, K1A 0E6

In the case of information concerning aids to navigation or the List of Lights, Buoys and Fog Signals.

OR

Dominion Hydrographer
Canadian Hydrographic Service
Department of Fisheries and Oceans
Ottawa, Ontario, K1A 0E6

In the case of new or suspected dangers to navigation or where corrections to "Sailing Directions" appear to be necessary.

CHSINFO@DFO-MPO.GC.CA

Or general questions on Coast Guard programs or services please send an e-mail message to:

info@dfo-mpo.gc.ca

(Please include your postal code and e-mail address)