

Publication Number 40063779

NOTICES TO MARINERS PUBLICATION WESTERN EDITION

Published monthly by the

CANADIAN COAST GUARD

CONTENTS

		Page
Section 1	Safety and General Information	.1 - 4
Section 2	Chart Corrections	.5 - 7
Section 3	Corrections to Radio Aids to Marine Navigation	.NIL
Section 4	Sailing Directions and Small Craft Guide Corrections	.8
Section 5	List of Lights, Buoys and Fog signals Corrections	.9

Maritime Services Directorate
Aids to Navigation



Internet: www.notmar.gc.ca

EXPLANATORY NOTES

Geographical positions refer directly to the graduations of the largest scale Canadian Hydrographic chart unless otherwise indicated.

Bearings refer to the true compass and are measured clockwise from 000° (North) clockwise to 359°; those relating to lights are from seaward.

Visibility of lights is that in clear weather.

Depths - The units used for soundings (metres, fathoms or feet) are stated in the title of each chart.

Elevations are normally given above Higher High Water, Large Tides unless otherwise indicated.

Distances may be calculated as follows:

1 nautical mile = 1 852 metres (6,076.1 feet) 1 statute mile = 1 609.3 metres (5,280 feet)

1 metre = 3.28 feet

Temporary & Preliminary Notices are indicated by a (T) or a (P) before the chart action. Please note that Nautical charts are not hand amended by the Canadian Hydrographic Service for Temporary (T) and Preliminary (P) Notices. It is recommended that mariners chart these corrections in pencil. Listing of charts affected by Temporary and Preliminary Notices are revised and promulgated quarterly in Section 1 of the Monthly Edition.

Please note that, in addition to the temporary and preliminary changes normally advertised as (T) and (P) Notices, there are a significant number of permanent changes to navigational aids that have been advertised as Preliminary Notices to Mariners while charts are being updated for new editions.

Marine Information Report & Suggestion Sheet - Mariners are requested to notify the responsible authorities when new or suspected dangers to navigation are discovered, changes observed in aids to navigation or corrections to publications are seen to be necessary. Such communications can be made using the Marine Information Report & Suggestion Sheet inserted on the last page of each monthly edition of Notices to Mariners.


Monthly edition of Notices to Mariners - *Notices to Mariners* are issued free of charge on a monthly basis. Mariners now have a choice between specific *Regional* issue(s) they wish to receive. Requests to be placed on or removed from the mailing list should be made by using the form inserted on page *vi* of each monthly edition. Notification of changes to the mailing addresses, regional issues and/or number of copies required should also be transmitted by means of this form.

Canadian Nautical Charts & Publications - A source list of Canadian Nautical Charts & published in Notice No. 14 of the current Annual Edition of Notices to Mariners. The source supply and the prices effective at the time of printing are listed. This list is periodically updated in the monthly edition of Notices to Mariners.

NOTE: Cette publication est aussi disponible en français.

CHART CORRECTIONS - SECTION 2

Corrections to nautical charts will be listed in numeric order by chart number. Each chart correction listed applies only to that particular chart. Related charts, if any, will have their own specific correction listed separately. Users should also refer to CHS Chart 1 Symbols, Abbreviations Terms for additional information pertaining to the correction of charts. The illustration below describes the elements that will comprise a typical Section 2 chart correction.



- 1 Chart Number
- 2 Chart Title
- 3 Chart's latest New Edition date
- 4 Horizontal Chart Datum
- 5 Last Correction

- 6 Chart action
- 7 Notice type
- 8 Weekly chart correction date
- 9 List of light number
- 10 Record reference number

The last correction number is identified with the **LNM/D** or <u>Last Notice</u> to <u>Mariners Number / <u>Date</u>. This number is expressed in either old notice number format (ex.: 594/99) or in day-month-year format which is the date known as the weekly chart correction date shown in the above diagram as item (8).</u>

ADVISORY

NOTICES TO SHIPPING (WRITTEN AND BROADCAST)

The Canadian Coast Guard is implementing a number of changes to the aids to navigation system in Canada.

These changes are advertised as Notices to Shipping (Broadcast and Written) by the Canadian Coast Guard and are followed up with Notices to Mariners, then charts are updated by hand correction, reprints or new editions.

Mariners are advised that all relevant Written Notices to Shipping should be kept until superseded by Notices to Mariners or through revised charts issued by the Canadian Hydrographic Service.

Written Notices to Shipping are published weekly and are available from local Canadian Coast Guard Offices.

The Canadian Hydrographic Service is reviewing the impact of these changes with the Canadian Coast Guard and together we are preparing an action plan on the issuing of chart revisions.

For further information contact your local Canadian Coast Guard office.

Newfoundland

St. John's MCTS Centre Phone: (709) 772-2083

Fax: (709) 772-5369

Maritimes

Maritimes Regional Operations Centre Toll Free in Maritimes 1-800-565-1633

Phone: (902) 426-6030 (902) 426-6334 Fax:

www.mar.dfo-mpo.gc.ca/cg/ops

Website E-Mail: ROCWeb@mar.dfo-mpo.gc.ca

Quebec

Quebec Regional Operations Centre GC\SO\COR

Operational Information Officer

Phone: (418) 648-5410 (418) 648-7244 Fax:

E-Mail: OPSAVIS@dfo-mpo.gc.ca

Central & Arctic

Sarnia MCTS Centre

Toll Free in Ontario 1-800-265-0237

Phone: (519) 337-6360 (519) 337-2498 Fax:

Pacific

Pacific Regional Marine Information Centre

Phone: (604) 666-6011 (604) 666-8453 Fax:

E-mail: RMIC-Pacific@pac.dfo-mpo.gc.ca

Notice to Shipping information

www.pacific.ccg-gcc.gc.ca/mcts-sctm/notship/index e.htm

DGPS FULLY OPERATIONAL SERVICE

The Canadian Coast Guard (CCG) announces that the Differential Global Positioning Service (DGPS) Fully Operational Service (FOS) is available for positioning and navigation.

FOS means the service will provide a DGPS broadcast using the type 9 RTCM message for pseudorange corrections at a data transmission rate of 200 baud. Refer to Radio Aids to Marine Navigation (RAMN) for estimated advertised coverage for each differential station.

Users are also advised that differential corrections are based on the NAD 83 datum position of the reference station antenna and positions obtained using DGPS should be referenced to this coordinate system only. DGPS receivers must be set to the WGS 84 datum in order to obtain optimum positioning accuracy.

	Table of DGPS Reference Stations in Canada								
	ld. Nos	DGPS			Frequency	Bit/s			
Station Name	of reference	Station	Geog. Position		[kHz]				
	stations	ID	Latitude	Longitude					
Cape Race, NL	338,339	940	46 46 N	53 11 W	315	200			
Cape Ray, NL	340,341	942	47 38 N	59 14 W	288	200			
Cape Norman, NL	342,343	944	51 30 N	55 49 W	310	200			
Rigolet, NL	344,345	946	54 11 N	58 27 W	299	200			
Partridge Island, NB	326,327	939	45 14 N	66 03 W	295	200			
Pt. Escuminac, NB	332,333	936	47 04 N	64 48 W	319	200			
Fox Island, NS	336,337	934	45 20 N	61 05 W	307	200			
Western Head, NS	334,335	935	43 59 N	64 40 W	312	200			
Hartlen Point, NS	330,331	937	44 36 N	63 27 W	298	200			
StJean-sur-Richelieu, QC	312,313	929	45 19 N	73 19 W	296	200			
Lauzon, QC	316,317	927	46 49 N	71 10 W	309	200			
Rivière-du-Loup, QC	318,319	926	47 46 N	69 36 W	300	200			
Moisie, QC	320,321	925	50 12 N	66 07 W	313	200			
Wiarton, ON	310,311	918	44 45 N	81 07 W	286	200			
Cardinal, ON	308,309	919	44 47 N	75 25 W	306	200			
Alert Bay, BC	300,301	909	50 35 N	126 55 W	309	200			
Amphitrite Pt., BC	302,303	908	48 55 N	125 33 W	315	200			
Richmond, BC	304,305	907	49 11 N	123 07 W	320	200			
Sandspit, BC	306,307	906	53 14 N	131 49 W	300	200			

DGPS RECEIVER - WARNING

The Canadian Coast Guard's Differential Global Positioning System (DGPS) broadcast contains built in health information designed to alert a DGPS user receiver of an out of tolerance or fault condition. During testing, it was found that some user DGPS receivers did not process the health information properly. Improper processing by a user equipment can result in incorrect positions.

Please contact your DGPS manufacturer or supplier to ensure that your receiver is capable of processing the DGPS Reference Station Health information correctly.

DGPS USER ALERT

The Canadian Coast Guard received reports in March 97 of DGPS receivers apparently ignoring the broadcast alarm which should signal the immediate discontinuation of a particular satellite correction. Reports indicate that some user equipment does not properly recognize this "donot-use" correction flag and as a result erroneously processes it as a correction. This can result in position errors as large as 15 kilometers while the receiver is in DGPS mode. DGPS users are advised that they should contact the manufacturer of their equipment immediately to determine if they require a receiver upgrade.

DGPS station anomaly report / Rapport d'anomalie des stations DGPS

Hear informations / Pansaignaments sur l'usagar

With the purpose of constantly evaluating the quality of the DGPS service offered, the Canadian Coast Guard is providing the mariner with the following anomaly report. This report will allow us to get well-supported information concerning the anomaly and thus, will facilitate the identification of the origin of the problem. Please fill accordingly each section of this report and forward it by the suggested ways. You will find a legend at the end of this document.

Avec le souci d'évaluer constamment la qualité du service DGPS offert, la Garde côtière met à la disposition du navigateur le présent rapport d'anomalie. Ce rapport servira à bien documenter l'anomalie et, de ce fait, facilitera l'identification ou la recherche de la source du problème. Nous vous prions de bien remplir chaque section de ce rapport et de l'acheminer de la façon suggérée. Vous trouverez une légende à la fin de ce document.

Oser informations / Kenseign	ements sur rusage	71		
Vessel name / Nom du navire:			Destination:	
Vessel position at the beginning Position du navire au début de l'	of the anomaly / anomalie :			
Vessel position at the end of the Position du navire à la fin de l'an	anomaly /			
Anomaly report / Rapport d'an				
Date and time of the anomaly / D		omalia:	Duration / Duráe:	
Number of satellites tracked on (
DGPS site using / Station DGPS				
DOP Geometry / Géométrie DO			ub Sivit	ub
User receiver operates correctly Votre équipement DGPS fonctio Comments / Commentaires:	with other DGPS site nne-t-il normalement	es? / à l'utilisation d'autres s	stations DGPS?: Yes/Oui_	_No / Non
Point of contact / Personne-ress	ource: Name	/ Nom:		
Weather conditions / Conditions				
	Winds / Vents: Dire	ction:	Speed / Vitessse:	KTS
			VIS:	
	Bearing and range to	o electrical storm /		
	Direction et distance	e de l'orage:		
Essential informations on us				
remplir:				
User equipment informations	/ Renseignements	sur l'équipement		
GPS receiver / Récepteur GPS:	Make / Fabriquant:		Model:	
DGPS beacon receiver / Démod	•			
Gyro interface with GPS / Gyro i		•		
DGPS interfaced with an ECDIS				
If yes, please fill below / Si oui, S				
ECDIS / SVCEI: Make / Fabriqu	•		Model:	
Radar image interfaced / Image	·	s / Oui:		
Gyro interfaced with ECDIS / Gy	•			
Permanent installation or in eval	•			

This report can be sent the following ways / Ce rapport peut être acheminé selon les façons suivantes:

1) Fax / Par télécopieur: (613) 998-8428

Attention: Aids to Navigation / Aides à la navigation

2) Mail / Par la poste: Director, Navigation Systems

Department of Fisheries and Oceans 200 Kent Street, Station 5N186

Ottawa, ON K1A 0E6

Directeur, Systèmes à la navigation Ministère des Pêches et des Océans

200, rue Kent, Station 5N186

Ottawa, ON K1A 0E6

Canadä

Legend / Légende

Position: Position can be provided by latitude, longitude, bearing and distance, location

of a buoy, etc.

La position peut être donnée en latitude, longitude, relèvement et distance,

emplacement de bouée, etc.

KTS: Wind speed in knots / Vitesse du vent en noeuds.

N.M.: Visibility in Nautical Miles / Visibilité en milles nautiques.

Freq. kHz: Frequency in kilohertz / Fréquence en kilohertz.

SS: Signal strength in decibel / Force de signal en décibel.

SNR: Signal to noise ratio in decibel / Rapport signal-bruit en décibel.

DOP (dilution of precision): Measure of the geometrical « strength » of the GPS satellite configuration.

The DOP is measured on a scale of 1 to 10 / Mesure de la « force » géométrique de la configuration satellite. Le DOP est mesuré sur une échelle

de 1 à 10.

SVCEI / ECDIS: Electronic Chart Display and Information System / Système de Visualisation

de Cartes Électroniques et d'Information.

MONTHLY EDITION OF NOTICES TO MARINERS

MAILING LIST CHANGES

Leader, Notices to Mariners Navigation Aids Navigation Systems Canadian Coast Guard 200 Kent Street, Station 5N186 Ottawa, ON K1A 0E6

Telephone (613) 990-3037 Facsimile (613) 998-8428 Internet <u>www.notmar.gc.ca</u>

Internet	www.notmar.gc.ca	
Please indica	licate which edition you would like to receive.	
EASTERN E areas)	EDITION (Comprised of Arctic, Newfoundland, Maritim	es, Gulf & River St. Lawrence and Central
WESTERN E	N EDITION (Comprised of Arctic and Pacific areas)	<u> </u>
ADD	AMEND REMOVE NO. OF COPIES	
	OLD ADDRESS	
NAME		
STREET		APT.
CITY	POSTA	AL CODE
PROVINCE	E CC	DUNTRY
	NEW ADDRESS	
NAME		
STREET		APT.
CITY	PO	STAL CODE
PROVINCE	E CO	DUNTRY

ID number above address on label

or

Attach complete address label to this sheet

INDEX

CANA	IDIAN HYDROGRAPHIC SERVICE - ANNOUNCEMENT REGARDING CANADIAN	
	HYDROGRAPHIC SERVICE CHART PATCHES.	1
CANA	DIAN HYDROGRAPHIC SERVICE - ARCTIC CHARTS	2
CANA	DIAN HYDROGRAPHIC SERVICE - CUMULATIVE CHART CORRECTIONS	1
CANA	DIAN HYDROGRAPHIC SERVICE - CURRENT CHART EDITION DATES	1
CANA	DIAN HYDROGRAPHIC SERVICE - NOTICES TO MARINERS QUESTIONNAIRE	2
CANA	DIAN HYDROGRAPHIC SERVICE - PRINT ON DEMAND CHARTS - CARE AND USE	1
*301	CANADIAN HYDROGRAPHIC SERVICE - ELECTRONIC NAVIGATION CHARTS	3
*303	CANADIAN HYDROGRAPHIC SERVICE - NON EQUIVALENT ELECTRONIC NAVIGATION CHARTS.	
*302	CANADIAN HYDROGRAPHIC SERVICE - RASTER NAVIGATION CHARTS	3

NUMERICAL INDEX OF CANADIAN CHARTS AFFECTED

Chart No.	Page	Chart No.	Page	Chart No.	Page
3311	5				
3313	5				
3441	5				
3462	5				
3481	6				
3747	6				
3927	6				
5705	7				
6358	7				

CANADIAN HYDROGRAPHIC SERVICE - ANNOUNCEMENT REGARDING CANADIAN HYDROGRAPHIC SERVICE CHART PATCHES.

CHS is introducing a new initiative with a full colour Patch on the Web. A link in the Notices to Mariners web site will be provided so clients can access the colour Patch. The colour Patch will be published in HTML and PDF format. Providing the Patches in colour (accessible to all via remote access to the Web) is an enhanced form of alternative service delivery in line with CHS strategic objectives.

Colour Web Patches are free to the mariner, and given the quality of many printers, should reproduce well. They will be available in real time all around the world which is an improvement since clients had to wait for the paper copy to be mailed.

Previously, in the *Notices to Mariners* (NTM) booklet, Patches were produced in full colour or a minimum of black and magenta.

Due to current budgetary constraints, Patches will now only be produced in black and white for publication in the NTM booklet.

Our level of service will change with this initiative and CHS intends to analyze market reaction to this innovation.

CHS welcomes your feedback on this new service at chsinfo@dfo-mpo.gc.ca

CANADIAN HYDROGRAPHIC SERVICE - CUMULATIVE CHART CORRECTIONS.

The cumulative Notice to Mariners corrections for charts can now be accessed at http://notmar.com/go.php?doc=search/notmar_e

CANADIAN HYDROGRAPHIC SERVICE - CURRENT CHART EDITION DATES.

CHART EDITIONS

The three terms described below are used to indicate the publication status of Canadian charts.

NEW CHART - "NEWCHT"

The first publication of a Canadian chart embracing an area not previously charted to the scale shown, or embracing an area different from any existing Canadian chart.

NEW EDITION - "NEWEDT"

A new issue of an existing chart containing amendments essential to navigation in addition to those issued in Notice to Mariners and making existing editions obsolete.

REPRINTS

A new issue of the current edition of a chart incorporating no amendments of navigational significance other than those previously promulgated in Notice to Mariners. It may also contain amendments from other sources provided they are not essential to navigation. Previous printings of the current edition remain in force.

The current chart edition dates can now be accessed at http://www.chs-shc.gc.ca/pub/en/products/core.cfm

CANADIAN HYDROGRAPHIC SERVICE - PRINT ON DEMAND CHARTS - CARE AND USE.

Background

By providing nautical charts to the public, the goal of the Canadian Hydrographic Service (CHS) is to provide services for safe navigation in a fiscally responsible manner. As a result, CHS continues to expand its portfolio of nautical paper charts that are printed using Print On Demand (POD) technology. These charts are easily recognized by their whiter paper and the coloured logo of the Canadian Hydrographic Service. This new technology enables CHS to print charts in a more efficient manner while enhancing chart content through being able to quickly add new and important information. POD technology provides customers with up-to-date charts without the historical hand-drawn corrections or glued-on patches. Additionally, this technology eliminates out-of-stock situations which arise with the traditional printing and warehousing methods. In the event of a national emergency, CHS can respond to the appropriate authorities with best available information very quickly.

Care of Your POD Chart

CHS encourages its customers to handle the POD charts more carefully than the traditional lithographic charts. When plotting information on POD charts, use HB pencils and apply limited pressure. Testing has suggested that an Indian gum eraser is more effective than alternatives when used on the product. This eraser is also suitable for charts printed using lithographic processes.

CANADIAN HYDROGRAPHIC SERVICE - NOTICES TO MARINERS QUESTIONNAIRE.

The Canadian Hydrographic Service is studying the possibility of providing more Section 2 Notices to Mariners for paper charts in the graphic form, and is requesting your input. We have identified three possible methods that we would like you to consider when you complete the questionnaire. The questionnaire can be found by clicking on the following web address, or pasting it into your browser:

http://www.charts.gc.ca/pub/en/products/notmar/default.asp

The completed questionnaire results are sent by clicking on the "submit" button.

Information you provide is held in strict confidence, and helps us determine our products and services. The Canadian Hydrographic Service does not distribute email addresses to any persons outside of CHS.

If you wish to be removed from our mailing list, please send a reply to me at the address below.

Terry Curran, P.Eng.

250-363-6583 | facsimile 250-363-6323 tac@pac.dfo-mpo.gc.ca

Fisheries and Oceans Canada | 9860 West Saanich Road Sidney, BC V8L 4B2 Government of Canada

CANADIAN HYDROGRAPHIC SERVICE - ARCTIC CHARTS.

Please be advised that effective February 2007 all Arctic notices will appear in both the Eastern and Western paper editions of Notices to Mariners.

Mariners may obtain all Arctic chart notices via the Canadian Coast Guard Notices to Mariners online service www.notmar.gc.ca or by contacting the Canadian Coast Guard, Notices to Mariners office at the following coordinates:

Leader, Notices to Mariners Aids to Navigation Navigation Systems Canadian Coast Guard 200 Kent Street, Station 5N186 Ottawa, ON K1A 0E6

Telephone (613) 993-6974 Facsimile (613) 998-8428

*301 CANADIAN HYDROGRAPHIC SERVICE - ELECTRONIC NAVIGATION CHARTS.

Notes: (1) The following ENC products are only available from:

Nautical Data International Inc. P.O. Box 127, Station C St. John's, Newfoundland

A1C 5H5

Telephone: 1-800-563-0634 or 1-709-576-0634

Facsimile: 709-576-0636

(2) For licence information and rates please contact the distributor, Nautical Data International Inc. (NDI) at the above-mentioned address.

RELEASED PRODUCTS	
S-57 ENC NUMBER	CHART TITLE
CA273329	M'Clintock Channel, Larsen Sound and/et Franklin Strait
CA376067	Cape Canso to/à Country Island
CA373093	Niagara River to Long Point
CA476006	Annapolis Basin
CA576033	Campobello Island
CA376061	Country Harbour to/à Ship Harbour

*302 CANADIAN HYDROGRAPHIC SERVICE - RASTER NAVIGATION CHARTS.

Notes: (1) The following ENC products are only available from:

Nautical Data International Inc. P.O. Box 127, Station C St. John's, Newfoundland

A1C 5H5

Telephone: 1-800-563-0634 or 1-709-576-0634

Facsimile: 709-576-0636

(2) For licence information and rates please contact the distributor, Nautical Data International Inc. (NDI) at the above-mentioned address.

CHARTS	MAIN TITLE							
New Edition	All temporary and preliminary notices affecting the previous versions of the following chart(s) (is / are) now cancelled. For any outstanding notices please consult section 2 of this edition.							
R/M2023	Peterborough to/à Buckhorn including/y compris Stony Lake	14-JUL-2006	See Note 2					
R/M2308	Michipicoten Island to/à Oiseau Bay	22-SEP-2006	See Note 2					
R/M4114	Campobello Island	29-SEP-2006	See Note 2					
R/M7779	Dease Strait	13-OCT-2006	See Note 2					

*303 CANADIAN HYDROGRAPHIC SERVICE - NON EQUIVALENT ELECTRONIC NAVIGATION CHARTS.

Note: The following ENC products are not equivalent to the current editions of their corresponding paper charts and should not be used as a replacement.

NON EQUIVALENT PRODUCTS							
S-57 ENC NUMBER	PAPER CHART NUMBER	CHART TITLE					
CA176290	5001	Labrador Sea/Mer du Labrador					
CA276090	4045	Sable Island Bank/Banc de l'Île de Sable to/au St.Pierre Bank/Banc de Saint Pierre					
CA276271	4022	Cabot Strait and approaches / Détroit de Cabot et les approches					
CA276284	4015	Sydney to/à Saint-Pierre					
CA276286	4023	Northhumberland Strait / Détroit de Northumberland					
CA276477	8013	Flemish Cap/Bonnet Flamand					
CA373067	2304	Oiseau Bay to/à Jackfish Bay					

	NON EQUIVALENT PRODUCTS						
S-57 ENC NUMBER	PAPER CHART NUMBER	CHART TITLE					
CA376014	4242	Cape Sable Island to/aux Tusket Islands					
CA376045	4240	Liverpool Harbour to/à Lockeport Harbour					
CA376047	4241	Lockeport to/à Cape Sable					
CA376062	4906	West Point à/to Baie de Tracadie					
CA376093	4367	Flint Island to/à Cape Smoky					
CA376094	4020	Strait of Belle Isle/Détroit de Belle Isle					
CA376135	4842	Cape Pine to/au Cape St Mary's					
CA376212	5143	Lake Melville					
CA376230	4321	Cape Canso to Liscomb Island					
CA476125	4912	Miramichi					
CA476126	4912	Miramichi River - Chatham to/à Newcastle (Continuation A)					
CA476179	4466	Hillsborough Bay					
CA476202	4211	Cape Lahave to/à Liverpool Bay					
CA476327	4596	Bay of Exploits Sheet/feuille II (Middle/centre)					
CA476328	4597	Bay of Exploits Sheet/feuille III (South/sud)					
CA576226	4587	Fishery Products International Wharves / Quais					

SECTION 2 – Edition 03/2007 CHART CORRECTIONS

3311 - Port Moody to/à Howe Sound - Sheet 1 - New Edition - 31-DEC-1993 - NAD 1983

30-MAR-2007 LNM/D. 22-DEC-2006

Delete beacon in general 49°16'49.4"N 123°14'40.9"W

(see Chart No. 1 Q80)

(P2007011) LL(5244.2) DFO(6201664-01)

Delete beacon in general and radar reflector 49°17'08.4"N 123°14'41.0"W

(see Chart No. 1 Q80 and S4)

(P2007010) LL(5244.1) DFO(6201664-02)

Delete beacon in general 49°16'47.2"N 123°13'09.1"W

(see Chart No. 1 Q80)

(P2007012) LL(5244.4) DFO(6201664-03)

Delete light Q Y 49°17'06.7"N 123°13'09.2"W

(see Chart No. 1 P1)

(P2007014) LL(387.1) DFO(6201664-04)

Delete measured distance

(see Chart No. 1 Q122) between 49°16'49.4"N 123°14'40.9"W

and 49°17'45.4"N 123°14'40.8"W

DFO(6201664-05)

Delete measured distance

(see Chart No. 1 Q122) between 49°16'47.2"N 123°13'09.1"W

and 49°17'45.5"N 123°13'08.9"W

DFO(6201664-06)

Delete measured distance

(see Chart No. 1 Q122) between 49°17'44.7"N 123°14'40.9"W

and 49°17'44.7"N 123°13'08.9"W

DFO(6201664-07)

Delete legend "090°-270° 1852m" 49°17'48.0"N 123°13'40.0"W

DFO(6201664-08)

3313 - Boundary Pass - Sheet 24 - New Chart - 28-JUL-1995 - NAD 1983

30-MAR-2007 LNM/D, 23-MAR-2007

ERRATUM Reference: Edition 2/2007 23-FEB-2007 DFO(6201652-02)

The coordinates for depth of 7.3 metres should read

48°45'47.2"N 122°57'21.3"W

DFO(6201663-01)

3313 - Haro Strait North/Nord - Sheet 6 - New Chart - 28-JUL-1995 - NAD 1983

23-MAR-2007 LNM/D, 23-FEB-2007

Delete legend "HORN" against buoy 48°38'18.0"N 123°10'57.4"W

DFO(6201655-02)

3441 - Haro Strait, Boundary Pass and/et Satellite Channel - New Edition - 01-JUL-2005 - NAD 1983

23-MAR-2007 LNM/D, 05-JAN-2007

Delete legend "HORN" against buoy 48°38'17.9"N 123°10'56.0"W

DFO(6201655-01)

3462 - Juan de Fuca Strait to/à Strait of Georgia - New Edition - 01-JUL-2005 - NAD 1983

23-MAR-2007 LNM/D. 23-FEB-2007

Delete legend "HORN" against buoy 48°38'15.4"N 123°10'57.7"W

DFO(6201655-01)

SECTION 2 – Edition 03/2007 CHART CORRECTIONS

3481 - Approaches to/Approches à Vancouver Harbour - New Edition - 01-JUL-2005 - NAD 1983

30-MAR-2007 LNM/D. 05-MAY-2006

Delete beacon in general 49°16'49.4"N 123°14'40.9"W

(see Chart No. 1 Q80)

(P2007011) LL(5244.2) DFO(6201664-01)

Delete beacon in general and radar reflector 49°17'08.4"N 123°14'41.0"W

(see Chart No. 1 Q80 and S4)

(P2007010) LL(5244.1) DFO(6201664-02)

Delete beacon in general 49°16'47.2"N 123°13'09.1"W

(see Chart No. 1 Q80)

(P2007012) LL(5244.4) DFO(6201664-03)

Delete light Q Y and radar reflector 49°17'06.7"N 123°13'09.2"W

(see Chart No. 1 P1 and S4)

(P2007014) LL(387.1) DFO(6201664-04)

Delete measured distance

(see Chart No. 1 Q122) between 49°16'49.4"N 123°14'40.9"W

and 49°17'45.4"N 123°14'40.8"W

DFO(6201664-05)

Delete measured distance

(see Chart No. 1 Q122) between 49°16'47.2"N 123°13'09.1"W

and 49°17'45.5"N 123°13'08.9"W

DFO(6201664-06)

Delete measured distance

(see Chart No. 1 Q122) between 49°17'44.7"N 123°14'40.9"W

and 49°17'44.7"N 123°13'08.9"W

DFO(6201664-07)

Delete legend "090°-270° 1853m" 49°17'44.7"N 123°13'52.8"W

DFO(6201664-08)

3747 - Browning Entrance - New Edition - 26-AUG-2005 - NAD 1983

30-MAR-2007 LNM/D. 13-OCT-2006

Delete depth of 3.7 metres 53°45'27.9"N 130°24'30.8"W

DFO(6201662-01)

Add depth of 2.6 metres 53°45'28.3"N 130°24'30.7"W

DFO(6201662-02)

3927 - Bonilla Island to/à Edye Passage - New Edition - 29-MAY-1998 - NAD 1983

30-MAR-2007 LNM/D. 13-OCT-2006

Delete depth of 2 fathoms 53°45'29.9"N 130°24'30.8"W

DFO(6201662-01)

Add depth of 1 fathom 3 feet 53°45'28.3"N 130°24'30.7"W

DFO(6201662-02)

SECTION 2 - Edition 03/2007 **CHART CORRECTIONS**

5705 - Cape Dufferin to/à Broughton Island - New Edition - 13-MAY-1983

02-MAR-2007 LNM/D. 14-JUL-2006

Adjoining Chart/Carte adjacente 5706 to read Adjoining Chart/Carte adjacente 5505 Amend in South border at 78° 15' 00"

DFO(6602888-01)

6358 - Northwest Point to/à Jones Point - New Edition - 27-MAY-2005 - NAD 1983

09-MAR-2007

Add white and orange hazard spar buoy 61°36'08.0"N 115°39'30.0"W

(A2006017) DFO(6602862-01)

61°36'08.7"N 115°39'33.1"W Add white and orange hazard spar buoy

(A2006018) DFO(6602863-01)

SECTION 4 – Edition 03/2007 SAILING DIRECTIONS AND SMALL CRAFT GUIDE CORRECTIONS

Artic Canada, Volume 3, Fifth Edition, 1994 —

Page 92 — Paragraph 57, line 3 Delete: 10 to 15.3 m (33 Replace by: 9.3 to 15.3 m (30

(C2006-070.01)

Page 92 — Paragraph 68, line 1

Delete: aeronautical Replace by: aeromarine

(C2006-070.02)

Page 93 — Paragraph 77, line 2 – after "rocks"

Insert: 0.9 m (3 ft) high

(C2006-070.03)

Page 93 — Paragraph 78, lines 2 and 3

Delete:, at an elevation of 10 m (33 ft),

(C2006-070.04)

Page 96 — Paragraph 92, lines 5 to 7

Delete: "The end of" to end of paragraph.

Replace by: A shoal spit projects 0.1 mile off the SE shore at the hamlet. Note the

5.7 m (19 ft) sounding close east of the spit.

(C2006-070.05)

Page 96 — Paragraph 96, line 3

Delete: 4.3 m (14 ft) Replace by: 3.2 m (10 ft)

(C2006-070.06)

Great Slave Lake and Mackenzie River, Seventh Edition, 1989 —

Page 63 — After paragraph 1

Insert: 1.1 An Ocean Data Acquisition System (ODAS) buoy is moored 24 miles NE of Hay River.

(C2006-074.01)

British Columbia, Volume 1, Seventeenth Edition, 2004 —

Page 37 — Paragraph 87, line 1

Delete: and horn

(P2007-04.01)

Page 107 — Delete paragraph 296.

(P2007-07.01)

PAC 206 — Hecate Strait, Dixon Entrance, Portland Inlet and Adjacent Waters and Queen Charlotte Islands,

First Edition, 2002 —

Page 16 — Paragraph 265, line 4

Delete: 12 feet (3.7 m) Replace by: 9 feet (2.6 m)

(P2007-06.1)

Chart 3313, Gulf Islands, 1995 —

Sheet 6a — HARO STRAIT — NORTH

Under "AIDS TO NAVIGATION, Spieden Channel: Danger Shoal"

Delete: & horn

(P2007-05.01)

SECTION 5 – Edition 03/2007 LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position Latitude N. Longitude W.		Light acteristics	Focal Height in m. above water	Nomi- nal Range	Description Height in meters above ground	Remarks Fog Signals
PACIFIC PACIFIC								
305 G5160.1	International Boundary range B	On shore. 49 00 07 123 02 06.7	FI	G 4	s 19.8	3 10	Skeleton tower, fluorescent orange rectangular daymark.	Year round.
305.1 <i>G5160.9</i>	(U.S.)	49 00 06 123 04 00	F	G .	78.6	S	Grey pile, orange rectangular daymark.	Visible eastward. FR aircraft warning light on top of tower. Year round.
								Chart:3463 Edn 03/07
387.1 <i>G54</i> 27	Spanish Bank Anchorage East							Delete from list.
	J							Chart: 3481 Edn 03/07(P07-014)
479.7	Okeover Inlet	On Western breakwater. 49 59 29.6 124 42 38.6	FI	R 4	s	3	Mast, red and white triangular daymark.	Year round. Chart:3559
		124 42 30.0						Edn 03/07(P07-008)
738 G5747.6	Wheeler Island	SW. corner of island.	FI	W 4	s 8.7	7	White square skeleton tower.	Year round.
		130 08 40.7						Chart:3753 Edn 03/07(P07-009)

CANADIAN COAST GUARD MARINE INFORMATION REPORT AND SUGGESTION SHEET

Navigating Officer or Observer:		Captain:	
Ship (or address)			
If Merchant Vessel add Line or Comp	any with Head Office address:		
General locality:			
Subject:			
Approx. position:	Lat.	Long	
Chart No. used to plot:	Corrected to N/M Date:		
Publications affected: (Quote Volume	e and page)		
* Full details (Attach additional sheets	s as necessary)		
Time (UTC)	Date		

INSTRUCTIONS:

Mariners are requested to notify the responsible authorities when new or suspected dangers to navigation are discovered, changes are observed in aids to navigation, or corrections to publications are seen to be necessary.

* In the case of new or suspected dangers to navigation, it is important that all details be given in order to aid with future investigations. Items of interest include heights, depths, physical description, type of bottom and equipment method used to position the item. It is helpful to mark details on chart, which will be promptly replaced by the Canadian Hydrographic Service.

Reports should be made to the nearest Marine Communications and Traffic Services Centre and should be confirmed in writing to:

Director, Navigation Systems Canadian Coast Guard Department of Fisheries and Oceans Ottawa, Ontario, K1A 0E6 In the case of information concerning navigational aids or the List of Lights, Buoys and Fog Signals.

OR

Dominion Hydrographer Canadian Hydrographic Service Department of Fisheries and Oceans Ottawa, Ontario, K1A 0E6

In the case of new or suspected dangers to navigation, or where corrections to "Sailing Directions" appear to be necessary.

CHSINFO@DFO-MPO.GC.CA

For general questions on Coast Guard programs or services, please send an e-mail message to: info@dfo-mpo.qc.ca

(Please include your postal and e-mail address)

For questions regarding the content of these pages contact:

Theresa Kenney (613) 990-3016

Site Administrator