



Fisheries and Oceans  
Canada

Pêches et Océans  
Canada

Canadian  
Coast Guard

Garde côtière  
canadienne

# NOTICES TO MARINERS PUBLICATION WESTERN EDITION

MONTHLY EDITION N° 4  
April 29th, 2016



Safety First, Service Always

Published monthly by the  
**CANADIAN COAST GUARD**  
[www.notmar.gc.ca/subscribe](http://www.notmar.gc.ca/subscribe)

## CONTENTS

	Page
Section 1	Safety and General Information ..... 1 - 5
Section 2	Chart Corrections ..... 6 - 19
Section 3	Radio Aids to Marine Navigation Corrections ..... N/A
Section 4	Sailing Directions and Small Craft Guide Corrections ..... N/A
Section 5	Lists of Lights, Buoys and Fog Signals Corrections ..... 22 - 23

Canadian Coast Guard Programs  
Aids to Navigation and Waterways

## EXPLANATORY NOTES.

**Geographical positions** refer directly to the graduations of the largest scale Canadian Hydrographic chart unless otherwise indicated.

**Bearings** refer to the true compass and are measured clockwise from 000° (North) clockwise to 359°; those relating to lights are from seaward.

**Visibility** of lights is that in clear weather.

**Depths** - The units used for soundings (metres, fathoms or feet) are stated in the title of each chart.

**Elevations** are normally given above Higher High Water, Large Tides unless otherwise indicated.

**Distances** may be calculated as follows:

1 nautical mile	= 1 852 metres (6,076.1 feet)
1 statute mile	= 1 609.3 metres (5,280 feet)
1 metre	= 3.28 feet

**Temporary & Preliminary Notices** are indicated by a (T) or a (P) in the section 1. Please note that Nautical charts are not amended by the Canadian Hydrographic Service for Temporary (T) and Preliminary (P) Notices. It is recommended that mariners chart these corrections in pencil. Listing of charts affected by Temporary and Preliminary Notices are revised and promulgated quarterly in Section 1 of the Monthly Edition.

**Please note that, in addition to the temporary and preliminary changes normally advertised as (T) and (P) Notices, there are a few permanent changes to navigational aids that have been advertised as Preliminary Notices to Mariners while charts are being updated for new editions.**

### **Marine Information Report & Suggestion Sheet.**

Mariners are requested to notify the responsible authorities when new or suspected dangers to navigation are discovered, changes observed in aids to navigation or corrections to publications are seen to be necessary. Such communications can be made using the *Marine Information Report & Suggestion Sheet* inserted on the last page of each monthly edition of *Notices to Mariners*.

### **Canadian Hydrographic Service.**

**Information Published in Section 2 Notices to Mariners** - Mariners are advised that only the most critical changes that directly affect safety to navigation are issued in Chart Corrections - Section 2. This limitation is required to ensure that charts remain as clear and easy to read as possible. As a result, mariners may see minor discrepancies of a non-critical nature between information in official publications. For example, a small change in the nominal range or height of a light may not result in the production of a chart correction, in *Notices to Mariners*, but may result in a *List of Lights, Buoys and Fog Signals* correction.

**In case of discrepancy between information provided on CHS charts related to aids to navigation, and the List of Lights publication, the latter shall be deemed as containing the most up to date information.**

**Canadian Nautical Charts & Publications** - A source list of *Canadian Nautical Charts & Publications* is published in Notice No. 14 of the *Notices to Mariners Annual Edition April 2014*. The source supply and the prices effective at the time of printing are listed. For current chart edition dates refer to the following website:

[www.chs-shc.gc.ca/charts-cartes/paper-papier/index-eng.asp](http://www.chs-shc.gc.ca/charts-cartes/paper-papier/index-eng.asp)


**NOTE: Cette publication est aussi disponible en français.**

## CHART CORRECTIONS - SECTION 2.

Corrections to nautical charts will be listed in numeric order by chart number. Each chart correction listed applies only to that particular chart. Related charts, if any, will have their own specific correction listed separately.

Users should also refer to CHS Chart 1 Symbols, Abbreviations Terms for additional information pertaining to the correction of charts.

The illustration below describes the elements that will comprise a typical Section 2 chart correction.



The last correction number is identified with the **LNMD** or **Last Notice to Mariners Number / Date**. This number is expressed in either old notice number format (ex.: 594/99) or in day-month-year format which is the date known as the weekly chart correction date shown in the above diagram as item (8).

## MONTHLY EDITION OF NOTICES TO MARINERS WEB ACCESS.

We are offering a feature where subscribers to our on-line service are able to receive the complete electronic monthly edition of our Notices to Mariners. We are encouraging our clients to visit the website to subscribe for this service:

[www.notmar.gc.ca/subscribe](http://www.notmar.gc.ca/subscribe)

Users wishing to receive information updates for their charts can do so by setting up a "User Profile" on the following web page :

[www.notmar.gc.ca/search/mycharts-eng.php?czoxOToibnRtPXN0ZXBfb25Jmxbmc9ZSI7](http://www.notmar.gc.ca/search/mycharts-eng.php?czoxOToibnRtPXN0ZXBfb25Jmxbmc9ZSI7)

This feature permits users to register the nautical charts they currently have in their possession.

Registrants are then automatically notified by e-mail when a Notice to Mariners is published concerning these charts.

## ADVISORY NOTICES TO SHIPPING (WRITTEN AND BROADCAST).

The Canadian Coast Guard is implementing a number of changes to the aids to navigation system in Canada.

These changes are advertised as Notices to Shipping (Broadcast and Written) by the Canadian Coast Guard and are followed up with Notices to Mariners, then charts are updated by hand correction, reprints or new editions.

Mariners are advised that all relevant Written Notices to Shipping should be kept until cancelled or superseded by Notices to Mariners or through revised charts issued by the Canadian Hydrographic Service.

Written Notices to Shipping are available on the Canadian Coast Guard Website at [www.ccg-gcc.gc.ca/eng/CCG/NOTSHIP](http://www.ccg-gcc.gc.ca/eng/CCG/NOTSHIP).

The Canadian Hydrographic Service is reviewing the impact of these changes with the Canadian Coast Guard and together are preparing an action plan on the issuing of chart revisions.

For further information contact your local Regional Notices to Shipping (Notships) issuing authorities.

### Western

Fisheries and Oceans Canada  
Canadian Coast Guard  
Victoria MCTS Centre  
P. O. Box 6000,  
9860 West Saanich Road  
SIDNEY, BC V8L 4B2

Telephone : (250) 363-6333

Email: [supervisor.Victoria@innav.gc.ca](mailto:supervisor.Victoria@innav.gc.ca)

Website: [www.ccg-gcc.gc.ca/Marine-communications/Home](http://www.ccg-gcc.gc.ca/Marine-communications/Home)

\* Fisheries and Oceans Canada  
Canadian Coast Guard  
Iqaluit MCTS Centre  
Notices to Shipping Series "A" and Series "H"  
P.O. Box 189  
IQALUIT, NU, X0A 0H0

Telephone: (867) 979-5269

Facsimile: (867) 979-4264

Email: [IQANORDREG@INNAV.GC.CA](mailto:IQANORDREG@INNAV.GC.CA)

Website: [www.ccg-gcc.gc.ca/eng/CCG/Notship-Home](http://www.ccg-gcc.gc.ca/eng/CCG/Notship-Home)

\* **Services provided in English and French**

---

## INDEX

---

<b>CANADIAN HYDROGRAPHIC SERVICE - ANNOUNCEMENT REGARDING CANADIAN HYDROGRAPHIC SERVICE</b>	
<b>CHART PATCHES</b> .....	1
<b>CANADIAN HYDROGRAPHIC SERVICE - CUMULATIVE CHART CORRECTIONS</b> .....	1
<b>CANADIAN HYDROGRAPHIC SERVICE - CURRENT CHART EDITION DATES</b> .....	1
<b>CANADIAN HYDROGRAPHIC SERVICE - PRINT ON DEMAND CHARTS - CARE AND USE</b> .....	1
<b>CANADIAN HYDROGRAPHIC SERVICE - TRANSPORT CANADA NAVIGATION SAFETY – ECDIS</b> .....	2
<b>UPDATE TO CONSOLIDATION OF MARINE COMMUNICATIONS AND TRAFFIC SERVICES (MCTS) CENTRES</b> .....	2
*401 <b>CANADIAN HYDROGRAPHIC SERVICE - NAUTICAL CHARTS</b> .....	3
*402 <b>CANADIAN HYDROGRAPHIC SERVICE - ELECTRONIC NAVIGATIONAL CHARTS</b> .....	3
*403 <b>CANADIAN HYDROGRAPHIC SERVICE - RASTER DIGITAL CHARTS (BSB V4)</b> .....	3
*404 <b>CANADIAN COAST GUARD - LIST OF CHARTS AND REFERENCE CHARTS (SECTION I) AFFECTED BY</b> <b>TEMPORARY AND PRELIMINARY NOTICES</b> .....	4
*405 <b>CANADIAN COAST GUARD PUBLICATION – ANNUAL EDITION OF NOTICES TO MARINERS 2016</b> .....	5
*406 <b>CANADIAN COAST GUARD PUBLICATIONS - NEW EDITION OF RADIO AIDS TO MARINE NAVIGATION</b> <b>(PACIFIC AND ARCTIC) – 2016</b> .....	5
*407 <b>CANADIAN HYDROGRAPHIC SERVICE – ANNOUNCEMENT REGARDING TIDAL INFORMATION TABLES ON</b> <b>CHARTS</b> .....	5

**NUMERICAL INDEX OF CANADIAN CHARTS AFFECTED**

<b>Chart No.</b>	<b>Page</b>	<b>Chart No.</b>	<b>Page</b>	<b>Chart No.</b>	<b>Page</b>
1435	3				
3002	6				
3311	6				
3312	6				
3313	6				
3461	7				
3478	7				
3538	7				
3601	7				
3742	7				
3744	7				
3800	8				
3902	8				
3927	8				
3939	8				
3940	8				
3947	8, 9, 10				
3955	10, 11				
3956	11, 12, 13				
3957	13, 14, 15, 16				
3958	16, 17, 18, 19				
3986	19				
4202	3				
4954	3				
5429	3				

**Monthly Notices to Mariners - Western Edition  
Edition 4/2016**

**SECTION 1  
SAFETY AND GENERAL INFORMATION**

**CANADIAN HYDROGRAPHIC SERVICE - ANNOUNCEMENT REGARDING CANADIAN HYDROGRAPHIC SERVICE CHART PATCHES.**

Colour Web Patches are free to the mariner, and given the quality of many printers, should reproduce well. They will be available in real time all around the world.

CHS welcomes your feedback on this service at [chsinfo@dfo-mpo.gc.ca](mailto:chsinfo@dfo-mpo.gc.ca)

**CANADIAN HYDROGRAPHIC SERVICE - CUMULATIVE CHART CORRECTIONS.**

The cumulative Notices to Mariners corrections for charts can now be accessed at [www.notmar.gc.ca/search/notmar-eng.php](http://www.notmar.gc.ca/search/notmar-eng.php)

**CANADIAN HYDROGRAPHIC SERVICE - CURRENT CHART EDITION DATES.**

**CHART EDITIONS**

The three terms described below are used to indicate the publication status of Canadian charts.

**NEW CHART - "NEWCHT"**

The first publication of a Canadian chart embracing an area not previously charted to the scale shown, or embracing an area different from any existing Canadian chart.

**NEW EDITION - "NEWEDT"**

A new issue of an existing chart containing amendments essential to navigation in addition to those issued in Notices to Mariners and making existing editions obsolete.

**REPRINTS**

A new issue of the current edition of a chart incorporating no amendments of navigational significance other than those previously promulgated in Notices to Mariners. It may also contain amendments from other sources provided they are not essential to navigation. Previous printings of the current edition remain in force.

The current chart edition dates can be accessed at [www.chs-shc.gc.ca/charts-cartes/paper-papier/index-eng.asp](http://www.chs-shc.gc.ca/charts-cartes/paper-papier/index-eng.asp)

**CANADIAN HYDROGRAPHIC SERVICE - PRINT ON DEMAND CHARTS - CARE AND USE.**

**Background**

By providing nautical charts to the public, the goal of the Canadian Hydrographic Service (CHS) is to provide services for safe navigation in a fiscally responsible manner. As a result, CHS continues to expand its portfolio of nautical paper charts that are printed using Print On Demand (POD) technology. These charts are easily recognized by their whiter paper and the coloured logo of the Canadian Hydrographic Service. This new technology enables CHS to print charts in a more efficient manner while enhancing chart content through being able to quickly add new and important information. POD technology provides customers with up-to-date charts without the historical hand-drawn corrections or glued-on patches. Additionally, this technology eliminates out-of-stock situations which arise with the traditional printing and warehousing methods. In the event of a national emergency, CHS can respond to the appropriate authorities with best available information very quickly.

**Care of Your POD Chart**

CHS encourages its customers to handle the POD charts more carefully than the traditional lithographic charts. When plotting information on POD charts, use HB pencils and apply limited pressure. Testing has suggested that an Indian gum eraser is more effective than alternatives when used on the product. This eraser is also suitable for charts printed using lithographic processes.

**Monthly Notices to Mariners - Western Edition  
Edition 4/2016**

**SECTION 1  
SAFETY AND GENERAL INFORMATION**

**CANADIAN HYDROGRAPHIC SERVICE - TRANSPORT CANADA NAVIGATION SAFETY – ECDIS.**

Mariners are advised that ECDIS may not display some isolated shoal depths when operating in "base or standard display" mode. Route planning and monitoring alarms for these shoal depths may not always be activated. To ensure safe navigation and to confirm that a planned route is clear of such dangers, mariners should visually inspect the planned route and any deviations from it using ECDIS configured to display "all data". The automated voyage planning check function should not be solely relied upon.

**UPDATE TO CONSOLIDATION OF MARINE COMMUNICATIONS AND TRAFFIC SERVICES (MCTS) CENTRES**

The Canadian Coast Guard is modernizing and consolidating its Marine Communications and Traffic Services Centres. Clients will continue to receive the high-quality service they have come to expect.

Once complete, there will be a total of 12 MCTS Centres strategically located across the country. Additional information pertaining to this project will be advertised to clients by all available means.

**Western Region**

Comox MCTS will consolidate to Victoria MCTS in Winter/Spring 2016

The new technology will increase efficiency permitting employees to have a greater ability to focus on the safety services they provide to mariners. Mariners are encouraged to visit the Radio Aids to Marine Navigation (RAMN), [www.ccg-gcc.gc.ca/Marine-Communications/Home](http://www.ccg-gcc.gc.ca/Marine-Communications/Home) and Notices to Mariners (NOTMAR), [www.notmar.gc.ca/](http://www.notmar.gc.ca/) PART 3 on a monthly basis for updated information and potential changes to contact information and marine broadcast schedules.



Monthly Notices to Mariners - Western Edition  
Edition 4/2016

SECTION 1  
SAFETY AND GENERAL INFORMATION

\*401 CANADIAN HYDROGRAPHIC SERVICE - NAUTICAL CHARTS

CHARTS	MAIN TITLE	SCALE	PUBLISHED	CAT#	PRICE
<b>New Charts</b>					
5429	Plans du Déroit D'Hudson/Plans of Hudson Strait	1:10000	06-NOV-2015	4	20
<b>New Editions</b>					
1*	Chart/Carte 1: Symbols Abbreviations Terms/Signes Conventionnels Abréviations Termes		01-MAR-2016	N/A	6.00
1435	Cardinal to/à Whaleback Shoal	1:25000	26-JUN-2015	3	20.00
4202	Halifax Harbour - Point Pleasant to/à Bedford Basin	1:10000	26-FEB-2016	1	20.00
4954	Chenal du Havre de la Grande Entrée	1:15000	18-MAR-2016	1	20.00

\*The 2016 edition of Chart 1 is now available in PDF and HTML at no cost, from <http://www.charts.gc.ca/publications/chart1-carte1/index-eng.asp>. The HTML version of this edition, has been upgraded to display in mobile devices.

\*402 CANADIAN HYDROGRAPHIC SERVICE - ELECTRONIC NAVIGATIONAL CHARTS

NEW PRODUCTS	CHART TITLE
S-57 ENC NUMBER	
CA376296	Cape St Mary's to/à Argentia
CA476657	Botwood and Approaches/et les approches
CA476658	Continuation A:Northerm Arm
CA573478	Hat Island
CA576297	St. Brides
CA576298	Argentia
CA576299	Placentia Road
CA576659	Botwood
CA670732	Chemainus

\*403 CANADIAN HYDROGRAPHIC SERVICE - RASTER DIGITAL CHARTS (BSB V4)

CHARTS	MAIN TITLE	SCALE	PUBLISHED
<b>New Charts</b>			
RM-5429	Plans du Déroit D'Hudson/Plans of Hudson Strait	1:10000	06-NOV-2015
<b>New Editions</b>			
RM-3912	Plans, Vicinity of/Proximité de Banks Island	1:25000	14-AUG-2015
RM-4202	Halifax Harbour - Point Pleasant to/à Bedford Basin	1:10000	26-FEB-2016
RM-7511	Resolute Passage	1:50000	23-OCT-2015

**Monthly Notices to Mariners - Western Edition  
Edition 4/2016**

**SECTION 1  
SAFETY AND GENERAL INFORMATION**

**\*404 CANADIAN COAST GUARD - LIST OF CHARTS AND REFERENCE CHARTS (SECTION I) AFFECTED BY  
TEMPORARY AND PRELIMINARY NOTICES**

**IN EFFECT APRIL 29th, 2016  
(REVISED AND PROMULGATED QUARTERLY)**

1430	809(P)/15
2017	909(T)/14
2044	1005(T)/15
2315	1006(T)/15
3057	209(P)/16
3478	1013(P)/15
3490	1112(P)/14 213(P)/15
3538	712(P)/15
3546	714(P)/14
3668	1213(P)/14
3800	115(P)/16
4010	605(P)/14 1108(P)/15
4170	1109(P)/15
4201	509(P)/13
4211	1205(P)/15
4233	1204(P)/15 112(P)/16
4236	609(P)/15 610(P)/15
4241	810(P)/14 808(P)/15
4244	1006(T)/14 904(P)/15
4302	303(T)/16
4340	418(P)/14
4367	1008(P)/15
4374	508(P)/15
4375	411(P)/15 1004(P)/15 113(P)/16
4376	302(P)/16
4377	405(P)/13
4385	202(P)/15
4386	1108(P)/13 507(P)/14
4396	709(P)/14
4422	1005(P)/14
4512	1007(P)/15
4597	1003(P)/09
4644	1106(T)/15
4670	111(P)/16
4825	110(T)/16
4830	1104(T)/13
4863	109(T)/16
4909	613(P)/12 810(P)/12
4911	510(P)/15 811(P)/12 515(P)/15
4912	516(P)/15
5051	1208(T)/13
6218	204(T)/16
6267	1114(P)/14
US 14832	712(T)/14
US 14884	715(T)/13
US 14853	1211(T)/14
US 14865	807(T)/15

Monthly Notices to Mariners - Western Edition  
Edition 4/2016

SECTION 1  
SAFETY AND GENERAL INFORMATION

**\*405 CANADIAN COAST GUARD PUBLICATION – ANNUAL EDITION OF NOTICES TO MARINERS 2016.**

The 2016 Annual Edition of Notices to Mariners is now available for free download, on the NOTMAR web site at <http://www.notmar.gc.ca/go.php?doc=eng/services/annual/default-eng>.

Paper copies of this publication will no longer be sold. This printable online version is always up-to-date.

Amendments to this publication are advertised in the Section 1 of the monthly edition of Notices to Mariners [www.notmar.gc.ca](http://www.notmar.gc.ca).

The 2016 edition has been revised up to Edition 12, 2015 and supersedes the 2015 edition.

**\*406 CANADIAN COAST GUARD PUBLICATIONS - NEW EDITION OF RADIO AIDS TO MARINE NAVIGATION (PACIFIC AND ARCTIC) – 2016.**

The 2016 edition of the Radio Aids to Marine Navigation (Pacific and Arctic) is now available for download, free of charge, on the Marine Communications and Traffic Services MCTS website: <http://www.ccg-gcc.gc.ca/Marine-Communications/Home>

Paper copies of the publication are no longer sold.

Amendments to this publication are advertised by radio broadcast (Notices to Shipping) and/or in Section 3 of the monthly edition of Notices to Mariners [www.notmar.gc.ca](http://www.notmar.gc.ca)

The 2016 edition has been revised to April 29, 2016 and supersedes the 2015 edition.

**\*407 CANADIAN HYDROGRAPHIC SERVICE – ANNOUNCEMENT REGARDING TIDAL INFORMATION TABLES ON CHARTS.**

Mariners are advised that the tidal levels listed in the 2016 edition of Canadian Tide and Current Tables, volumes 2 and 3 have been updated. This revision is aimed to get more precise tidal predictions in time and height. This will result in corrections to the Tidal Information Table shown on charts. These corrections will be published in 2016, through Notices to Mariners.

Monthly Notices to Mariners - Western Edition  
Edition 4/2016

SECTION 2  
CHART CORRECTIONS

**3002 - Queen Charlotte Sound to Dixon Entrance - New Edition - 16-DEC-1994 - NAD 1927**

08-APR-2016

LNMD. 25-MAR-2016

Amend FI to read FI 6s against light 53°38'04.8"N 130°33'52.4"W  
(See Chart No. 1,P1)  
This notice affects Electronic Navigational Chart: CA270724, CA470622  
(P2016036) LL(742) DFO(6203243-01)

**3311 - Grief Point to Desolation Sound - Sheet/Feuille 5 - New Edition - 31-DEC-1993 - NAD 1983**

08-APR-2016

LNMD. 04-MAR-2016

Delete radar reflector 50°05'37.3"N 125°02'16.2"W  
(See Chart No. 1, S4)  
This notice affects Electronic Navigational Chart: CA470103  
(P2016041) LL(483) DFO(6203251-01)

**3312 - Hoskyn Channel - Sutil Channel - Sheet/Feuille 19 - New Edition - 05-JAN-2007 - NAD 1983**

08-APR-2016

LNMD. 11-MAR-2016

Delete radar reflector 50°05'37.3"N 125°02'16.2"W  
(See Chart No. 1, S4)  
This notice affects Electronic Navigational Chart: CA470103  
(P2016041) LL(483) DFO(6203251-01)

**3313 - Juan de Fuca Strait - Sheet/Feuille 1 - New Edition - 02-JAN-2009 - NAD 1983**

08-APR-2016

LNMD. 11-MAR-2016

Delete light 48°19'06.5"N 122°50'37.7"W  
(See Chart No. 1, P1)  
DFO(6203253-02)  
Add light 48°19'14.4"N 122°49'51.5"W  
(See Chart No. 1, P1)  
DFO(6203253-04)

**3313 - Captain Passage - Sheet/Feuille 10 - New Edition - 02-JAN-2009 - NAD 1983**

29-APR-2016

LNMD. 15-APR-2016

Delete depth of 1.9 metres 48°51'16.6"N 123°29'56.7"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA570239  
DFO(6203258-01)  
Add depth of 1.6 metres 48°51'16.6"N 123°29'56.5"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA570239  
DFO(6203258-02)

**3313 - Nanaimo Harbour and Departure Bay - Sheet/Feuille 21 - New Edition - 02-JAN-2009 - NAD 1983**

15-APR-2016

LNMD. 08-APR-2016

Affix patch 49°10'00.0"N 123°55'00.0"W  
Download Patch - [http://www.chs-shc.gc.ca/patches/3313Patch\\_Nanaimo\\_layered.pdf](http://www.chs-shc.gc.ca/patches/3313Patch_Nanaimo_layered.pdf)  
DFO(6203255-01)

Monthly Notices to Mariners - Western Edition  
Edition 4/2016

SECTION 2  
CHART CORRECTIONS

**3461 - Juan de Fuca Strait, Eastern Portion/Partie Est - New Edition - 01-JUL-2005 - NAD 1983**

08-APR-2016

LNMD. 19-JUN-2015

Delete light marked Fl 10s 30m 18M  
(See Chart No. 1, P1)

48°19'06.5"N 122°50'37.7"W

*DFO(6203253-01)*

Add light marked Fl 10s 17m 14M  
(See Chart No. 1, P1)

48°19'14.4"N 122°49'51.5"W

*DFO(6203253-03)*

**3478 - Ganges Harbour and/et Long Harbour - New Edition - 12-JUL-2013 - NAD 1983**

29-APR-2016

LNMD. 08-JAN-2016

Delete depth of 1.9 metres  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA570239

48°51'16.6"N 123°29'56.7"W

*DFO(6203258-01)*

Add depth of 1.6 metres  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA570239

48°51'16.6"N 123°29'56.5"W

*DFO(6203258-02)*

**3538 - Desolation Sound and/et Sutil Channel - New Edition - 30-DEC-2005 - NAD 1983**

08-APR-2016

LNMD. 25-MAR-2016

Delete radar reflector  
(See Chart No. 1, S4)  
This notice affects Electronic Navigational Chart: CA470103

50°05'37.3"N 125°02'16.2"W

*(P2016041) LL(483) DFO(6203251-01)*

**3601 - Juan de Fuca Strait to/à Vancouver Harbour - New Edition - 01-JUL-2005 - NAD 1983**

08-APR-2016

LNMD. 01-JAN-2016

Delete light  
(See Chart No. 1, P1)

48°19'06.5"N 122°50'37.7"W

*DFO(6203253-02)*

Add light  
(See Chart No. 1, P1)

48°19'14.4"N 122°49'51.5"W

*DFO(6203253-04)*

**3742 - Otter Passage to/à McKay Reach - New Edition - 16-JUL-1982 - NAD 1927**

08-APR-2016

LNMD. 25-MAR-2016

Amend Fl to read Fl 6s against light  
(See Chart No. 1,P1)

53°18'43.0"N 129°07'15.0"W

*(P2016034) LL(650) DFO(6203241-01)*

**3744 - Queen Charlotte Sound - New Edition - 20-MAY-1988 - NAD 1927**

08-APR-2016

LNMD. 25-MAR-2016

Amend Fl to read Fl 6s against light  
(See Chart No. 1,P1)

53°38'05.6"N 130°33'46.4"W

This notice affects Electronic Navigational Chart: CA270724, CA470622

*(P2016036) LL(742) DFO(6203243-01)*

Monthly Notices to Mariners - Western Edition  
Edition 4/2016

SECTION 2  
CHART CORRECTIONS

**3800 - Dixon Entrance - New Chart - 06-MAY-2011 - NAD 1983**

08-APR-2016

LNMD. 25-MAR-2016

Amend FI 6s13m5M to read FI 6s10m7M against light 53°38'04.8"N 130°33'52.4"W  
(See Chart No. 1,P1)  
This notice affects Electronic Navigational Chart: CA270724, CA470622  
(P2016036) LL(742) DFO(6203243-01)

**3902 - Hecate Strait - New Edition - 09-DEC-1988 - NAD 1927**

08-APR-2016

LNMD. 25-MAR-2016

Amend FI to read FI 6s against light 53°38'05.6"N 130°33'46.4"W  
(See Chart No. 1,P1)  
This notice affects Electronic Navigational Chart: CA270724, CA470622  
(P2016036) LL(742) DFO(6203243-01)

**3927 - Bonilla Island to/à Edye Passage - New Edition - 29-MAY-1998 - NAD 1983**

08-APR-2016

LNMD. 25-MAR-2016

Amend FI 6s41ft5M to read FI 6s33ft7M against light 53°38'04.8"N 130°33'52.4"W  
(See Chart No. 1,P1)  
This notice affects Electronic Navigational Chart: CA270724, CA470622  
(P2016036) LL(742) DFO(6203243-01)

**3939 - Fisher Channel to/à Seaforth Channel and/et Dean Channel  
New Edition - 01-AUG-2014 - World Geodetic System 1984**

15-APR-2016

LNMD. 04-MAR-2016

Amend FI to read FI 6s against light 52°17'36.3"N 128°05'59.0"W  
(See Chart No. 1,P1)  
This notice affects Electronic Navigational Chart: CA470087  
(P2016023) LL(605) DFO(6203229-01)

**3940 - Spiller Channel and/et Roscoe Inlet - New Chart - 01-MAR-1996 - NAD 1983**

15-APR-2016

LNMD. 12-SEP-2008

Amend FI to read FI 6s against light 52°17'36.3"N 128°05'59.0"W  
(See Chart No. 1,P1)  
This notice affects Electronic Navigational Chart: CA470087  
(P2016023) LL(605) DFO(6203229-01)

**3947 - Grenville Channel to/à Chatham Sound - New Chart - 25-DEC-2009 - NAD 1983**

22-APR-2016

LNMD. 08-APR-2016

Delete depth of 0.3 metres 54°10'30.3"N 130°18'47.0"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA470597, CA570125  
DFO(6203256-01)

Add rock which covers and uncovers with drying height of 0.1 metres 54°10'30.8"N 130°18'46.6"W  
(See Chart No. 1, K11)  
This notice affects Electronic Navigational Chart: CA470597, CA570125  
DFO(6203256-02)

Add rock which covers and uncovers with drying height of 0.4 metres 54°11'40.1"N 130°17'48.7"W  
(See Chart No. 1, K11)  
This notice affects Electronic Navigational Chart: CA470597, CA570125  
DFO(6203256-03)

Monthly Notices to Mariners - Western Edition  
Edition 4/2016

SECTION 2  
CHART CORRECTIONS

Add	rock which covers and uncovers with drying height of 0.7 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA470597	54°11'35.0"N 130°17'39.8"W  <i>DFO(6203256-07)</i>
Add	depth of 0.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'27.2"N 130°18'54.6"W  <i>DFO(6203256-10)</i>
Delete	depth of 1.5 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'15.5"N 130°18'44.9"W  <i>DFO(6203256-13)</i>
Add	depth of 0.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'15.5"N 130°18'45.2"W  <i>DFO(6203256-14)</i>
Add	depth of 3.0 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'27.2"N 130°19'02.6"W  <i>DFO(6203256-16)</i>
Add	depth of 2.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'12.1"N 130°19'12.9"W  <i>DFO(6203256-18)</i>
Add	depth of 7.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'12.6"N 130°19'18.8"W  <i>DFO(6203256-20)</i>
Add	depth of 7.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'08.5"N 130°19'20.3"W  <i>DFO(6203256-21)</i>
Delete	depth of 7.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'04.2"N 130°19'15.7"W  <i>DFO(6203256-22)</i>
Add	depth of 3.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'04.0"N 130°19'14.2"W  <i>DFO(6203256-23)</i>
Add	depth of 4.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°09'48.2"N 130°19'00.0"W  <i>DFO(6203256-26)</i>
Delete	depth of 12.5 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°09'35.2"N 130°18'37.6"W  <i>DFO(6203256-27)</i>

Monthly Notices to Mariners - Western Edition  
Edition 4/2016

SECTION 2  
CHART CORRECTIONS

Add	depth of 9.3 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°09'35.7"N 130°18'36.8"W  <i>DFO(6203256-28)</i>
08-APR-2016		LNMD. 12-FEB-2016
Delete	depth of 1.2 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'36.8"N 130°22'51.2"W  <i>DFO(6203254-09)</i>
Add	depth of 0.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'36.5"N 130°22'51.3"W  <i>DFO(6203254-10)</i>
Delete	depth of 6.4 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'41.1"N 130°22'30.0"W  <i>DFO(6203254-11)</i>
Add	depth of 4.4 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'40.7"N 130°22'27.4"W  <i>DFO(6203254-12)</i>
<b>3955 - Porpoise Harbour, Ridley Island and Approaches/et les Approches</b> <b>New Edition - 21-FEB-2014 - World Geodetic System 1984</b>		
22-APR-2016		LNMD. 25-MAR-2016
Add	rock which covers and uncovers with drying height of 0.4 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°11'40.1"N 130°17'48.7"W  <i>DFO(6203256-03)</i>
Delete	depth of 1.5 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°11'54.8"N 130°18'00.1"W  <i>DFO(6203256-04)</i>
Add	rock which covers and uncovers with drying height of 0.6 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA570125	54°11'54.7"N 130°18'00.0"W  <i>DFO(6203256-05)</i>
Delete	depth of 3.0 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°11'35.0"N 130°17'39.8"W  <i>DFO(6203256-06)</i>
Add	rock which covers and uncovers with drying height of 0.7 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA470597	54°11'35.0"N 130°17'39.8"W  <i>DFO(6203256-07)</i>



Monthly Notices to Mariners - Western Edition  
Edition 4/2016

SECTION 2  
CHART CORRECTIONS

**3955 - Venn Passage - New Edition - 21-FEB-2014 - World Geodetic System 1984**

29-APR-2016

LNMD. 22-APR-2016

Delete submarine pipeline between 54°20'09.5"N 130°26'28.3"W  
(See Chart No. 1, L41.1) and 54°20'03.2"N 130°26'20.5"W  
This notice affects Electronic Navigational Chart: CA570715

*DFO(6203257-01)*

Add submarine pipeline joining 54°20'09.2"N 130°26'28.5"W  
(See Chart No. 1, L41.1) 54°20'07.9"N 130°26'27.9"W  
54°20'05.6"N 130°26'21.1"W  
and 54°20'04.9"N 130°26'14.8"W

*DFO(6203257-02)*

**3956 - Malacca Passage to à Bell Passage - New Edition - 01-MAR-1996 - NAD 1983**

22-APR-2016

LNMD. 08-APR-2016

Delete depth of 0.3 metres 54°10'30.3"N 130°18'47.0"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA470597, CA570125

*DFO(6203256-01)*

Add rock which covers and uncovers with drying height of 0.1 metres 54°10'30.8"N 130°18'46.6"W  
(See Chart No. 1, K11)  
This notice affects Electronic Navigational Chart: CA470597, CA570125

*DFO(6203256-02)*

Add rock which covers and uncovers with drying height of 0.4 metres 54°11'40.1"N 130°17'48.7"W  
(See Chart No. 1, K11)  
This notice affects Electronic Navigational Chart: CA470597, CA570125

*DFO(6203256-03)*

Delete depth of 1.5 metres 54°11'54.5"N 130°17'59.2"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA570125

*DFO(6203256-04)*

Add rock which covers and uncovers with drying height of 0.6 metres 54°11'54.7"N 130°18'00.0"W  
(See Chart No. 1, K11)

This notice affects Electronic Navigational Chart: CA570125

*DFO(6203256-05)*

Add rock which covers and uncovers with drying height of 0.7 metres 54°11'35.0"N 130°17'39.8"W  
(See Chart No. 1, K11)  
This notice affects Electronic Navigational Chart: CA470597

*DFO(6203256-07)*

Add depth of 0.8 metres 54°10'27.2"N 130°18'54.6"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA470597, CA570125

*DFO(6203256-10)*

Delete depth of 1.5 metres 54°10'15.5"N 130°18'44.4"W  
(See Chart No. 1, I10)  
This notice affects Electronic Navigational Chart: CA470597, CA570125

*DFO(6203256-13)*

Monthly Notices to Mariners - Western Edition  
Edition 4/2016

SECTION 2  
CHART CORRECTIONS

Add	depth of 0.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'15.5"N 130°18'45.2"W  <i>DFO(6203256-14)</i>
Delete	depth of 4.0 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°10'27.3"N 130°19'03.4"W  <i>DFO(6203256-15)</i>
Add	depth of 3.0 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'27.2"N 130°19'02.6"W  <i>DFO(6203256-16)</i>
Delete	depth of 5.2 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°10'12.1"N 130°19'13.7"W  <i>DFO(6203256-17)</i>
Add	depth of 2.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'12.1"N 130°19'12.9"W  <i>DFO(6203256-18)</i>
Add	depth of 7.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'12.6"N 130°19'18.8"W  <i>DFO(6203256-20)</i>
Add	depth of 7.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'08.5"N 130°19'20.3"W  <i>DFO(6203256-21)</i>
Delete	depth of 7.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'04.2"N 130°19'15.7"W  <i>DFO(6203256-22)</i>
Add	depth of 3.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'04.0"N 130°19'14.2"W  <i>DFO(6203256-23)</i>
Delete	depth of 5.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°09'48.4"N 130°18'59.3"W  <i>DFO(6203256-25)</i>
Add	depth of 4.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°09'48.2"N 130°19'00.0"W  <i>DFO(6203256-26)</i>
Delete	depth of 12.5 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°09'35.2"N 130°18'37.6"W  <i>DFO(6203256-27)</i>

Monthly Notices to Mariners - Western Edition  
Edition 4/2016

SECTION 2  
CHART CORRECTIONS

Add	depth of 9.3 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°09'35.7"N 130°18'36.8"W  <i>DFO(6203256-28)</i>
08-APR-2016		LNMD. 01-APR-2016
Delete	depth of 3.0 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°10'46.3"N 130°24'51.4"W  <i>DFO(6203254-03)</i>
Add	depth of 2.1 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°10'45.7"N 130°24'50.3"W  <i>DFO(6203254-04)</i>
Delete	depth of 4.3 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°10'50.5"N 130°25'00.8"W  <i>DFO(6203254-05)</i>
Add	depth of 3.3 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°10'50.5"N 130°25'02.9"W  <i>DFO(6203254-06)</i>
Delete	depth of 1.2 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'36.8"N 130°22'51.2"W  <i>DFO(6203254-09)</i>
Add	depth of 0.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'36.5"N 130°22'51.3"W  <i>DFO(6203254-10)</i>
Delete	depth of 6.4 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'41.1"N 130°22'30.0"W  <i>DFO(6203254-11)</i>
Add	depth of 4.4 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'40.7"N 130°22'27.4"W  <i>DFO(6203254-12)</i>
01-APR-2016		LNMD. 25-MAR-2016
Add	depth of 1.7 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'46.8"N 130°25'14.3"W  <i>DFO(6203252-01)</i>
<b>3957 - Approaches to/Approches à Prince Rupert Harbour - New Edition - 05-JUN-1998 - NAD 1983</b>		
22-APR-2016		LNMD. 08-APR-2016
Delete	depth of 0.3 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'29.8"N 130°18'42.7"W  <i>DFO(6203256-01)</i>

Monthly Notices to Mariners - Western Edition  
Edition 4/2016

SECTION 2  
CHART CORRECTIONS

Add	rock which covers and uncovers with drying height of 0.1 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'30.8"N 130°18'46.6"W  <i>DFO(6203256-02)</i>
Add	rock which covers and uncovers with drying height of 0.4 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°11'40.1"N 130°17'48.7"W  <i>DFO(6203256-03)</i>
Add	rock which covers and uncovers with drying height of 0.7 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA470597	54°11'35.0"N 130°17'39.8"W  <i>DFO(6203256-07)</i>
Add	depth of 0.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'27.2"N 130°18'54.6"W  <i>DFO(6203256-10)</i>
Delete	depth of 1.5 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'15.5"N 130°18'45.2"W  <i>DFO(6203256-13)</i>
Add	depth of 0.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'15.5"N 130°18'45.2"W  <i>DFO(6203256-14)</i>
Delete	depth of 4.0 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°10'27.3"N 130°19'03.4"W  <i>DFO(6203256-15)</i>
Add	depth of 3.0 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'27.2"N 130°19'02.6"W  <i>DFO(6203256-16)</i>
Add	depth of 2.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'12.1"N 130°19'12.9"W  <i>DFO(6203256-18)</i>
Delete	depth of 17.7 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°10'12.8"N 130°19'20.0"W  <i>DFO(6203256-19)</i>
Add	depth of 7.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'12.6"N 130°19'18.8"W  <i>DFO(6203256-20)</i>
Add	depth of 7.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'08.5"N 130°19'20.3"W  <i>DFO(6203256-21)</i>

Monthly Notices to Mariners - Western Edition  
Edition 4/2016

SECTION 2  
CHART CORRECTIONS

Add	depth of 3.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'04.0"N 130°19'14.2"W  <i>DFO(6203256-23)</i>
Add	depth of 4.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°09'48.2"N 130°19'00.0"W  <i>DFO(6203256-26)</i>
Add	depth of 9.3 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°09'35.7"N 130°18'36.8"W  <i>DFO(6203256-28)</i>
08-APR-2016		LNMD. 01-APR-2016
Delete	depth of 3.0 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°10'46.3"N 130°24'51.4"W  <i>DFO(6203254-03)</i>
Add	depth of 2.1 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°10'45.7"N 130°24'50.3"W  <i>DFO(6203254-04)</i>
Delete	depth of 4.3 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°10'50.5"N 130°25'00.8"W  <i>DFO(6203254-05)</i>
Add	depth of 3.3 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°10'50.5"N 130°25'02.9"W  <i>DFO(6203254-06)</i>
Delete	depth of 1.2 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'36.8"N 130°22'51.2"W  <i>DFO(6203254-09)</i>
Add	depth of 0.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'36.5"N 130°22'51.3"W  <i>DFO(6203254-10)</i>
Delete	depth of 6.4 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'41.1"N 130°22'30.0"W  <i>DFO(6203254-11)</i>
Add	depth of 4.4 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'40.7"N 130°22'27.4"W  <i>DFO(6203254-12)</i>

Monthly Notices to Mariners - Western Edition  
Edition 4/2016

SECTION 2  
CHART CORRECTIONS

01-APR-2016		LNMD. 25-MAR-2016
Add	depth of 1.7 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'46.8"N 130°25'14.3"W  <i>DFO(6203252-01)</i>
<b>3958 - Prince Rupert Harbour - New Edition - 13-DEC-2013 - World Geodetic System 1984</b>		
22-APR-2016		LNMD. 08-APR-2016
Delete	depth of 0.3 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'30.3"N 130°18'47.0"W  <i>DFO(6203256-01)</i>
Add	rock which covers and uncovers with drying height of 0.1 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'30.8"N 130°18'46.6"W  <i>DFO(6203256-02)</i>
Add	rock which covers and uncovers with drying height of 0.4 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°11'40.1"N 130°17'48.7"W  <i>DFO(6203256-03)</i>
Delete	depth of 1.5 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°11'54.8"N 130°18'00.1"W  <i>DFO(6203256-04)</i>
Add	rock which covers and uncovers with drying height of 0.6 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA570125	54°11'54.7"N 130°18'00.0"W  <i>DFO(6203256-05)</i>
Delete	depth of 3.0 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°11'35.0"N 130°17'39.8"W  <i>DFO(6203256-06)</i>
Add	rock which covers and uncovers with drying height of 0.7 metres (See Chart No. 1, K11) This notice affects Electronic Navigational Chart: CA470597	54°11'35.0"N 130°17'39.8"W  <i>DFO(6203256-07)</i>
Delete	depth of 1.2 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°10'23.7"N 130°18'43.3"W  <i>DFO(6203256-08)</i>
Add	depth of 0.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°10'23.7"N 130°18'43.3"W  <i>DFO(6203256-09)</i>
Add	depth of 0.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'27.2"N 130°18'54.6"W  <i>DFO(6203256-10)</i>

Monthly Notices to Mariners - Western Edition  
Edition 4/2016

SECTION 2  
CHART CORRECTIONS

Delete	depth of 1.5 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°10'20.6"N 130°18'51.0"W  <i>DFO(6203256-11)</i>
Add	depth of 0.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°10'20.6"N 130°18'51.0"W  <i>DFO(6203256-12)</i>
Delete	depth of 1.5 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'15.5"N 130°18'44.4"W  <i>DFO(6203256-13)</i>
Add	depth of 0.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'15.5"N 130°18'45.2"W  <i>DFO(6203256-14)</i>
Delete	depth of 4.0 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°10'27.3"N 130°19'03.4"W  <i>DFO(6203256-15)</i>
Add	depth of 3.0 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'27.2"N 130°19'02.6"W  <i>DFO(6203256-16)</i>
Delete	depth of 5.2 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°10'12.1"N 130°19'13.7"W  <i>DFO(6203256-17)</i>
Add	depth of 2.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'12.1"N 130°19'12.9"W  <i>DFO(6203256-18)</i>
Delete	depth of 17.7 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°10'12.8"N 130°19'20.0"W  <i>DFO(6203256-19)</i>
Add	depth of 7.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'12.6"N 130°19'18.8"W  <i>DFO(6203256-20)</i>
Add	depth of 7.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'08.5"N 130°19'20.3"W  <i>DFO(6203256-21)</i>
Delete	depth of 7.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'04.2"N 130°19'15.7"W  <i>DFO(6203256-22)</i>

Monthly Notices to Mariners - Western Edition  
Edition 4/2016

SECTION 2  
CHART CORRECTIONS

Add	depth of 3.9 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'04.0"N 130°19'14.2"W  <i>DFO(6203256-23)</i>
Delete	depth of 9.4 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°09'55.1"N 130°19'10.7"W  <i>DFO(6203256-24)</i>
Delete	depth of 5.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°09'48.4"N 130°18'59.3"W  <i>DFO(6203256-25)</i>
Add	depth of 4.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°09'48.2"N 130°19'00.0"W  <i>DFO(6203256-26)</i>
Delete	depth of 12.5 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°09'35.2"N 130°18'37.6"W  <i>DFO(6203256-27)</i>
Add	depth of 9.3 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°09'35.7"N 130°18'36.8"W  <i>DFO(6203256-28)</i>
Add	depth of 5.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°09'55.4"N 130°19'10.5"W  <i>DFO(6203256-29)</i>
08-APR-2016		LNMD. 01-APR-2016
Delete	depth of 8.8 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°10'40.8"N 130°24'52.5"W  <i>DFO(6203254-01)</i>
Add	rock awash at chart datum (See Chart No. 1, K12) This notice affects Electronic Navigational Chart: CA570125	54°10'41.0"N 130°24'51.7"W  <i>DFO(6203254-02)</i>
Delete	depth of 3.0 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°10'46.3"N 130°24'51.4"W  <i>DFO(6203254-03)</i>
Add	depth of 2.1 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°10'45.7"N 130°24'50.3"W  <i>DFO(6203254-04)</i>
Delete	depth of 4.3 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°10'50.5"N 130°25'00.8"W  <i>DFO(6203254-05)</i>



**Monthly Notices to Mariners - Western Edition  
Edition 4/2016**

**SECTION 2  
CHART CORRECTIONS**

Add	depth of 3.3 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°10'50.5"N 130°25'02.9"W  <i>DFO(6203254-06)</i>
Delete	depth of 17.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°10'35.8"N 130°24'53.8"W  <i>DFO(6203254-07)</i>
Add	depth of 15.0 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA570125	54°10'35.5"N 130°24'53.4"W  <i>DFO(6203254-08)</i>
Delete	depth of 1.2 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'36.8"N 130°22'51.2"W  <i>DFO(6203254-09)</i>
Add	depth of 0.6 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'36.5"N 130°22'51.3"W  <i>DFO(6203254-10)</i>
Delete	depth of 6.4 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'41.1"N 130°22'30.0"W  <i>DFO(6203254-11)</i>
Add	depth of 4.4 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470597, CA570125	54°10'40.7"N 130°22'27.4"W  <i>DFO(6203254-12)</i>
01-APR-2016		LNMD. 25-MAR-2016
Add	depth of 1.7 metres (See Chart No. 1, I10) This notice affects Electronic Navigational Chart: CA470315, CA570125	54°12'46.8"N 130°25'14.3"W  <i>DFO(6203252-01)</i>
<b>3986 - Browning Entrance - New Chart - 25-DEC-2009 - NAD 1983</b>		
08-APR-2016		LNMD. 25-MAR-2016
Amend	Fl 6s13m5M to read Fl 6s10m7M against light (See Chart No. 1,P1) This notice affects Electronic Navigational Chart: CA270724, CA470622	53°38'04.8"N 130°33'52.4"W  <i>(P2016036) LL(742) DFO(6203243-01)</i>

**SECTION 3  
CORRECTIONS TO RADIO AIDS TO MARINE NAVIGATION**

**Monthly Notices to Mariners - Western Edition  
Edition 4/2016**

**SECTION 4  
SAILING DIRECTIONS AND SMALL CRAFT GUIDE CORRECTIONS**

Monthly Notices to Mariners - Western Edition  
Edition 4/2016

SECTION 5  
LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>134.5</b>	<b>UVic Campbell ODAS buoy</b>	<b>48 57 26.7 125 36 53.4</b>	<b>Fl(5) Y 20s</b>	<b>.....</b>	<b>.....</b>	<b>5(Flash 0.5 s; eclipse 1.5 s) Ec 10s Privately maintained. Year round.</b>	<b>Chart:3602 Edn 04/16</b>
163 G5271	Stamp Narrows	On W. side of narrows. 49 10 59.9 124 49 18	Q G 1s	<b>9.7</b>	4	White cylindrical tower, green band at top on 3- pile dolphin.	Radar reflector. Year round. <b>Chart:3668 Edn 04/16 (P16-027)</b>
227 G5345	James Island	Off NW. point of island. 48 37 02.9 123 22 47.2	Fl W 4s	<b>5.5</b>	4	Mast on a 3-pile dolphin.	Year round. <b>Chart:3479 Edn 04/16 (P16-029)</b>
413 G5477	Gosse Point	Off S. shore. 49 17 32.8 122 55 30.5	Fl R 4s	<b>8.6</b>	5	White cylindrical tower, red band at top on 7-pile dolphin.	Radar reflector. Year round. <b>Chart:3495 Edn 04/16 (P16-024)</b>
481 G5571	Cortes Bay	50 03 46.5 124 55 30.1	Q R 1s	<b>6.6</b>	3	White cylindrical tower, red band at top.	Year round. <b>Chart:3538 Edn 04/16 (P16-040)</b>
483 G5570	Uganda Passage	On Channel Rock between Shark Spit and Cortes Island. 50 05 37.3 125 02 16.2	Q R 1s	<b>7</b>	<b>2</b>	<b>White square skeleton tower, red band at top.</b>	Year round <b>Chart:3538 Edn 04/16 (P16-041)</b>
605 G5702	Donald Point	On the point, Return Channel. 52 17 36.3 128 05 59	Fl W 6s	<b>5.7</b>	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round. <b>Chart:3939 Edn 04/16 (P16-023)</b>
624.8 G5734.7	Walsh Rock	52 38 14 128 57 15	Q W 1s	<b>8.4</b>	5	White cylindrical tower.	Year round. <b>Chart:3726 Edn 04/16 (P16-026)</b>
639.3 G5719.2	Wedge Point Sector light	NE. tip of Cone Island. <b>52 36 37.4 128 31 06.5</b>	F W R W	.....	<b>4.8</b>	Mast.	White 062° through E. to 168° Red 168° through S. to 181° White 181° to 198°. Year round. <b>Chart:3911 Edn 04/16 (P16-028)</b>
640.5 G5721	Parry Patch Sector light	52 40 28.1 128 32 01.6	F W R W	.....	<b>4.4</b>	Mast.	White 352° through N. and E. to 130° Red 130° to 142° White 142° to 154°. Year round. <b>Chart:3911 Edn 04/16 (P16-025)</b>
648 G5734	Kingcome Point	N. extremity of point. <b>53 17 56.7 128 54 30.1</b>	Q W 1s	<b>7.6</b>	<b>5</b>	White square skeleton tower.	Year round. <b>Chart:3944 Edn 04/16 (P16-039)</b>

The amendments have been highlighted in yellow

PACIFIC

Monthly Notices to Mariners - Western Edition  
Edition 4/2016

SECTION 5  
LIST OF LIGHTS, BUOYS AND FOG SIGNALS CORRECTIONS

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
650 G5736.8	Point Cumming	On point, SW. end of Gribbell Island. 53 18 42.2 129 07 21.1	FI W 6s	6.8	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  Chart:3945 Edn 04/16 (P16-034)
651 G5739.4	Money Point	On point. 53 22 54.5 129 09 56.5	FI(3) W 12s	7.2	5	White square skeleton tower, white rectangular daymark.	Flash 0.5 s; eclipse 2 s; Flash 0.5 s; eclipse 2 s; Flash 0.5 s; eclipse 6.5 s. Year round.  Chart:3945 Edn 04/16 (P16-031)
651.2 G5739.5	Hartley Bay Breakwater	End of boulder breakwater. Entrance to bay. 53 25 25.4 129 15 03.4	Q R 1s	10.1	3	White square skeleton tower, red band on top.	Year round.  Chart:3945 Edn 04/16 (P16-035)
651.5 G5740.5	Harbour Rock	Stewart Narrows. 53 23 16.3 129 16 38.5	FI G 4s	3.4	5	Mast, green, white and black square daymark.	Year round.  Chart:3945 Edn 04/16 (P16-037)
655 G5739.2	Dorothy Island	On island. 53 39 33.7 128 50 37.5	FI W 6s	7.4	5	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  Chart:3977 Edn 04/16 (P16-033)
665.1 G5747.38	Plover Point	53 16 44 129 18 15.6	FI W 4s	7.1	7	White square skeleton tower.	Year round.  Chart:3945 Edn 04/16 (P16-038)
742 G5749	Browning Entrance	On N. island, White Rocks. 53 38 04.8 130 33 52.4	FI W 6s	10.3	7	White square skeleton tower.	Flash 0.5 s; eclipse 5.5 s. Year round.  Chart:3986 Edn 04/16 (P16-036)

Monthly Notices to Mariners - Western Edition  
Edition 4/2016

CANADIAN COAST GUARD MARINE INFORMATION REPORT AND SUGGESTION SHEET.

Name of Ship or Sender: ..... Date: .....

Address of Sender: .....  
Street # Street Name

Town / City: ..... Prov / State: ..... Postal Code / Zip Code: .....

Tel / Fax / E-mail address of sender: .....

Observation Date: ..... Time (UTC): .....

Geographical Position: .....

Coordinate Position: Lat: ..... Long: .....

Position Method:  DGPS  GPS with WAAS  GPS  Radar  Other

Horizontal Datum Used:  WGS 84  NAD 27  Other

Estimated Position Accuracy: .....

Chart #: ..... Datum:  NAD 27  NAD 83

Chart Edition: ..... Last Correction applied: .....

Publications affected: (Quote Volume and page): .....

\*Full details (Attach additional sheets as necessary) .....

Mariners are requested to notify the responsible authorities when new or suspected dangers to navigation are discovered, changes are observed in aids to navigation, or corrections to publications are seen to be necessary.

*In the case of new or suspected dangers to navigation, it is important that all details be given in order to aid with future investigations. Items of interest include heights, depths, physical description, type of bottom and equipment method used to position the item. It is helpful to mark details on chart, which will be promptly replaced by the Canadian Hydrographic Service.*

Reports should be made to the nearest Marine Communications and Traffic Services Centre (MCTS) and should be confirmed in writing to:

Leader, Notices to Mariners  
Canadian Coast Guard  
Department of Fisheries and Oceans  
Montréal, Qc H2Y 2E7

In the case of information concerning aids to navigation  
or the List of Lights, Buoys and Fog Signals.

[Notmar.XNCR@dfo-mpo.gc.ca](mailto:Notmar.XNCR@dfo-mpo.gc.ca)

OR

Director General, Canadian Hydrographic Service &  
Oceanographic Services  
Department of Fisheries and Oceans  
Ottawa, Ontario, K1A 0E6

In the case of new or suspected dangers to navigation  
or where corrections to "Sailing Directions" appear  
to be necessary.

[CHSINFO@dfo-mpo.gc.ca](mailto:CHSINFO@dfo-mpo.gc.ca)

Or general questions on Coast Guard programs or services please send an e-mail message to:  
[info@dfo-mpo.gc.ca](mailto:info@dfo-mpo.gc.ca)